SQUARE ONE GETTING STARTED & PLANNING

STEP 1: PLANNING FOR SQUARE ONE

Planning for Square One is based on configuring 12"x24" and 24"x24" blocks in nearly any manner to create space dividing walls, coves, work zones, and more within open environments.

Idea Starters/Typicals:

When you select one of our pre-configured Typicals, everything you need comes specified together, including the blocks, caps and posts, hardware, glides, and more.

- Select the typical number (e.g., 17-4), then specify the finish and hardware color.
- Add optional accessories (see Step #5).

Make Your Own Typicals:

There are endless opportunities with Square One, giving you the ability to create unique setups to meet the specific needs of your customers.

- We recommend utilizing our Specification/Drawing Services team, who can help in bringing your vision to life and ensure all the necessary components are included. To get started, just send us a drawing. You can use our easy online request form: <u>Design Request Form</u>
- Steps #2 #5 outline the process for specifying your own typical. Please provide a drawing with the order to ensure accuracy.

STEP 2: SPECIFYING BLOCKS

When making your own typical, choose the quantity of blocks needed to create your design. We offer single blocks in two styles: 24"x24" and 12"x24".

- Blocks can go up to four high (8') and do runs of five wide (10') without a supporting wall or anchor to create stability.
- We recommend using single 12" x 24" blocks on the top or ends. If placing on the bottom or in the center of the design, using two of them together will ensure alignment with the holes bored on attachment items like End Caps, Corner Posts, etc.
- When creating an "L" or "T" design, we suggest going a minimum of three blocks wide to ensure stability without additional support.

STEP 3: CAPS, POSTS, CONNECTORS, AND SPANNERS

Next, determine what Caps, Posts, Connectors, and Spanners are needed to complete the design.

- End and Top Caps are necessary to ensure a clean and balanced aesthetic (as they hide the attachment hardware/ensure no empty holes are showing where attachments would have been).
- Square One offers connection beams to create 90° turns (Corner Posts), three walls (T-Connectors), four walls (X-Connectors), and span doorways or other openings (Horizontal Beam Spanners).
- End Caps, Posts, and Connectors should always be specified to run longer (taller) than the unit so that the end of the top cap or horizontal rail will not be seen (there are only a few exceptions).

STEP 4: HARDWARE, LEVELING, AND GENERAL ASSEMBLY

Whether connecting square to square or square to post, individual components come with the necessary hardware. Should you need more, we offer separate Bolt Kits to provide proper installation.

We offer heavy-duty, adjustable leveling glides to compensate for uneven floors. A tool (6mm allen driver bit) is also available to insert the glide nuts. The glides must be ordered separately from the blocks.

We do not offer connection methods to anchor to the floor or wall. We recommend discussing this with the building's facility manager for proper connection. Indiana Furniture will not be liable for wall or floor mounts that are not properly installed.

Assembly Instructions may be found on our website.

STEP 5: ACCESSORIES


Add function without sacrificing beauty. Acrylic Inserts, Tackable and Acoustical Panels, Dry Erase Boards, and TV mounts can give your space the ability for more privacy, collaboration, or brainstorming.

- Dry Erase Boards and Tackable Panels have onset installation.
- Dry Erase Boards can be mounted either vertically or horizontally.
- Acoustical Panels are either specified onset or inset, and Acrylic Inserts are inset.
- Tackable Panels are fully upholstered, so a clean aesthetic is seen from both sides of the blocks.
- Acrylic Inserts lock into insert retainers which are installed on top of the hardware, inside of the block, allowing for a quick and tight-fitting installation.
- Frosted Acrylic Inserts can be customized with a logo or image, giving you freedom to create a personal touch. Provide a .CDR, .AI, or .EPS file. Extended lead times may apply.
- We offer the Vesta Power Data Center and other similar items to add power within your Square One spaces created.




Space Division. Redefined.





17-1 (Approximately 10' X 10' X 8')




17-4 (Approximately 10' X 8' X 8')




17-7 (Approximately 8' X 8')




17-10 (Approximately 4' X 8' X 8')



17-13 (Approximately 8' X 8' X 8')



17-2 (Approximately 8' X 8' X 8')



17-5 (Approximately 16' X 16' X 8')




17-8 (Approximately 12' X 8' X 8')



17-11 (Approximately 4' X 4' X 8')



17-14 (Approximately 8' X 6' X 8')




SQUARE ONE IDEA STARTERS

17-3 (Approximately 12' X 8' X 8')




17-6 (Approximately 8' X 8' X 8')



17-9 (Approximately 12' X 8' X 6')



17-12 (Approximately 2' X 4' X 8')



17-15 (Approximately 10' X 10' X 8')



SQUARE ONE SPACE DIVISION (1700 SERIES)

Space Division. Redefined.

Square One is the clean, simple way to provide space division, functionality, and architectural design to any zone within the working environment. With individual building blocks that securely connect to one another and accessories like dry erase boards, barn doors, planter boxes, acrylic inserts, and tackable and acoustical panels, your personalization of Square One is only limited to your imagination. Square One is made of solid wood, providing a sustainable material for the workplace and bringing warmth and beauty to any space.

CONSTRUCTION

BLOCKS

 Blocks are manufactured using kiln-dried, solid European Beech and are attached using hardware, available in your choice of nickel or black, for durability and strength

FINISH

- Indiana Furniture uses a multi-step hand finishing process
- Blocks are pre-sanded for smoothness, then stained and finished with a catalyzed varnish finish which offers durability, lasting beauty, and resistance to normal wear
- Square One finishes were selected to complement casegoods, tables, and seating finishes which allows for easy blending of furniture components

END & TOP CAPS

- Measure 1 $3\!\!\!/4$ "W and 1 $3\!\!\!/4$ "D and come in a variety of lengths
- Used vertically and horizontally to provide a clean, balanced aesthetic by hiding the attachment hardware
- Caps are constructed of kiln-dried, solid European Beech and include blind threaded inserts for installation

CORNER POSTS

- Measure 1 $3\!\!\!/4$ "W and 1 $3\!\!\!/4$ "D and come in a variety of heights
- Used to create 90° turns
- Corner posts are constructed of kiln-dried, solid European Beech
 and include blind threaded inserts for installation

T-CONNECTORS

- Measure 1³/₄"W and 1³/₄"D and come in a variety of heights
- Used vertically and horizontally to create an intersection for three wall runs
- T-Connectors are constructed of kiln-dried, solid European Beech and include blind threaded inserts for installation

X-CONNECTORS

- Used vertically to create an intersection for four wall runs
- X-Connectors are constructed of kiln-dried, solid European Beech and include blind threaded inserts for installation

HORIZONTAL BEAM SPANNERS

- Measure $1\rlap{34}"D$ and $1\rlap{34}"H$ and come in a variety of widths
- Used horizontally to provide structural support for doorways and other designed openings
- Spanners are constructed of kiln-dried, solid European Beech and include blind threaded inserts for installation

DRY ERASE BOARDS

- Available in 22½" or 46½" heights and multiple widths
- · Installed onset, either vertically or horizontally
- Installation brackets are included; longer bolts for installation
 on-site are also included

ACOUSTICAL PANELS

- Constructed of 100% polyester made from up to 50% recycled materials without the use of adhesive or other bonding agents, Acoustical Panels are 100% recyclable
- Panels are $\%^{\prime\prime}$ (12mm) thick and are available in multiple widths and lengths
- Sound absorption is average NRC 0.75 (50mm air gap) 1.0 NRC in mid-high frequencies
- Panels are installed inset with tabs or onset with dual-lock connectors

TACKABLE PANELS

- Tackable Panels are constructed of 7/16" corkboard and then covered, on both sides, in the textile of your choice
- Highly-skilled upholsterers hand tailor each unit to meet individual specifications
- Upholstery options include a broad range of styles, all pre-graded in this price list for ease of use
- · Panels are installed onset with dual-lock connectors

ACRYLIC INSERTS

- Acrylic inserts are manufactured using high performance engineering resins and provide translucency, strength, clarity, and versatility
- Inserts are 201/2"W and are available in 81/2" and 201/2" lengths
- Inserts are inset within the blocks with retainers for a tight-fitting installation
- Frosted acrylic options can be customized with logos and other designs as requested

LEVELING GLIDES

- Heavy-duty, adjustable leveling glides are available in black or nickel and are recommended to ensure proper leveling and compensation for uneven floors
- A tool (6mm allen driver bit) to install glides is also available to ensure proper installation

BARN DOOR HARDWARE

- Sliding system tracks are constructed of black powder coated steel
- Hardware includes tracks, hangers, track stops, screws, inserts, bracket, and sliding system
- Installation hardware will be shipped attached to components

PLANTER BOXES

- The planter box is made of $\frac{3}{4}$ thick thermally-fused laminate (TFL) fused particle-board core
- Grain direction runs horizontal
- Planter boxes are fastened together with screws and heavy-duty metal fasteners
- Optional insert is made of lightweight, fade-resistant, recyclable
 plastic



SQUARE ONE SPACE DIVISION (1700 SERIES)

HOW TO ORD	ER EXAMPLES			
IDEA STARTE	RS/TYPICALS			
Model No.	Description	Example		
17-1	Finish	EG		
	Hardware Color	BLK		
BLOCKS & RA	ILS			
Model No.	Description	Example		
17-2424BL	Finish	NB		
	Hardware Color	NCKL		
ACRYLIC INSE	RTS			
Model No.	Description	Example		
AI-2020AC	Acrylic Color	FSTA		
PLANTER BOXES				

Model No.	Description	Example
01-1909PL	TFL Color	AS
	Hardware Color	BLK
	Optional Insert	PBI

VENEER (W) OPTIONS

Indiana Furniture uses a multi-step, hand finishing process on all exposed wood frames.

Square One models feature a catalyzed varnish finish which offers durability, lasting beauty, and resistance to normal wear.

AWH	Aspen White	OR	Orchard
EG	Ember Gray	TR	Truffle Rain
NB	Natural Beech		

TFL (T) LAMINATE OPTIONS ON PLANTER BOXES

WOODGRAIN

AS	Asian Night	PTK	Portico Teak
BW	Beigewood	RC	River Cherry
CO	Columbian Walnut	SPW	Sepia Walnut
EF	Espresso	SKC	Shaker Cherry
FLW	Florence Walnut	SBP	Smoky Brown Pear
KHE	Kirsche	ΤK	Studio Teak
MNR	Midnight Run	SM	Sugar Maple
NTM	Natural Marrone	WTA	Weathered Ash
ORW	Oak Riftwood	WNB	White Nebbia
PNW	Pinnacle Walnut	WC	Williamsburg Cherry
SOLID			
BL	Black	FHG	Fashion Grey
WH	Designer White	SG	Slate Grey

HARDWARE/LEVELING GLIDES COLOR OPTIONS



NCKL Nickel

Black (BLK)

Nickel (NCKL)

ASH	Ash	MLK	Milky	
BLK	Black	TPE	Taupe	
GRY	Grey			
Ash (ASH)	Black (BLK)	Grey (GRY)	Milky (MLK)	Taupe (TPE)
ACRYLI	C INSERT OPTIONS			
FSTA	Frosted	TGWA	Twigwork	(
RAFA	Raffia	TNSA	Tinsel	
WOVA	Woven			
Frosted (FS	STA) Raffia (RAFA)	Woven (WOVA)	Twigwork (TGWA)	Tinsel (TNSA)

TACKABLE PANEL OPTIONS

ACOUSTICAL PANEL OPTIONS

Available in single upholstery in a wide variety of graded-in or contract options.

CERTIFICATIONS & COMPLIANCE

- CAL 117-2013 Compliance
- Intertek Sustainability Certified
- BIFMA level[®] Certified
- BIFMA Complaint[®] Certified
- TSCA Title VI (CARB) Compliance
- US Green Building's LEED® Contribution



SQUARE ONE STATEMENT OF LINE

Building Blocks



24"x24" Block (See Details)





End Caps (See Details)



24"x12" Block

(<u>See Details</u>)

Corner Posts (See Details)

TV Mounts

(See Details)

Hardware



Leveling Glide Kits (See Details)



Ø





Horizontal Beam Spanners (See Details)

Accessories



Barn Door Wall

(See Details)



Planter Boxes (<u>See Details</u>)

T-Connector Beams

(See Details)



Tic-Tac-Toe Foam Game (<u>See Details</u>)

X-Connector Beams

(See Details)




Dry Erase Boards (See Details)



Vesta Power Center (<u>See Details</u>)



Tackable Panels (See Details)



Onset & Inset Acoustical Panels (See Details)

Acrylic Inset Panels (<u>See Details</u>)

\$ 19442

\$ 19508


Indiana FURNITURE

SQUARE ONE TYPICAL ARRANGEMENTS

Item	Model No.	Qty	Description	List Price
HUDDLE (APPROXIMATELY 10' X 10' X 8')	17-1_1701			\$ 22036
All	Consists of:			
	17-2424BL	56	Single Block, 24" x 24"	\$ 16464
	17-17596EC	4	End Cap, 96" (used vertically)	\$ 1576
	17-175120EC	2	End Cap, 120" (used horizontally)	\$ 860
	17-17597CP	4	Corner Post, 97¾"	\$ 1588
	17-175120HBS	2	Horizontal Beam Spanner, 120"	\$ 820
	17-LEVKIT	14	Leveler Kit, (2) Levelers	\$ 728


HUDDLE (APPROXIMATELY 8' X 8' X 8') 17-2

17-3



Consists of:			
17-2424BL	48	Single Block, 24" x 24"	\$ 14112
17-17596EC	6	End Cap, 96" (4 used vertically, 2 used horizontally)	\$ 2364
17-17597CP	4	Corner Post, 97¾"	\$ 1588
17-17596HBS	2	Horizontal Beam Spanner, 96"	\$ 754
17-LEVKIT	12	Leveler Kit, (2) Levelers	\$ 624

HUDDLE (APPROXIMATELY 12' X 8' X 8')



H-CONFIGURATION

48	Single Block, 24" x 24"	\$	14112
4	End Cap, 96" (2 used vertically, 2 used horizontally)	\$	1576
2	End Cap, 97¾" (used vertically)	\$	788
2	Corner Post, 96"	\$	794
2	Corner Post, 97¾"	\$	794
2	Horizontal Beam Spanner, 120"	\$	820
12	Leveler Kit, (2) Levelers	\$	624
	4 2 2 2 2 2	 4 End Cap, 96" (2 used vertically, 2 used horizontally) 2 End Cap, 97³/₄" (used vertically) 2 Corner Post, 96" 2 Corner Post, 97³/₄" 2 Horizontal Beam Spanner, 120" 	4End Cap, 96" (2 used vertically, 2 used horizontally)\$2End Cap, 97¾" (used vertically)\$2Corner Post, 96"\$2Corner Post, 97¾"\$2Horizontal Beam Spanner, 120"\$

17-4 \$ 19508 (APPROXIMATELY 10' X 8' X 8') Consists of: 17-2424BL 48 Single Block, 24" x 24" \$ 14112 17-17596EC 2 End Cap, 96" (used horizontally) \$ 788 17-17597EC 4 End Cap, 97³/₄" (used vertically) \$ 1576 17-17596CP 4 Corner Post, 96" \$ 1588 17-175120HBS 2 <u>\$8</u>20 Horizontal Beam Spanner, 120" 17-LEVKIT 12 Leveler Kit, (2) Levelers \$ 624

\$ 10457

Indiana

SQUARE ONE TYPICAL ARRANGEMENTS

Item	Model No.	Qty	Description	List Price
QUAD-CONFIGURATION (APPROXIMATELY 16' X 16' X 8')	17-5			\$ 23204
ADDA	Consists of:			
	17-2424BL	64	Single Block, 24" x 24"	\$ 18816
	17-17596EC	4	End Cap, 96" (used horizontally)	\$ 1576
C-CREENC	17-17597EC	4	End Cap, 97¾" (used vertically)	\$ 1576
	17-17597XB	1	X-Connector Beam, 97¾"	\$ 404
	17-LEVKIT	16	Leveler Kit, (2) Levelers	\$ 832

WALL COVE
(APPROXIMATELY 8' X 8' X 8')

17-6



Consists of:			
17-2424BL	24	Single Block, 24" x 24"	\$ 7056
17-17596EC	3	End Cap, 96" (used horizontally)	\$ 1182
17-17597EC	4	End Cap, 97¾" (2 used vertically, 2 used horizontally)	\$ 1576
17-17596CP	1	Corner Post, 96" (used horizontally)	\$ 397
17-LEVKIT	4	Leveler Kit, (2) Levelers	\$ 208
17-12MMBOLTKIT	1	12mm Bolt Kit, qty 8	\$ 38

* This typical is not design for freestanding applications. This unit must be secured at the top to a rigic structure. Attachment hardware not included.

SINGLE WALL
(APPROXIMATELY 8' X 8')



17-7			\$ 6094
Consists of:			
17-2424BL	16	Single Block, 24" x 24"	\$ 4704
17-17596EC	1	End Cap, 96" (used horizontally)	\$ 394
17-17597EC	2	End Cap, 97¾" (used vertically)	\$ 788
17-LEVKIT	4	Leveler Kit, (2) Levelers	\$ 208

T-CONFIGURATION 17-8_1708 \$ 15021 (APPROXIMATELY 12' X 8' X 8') Consists of: 17-2424BL 40 Single Block, 24" x 24" \$ 11760 17-17572EC 2 End Cap, 72" (used horizontally) \$ 764 17-17596EC 1 End Cap, 96" (used horizontally) \$ 394 17-17597EC 3 End Cap, 97³/₄" (used vertically) \$ 1182 17-17597TCB 1 T-Connector Beam, 97³/₄" \$ 401 17-LEVKIT 10 Leveler Kit, (2) Levelers \$ 520

Square One 373

\$ 15610

Indiana

SQUARE ONE TYPICAL ARRANGEMENTS

Item	Model No.	Qty	Description	List Price
T-CONFIGURATION (APPROXIMATELY 12' X 8' X 6')	17-9			\$ 12032
	Consists of:			
	17-2424BL	30	Single Block, 24" x 24"	\$ 8820
	17-17572EC	2	End Cap, 72" (used horizontally)	\$ 764
	17-17573EC	3	End Cap, 73¾" (used vertically)	\$ 1146
	17-17596EC	1	End Cap, 96" (used horizontally	\$ 394
	17-17573TCB	1	T-Connector Beam, 73¾"	\$ 388
	17-LEVKIT	10	Leveler Kit, (2) Levelers	\$ 520

OFFSET DUAL BOOTH (APPROXIMATELY 4' X 8' X 8')

17-10



17-2424BL	36	Single Block, 24" x 24"	\$ 10584
17-17548EC	2	End Cap, 48" (used horizontally)	\$ 630
17-17597EC	4	End Cap, 97¾" (used vertically)	\$ 1576
17-17524CP	2	Corner Post, 24" (used horizontally)	\$ 612
17-17548CP	2	Corner Post, 48" (used horizontally)	\$ 634
17-17548TCB	1	T-Connector Beam, 48"	\$ 318
17-17596TCB	2	T-Connector Beam, 96"	\$ 802
17-LEVKIT	8	Leveler Kit, (2) Levelers	\$ 416
17-12MMBOLTKIT	1	12mm Bolt Kit, qty 8	\$ 38

DUAL BOOTH (APPROXIMATELY 4' X 4' X 8')	17-11			\$ 1127
	Consists of:			
	17-2424BL	24	Single Block, 24" x 24"	\$ 705
	17-17524EC1711	4	End Cap, 24" (used horizontally)	\$ 121
	17-17548EC1711	1	End Cap, 48" (used horizontally)	\$ 315
	17-17597EC1711	4	End Cap, 97 ³ /4" (used vertically)	\$ 157
	17-17597TCB1711	2	T-Connector Beam, 97¾"	\$ 80
	17-LEVKIT	6	Leveler Kit, (2) Levelers	\$ 312
L COVE	17.10			¢ 540
(APPROXIMATELY 2' X 4' X 8')	17-12			\$ 548
	Consists of:			
	17-2424BL	12	Single Block, 24" x 24"	\$ 352
	17-2424BL 17-17524EC	12	Single Block, 24" x 24" End Cap, 24" (used horizontally)	\$ 352 \$ 30
		12 1 1		
	17-17524EC	12 1 1 2	End Cap, 24" (used horizontally)	\$ 30
	17-17524EC 17-17548EC	1	End Cap, 24" (used horizontally) End Cap, 48" (used horizontally)	\$ 303 \$ 315

\$ 19278

\$ 30773

Square One

Indiana

SQUARE ONE TYPICAL ARRANGEMENTS

ltem	Model No.	Qty	Description	List Price
C-CONFIGURATION (APPROXIMATELY 8' X 8' X 8')	17-13			\$ 17500
	Consists of:			
	17-2424BL	48	Single Block, 24" x 24"	\$ 14112
	17-17596EC	3	End Cap, 96" (used horizontally)	\$ 1182
	17-17597EC	2	End Cap, 97¾" (used vertically)	\$ 788
	17-17597CP	2	Corner Post, 97¾"	\$ 794
	17-LEVKIT	12	Leveler Kit, (2) Levelers	\$ 624


GATEWAY COVE (APPROXIMATELY 8' X 6' X 8')

17-14




Consists of:			
17-2424BL	32	Single Block, 24" x 24"	\$ 9408
17-2412BL	16	Single Block, 24" x 12"	\$ 4112
17-17596EC	5	End Cap, 96" (used horizontally)	\$ 1970
17-17572CP	2	Corner Post, 72" (used horizontally)	\$ 772
17-17596CP	2	Corner Post, 96" (used horizontally)	\$ 794
17-17597CP	4	Corner Post, 97¾" (used vertically)	\$ 1588
17-LEVKIT	10	Leveler Kit, (2) Levelers	\$ 520
17-12MMBOLTKIT	3	12mm Bolt Kit, qty 8	\$ 114

MEETING ROOM WITH BARN DOOR 17-15 (APPROXIMATELY 10' X 10' X 8')



Consists of:			
17-2424BL	60	Single Block, 24" x 24"	\$ 17640
17-175120EC	3	End Cap, 120" (used horizontally)	\$ 1290
17-17597CP	4	Corner Post, 97¾"	\$ 1588
17-4896BDBR	1	Barn Door Wall, Right	\$ 9475
17-LEVKIT	15	Leveler Kit, (2) Levelers	\$ 780

* Must Specify Acrylic and/or Acoustical Inserts for Use in Barn Door Wall (Total 20 Inserts); Note: List Price Shown Above Does NOT Include These Required Inserts Due to Variance in Pricing. See Page 307 for Acrylic and Acoustical Insert options.




Shown as Right Barn Door

SQUARE ONE SPACE DIVISION (1700 SERIES)

ltem	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
SINGLE BLOCK 24" X 24"	17-2424BL	24	13⁄4	24	12	1.5	\$ 294

• Includes Four (4) Bolts and Nuts for Installation



<u>Must Specify (in this order):</u> Model # and Quantity Finish Hardware Color

SINGLE BLOCK 24" X 12"	17-2412BL	24	13⁄4	12	8	1.0	\$ 257
\sim							



Description

Description

- Includes Three (3) Bolts and Nuts for Installation
- Can Be Used Vertically or Horizontally
- Recommended for Use on Top or End of Configuration, Unless Used in Pairs
- We Recommend Using Single 12" x 24" Blocks on the Top or Ends. If Placing on the Bottom or In the Center of the Design, Using Two of Them Together Will Ensure Alignment with the Holes Bored on Attachment Items Like End Caps, Corner Posts, Etc.

<u>Must Specify (in this order):</u> Model # and Quantity Finish Hardware Color

Item

SQUARE ONE SPACE DIVISION (1700 SERIES)

END CAPS
-
L.

<u>Must Specify (in this order):</u> Model # and Quantity Finish Hardware Color

Model No.	w	D	н	Ship Wt	Cubic Ft	Li	st Price
17-175120EC	13/4	13⁄4	120	14	0.3	\$	430
17-175108EC	13⁄4	13⁄4	108	13	0.3	\$	427
17-17597EC Vertical Use Only	13⁄4	13⁄4	97¾	13	0.3	\$	394
17-17596EC	13⁄4	13⁄4	96	12	0.3	\$	394
17-17585EC Vertical Use Only	13⁄4	13⁄4	85¾	12	0.3	\$	386
17-17584EC	13⁄4	13⁄4	84	11	0.3	\$	386
17-17573EC Vertical Use Only	1¾	13⁄4	73¾	11	0.3	\$	382
17-17572EC	13⁄4	13⁄4	72	11	0.3	\$	382
17-17561EC Vertical Use Only	1¾	13⁄4	61¾	10	0.2	\$	374
17-17560EC	1¾	13⁄4	60	10	0.2	\$	374
17-17549EC Vertical Use Only	1¾	13⁄4	49¾	9	0.1	\$	315
17-17548EC	1¾	13⁄4	48	9	0.1	\$	315
17-17537EC Vertical Use Only	1¾	13⁄4	37¾	8	0.1	\$	308
17-17536EC	13⁄4	13⁄4	36	8	0.1	\$	308
17-17525EC Vertical Use Only	1¾	13⁄4	25¾	7	0.1	\$	303
17-17524EC	13⁄4	13⁄4	24	7	0.1	\$	303
17-17522EC	13⁄4	13⁄4	221⁄4	7	0.1	\$	298

- Used Vertically and Horizontally to Provide a Clean, Balanced Aesthetic by Hiding Attachment Hardware
- Includes Bolts for Installation
- Blind-Threaded Insert for Installation

Item

SIN NEW

SQUARE ONE SPACE DIVISION (1700 SERIES)

CORNER POSTS

<u>Must Specify (in this order):</u> Model # and Quantity Finish Hardware Color

Model No.	w	D	н	Ship Wt	Cubic Ft	Li	st Price
17-17597CP	13/4	13⁄4	97¾	13	0.3	\$	397
17-17596CP	13⁄4	13⁄4	96	12	0.3	\$	397
17-17585CP	13⁄4	13⁄4	85¾	12	0.2	\$	390
17-17584CP	13⁄4	13⁄4	84	11	0.2	\$	390
17-17573CP	13/4	13⁄4	73¾	11	0.2	\$	386
17-17572CP	13/4	13⁄4	72	11	0.2	\$	386
17-17561CP	13⁄4	13⁄4	61¾	10	0.2	\$	381
17-17560CP	13⁄4	13⁄4	60	10	0.2	\$	381
17-17549CP	13/4	13⁄4	49¾	9	0.1	\$	317
17-17548CP	13/4	13⁄4	48	9	0.1	\$	317
17-17537CP	13/4	13⁄4	37¾	8	0.1	\$	311
17-17536CP	13/4	13⁄4	36	8	0.1	\$	311
17-17525CP	13/4	13⁄4	25¾	7	0.1	\$	306
17-17524CP	13/4	13⁄4	24	7	0.1	\$	306
17-17522CP	13⁄4	13⁄4	221⁄4	7	0.1	\$	299

- Used Vertically to make 90° Turns
- Includes Bolts for Installation
- Blind-Threaded Insert for Installation

SQUARE ONE SPACE DIVISION (1700 SERIES)

Item	Model No.	w	D	н	Ship Wt	Cubic Ft	Lis	st Price
T-CONNECTOR BEAMS	17-17597TCB	13⁄4	13⁄4	97¾	13	0.3	\$	401
	17-17596TCB	13/4	13⁄4	96	12	0.3	\$	401
	17-17585TCB	13⁄4	13⁄4	85¾	12	0.2	\$	396
	17-17584TCB	13⁄4	13⁄4	84	11	0.2	\$	396
	17-17573TCB	13⁄4	13⁄4	73¾	11	0.2	\$	388
	17-17572TCB	13⁄4	13⁄4	72	11	0.2	\$	388
	17-17561TCB	13/4	13⁄4	61¾	10	0.2	\$	385
	17-17560TCB	13⁄4	13⁄4	60	10	0.2	\$	385
	17-17549TCB	13⁄4	13⁄4	49¾	9	0.1	\$	318
Must Specify (in this order): Model # and Quantity Finish	17-17548TCB	13⁄4	13⁄4	48	9	0.1	\$	318
Hardware Color	17-17537TCB	13/4	13⁄4	37¾	8	0.1	\$	314
	17-17536TCB	13/4	13⁄4	36	8	0.1	\$	314
	17-17525TCB	13/4	13⁄4	25¾	7	0.1	\$	308
	17-17524TCB	13/4	13⁄4	24	7	0.1	\$	308
	17-17522TCB	13/4	13⁄4	221⁄4	7	0.1	\$	303

- Used Vertically to Connect Three (3) Walls
- Includes Bolts for Installation
- Blind-Threaded Insert for Installation

Indiana FURNITURE

Item

SQUARE ONE SPACE DIVISION (1700 SERIES)

Cubic Ft

SIN NEW

List Price

X-CONNECTOR BEAMS

Must Specify (in this order):

Model # and Quantity

Finish Hardware Color

17-17597XB	13⁄4	13⁄4	97¾	13	0.3	\$ 404
17-17585XB	13/4	13⁄4	85¾	12	0.2	\$ 400
17-17573XB	13⁄4	13⁄4	73¾	11	0.2	\$ 395
17-17561XB	1¾	13⁄4	61¾	10	0.2	\$ 388
17-17549XB	1¾	13⁄4	49¾	9	0.1	\$ 320
17-17537XB	1¾	13⁄4	37¾	8	0.1	\$ 316
17-17525XB	1¾	13⁄4	25¾	7	0.1	\$ 309
17-17522XB	13⁄4	13⁄4	221⁄4	7	0.1	\$ 306

w

D

н


Ship Wt

Description

Model No.

- Used Vertically to Connect Four (4) Wall Runs
- Includes Bolts for Installation
- Blind-Threaded Insert for Installation

HORIZONTAL	BEAM	SPANNERS	



17-175120HBS	120	13⁄4	1¾	14	0.3	\$ 410
17-175108HBS	108	13⁄4	1¾	12	0.3	\$ 390
17-17596HBS	96	13⁄4	1¾	12	0.3	\$ 377
17-17584HBS	84	13⁄4	13⁄4	11	0.2	\$ 357
17-17572HBS	72	13⁄4	13⁄4	11	0.2	\$ 347

Description

· Used Horizontally to Provide Structural Support for Doorways and Other Openings

• Includes Bolts for Installation

Blind-Threaded Insert for Installation •

· Holes Bored Only on Ends to Accommodate Attachment

Must Specify (in this order): Model # and Quantity Finish Hardware Color

See Overview for Square One Ordering Options.

Shown as Right Barn Door

Must Specify (in this order):

Acrylic or Acoustic Panels/Color

Model #

Finish Hardware Color

SQUARE ONE SPACE DIVISION (1700 SERIES)

Item	Model No.		w	D	Н	Ship Wt	Cubic Ft	List Price
BARN DOOR WALL	Left	Right						
	17-4896BDBL	17-4896BDBR	120	4	103	289	27.1	\$ 9475

Description

- Standard with: Blocks, Beam Spanner, Four (4) End Caps, and Hardware to Create An *Approximately* 10'W x 8½'H Wall with Barn Door, including Leveling Glides
- Barn Door Features Soft Open and Soft Close to Avoid Door Slamming
- Must Specify Finish and Hardware Color (Door Track Available in Black Only)
- Must Specify Acrylic and/or Acoustical Inserts for Use in Barn Door Wall (Total 20 Inserts); Note: List Price Shown Above Does NOT Include These Required Inserts Due to Variance in Pricing

Must Specify Insert Options: 20 Acrylic and/or Acoustical Inserts (any combination)

AP-2020AP		Acoustic Insert - Must Specify Color Option and Add; See Acoustic Color Opti	ons
MLK	Milky	\$	260
TPE	Taupe	\$	260
GRY	Grey	\$	260
ASH	Ash	\$	260
BLK	Black	\$	260
AI-2020AC		Acrylic Insert - Must Specify Color Option and Add; See Acrylic Color Options	
FSTA	Frosted	\$	303

FSTA	Frosted	\$	303
TGWA	Twigwork	\$	582
WOVA	Woven	\$	582
RAFA	Raffia	\$	582
TNSA	Tinsel	\$	582
-			

PLANTER BOX	01-1909PL	191⁄4	9½	6	16	2.0	\$ 569
~							

Description

- Material is TFL. Must Specify TFL (T) Color; See Color Options
- Planter Will Ship with Attachment Hardware: Two (2) Black and Two (2) Nickel Bolts
- Horizontal Grain
- Planter Boxes Cannot be Installed on Both Sides of a Corner
- Optional Planter Box Insert Sold Separately

Option: Specify & Add

PBI Planter Box Insert, Black Plastic

Must Specify (in this order): Model # TFL Color Optional Planter Insert



SIN NEW

SQUARE ONE SPACE DIVISION (1700 SERIES)

ACOUSTICAL PANEL ONSET INSTALLATION

Item

Must Specify (in this order): Model # Color

Model No.	w	D	Н	Ship Wt	Cubic Ft	List Price
46"H Panels						
AP-4670AP	70¼	1/2	46¼	13	7.6	\$ 1246
AP-4658AP	58¼	1⁄2	46¼	12	6.3	\$ 1054
AP-4646AP	46¼	1⁄2	46¼	10	5.1	\$ 892
22"H Panels						
AP-2270AP	70¼	1⁄2	221⁄4	9	4.1	\$ 628
AP-2258AP	58¼	1⁄2	221⁄4	8	3.4	\$ 525
AP-2246AP	46¼	1⁄2	22¼	8	2.8	\$ 442
AP-2234AP	34¼	1⁄2	22¼	7	2.1	\$ 368
AP-2222AP	22¼	1⁄2	22¼	6	1.4	\$ 260

Description

Onset Application, Installed with 9" Dual-Lock Connectors

• Sound Absorption Rating Average NRC 0.75 (50 mm Air Gap) 1.0 NRC in Mid-High Frequencies


· Cannot be Used on Same Side as TV Mount

• For Space Planning with Furniture, Note the Onset Application Will Add ½" to the Square One Blocks

Color Options: Must Specify; See Color Options

MLK	Milky
TPE	Taupe
GRY	Grey
ASH	Ash
BLK	Black

ACOUSTICAL PANEL



For 24" Blocks AP-2020AP 6 \$ 260 201/4 1/2 201/4 1.4 For 12" Blocks AP-0820AP 201⁄4 8¼ 3 0.8 \$ 225 1/2

Description

• Inset Application; Includes Tabs to Secure in Place

• Sound Absorption Rating Average NRC 0.75 (50 mm Air Gap) 1.0 NRC in Mid-High Frequencies

Cannot be Used with TV Mount

Color Options: Must Specify; See Color Options

MLK	Milky	
TPE	Taupe	
GRY	Grey	
ASH	Ash	
BLK	Black	

<u>Must Specify (in this order):</u> Model # Color

Insert Retainer

Must Specify (in this order):

Special Custom Logo

Model # Color

SQUARE ONE SPACE DIVISION (1700 SERIES)

ltem	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
ACRYLIC INSERTS	For 24" Blocks						
Rest and the second sec	AI-2020AC	201⁄4	1⁄8	201⁄4	7	2.0	\$ See Below
	For 12" Blocks						
	AI-2008AC Vertical Insert Applications	8¼	1⁄8	20¼	6	2.0	\$ See Below
*	AI-0820AC Horizontal Insert Applications	201⁄4	1⁄8	8¼	6	2.0	\$ See Below

Description

- Inserted Into 24" or 12" Blocks with Insert Retainers (Included)
- Raffia's Linear Pattern will be Installed Vertically on Both AI-2008AC (Vertical) and AI-0820AC (Horizontal)
- Frosted Acrylic Inserts can be customized with a logo or design using one of the following file types: .CDR, .AI, or .EPS. Email the image to <u>customproduct@indianafurniture.com</u> for a quote. Additional costs and lead times may apply. Note this as a special on your order when submitting.

Color Op	Color Options: Must Specify; See Color Options			For 24" Blocks
FSTA	Frosted	\$	197	303
TGWA	Twigwork	\$	316	582
WOVA	Woven	\$	316	582
RAFA	Raffia	\$	316	582
TNSA	Tinsel	\$	316	582

For 12" Blocks



DRY ERASE BOARDS



Must Specify (in this order): Model # Color

46"H Panels 17-4670DEB 701/4 3⁄4 461/4 0.2 \$ 1749 11 17-4658DEB 58¼ 3⁄4 461⁄4 11 0.2 \$ 1451 17-4646DEB 46¼ 3⁄4 46¼ 0.2 11 \$ 1151 22"H Panels 17-2270DEB 701⁄4 221⁄4 11 0.2 3⁄4 \$ 1181 17-2258DEB 58¼ 3⁄4 221/4 11 0.2 \$ 954 17-2246DEB 461/4 3⁄4 221/4 11 0.2 \$ 759

- Nuts and Bolts Included for Onset Attachment
- May be Applied Horizontally or Vertically
- For Space Planning with Furniture, Note the Onset Application Will Add 3/4" to the Square One Blocks

Indiana FURNITURE

SQUARE ONE SPACE DIVISION (1700 SERIES)

Item	Model No.	w	D	н	YARDS	GRADE COM/1/2/3	GRADE 4	GRADE 5	GRADE 6	GRADE 7	GRADE 8	GRADE 9	GRADE 10
TACKABLE PANELS	46"H Panels (2	pieces)											
	TB-4670TB	70¼	5⁄8	46¼	8.75	\$ 2158	3374	3943	4521	5343	6201	7198	8353
	TB-4658TB	58¼	5⁄8	46¼	7.25	\$ 1903	2911	3382	3861	4542	5253	6079	7036
	TB-4646TB	46¼	5⁄8	46¼	6.00	\$ 1647	2481	2871	3267	3831	4419	5103	5895
	22"H Panels (1)	piece)											
	TB-2270TB	70¼	5⁄8	221⁄4	4.50	\$ 1191	1817	2109	2406	2829	3270	3783	4377
	TB-2258TB	58¼	5⁄8	221⁄4	3.75	\$ 1034	1555	1799	2047	2399	2767	3194	3689
	TB-2246TB	461⁄4	5⁄8	221⁄4	3.00	\$ 871	1288	1483	1681	1963	2257	2599	2995
Must Specify (in this order): Model #	TB-2234TB	34¼	5⁄8	221⁄4	2.50	\$ 711	1059	1221	1386	1621	1866	2151	2481
Fabric Vendor/Pattern/Color	TB-2222TB	221⁄4	5⁄8	221/4	1.75	\$ 545	788	902	1018	1182	1354	1553	1784

Description

• Installed with 9" Dual-Lock Connectors

• Tackable Panels are Fully Upholstered on Both Sides.

• For Space Planning with Furniture, Note the Onset Application Will Add 5%" to the Square One Blocks

ltem	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
TV BRACKET	01-TVBR	3½	4	3	1	1.0	\$ 139
0	Description						

• Black Metal

Coordinates with TV Mount •

	01-TVMT	35¾	%10	213⁄5	15	0.5	\$ 1094
	Description						
	 Available in Black; Provid 	les 12° of Smooth,	Fingerti	o Tilt			
	 Compatible with Ultra-The second secon	nin TVs 2" (51 mm)	Deep or	Less; Typi	cal Screen	Sizes: 37" - 63"	
	 Weight Capacity: 100 lbs 	s (45.4 kg)					
	Can be Installed in Lands	scape Mode Only					
p/	Must Order Two (2) 01-T	VBR to Mount TV					
U	 Not Compatible with Act 	vlic or Acoustical	nserts: C	an be Use	d with On	set Acoustical Par	els when Used

• Not Compatible with Acrylic or Acoustical Inserts; Can be Used with Onset Acoustical Panels when Used on Opposite Sides

LEVELER KIT	17-LEVKIT	1	1.0	\$ 52
ſſ				



OPEN MARKET ONLY

Description

• Includes Two (2) Levelers, Two (2) Insert Nuts and Two (2) Cap Nuts •

Must Specify Black (BLK) or Nickel (NCKL)

Must Specify (in this order): Model # and Quantity Hardware Color

SQUARE ONE SPACE DIVISION (1700 SERIES)

Item	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
ALLEN DRIVER BIT	17-TOOL	-	-	-	1	1.0	\$ 59
	Description						
	 Used for Inserting Glide Insert 6mm Allen Driver Bit 	Nuts for Lev	elers				
80MM BOLT AND NUT KIT	17-80MMBOLTKIT		_		1	1.0	\$ 50
Ø					·		
~	Description						
	 Quantity of Eight (8) For Connecting Block to Block	<					

Must Specify Black (BLK) or Nickel (NCKL)

Must Specify (in this order):
Model # and Quantity
Hardware Color

((0)

Description Quantity of Eight (8) For Connecting Block to Beam, Post, or End Cap	3
• • •	
- Tor connecting block to Beall, Post, or End Cap	
Must Specify (in this order): • Must Specify Black (BLK) or Nickel (NCKL) Model # and Quantity • Must Specify Black (BLK) or Nickel (NCKL)	
Hardware Color	

12MM BOLT AND NUT KIT	17-12MMBOLTKIT	-	-	-	1	1.0	\$ 38
•	Description						
	Description						
	 Quantity of Eight (8) 						
Must Specify (in this order):	 For Covering Exposed Holes in Ra 	ils Only					
Model # and Quantity	 Must Specify Black (BLK) or Nicke 	el (NCKL)					
Hardware Color							

Indiana FURNITURE

SQUARE ONE SPACE DIVISION (1700 SERIES)

ltem	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
VESTA POWER CENTER	01-PDCTR	10¾	12	28¼	14	2.5	\$ 1776
	 Description Top Includes One (1) Power Outlet Available in White 120" Power Cord Built with Weight Distributi Base is 5" Tall 				e (1) USBC	Port; Base Inclu	des Three (3)

	TIC-TAC-TOE FOAM GAME SET	17-XOSET	203⁄8	2	203/8	6	3.0	\$	361
--	------------------------------	----------	-------	---	-------	---	-----	----	-----



- Set Includes Five (5) Xs (Charcoal Gray) and Four (4) Os (Light Gray)
- Constructed of Polyurethane Foam