

Indiana
FURNITURE



**TABLES +
SPACE DIVISION**

PRICING EFFECTIVE MARCH 27, 2023

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards*,
- Meet or exceed BIFMA level® Sustainability standards and certification*,
- Conform to the BIFMA Compliance standards*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



* Recently launched or new products may still be in testing; Cush Pillows is currently not BIFMA Compliant due to no available compliance test.

Canvas Table Collection offers a comprehensive selection of shapes and color options for any space that demands versatility and dependability. Select from a range of bases, including our stylish Strut Legs which are designed with precision minimalist lines and angles to establish modern sensibility in any work area.

CONSTRUCTION

Canvas Work and Circular Tables feature your choice of either a TFL or HPL top. All other tops feature HPL. Non-metal bases feature TFL or Veneer (where noted).

LAMINATES

- Exposed surfaces are produced from wood grained, patterned, and solid color laminates fused to a particle-board core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

TOPS

- Work and Circular Tops are 1" thick Thermally-Fused Laminate (TFL) or High Pressure Laminate (HPL) with matching 3mm PVC rims on profiled edges and 1mm PVC rims on self edges
- All other tops feature HPL with 3-ply balanced construction, 1 $\frac{1}{16}$ " thick with PVC rims; Tops are shaped on all four sides
- Grain direction runs width of top, unless otherwise noted

CHASSIS

- Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength
- All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors

DRAWERS

- Drawer fronts are 3-ply construction, $\frac{3}{4}$ " thick with matched grain
- Drawer sides, back, and front are woodgrain vinyl wrapped, $\frac{1}{2}$ " thick; Box and file drawers have $\frac{1}{8}$ " thick hardboard bottoms
- 5-sided drawer construction for easy removal of drawer fronts
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- Box and file drawers are tested for 100lb capacity
- Lateral files are tested for 200lb capacity
- All suspensions have a limited lifetime warranty

STORAGE

- All hinged doors include soft close hinges, unless otherwise noted
- One piece hinge and base plate combination
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

LOCKING

- All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date if required
- Units are shipped randomly keyed as standard. Keyed alike units available upon request at no additional charge.
- Keyed alike units available upon request at no additional charge
- Lock cores match pull color

INTERIOR DRAWER DIMENSIONS

Models

94-2472BFD 94-2436SV

Drawers

	W	L	D
Box	14 $\frac{17}{32}$ "	19 $\frac{1}{4}$ "	3 $\frac{21}{32}$ "

Models

94-2436BF 94-2472BF

Drawers

	W	L	D
Box	32 $\frac{9}{16}$ "	19 $\frac{1}{4}$ "	3 $\frac{21}{32}$ "

Models

94-2472SBF

Drawers

	W	L	D
Box	14 $\frac{17}{32}$ "	19 $\frac{1}{4}$ "	3 $\frac{21}{32}$ "
Box	32 $\frac{9}{16}$ "	19 $\frac{1}{4}$ "	3 $\frac{21}{32}$ "

HOW TO ORDER EXAMPLES

	QTY	MODEL NO.	DESCRIPTION	EXAMPLE
TOP	1	94-48120AT	Color	BW
			Edge Profile	G
			Grommet/Power/ Data Location	ELR
BASES	3	01-0427FPB	Color	BW
			Metal Finish	OYST
PORTS	2	01-INTERACTG2B		
STORAGE	1	94-3672SUD	Color	BW
			Pull	AEL
VISUAL BOARD	1	94-4848VB	Color	BW
			Pull	AEL
			Tackboard/ Upholstery	Momentum Jot Fossil
			Projection Screen	1-PS

HPL (P) LAMINATE OPTIONS

WOODGRAIN

AS	Asian Night	PNW	Pinnacle Walnut
BW	Beigewood	SCH	Select Cherry
CO	Columbian Walnut	SKC	Shaker Cherry
EF	Espresso	SBP	Smoky Brown Pear
GC	Golden Cherry	TK	Studio Teak
HVM	Harvest Maple	SM	Sugar Maple
MW	Mahogany Walnut	WTA	Weathered Ash
ORW	Oak Riftwood	WC	Williamsburg Cherry

SOLID

BL	Black	PPD	Pepperdust*
WH	Designer White	SG	Slate Grey*
FHG	Fashion Grey*	WHS	White Sand*

*Not Available on Cylinder Base.

VENEER (W) OPTIONS AVAILABLE ON SELECT BASES

Veneer features UV Advantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology

AW	Artisan Walnut	MW	Mahogany Walnut
AS	Asian Night	MO	Medium Oak*
CO	Columbian Walnut	ORW	Oak Riftwood*
DC	Dark Cherry	SCH	Select Cherry
DFW	Dark Forest Walnut	SKC	Shaker Cherry
EW	Espresso	SBP	Smoky Brown Pear
FO	Fawn Oak*	SM	Sugar Maple
GC	Golden Cherry	SW	Sunglow Walnut
HVM	Harvest Maple	WTA	Weathered Ash*
HW	Harvest Walnut	WC	Williamsburg Cherry
LW	Legacy Walnut		

*Finish is Low Sheen

EDGE PROFILES

F	Double Kerf	Y	Square
G	Duo		



Double Kerf (F) Duo (G) Square (Y)

METAL FINISH OPTIONS


ALUM	Aluminum	OYST	Oyster White
BLK	Black	SUGC	Sugar Cookie
MIST	Mist		

GROMMET/POWER/DATA OPTIONS & LOCATIONS

[See Multiple Top Shapes and Sizes](#) and [See Locations for Power/Data Options](#)

Work Table Grommet and Power Options and Locations below:

66-4896WT	66-4860CWT	66-4260TWT
66-4896TWT	66-4296WT	66-4260CWT
66-4896CWT	66-4296TWT	66-3696TWT
66-4884WT	66-4296CWT	66-3696CWT
66-4884TWT	66-4284WT	66-3684TWT
66-4884CWT	66-4284TWT	66-3684CWT
66-4872WT	66-4284CWT	66-3672TWT
66-4872TWT	66-4272WT	66-3672CWT
66-4872CWT	66-4272TWT	66-3660TWT
66-4860WT	66-4272CWT	66-3660CWT
66-4860TWT	66-4260WT	



48" Work Tables

GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 24" from user
GC/PDC-C/DOCK950-C/DOCK150-C: Located 24" from user

42" Work Tables

GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 21" from user
GC/PDC-C/DOCK950-C/DOCK150-C: Located 21" from user

36" Work Tables

GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 18" from user
GC/PDC-C/DOCK950-C/DOCK150-C: Located 18" from user

PULL OPTIONS

Note: Lock Core will match Pull Color

AAV	Alcove, Aluminum	BEL	Elite, Black
CAV	Alcove, Chrome	AFL	Flair, Aluminum
AAC	Arc, Aluminum	CFL	Flair, Chrome
BAC	Arc, Black	AFC	Focus, Aluminum
ABM	Beam, Aluminum	BFC	Focus, Black
BBM	Beam, Black	AQD	Quadra, Aluminum
ABT	Bow Tie, Aluminum	BQD	Quadra, Black
NBT	Bow Tie, Nickel	AST	Studio, Aluminum
ABU	Buckle, Aluminum	BST	Studio, Black
BBU	Buckle, Black	CST	Studio, Chrome
AEL	Elite, Aluminum		



DRAWER OPTIONS

Units with drawers come standard with woodgrain vinyl-wrapped drawers. Optional wood dove tail construction for all box, file, and lateral file drawers is available. Soft close is also available for all box drawers. Must specify when ordering.

Pricing is per Drawer, not per Model/Unit.

DOVE	Wood Dove Tail Construction	\$	43
SFTCL	Soft Close Drawer Track (Box & File Drawers Only)	\$	33

LOCKING DOORS


Locking doors are available on specific units, where noted. You must specify WITH LOCKING when ordering and add upcharge.

LKT_HU	72"W to 48"W Units	\$	111
LKT_HU	42"W to 30"W Units	\$	88
LKT_HU	18"W Units	\$	67


CERTIFICATIONS & COMPLIANCE

- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant® Certified
- TSCA Title VI (formerly CARB) Compliance
- US Green Building's LEED® Contribution


Work Tables



Standing Height [\(See Details\)](#)




Counter Height [\(See Details\)](#)



Seated Height [\(See Details\)](#)


Tops/Shapes




Rectangular [\(See Details\)](#)



Arc Rectangular [\(See Details\)](#)



Racetrack [\(See Details\)](#)




Boat-Shaped [\(See Details\)](#)




Circular [\(See Details\)](#)


Bases




Rectangular Panel [\(See Details\)](#)




Rectangular with Door [\(See Details\)](#)



Cylinder [\(See Details\)](#)



V-Capped Panel [\(See Details\)](#)




Flat-Capped Panel [\(See Details\)](#)



Metal [\(See Details\)](#)




Strut [\(See Details\)](#)



Disc Base [\(See Details\)](#)




Height Adjustable Base [\(See Details\)](#)




Arch Stretcher Rails [\(See Details\)](#)


Storage Components




Two Door Buffet w/Drawer [\(See Details\)](#)




Four Door Buffet w/2 Drawers [\(See Details\)](#)




Four Door Buffet w/2 Drawers & Open Storage [\(See Details\)](#)




Four Door Buffet w/3 Drawers [\(See Details\)](#)




Two Door Credenza [\(See Details\)](#)



Four Door Credenza [\(See Details\)](#)




Storage Cabinet Double Doors [\(See Details\)](#)




Wardrobe/Storage Cabinet [\(See Details\)](#)




Mobile Serving Cart [\(See Details\)](#)



Lectern Stand [\(See Details\)](#)





Visual Board [\(See Details\)](#)



Visor Rail [\(See Details\)](#)

Wire Management & Power/Data Accessories [\(See Multiple Unit Details\)](#)



Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
WORK TABLE STANDING HEIGHT 	48"D Units						
	66-4896TWT	96	48	42	402	14.2	T\$ 2475 P\$ 2913 <i>Wire Management Option Upcharge:</i> \$ 485
	66-4884TWT	84	48	42	368	12.4	T\$ 2309 P\$ 2707 <i>Wire Management Option Upcharge:</i> \$ 439
	66-4872TWT	72	48	42	332	10.7	T\$ 2149 P\$ 2521 <i>Wire Management Option Upcharge:</i> \$ 389
	66-4860TWT	60	48	42	300	9.0	T\$ 1986 P\$ 2326 <i>Wire Management Option Upcharge:</i> \$ 345
	42"D Units						
	66-4296TWT	96	42	42	374	12.5	T\$ 2233 P\$ 2630 <i>Wire Management Option Upcharge:</i> \$ 485
	66-4284TWT	84	42	42	342	10.9	T\$ 2094 P\$ 2448 <i>Wire Management Option Upcharge:</i> \$ 439
	66-4272TWT	72	42	42	308	9.4	T\$ 1954 P\$ 2292 <i>Wire Management Option Upcharge:</i> \$ 389
	66-4260TWT	60	42	42	278	7.9	T\$ 1818 P\$ 2124 <i>Wire Management Option Upcharge:</i> \$ 345
	36"D Units						
	66-3696TWT	96	36	42	346	10.8	T\$ 2106 P\$ 2460 <i>Wire Management Option Upcharge:</i> \$ 485
	66-3684TWT	84	36	42	315	9.5	T\$ 1979 P\$ 2293 <i>Wire Management Option Upcharge:</i> \$ 439
	66-3672TWT	72	36	42	283	8.1	T\$ 1849 P\$ 2145 <i>Wire Management Option Upcharge:</i> \$ 389
	66-3660TWT	60	36	42	255	6.8	T\$ 1721 P\$ 1993 <i>Wire Management Option Upcharge:</i> \$ 345
	24"D Units—Suggested Use is Against Wall						
	66-2496TWT <i>Modesty Recessed 5/4"</i>	96	24	42	211	64.9	T\$ 1885 P\$ 2176
	66-2484TWT <i>Modesty Recessed 5/4"</i>	84	24	42	193	57.0	T\$ 1775 P\$ 2037
	66-2472TWT <i>Modesty Recessed 5/4"</i>	72	24	42	176	49.0	T\$ 1664 P\$ 1908
	66-2460TWT <i>Modesty Recessed 5/4"</i>	60	24	42	158	41.1	T\$ 1552 P\$ 1780

Must Specify (in this order):


- Model #
- Top Material
- Color
- Edge Profile
- Chassis Color
- Modesty Color
- Grommet/Power/Data Location

Description

- Centered Modesty Available in Contrasting Colors
- Optional Grommets, Dock 950 Wireless Chargers, Dock 150 Wireless and USB Chargers or Power/Data Ports, [See Power Unit Options](#) and [See Locations](#)
- Double Modesty/Wire Management Upcharge will be Included when Grommet, Dock Wireless and USB Chargers, or Power/Data Ports are Ordered
- Duo/Trio and Power Data Port Units (01-DPORT4A/B) Available in PDC Locations, [See PDC Locations](#)
- 24" Deep Units Are Meant to be Used Against a Wall; Modesty Panel is Recessed 5/4"
- Ships KD; Some Assembly Required

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
WORK TABLE COUNTER HEIGHT 	48"D Units						
	66-4896CWT	96	48	42	402	14.2	T\$ 2362 P\$ 2803 <i>Wire Management Option Upcharge:</i> \$ 450
	66-4884CWT	84	48	42	368	12.4	T\$ 2207 P\$ 2603 <i>Wire Management Option Upcharge:</i> \$ 403
	66-4872CWT	72	48	42	332	10.7	T\$ 2051 P\$ 2425 <i>Wire Management Option Upcharge:</i> \$ 361
	66-4860CWT	60	48	42	300	9.0	T\$ 1894 P\$ 2236 <i>Wire Management Option Upcharge:</i> \$ 315
	42"D Units						
	66-4296CWT	96	42	42	374	12.5	T\$ 2131 P\$ 2524 <i>Wire Management Option Upcharge:</i> \$ 450
	66-4284CWT	84	42	42	342	10.9	T\$ 1999 P\$ 2354 <i>Wire Management Option Upcharge:</i> \$ 403
	66-4272CWT	72	42	42	308	9.4	T\$ 1867 P\$ 2201 <i>Wire Management Option Upcharge:</i> \$ 361
	66-4260CWT	60	42	42	278	7.9	T\$ 1733 P\$ 2040 <i>Wire Management Option Upcharge:</i> \$ 315
	36"D Units						
	66-3696CWT	96	36	42	346	10.8	T\$ 1994 P\$ 2348 <i>Wire Management Option Upcharge:</i> \$ 450
	66-3684CWT	84	36	42	315	9.5	T\$ 1875 P\$ 2188 <i>Wire Management Option Upcharge:</i> \$ 403
	66-3672CWT	72	36	42	283	8.1	T\$ 1751 P\$ 2049 <i>Wire Management Option Upcharge:</i> \$ 361
	66-3660CWT	60	36	42	255	6.8	T\$ 1629 P\$ 1903 <i>Wire Management Option Upcharge:</i> \$ 315
	24"D Units—Suggested Use is Against Wall						
	66-2496CWT <i>Modesty Recessed 5¼"</i>	96	24	42	211	64.9	T\$ 1727 P\$ 2017
	66-2484CWT <i>Modesty Recessed 5¼"</i>	84	24	42	193	57.0	T\$ 1624 P\$ 1886
	66-2472CWT <i>Modesty Recessed 5¼"</i>	72	24	42	176	49.0	T\$ 1522 P\$ 1767
	66-2460CWT <i>Modesty Recessed 5¼"</i>	60	24	42	158	41.1	T\$ 1422 P\$ 1651

Must Specify (in this order):


Model #
 Top Material
 Color
 Edge Profile
 Chassis Color
 Modesty Color
 Grommet/Power/Data Location

Description

- Centered Modesty Available in Contrasting Colors
- Optional Grommets, Dock 950 Wireless Chargers, Dock 150 Wireless and USB Chargers or Power/Data Ports, [See Power Unit Options](#) and [See Locations](#)
- Double Modesty/Wire Management Upcharge will be Included when Grommet, Dock Wireless and USB Chargers, or Power/Data Ports are Ordered
- Duo/Trio and Power Data Port Units (01-DPORT4A/B) Available in PDC Locations, [See PDC Locations](#)
- 24" Deep Units Are Meant to be Used Against a Wall; Modesty Panel is Recessed 5¼"
- Ships KD; Some Assembly Required

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
WORK TABLE SEATED HEIGHT 	48"D Units						
	66-4896WT	96	48	30	326	14.2	T\$ 2286 P\$ 2723 <i>Wire Management Option Upcharge:</i> \$ 403
	66-4884WT	84	48	30	298	12.4	T\$ 2133 P\$ 2525 <i>Wire Management Option Upcharge:</i> \$ 368
	66-4872WT	72	48	30	268	10.7	T\$ 1982 P\$ 2356 <i>Wire Management Option Upcharge:</i> \$ 328
	66-4860WT	60	48	30	242	9.0	T\$ 1831 P\$ 2171 <i>Wire Management Option Upcharge:</i> \$ 288
	42"D Units						
	66-4296WT	96	42	30	374	12.5	T\$ 2023 P\$ 2418 <i>Wire Management Option Upcharge:</i> \$ 403
	66-4284WT	84	42	30	342	10.9	T\$ 1900 P\$ 2254 <i>Wire Management Option Upcharge:</i> \$ 368
	66-4272WT	72	42	30	308	9.4	T\$ 1771 P\$ 2106 <i>Wire Management Option Upcharge:</i> \$ 328
	66-4260WT	60	42	30	278	7.9	T\$ 1647 P\$ 1953 <i>Wire Management Option Upcharge:</i> \$ 288
	24"D Units—Suggested Use is Against Wall						
	66-2496WT <i>Modesty Recessed 5/4"</i>	96	24	30	173	47.2	T\$ 1591 P\$ 1884
	66-2484WT <i>Modesty Recessed 5/4"</i>	84	24	30	158	41.4	T\$ 1502 P\$ 1761
	66-2472WT <i>Modesty Recessed 5/4"</i>	72	24	30	143	35.6	T\$ 1406 P\$ 1653
	66-2460WT <i>Modesty Recessed 5/4"</i>	60	24	30	129	29.8	T\$ 1314 P\$ 1541

Must Specify (in this order):


Model #
 Top Material
 Color
 Edge Profile
 Chassis Color
 Modesty Color
 Grommet/Power/Data Location

Description

- Centered Modesty Available in Contrasting Colors
- Optional Grommets, Dock 950 Wireless Chargers, Dock 150 Wireless and USB Chargers or Power/Data Ports, [See Power Unit Options](#) and [See Locations](#)
- Double Modesty/Wire Management Upcharge will be Included when Grommet, Dock Wireless and USB Chargers or Power/Data Ports are Ordered
- Duo/Trio and Power Data Port Units (01-DPORT4A/B) Available in PDC Locations, [See PDC Locations](#)
- 24" Deep Units Are Meant to be Used Against a Wall; Modesty Panel is Recessed 5/4"
- Ships KD; Some Assembly Required

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)


Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
	192" or 16' - 2 Piece Tops						
	94-48192RT	192	48	1 $\frac{1}{16}$	375	15.5	P\$ 4985
	168" or 14' - 2 Piece Tops						
	94-48168RT	168	48	1 $\frac{1}{16}$	325	13.6	P\$ 4314
	144" or 12' - 2 Piece Tops						
	94-48144RT	144	48	1 $\frac{1}{16}$	275	12.3	P\$ 3505
	120" or 10' - 2 Piece Tops						
	94-48120RT	120	48	1 $\frac{1}{16}$	225	10.3	P\$ 3161
	96" or 8' - 1 Piece Top						
	94-4296RT	96	42	1 $\frac{1}{16}$	180	9.4	P\$ 2401
72" or 6' - 1 Piece Top							
	94-3672RT	72	36	1 $\frac{1}{16}$	100	6.2	P\$ 1619

Must Specify (in this order):

Model #
Color
Edge Profile
Grommet/Power/Data Location

Description

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, [See Multiple Base Options](#); Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and Wider; Must Order Separately, [See Strut Details](#)
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
	192" or 16' - 2 Piece Tops						
	94-48192AR	192	48	1 $\frac{1}{16}$	375	15.5	P\$ 5786
	168" or 14' - 2 Piece Tops						
	94-48168AR	168	48	1 $\frac{1}{16}$	325	13.6	P\$ 4997
	144" or 12' - 2 Piece Tops						
	94-48144AR	144	48	1 $\frac{1}{16}$	275	12.3	P\$ 4221
	120" or 10' - 2 Piece Tops						
	94-48120AR	120	48	1 $\frac{1}{16}$	225	10.3	P\$ 3941
	96" or 8' - 1 Piece Top						
	94-4296AR	96	42	1 $\frac{1}{16}$	180	9.4	P\$ 2553
72" or 6' - 1 Piece Top							
	94-3672AR	72	36	1 $\frac{1}{16}$	100	6.2	P\$ 2252

Must Specify (in this order):


Model #
Color
Edge Profile
Grommet/Power/Data Location

Description

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, [See Multiple Base Options](#); Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and Wider; Must Order Separately, [See Strut Details](#)
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)


Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
RACETRACK TOP 	192" or 16' - 2 Piece Tops						
	94-48192AT	192	48	1 $\frac{3}{16}$	375	15.5	P\$ 5786
	168" or 14' - 2 Piece Tops						
	94-48168AT	168	48	1 $\frac{3}{16}$	325	13.6	P\$ 4997
	144" or 12' - 2 Piece Tops						
	94-48144AT	144	48	1 $\frac{3}{16}$	275	12.3	P\$ 4221
	120" or 10' - 2 Piece Tops						
	94-48120AT	120	48	1 $\frac{3}{16}$	225	10.3	P\$ 3941
	96" or 8' - 1 Piece Top						
	94-4296AT	96	42	1 $\frac{3}{16}$	180	9.4	P\$ 2553
72" or 6' - 1 Piece Top							
94-3672AT	72	36	1 $\frac{3}{16}$	100	6.2	P\$ 2252	

Must Specify (in this order):

Model #
 Color
 Edge Profile
 Grommet/Power/Data Location

Description

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, [See Multiple Base Options](#); Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and Wider; Must Order Separately, [See Strut Details](#)
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

BOAT-SHAPED TOP 	192" or 16' - 2 Piece Tops						
	94-48192BT	192	48	1 $\frac{3}{16}$	375	15.5	P\$ 5786
	168" or 14' - 2 Piece Tops						
	94-48168BT	168	48	1 $\frac{3}{16}$	325	13.6	P\$ 4997
	144" or 12' - 2 Piece Tops						
	94-48144BT	144	48	1 $\frac{3}{16}$	275	12.3	P\$ 4221
	120" or 10' - 2 Piece Tops						
	94-48120BT	120	48	1 $\frac{3}{16}$	225	10.3	P\$ 3941
	96" or 8' - 1 Piece Top						
	94-4296BT	96	42	1 $\frac{3}{16}$	180	9.4	P\$ 2553
72" or 6' - 1 Piece Top							
94-3672BT	72	36	1 $\frac{3}{16}$	100	6.2	P\$ 2252	

Must Specify (in this order):


Model #
 Color
 Edge Profile
 Grommet/Power/Data Location

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, [See Multiple Base Options](#); Must Order Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W and Four (4) Stiffener Bars on Tops 144"W and Wider; Must Order Separately, [See Strut Details](#)
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
	66-4848CT <i>Accommodates Five (5) Chairs</i>	48	48	1	95	4.3	T\$ 755 P\$ 1058
	66-4242CT <i>Accommodates Four (4) Chairs</i>	42	42	1	70	3.4	T\$ 731 P\$ 1020
	66-3636CT <i>Accommodates Three (3) Chairs</i>	36	36	1	37	2.5	T\$ 639 P\$ 896

Must Specify (in this order):

Model #
Top Material
Color
Edge Profile

Description

- Single Base or Four (4) Strut Legs (on 48" Top Only) Required; Ordered Separately, [See Below and Other Multiple Base Options](#)
- Power Options not Available

DISC BASE




For 48" Circular Tops								
01-3230DBB	Black	30	30	27 ³ / ₄	42	4.1	\$ 1780	
01-3230DBA	Aluminum	30	30	27 ³ / ₄	42	4.1	\$ 1780	
For 36" and 42" Circular Tops								
01-2430DBB	Black	24	24	27 ³ / ₄	32	3.2	\$ 1483	
01-2430DBA	Aluminum	24	24	27 ³ / ₄	32	3.2	\$ 1483	

Description

- 4" Diameter Column

METAL X-BASE




For 42" and 48" Circular Tops								
08-2642LXB	Aluminum	35 ¹ / ₂	35 ¹ / ₂	40	33	20.0	\$ 1277	
<i>For 42" High Tables</i>								
08-2636LXB	Aluminum	35 ¹ / ₂	35 ¹ / ₂	34	30	17.2	\$ 1232	
<i>For 36" High Tables</i>								
08-2630LXB	Aluminum	35 ¹ / ₂	35 ¹ / ₂	28	27	14.5	\$ 1178	
<i>For 30" High Tables</i>								
For 36" Circular Tops								
08-2042SXB	Aluminum	29	29	40	27	15.9	\$ 1193	
<i>For 42" High Tables</i>								
08-2036SXB	Aluminum	29	29	34	24	13.7	\$ 1145	
<i>For 36" High Tables</i>								
08-2030SXB	Aluminum	29	29	28	21	11.6	\$ 1100	
<i>For 30" High Tables</i>								

Description

- Not Available to Be Sold Separately

HEIGHT ADJUSTABLE PNEUMATIC X-BASE



Maximum Round 42", Maximum Square 36"								
01-3232HAXBB	Black	32	32	26-45 ³ / ₄	1	0.2	\$ 1663	
01-3232HAXBA	Aluminum	32	32	26-45 ³ / ₄	1	0.2	\$ 1663	
Maximum Round 36", Maximum Square 30"								
01-2626HAXBB	Black	22	22	26-45 ³ / ₄	1	0.2	\$ 1630	
01-2626HAXBA	Aluminum	22	22	26-45 ³ / ₄	1	0.2	\$ 1630	

Description

- Pre-Drilled Boring Pattern May Not Match Underside of Table Top
- Steel Mounting Plate: 8"x 8"x 1/4"
- Eight (8) *MM Bolts Included for Assembly
- Ships KD

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.		W	D	H	Ship Wt	Cubic Ft	List Price
METAL BASE	01-0400MBB	Black	32	32	27¾	32	3.2	\$ 964
	01-0400MBA	Aluminum	32	32	27¾	32	3.2	\$ 964



Open Market Only


Must Specify (in this order):
Model # and Quantity

Description

- Shipped KD; Some Assembly Required

Table Widths	Circular	72"	96"	120"	144"	168"	192"
Number of Bases Required	1	2	2	3	3	3	3

STRUT TABLE LEGS	01-2228STR2	1 Pair (2 Legs)	1½	22½	28⅞	32	4.5	\$ 1235
	01-2228STR4	2 Pair (4 Legs)	1½	22½	28⅞	64	9.0	\$ 2470



Must Specify (in this order):
Model # and Quantity
Color
Stiffener Bar and Quantity

Description

- Available in Aluminum (ALUM) or Black (BLK); Must Specify Color
- Built-In Wire Management Cover on Inside of Legs
- Each Leg has Adjustable Glides
- Legs not Available To Be Sold Separately
- For Use with Indiana Furniture Tops Only; Not For Use with 36" or 42" Circular Tops

Options: Specify & Add


01-00048SB	Stiffener Bar	\$ 234
------------	---------------	--------

See Individual Tops for Recommended Number of Stiffener Bars

Table Widths	48" CT	72"	96"	120"	144"	168" *	192"
Number of Bases Required	4	4	4	6	6	8	8

*168" Racetrack Tops Require 6 Bases

CYLINDER BASE	For Tables 42"D to 48"D							
	01-2020CB		20	20	28½	136	10.9	W\$ 1500
	For Tables 36"D							
	01-1616CB		16	16	28½	101	7.2	W\$ 1371



Must Specify (in this order):
Model # and Quantity
Finish
Grommet Options

Description


- Veneer Cylinder Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Weighted for Stability
- Two (2) Wire Management Black Grommets Standard at Top Edge; 8" Wire Management Opening Standard at Bottom
- See Number of Bases Required Per Table Width Below

Additional Grommet Options: Specify & Add

GCBIS	Only One (1) Grommet At Top Edge	\$ N/C
NOGC	No Grommets At Top Edge	\$ N/C

Table Widths	Circular	72"	96"	120"	144"	168"	192"
Number of Bases Required	1	2	2	3	3	3	3

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
RECTANGULAR PANEL BASE 	For Tables 48"D						
	01-2428RB	24	2	28½	34	2.7	P\$ 833
	For Tables 36"D to 42"D						
	01-2028RB	20	2	28½	28	2.3	P\$ 722


Description

- Stretcher Rails Included; Specify Model (See Below)
- Also available with Arch Stretcher Rails; Sold Separately, See Below
- See Number of Bases Required Per Table Width Below

Table Widths	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5
Stretcher Rails (Included)	01-72STR	01-96STR	01-120STR	01-144STR	01-168STR	01-192STR

Must Specify (in this order):

Model # and Quantity
Color
Stretcher Rail

ARCH STRETCHER RAILS 	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
	01-192ARCH	192	¾	8 - 12	77	4.2	T\$ 1535
	01-168ARCH	168	¾	8 - 12	68	4.2	T\$ 928
	01-144ARCH	144	¾	8 - 12	57	4.2	T\$ 863
	01-120ARCH	120	¾	8 - 12	46	4.2	T\$ 780
	01-96ARCH	96	¾	8 - 12	35	4.2	T\$ 586
	01-72ARCH	72	¾	8 - 12	28	4.2	T\$ 533

Description

- For Use With Rectangular Bases; 01-2428RB or 01-2028RB, See Above
- Must Be Field Installed in Place of the Standard Stretcher Rails Shipped with Rectangular Bases
- Rails for Tables 120" to 168" will Ship as Two (2) Sets of Two (2)
- Rails for Tables 192" will Ship as Four (4) Sets of Two (2)

Must Specify (in this order):

Model # and Quantity
Color

RECTANGULAR BOX BASE WITH DOOR 	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
	01-1220RBD	20	12	28½	50	5.4	T\$ 636

Description


- Rectangular Base with Lift-Off Removable Panel
- Available in Single or Contrasting Colors; Must Indicate Accent Selection and Primary Selection on Order ([See Color Options](#))
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom

Table Widths	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

Must Specify (in this order):

Model # and Quantity
Primary Color
Accent Color

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
V-CAPPED PANEL BASE	01-0430VPB	30½	6	27¾	28	3.5	P\$ 2015



Description


- Metal V-Cap Accents Panel Base
- Select From Five (5) Powdercoat Finishes; [See Color Options](#)
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

Must Specify (in this order):

Model # and Quantity
Color
Metal Finish

Table Widths	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

FLAT-CAPPED PANEL BASE	01-0427FPB	27¾	4	27¾	31	3.5	P\$ 2067
------------------------	------------	-----	---	-----	----	-----	----------



Description

- Metal Flat-Cap Accents Panel Base
- Select From Five (5) Powdercoat Finishes; [See Color Options](#)
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

Must Specify (in this order):


Model # and Quantity
Color
Metal Finish

Table Widths	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
TWO DOOR BUFFET WITH DRAWER	94-2436BF	36	24	36	189	21.7	P\$ 2924




Must Specify (in this order):

Model #
Top Color
Edge Profile
Chassis Color
Drawer/Door Front Color
Pull

Description

- Standard with: One (1) Drawer, Two (2) Doors with One (1) Adjustable Shelf Behind Doors, Top Profile on Approach Side, and Left to Right Grain Direction on Top Surface
- Available with Contrasting Top and Chassis Colors; Must Specify; [See Color Options](#)
- Drawer/Door Fronts Available in Contrasting Colors; Must Specify; [See Color Options](#)

FOUR DOOR BUFFET WITH TWO DRAWERS	94-2472BF	72	24	36	342	45.6	P\$ 5692
--	-----------	----	----	----	-----	------	----------




Must Specify (in this order):

Model #
Top Color
Edge Profile
Chassis Color
Drawer/Door Front Color
Pull

Description

- Standard with: Two (2) Drawers, Four (4) Doors with Two (2) Adjustable Shelves Behind Doors, Top Profile on Approach Side, and Left to Right Grain Direction on Top Surface
- Available with Contrasting Top and Chassis Colors; Must Specify; [See Color Options](#)
- Drawer/Door Fronts Available in Contrasting Colors; Must Specify; [See Color Options](#)

FOUR DOOR BUFFET WITH TWO DRAWERS AND OPEN STORAGE	94-2472BFD	72	24	36	337	45.6	P\$ 6400
---	------------	----	----	----	-----	------	----------



Must Specify (in this order):

Model #
Top Color
Edge Profile
Chassis Color
Drawer/Door Front Color
Pull


Description

- Standard with: Two (2) Drawers, Left and Right Storage Doors with One (1) Adjustable Shelf Behind Doors, Open Storage with One (1) Adjustable Shelf, Storage Behind Touch Latch Doors in Center, Top Profile on Approach Side, and Left to Right Grain Direction on Top Surface
- Available with Contrasting Top and Chassis Colors; Must Specify; [See Color Options](#)
- Drawer/Door Fronts Available in Contrasting Colors; Must Specify; [See Color Options](#)

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
FOUR DOOR BUFFET WITH THREE DRAWERS	94-2472SBF	72	24	36	362	45.6	P\$ 6633




Must Specify (in this order):

Model #
Top Color
Edge Profile
Chassis Color
Drawer/Door Front Color
Pull

Description

- Standard with: Three (3) Drawers, Left and Right Storage Doors with One (1) Adjustable Shelf Behind Doors, Two (2) Center Doors with One (1) Adjustable Shelf Behind Doors, Stepped Back Center Section, Top Profile on Approach Side, and Left to Right Grain Direction on Top Surface
- Available with Contrasting Top and Chassis Colors; Must Specify; [See Color Options](#)
- Drawer/Door Fronts Available in Contrasting Colors; Must Specify; [See Color Options](#)

TWO DOOR CREENZA	94-2436CC	36	24	30	150	17.6	P\$ 2244
------------------	-----------	----	----	----	-----	------	----------




Must Specify (in this order):

Model #
Top Color
Edge Profile
Chassis Color
Door Front Color
Pull
Locking Doors

Description

- Standard with: Two (2) Doors with One (1) Adjustable Shelf Behind Doors, Top Profile on Approach Side, and Left to Right Grain Direction on Top Surface
- Available with Contrasting Top and Chassis Colors; Must Specify; [See Color Options](#)
- Door Fronts Available in Contrasting Colors; Must Specify; [See Color Options](#)
- Optional Locking Doors Available, [See Locking Options](#)

FOUR DOOR CREENZA	94-2472CC	72	24	30	290	34.2	P\$ 4451
-------------------	-----------	----	----	----	-----	------	----------



Must Specify (in this order):

Model #
Top Color
Edge Profile
Chassis Color
Door Front Color
Pull
Locking Doors


Description

- Standard with: Four (4) Doors with Two (2) Adjustable Shelf Behind Doors, Top Profile on Approach Side, and Left to Right Grain Direction on Top Surface
- Available with Contrasting Top and Chassis Colors; Must Specify; [See Color Options](#)
- Door Fronts Available in Contrasting Colors; Must Specify; [See Color Options](#)
- Optional Locking Doors Available, [See Locking Options](#)

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
DOUBLE DOOR STORAGE CABINET	94-3672SUD	36	24	70 ³ / ₁₆	285	42.0	T\$ 4426


**Description**

- Top Section has Two (2) Adjustable Shelves; Bottom Section has One (1) Adjustable Shelf
- Pull Installed Vertically on Lower Doors; Capsule Pull will be Substituted for Elite, Buckle, and Flair Pulls; [See Pull Options](#)
- Touch Latch Doors on Top Section

Must Specify (in this order):

Model #
Color
Pull

WARDROBE/STORAGE CABINET	HINGED LEFT	HINGED RIGHT	W	D	H	Ship Wt	Cubic Ft	List Price
	94-1872WL	94-1872WR	18	24	70 ³ / ₁₆	155	22.0	T\$ 2492



Shown as Left


Description

- Fixed Top Shelf; Coat Rod Under Fixed Shelf
- Three (3) Adjustable Shelves Behind Door
- Adjustable Shelves can be Removed for Wardrobe Application
- Touch Latch Door

Must Specify (in this order):

Model #
Color

VISOR RAIL	94-2472VR	72	24	5 ⁵ / ₁₆	100	8.9	T\$ 1190
------------	-----------	----	----	--------------------------------	-----	-----	----------

**Description**

- Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets and Credenzas/Bufets (Ordered Separately)

Options: Specify & AddMust Specify (in this order):

Model #
Color
Projection Screen
Task Light

1-PS	Projection Screen (Requires Field Installation)	\$ 1026
TL-0848	Task Light (Requires Field Installation)	\$ 430

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
MOBILE SERVING CART	94-2436SV	36	24	36	149	24.0	P\$ 3528



Description

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection; [See Edge Profile Options](#)
- Two (2) Box Drawers with Storage Behind Two (2) Doors
- Open Storage
- Locking Casters

Must Specify (in this order):

- Model #
- Color
- Edge Profile
- Pull
- Grommet Option

Grommet Option: Specify & Add

1-GRMT	Grommet in Back Panel; Must Specify Black or Silver	\$ 50
--------	---	-------

LECTERN STAND	94-2650LS	26	24	50	130	21.9	P\$ 2562
---------------	-----------	----	----	----	-----	------	----------




Description

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection; [See Edge Profile Options](#)
- Fixed Reading Shelf
- Pullout Shelf
- Two (2) Adjustable Storage Shelves in Lower Compartment
- Two (2) Locking and Two (2) Non-Locking Casters
- Wire Management Grommet in Bottom Shelf

Must Specify (in this order):

- Model #
- Color
- Edge Profile

VISUAL BOARD	94-4848VB	48	5	48	150	11.0	T\$ 2856
--------------	-----------	----	---	----	-----	------	----------



Description

- Tackboard on Each Door Standard in Black Fabric Unless Specified; Price Valid for Grades 1, 2, & 3 (See Other Pricing Below)
- Display Rail with Adjustable Hooks for Flipchart
- Magnetic Porcelain Non-Glare Writing Surface
- Includes Flipchart, Set of Four (4) Dry Erase Markers and Eraser, Mounting Hardware
- Does Not Feature Soft Close Hinges

Must Specify (in this order):

- Model #
- Color
- Projection Screen
- Tackboard Fabric

Options: Specify & Add

	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
Tackboard Fabric Change	\$ 268	394	522	704	892	1114	1368
1-PS Projection Screen (Requires Field Installation)							\$ 1026

TABLE POWER & DATA VAULT	01-CVAULTG2A	4 $\frac{1}{8}$	15 $\frac{1}{8}$	4 $\frac{1}{16}$	10	0.4	\$ 1878
--------------------------	--------------	-----------------	------------------	------------------	----	-----	---------



Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- Two (2) Data Ports, Three (3) Power Outlets, One (1) HDMI and Two (2) 5V USB
- 6' Power Cord
- UL and CSA Recognized

T = TFL P = HPL

[See Canvas Overview For Ordering Options](#)

Item	Model No.		W	D	H	Ship Wt	Cubic Ft	List Price
WORKSURFACE POWER CENTER	01-INTRFC1A	Aluminum	14 $\frac{1}{4}$	6 $\frac{3}{8}$	2 $\frac{7}{8}$	11	0.3	\$ 1994
	01-INTRFC1B	Black						



Description

- For Use with Conference Tables
- Four (4) Power Outlets, Three (3) Telecom Plate Openings
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLBB Plate (Consists of Two (2) RJ45 Cat 6)
- 6' Power Cord
- Convenience Plug on Bottom
- UL Listed/CSA Certified
- Additional Telecom Plates, [See ECA Telecom Plate Options](#)

OASIS MINI POWER & DATA	01-OASISMA	Aluminum	14 $\frac{1}{4}$	6 $\frac{3}{8}$	2 $\frac{7}{8}$	11	0.3	\$ 3083
	01-OASISMB	Black						



Description

- For Use with Conference Tables
- Soft Touch Hinged Lid
- Four (4) Power Outlets, Three (3) Telecom Plate Openings
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLBB Plate (Consists of One (1) RJ45 Cat 6)
- 9' Power Cord
- UL Listed
- Additional Telecom Plates, [See ECA Telecom Plate Options](#)


INTERACT POWER & DATA	01-INTERACTG2A	Aluminum	9	5 $\frac{5}{8}$	2 $\frac{3}{4}$	5	0.2	\$ 861
	01-INTERACTG2B	Black						



Description






- Includes: Two (2) Power Outlets, Two (2) USB-A Charging Ports, One (1) Telecom Plate Opening; Two (2) Keystone Openings for Voice/Data Jacks
- One (1) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack)
- Convenience Plug on Bottom
- 6' Power Cord
- UL and CSA Recognized
- Additional Telecom Plates, [See ECA Telecom Plate Options](#)

POWER 440	01-DATA440A	Aluminum	5 $\frac{5}{8}$	4 $\frac{3}{8}$	-	5	0.2	\$ 931
	01-DATA440B	Black						\$ 931



Description

- Two (2) Power Outlets
- Soft Touch Hinged Lid
- 6' Power Cord
- UL and CSA Recognized

Item	Model No.		W	D	H	Ship Wt	Cubic Ft	List Price
POWER DATA PORT	01-DPORT4A	Aluminum	8	4	-	7	0.2	\$ 1056
	01-DPORT4B	Black						\$ 1056
	<p>Description</p> <ul style="list-style-type: none"> Retracts into Work Surface to Regain Productive Space; One-Touch Access to Power and Data Two (2) Water-Proof Simplex Power Outlets, One (1) USB A+C, and One (1) Open Port Optional Telecom Port Components, See Below Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required 10' Power Cord UL Recognized 							
USB PORT	01-USBPORT		-	-	-	-	-	\$ 156
	<p>Description</p> <ul style="list-style-type: none"> Increases Transfer Speed Up to 5 gbs/sec Simultaneous Read/Write Capability; Idle Device Power Saving State 6' Cord Compatible with 01-DPORT4A and 01-DPORT4B 							
VOICE COUPLER	01-VOICE1		-	-	-	-	-	\$ 71
	<p>Description</p> <ul style="list-style-type: none"> 6-Pin Modular Plug Molded Black; Cord Not included Compatible with 01-DPORT4A and 01-DPORT4B 							
DATA PORT	01-RJ4DATA		-	-	-	-	-	\$ 161
	<p>Description</p> <ul style="list-style-type: none"> 8-Pin Modular Plug; Cat 5 Ethernet Cable; Pre-terminated Cable 9' Cord Compatible with 01-DPORT4A and 01-DPORT4B 							
ROUND GROMMET COVER	01-GRMTB	Black	2 $\frac{3}{8}$ "	2 $\frac{3}{8}$ "	-	1	0.1	\$ 11
	01-GRMTSL	Silver						\$ 11
 Open Market Only	<p><i>Open Market Only</i></p> <p>Description</p> <ul style="list-style-type: none"> 2$\frac{3}{8}$" (60mm) Round Grommet Cover Field Installed 							


[See Canvas Overview For Ordering Options](#)

Item	Model No.		W	D	H	Ship Wt	Cubic Ft	List Price
SINGLE POWER SAND DOLLAR	01-SAND60PS	Silver	3	3	4	1	0.2	\$ 95
	01-SAND60PW	White						\$ 95
	01-SAND60PB	Black					\$ 95	


Description


- Mounts in 2 $\frac{3}{8}$ " (60mm) Round Grommet
- Single Power Outlet with 6' Cord

DOUBLE USB SAND DOLLAR	01-SAND60US	Silver	3	3	4	1	0.2	\$ 268
	01-SAND60UW	White						\$ 268
	01-SAND60UB	Black					\$ 268	


Description


- Mounts in 2 $\frac{3}{8}$ " (60mm) Round Grommet
- Dual USB Outlets with 6' Cord

DUO CLAMP NEMA PLUG	01-DUOCLAMPS	Silver	5 $\frac{1}{2}$	3	7	1	0.2	\$ 553
	01-DUOCLAMPW	White						\$ 553
	01-DUOCLAMPB	Black					\$ 553	







Description

- Standard with: Two (2) Power Outlet, Two (2) USB Ports, 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

TRIO CLAMP NEMA PLUG	01-TRIOCLAMPS	Silver	8	3	7	1	0.2	\$ 648
	01-TRIOCLAMPW	White						\$ 648
	01-TRIOCLAMPS	Black					\$ 648	


Description

- Standard with: Three (3) Power Outlets, Two (2) USB Ports, One (1) Open Data, 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately, [See Port Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

Item	Model No.		W	D	H	Ship Wt	Cubic Ft	List Price
HDMI DATA PORT ACCESSORY FOR TRIO UNITS	01-LCOMHDMI		-	-	-	1	0.2	\$ 160
	Description							
Open Market	• HDMI Port for Trio Units							
VGA DATA PORT ACCESSORY FOR TRIO UNITS	01-LCOMVGA		-	-	-	1	0.2	\$ 117
	Description							
	• VGA Port for Trio Units							
RJ45 DATA PORT ACCESSORY FOR TRIO UNITS	01-LCOMRJ45		-	-	-	1	0.2	\$ 76
	Description							
	• RJ45 Port for Trio Units							
DOCK 950 WIRELESS CHARGER	01-DOCK950W	White	3 $\frac{3}{16}$ "	3 $\frac{3}{16}$ "	-	1	0.2	\$ 256
	01-DOCK950B	Black						\$ 256
Open Market Only	Description							
	• For Use with Wireless Charging Enabled Devices							
	• 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0							
	• LED will Confirm Pairing with Device and Begin Wireless Charging							
WIRELESS AND USB CHARGER	01-DOCK150W	White	3	3	$\frac{3}{4}$ "	1	0.2	\$ 391
	01-DOCK150B	Black						\$ 391
Open Market Only	Description							
	• For Use with Wireless Charging Enabled Devices and USB Charging Devices							
	• 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge)							
	• Pop-Up is $\frac{3}{4}$ "H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge)							
	• LED Light will Confirm Pairing with Device and Begin Wireless Charging							
	• UL and cUL Certified							

[See Canvas Overview For Ordering Options](#)

Item	Model No.	W	D	H	Ship Wt	Cubic Ft	List Price
VESTA POWER CENTER	01-PDCTR	10 $\frac{3}{4}$	12	28 $\frac{1}{4}$	14	2.5	\$ 1716

**Description**


- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlets
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall

POWER STRIP	01-PRSP	9	2	2	1	-	\$ 198
-------------	---------	---	---	---	---	---	--------

**Description**


- Includes Four (4) Outlets and Two (2) Phone Jacks
- Black Plastic with Rocker On/Off Switch
- 13 Amp Circuit Breaker
- 10' Power Cord and Two (2) 14' Phone Hook Up Cords
- UL Listed and CSA Certified
- Suitable for Surface or Recessed Mounting
- Ships via UPS Only

WIRE MANAGEMENT CHANNEL	01-WMGR4	16	1 $\frac{1}{2}$	$\frac{3}{4}$	1	-	\$ 112
-------------------------	----------	----	-----------------	---------------	---	---	--------

**Description**

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- Ships via UPS Only

CABLE GRIP	01-WMGRCB	5 $\frac{3}{8}$	2 $\frac{5}{8}$	-	-	-	\$ 16
------------	-----------	-----------------	-----------------	---	---	---	-------

**Description**

- Under Surface Wire Management
- Black

Item	Model No.	Description	List Price	
ECA TELECOM PLATES	01-ABL	Telecom Plate, Blank Plate	\$ 40	
	01-ABL737373	Telecom Plate, Three (3) RJ45 Cat 5e	\$ 355	
	Compatible with:			
		01-ABLAB	Telecom Plate, One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone	\$ 199
		01-ABLAB102	Telecom Plate, One (1) RJ45 Cat 6, One (1) RJ11 Cat 3, One (1) USB W/72" Patch Cord	\$ 309
	Oasis Mini Power & Data 01-OASISMA, 01-OASISMB	01-ABLABB	Telecom Plate, Two (2) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone	\$ 309
		01-ABLB	Telecom Plate, One (1) RJ45 Cat 6	\$ 144
	Interact Power & Data 01-INTERACTG2A, 01-INTERACTG2B	01-ABLB	Telecom Plate, One (1) RJ45 Cat 6	\$ 144
		01-ABLB	Telecom Plate, Two (2) RJ45 Cat 6	\$ 251
	Power Center 01-INTRFCIA, 01-INTRFCIB	01-ABLB	Telecom Plate, Two (2) RJ45 Cat 6	\$ 251
		01-ABLB	Telecom Plate, Three (3) RJ45 Cat 6	\$ 355
		01-ABLB	Telecom Plate, Four (4) RJ45 Cat 6	\$ 460
		01-ABLBBB	Telecom Plate, Three (3) RJ45 Cat 6	\$ 355
		01-ABLBBB	Telecom Plate, Four (4) RJ45 Cat 6	\$ 460
		01-ABLBBBC51	Telecom Plate, Two (2) RJ45 Cat 6, One (1) 15 Pin HD VGA w/72" Patch Cord	\$ 431
		01-ABLBC51L	Telecom Plate, One (1) RJ45 Cat 6, One (1) Mini Stereo Inline, One (1) 15 Pin HD VGA w/72" Patch Cord	\$ 396
		01-ABLC3811	Telecom Plate, One (1) RJ45 Cat 6 Data Inline, One (1) RJ11 Cat 3 Phone Inline	\$ 190
	01-ABLC45	Telecom Plate, One (1) HDMI w/36" Patch Cord	\$ 285	
	01-ABLC45C51L	Telecom Plate, One (1) Mini Stereo Inline, One (1) HDMI w/36" Patch Cord, One (1) 15 Pin HD VGA w/72" Patch Cord	\$ 539	
	01-ABLC51L	Telecom Plate, One (1) 15 Pin HD VGA & One (1) Mini Stereo Inline Jack	\$ 288	
	01-ABLCRDM	Telecom Plate, Three (3) Cord Bushings	\$ 93	

[See Canvas Overview For Ordering Options](#)

Standard Cutout Types & General Location Information


- Grommets can be specified, at an upcharge, add \$11 for a field installed grommet cover or add \$50 for a factory installed grommet (unless otherwise noted).
- Power/Data Modules can be specified in standard locations at no additional charge.
- The selection of both the Power/Data Module and Base will determine cutout locations for each table size, as well as placement over or between bases.
- [See exact measurements of Module locations.](#)
- For specific locations available by table size see series pages, [see Aura/Canvas/Gesso locations](#) and [see Cameo locations](#).

Cutout Locations Available


OC = On Center
BB = Between Bases (*requires 2 modules*)
CL = Left of Center
CR = Right of Center
EL = End Left
ER = End Right
ML = Middle Left
MR = Middle Right

General Location of Cutouts


*For Tables with **Two (2) Bases** and **One (1) Location**:*




*For Tables with **Two (2) Bases** and **Two (2) Locations**:*




*For Tables with **Three (3) Bases** and **One (1) Location**:*



*For Tables with **Three (3) Bases** and **Two (2) Locations**:*



*For Tables with **Three (3) Bases** and **Three (3) Locations**:*



Continued on Next Page.

Standard Cutout Types & General Location Information (Continued)

- Grommets can be specified, at an upcharge, add \$11 for a field installed grommet cover or add \$50 for a factory installed grommet (unless otherwise noted).
- Power/Data Modules can be specified in standard locations at no additional charge.
- The selection of both the Power/Data Module and Base will determine cutout locations for each table size, as well as placement over or between bases.
- [See exact measurements of Module locations.](#)
- For specific locations available by table size see series pages, [see Aura/Canvas/Gesso locations](#) and [see Cameo locations.](#)


Cutout Locations Available

OC = On Center
BB = Between Bases (*requires 2 modules*)
CL = Left of Center
CR = Right of Center
EL = End Left
ER = End Right
ML = Middle Left
MR = Middle Right


General Location of Cutouts

Continued from Previous Page

*For Tables with **Three (3) Bases** and **Four (4) Locations**:*




Middle of Each End and Both Ends
(ML + MR + EL + ER)



Off Center and Both Ends
(CL + CR + EL + ER)


*For Tables with **Five (5) Bases** and **One (1) Location**:*



On Center
(OC)



One End
(EL)



Off Center
(CL)


*For Tables with **Five (5) Bases** and **Two (2) Locations**:*




Both Ends
(EL + ER)



Middle of Each End
(ML + RL)




Off Center Left and Right
(CL + CR)




Between the Bases
(BB, Slightly Off Center Between Bases)


*For Tables with **Five (5) Bases** and **Three (3) Locations**:*



On Center and Both Ends
(OC + EL + ER)




Left of Center and Both Ends
(CL + EL + ER)




Off Center and Middle of Each End
(CL + ML + MR)

*For Tables with **Five (5) Bases** and **Four (4) Locations**:*










Middle of Each End and Both Ends
(ML + MR + EL + ER)




Off Center and Both Ends
(CL + CR + EL + ER)

Location Measurements By Module



	72" Tops	96" Tops	120", 144" & 168" Tops	192" Tops
	OC On Center BB Between Bases (requires 2 modules)		CL Left of Center CR Right of Center	EL End Left ER End Right ML Middle Left MR Middle Right
GROMMET 	OC Center of Table	OC Center of Table EL, EL + ER 24½" from end	CL, CL + CR 5½" from center EL, EL + ER 24½" from end CL + EL + ER, 5½" from center and CL + CR + EL + ER 24½" from end BB Slightly off centered between bases	CL, CL + CR 5½" from center EL, EL + ER 24½" from end CL + EL + ER, 5½" from center and CL + CR + EL + ER 24½" from end BB Slightly off centered between bases ML + MR 48" from end CL + ML + MR, 5½" from center and CL + CR + ML + MR 48" from end
POWER 440  INTERACT 	OC Center of Table	OC Center of Table EL, EL + ER 25" from end	OC Splits seam in center of bases EL, EL + ER 25" from end CL, CL + CR 5" from center CL + EL + ER, 5" from center and CL + CR + EL + ER 25" from end BB Slightly off centered between bases	OC Splits seam in center of bases EL, EL + ER 25" from end CL, CL + CR 5" from center CL + EL + ER, 5" from center and CL + CR + EL + ER 25" from end BB Slightly off centered between bases ML + MR 48" from end CL + ML + MR, 5" from center and CL + CR + ML + MR 48" from end
DPORT 4A  OASIS MINI,  INTRFC1  POWER & DATA VAULT 	OC Center of Table	OC Center of Table EL, EL + ER 29" from end	OC Splits seam in center of bases EL, EL + ER 29" from end CL + EL + ER, 9½" from center and CL + CR + EL + ER 29" from end CL, CL + CR 9½" from center BB Slightly off centered between bases	OC Splits seam in center of bases EL, EL + ER 29" from end CL + EL + ER, 9½" from center and CL + CR + EL + ER 29" from end CL, CL + CR 9½" from center BB Slightly off centered between bases ML + MR 48" from end OC+ EL + ER Splits center seam and 29" from end OC+ ML + MR Splits center seam and 48" from end CL + ML + MR, 9½" from center and CL + CR + ML + MR 48" from end

















36"x72" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

36X72 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center
BB Between Bases (requires 2 modules) CL Left of Center EL End Left ML Middle Left
CR Right of Center ER End Right MR Middle Right















	METAL BASE 	STRUT LEGS 	CYLINDER 	RECTANGLE 	RECTANGULAR BOX W/DOOR 	V-CAPPED 	FLAT-CAPPED 
GROMMET 	OC	OC	OC	OC	OC	OC	OC
POWER & DATA VAULT 	OC	OC		OC	OC	OC	OC
OASIS MINI 	OC	OC		OC	OC	OC	OC
INTERACT 	OC	OC	OC	OC	OC	OC	OC
INTRFC1 	OC	OC	OC	OC	OC	OC	OC
POWER 440 	OC	OC	OC	OC	OC	OC	OC
DPORT4A 	OC	OC	OC	OC	OC	OC	OC




42"x96" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

42X96 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

	OC On Center BB Between Bases (requires 2 modules)	CL Left of Center CR Right of Center	EL End Left ER End Right	ML Middle Left MR Middle Right			
	METAL BASE 	STRUT LEGS 	CYLINDER 	RECTANGLE 	RECTANGULAR BOX W/DOOR 	V-CAPPED 	FLAT-CAPPED 
GROMMET 	OC	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER
POWER & DATA VAULT 	OC	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC	OC	OC
OASIS MINI 	OC	OC EL* EL + ER*	OC	OC EL EL + ER	OC	OC	OC
INTERACT 	OC	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC	OC EL EL + ER	OC EL EL + ER
INTRFC1 	OC	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC	OC EL EL + ER	OC EL EL + ER
POWER 440 	OC	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER
DPORT4A 	OC	OC EL EL + ER	OC EL EL + ER	OC EL EL + ER	OC	OC EL EL + ER	OC EL EL + ER

* Works on all tops except Racetrack Shaped.


















48"x120" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

48X120 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center **CL** Left of Center **EL** End Left **ML** Middle Left
BB Between Bases (requires 2 modules) **CR** Right of Center **ER** End Right **MR** Middle Right

	METAL BASE 	STRUT LEGS 	CYLINDER 	RECTANGLE 	RECTANGULAR BOX W/DOOR 	V-CAPPED 	FLAT-CAPPED 
GROMMET 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER
POWER & DATA VAULT 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB
OASIS MINI 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER		BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB
INTERACT 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER
INTRFC1 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER
POWER 440 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER
DPORT4A 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER


















48"x144" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

48X144 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center **CL** Left of Center **EL** End Left **ML** Middle Left
BB Between Bases (requires 2 modules) **CR** Right of Center **ER** End Right **MR** Middle Right















	METAL BASE 	STRUT LEGS 	CYLINDER 	RECTANGLE 	RECTANGULAR BOX W/DOOR 	V-CAPPED 	FLAT-CAPPED 
GROMMET 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER
POWER & DATA VAULT 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB
OASIS MINI 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB
INTERACT 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER
INTRFC1 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER
POWER 440 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER
DPORT4A 	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER



48"x168" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

48X168 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

	OC On Center BB Between Bases (requires 2 modules)	CL Left of Center CR Right of Center	EL End Left ER End Right	ML Middle Left MR Middle Right			
	METAL BASE 	STRUT LEGS 	CYLINDER 	RECTANGLE 	RECTANGULAR BOX W/DOOR 	V-CAPPED 	FLAT-CAPPED 
GROMMET 	BB	CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER
POWER & DATA VAULT 	BB	OC* CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB
OASIS MINI 	BB	OC* CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB
INTERACT 	BB	OC* CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER
INTRFC1 	BB	OC* CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER
POWER 440 	BB	OC* CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER
DPORT4A 	BB	OC* CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER	OC BB EL EL + ER OC + EL + ER	OC BB EL EL + ER OC + EL + ER















* Works on all tops except Racetrack Shaped.



48"x192" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

48X192 TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

	METAL BASE 	STRUT LEGS 	CYLINDER 	RECTANGLE 	RECTANGULAR BOX W/DOOR 	V-CAPPED 	FLAT-CAPPED 
	OC On Center BB Between Bases (requires 2 modules)	CL Left of Center CR Right of Center	EL End Left ER End Right	ML Middle Left MR Middle Right			
GROMMET 	BB ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR
POWER & DATA VAULT 	BB ML + MR	OC, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC BB EL EL + ER OC + EL + ER	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB ML + MR	BB ML + MR
OASIS MINI 	BB ML + MR	OC, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB ML + MR	BB ML + MR
INTERACT 	BB ML + MR	OC, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC BB EL EL + ER ML + MR OC + EL + ER OC + ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC BB ML + MR	OC BB EL EL + ER ML + MR OC + EL + ER	OC BB EL EL + ER ML + MR OC + EL + ER
INTRFC1 	BB ML + MR	OC, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC BB EL EL + ER ML + MR OC + EL + ER OC + ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	OC BB EL EL + ER ML + MR OC + EL + ER	OC BB EL EL + ER ML + MR OC + EL + ER
POWER 440 	BB ML + MR	OC, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR
DPORT4A 	BB ML + MR	OC, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC BB EL EL + ER ML + MR OC + EL + ER OC + ML + MR	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC BB ML + MR	OC BB EL EL + ER ML + MR OC + EL + ER	OC BB EL EL + ER ML + MR OC + EL + ER



36"x72" & 42"x96" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center

BB Between Bases (requires 2 modules)

CL Left of Center















CR Right of Center

EL End Left

ER End Right

ML Middle Left

MR Middle Right

36x72				42x96			
	RECTANGLE	SQUARE	QUEEN ANNE		RECTANGLE	SQUARE	QUEEN ANNE
GROMMET 	OC	OC	OC	GROMMET 	OC EL EL + ER	OC EL EL + ER	OC
POWER & DATA VAULT 	OC			POWER & DATA VAULT 	OC EL EL + ER	OC EL EL + ER	OC
OASIS MINI 	OC			OASIS MINI 	OC EL EL + ER	OC EL EL + ER	OC
INTERACT 	OC			INTERACT 	OC EL EL + ER	OC EL EL + ER	OC
INTRFC1 	OC			INTRFC1 	OC EL EL + ER	OC EL EL + ER	OC
POWER 440 	OC	OC	OC	POWER 440 	OC EL EL + ER	OC EL EL + ER	OC
DPORT4A 	OC	OC	OC	DPORT4A 	OC EL EL + ER	OC EL EL + ER	OC



48"x120" & 48"x144" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center **CL** Left of Center **EL** End Left **ML** Middle Left
BB Between Bases (requires 2 modules) **CR** Right of Center **ER** End Right **MR** Middle Right

48x120				48x144			
	RECTANGLE	SQUARE	QUEEN ANNE		RECTANGLE	SQUARE	QUEEN ANNE
GROMMET 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB	GROMMET 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB
POWER & DATA VAULT 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER		POWER & DATA VAULT 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB
OASIS MINI 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER		OASIS MINI 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB
INTERACT 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB	INTERACT 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB
INTRFC1 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB	POWER CENTER 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB
POWER 440 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB	POWER 440 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB
DPORT4A 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	BB	DPORT4A 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB



48"x168" & 48"x192" TOPS

For General Location Information, [See Cut Out Locations](#); For Exact Measurements of Locations, [See Details](#).

TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION

OC On Center

BB Between Bases (requires 2 modules)

CL Left of Center

CR Right of Center

EL End Left

ER End Right

ML Middle Left

MR Middle Right

48x168			
	RECTANGLE	SQUARE	QUEEN ANNE
GROMMET 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB
POWER & DATA VAULT 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	BB
OASIS MINI 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	BB
INTERACT 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	BB
INTRFC1 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	BB
POWER 440 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB
DPOR4A 	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	BB

48x192			
	RECTANGLE	SQUARE	QUEEN ANNE
GROMMET 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
POWER & DATA VAULT 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
OASIS MINI 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
INTERACT 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
INTRFC1 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
POWER 440 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
DPOR4A 	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR

ORDERING INFORMATION

All orders should be emailed to neworders@indianafurniture.com. Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture
P.O. Box 270
1224 Mill Street
Jasper, IN 47547-0270

ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods or tables, give complete quantity, model number, finish and any other options.

When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification of order procedure, contact Customer Service.

PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies.

BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request, a **.084% per calendar day** (2.52% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

Obvious Damage/Missing Cartons — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

Concealed Damage — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered 1/3 by the carrier and 2/3 by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGAs for the following reasons:

1. Manufacturing defect (inspected by Indiana Furniture representative)
2. Indiana Furniture order processing error
3. Shipping error
4. Mis-marked cartons
5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$18. For order shipments over \$100, shipped by small package carrier, the fee is \$40.

BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. (“**Indiana Furniture**”) warrants to the original purchaser all product in this price list (“**Product**”) to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture’s sole discretion) any Product, part, or component covered by this warranty and sold after August 2, 2022, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

7-year Warranty (from the date of shipment)

- Pneumatic Table Lift
- Electric Table Lift

5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- All Height Adjustable Mechanisms

3-year Warranty (from date of shipment)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

THIS WARRANTY DOES NOT COVER:

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer’s own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.








If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc.
Attn: Customer Service
1224 Mill Street, P.O. Box 270
Jasper, Indiana 47547-0270
800.422.5727
Fax 812.482.9035
custserv@indianafurniture.com




Surface Materials

Wood Finishes and Woodgrain, Solid, and 3D Laminates







					
Beigewood (BW) TFL, HPL, Seating*	Sugar Maple (SM) Veneer, TFL, HPL, Seating	Oak Riftwood (ORW) Veneer*, TFL, HPL, Seating*	Sunglow Walnut (SW) Veneer, Seating	Fawn Oak (FO) Veneer*, Seating*	Weathered Ash (WTA) Veneer*, TFL, HPL, Seating*
					
Smoky Brown Pear (SBP) Veneer, TFL, HPL, Seating*	Asian Night (AS) Veneer, TFL, HPL, Seating	Studio Teak (TK) TFL, HPL, Seating	Pinnacle Walnut (PNW) TFL, HPL, Seating	Harvest Maple (HVM) Veneer, TFL, HPL, Seating*	Medium Oak (MO) Veneer*, Seating*
					
Golden Cherry (GC) Veneer, TFL, HPL, Seating	Legacy Walnut (LW) Veneer, Seating	Artisan Walnut (AW) Veneer, Seating	Shaker Cherry (SKC) Veneer, TFL, HPL, Seating	Select Cherry (SCH) Veneer, TFL, HPL, Seating	Williamsburg Cherry (WC) Veneer, TFL, HPL, Seating
					
Harvest Walnut (HW) Veneer, Seating	Dark Cherry (DC) Veneer, Seating	Mahogany Walnut (MW) Veneer, TFL, HPL, Seating	Columbian Walnut (CO) Veneer, TFL, HPL, Seating	Dark Forest Walnut (DFW) Veneer, Seating*	Espresso (EW/EF) Veneer, TFL, HPL, Seating
					
Designer White (WH) TFL, HPL, Seating	White Sand (WHS) TFL, HPL	Fashion Grey (FHG) TFL, HPL	Pepperdust (PPD) TFL, HPL	Slate Grey (SG) TFL, HPL	Black (BL) TFL, HPL, Seating
					
Pewter Mesh (PTM) HPL (training tables only)	Steel Mesh (STM) HPL (training tables only)	Matte White (WH3) 3D Laminate (Iconic Only)	Concrete (CR3) 3D Laminate (Iconic Only)	Matte Black (BL3) 3D Laminate (Iconic Only)	Enamel (ENL) HPL Accent (Iconic Only)
					
Blush (BSH) HPL Accent (Iconic Only)	First Kiss (FK) HPL Accent (Iconic Only)	Surfin USA (SUS) HPL Accent (Iconic Only)	Summer Vacation (SV) HPL Accent (Iconic Only)		

* Finish is Low Sheen







Frosted & High Gloss Acrylics

				
Frosted (FSTA)	White (WHA)	Wired Mercury (WMA)	Graphite (GPA)	Black (BLA)

Solid Surfaces

					
Snow White (SNW)	Pebble Beach (PE)	Sedona (SE)	Arroyo (AR)	Tundra (TN)	Starry Night (SN)

Metal Options

					
Oyster White (OYST)	Sugar Cookie (SUGC)	Aluminum (ALUM)	Chrome (CHRM)	Mist (MIST)	Black (BLK)

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at www.indianafurniture.com. Graining and finish colors may vary yet will continue to complement, across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.

Indiana[®] FURNITURE

1224 Mill Street
PO Box 270
Jasper, Indiana 47547-0270

Tel 812.482.5727
Toll 800.422.5727
Fax 812.482.9035
sales@indianafurniture.com
www.indianafurniture.com

Federal Classification: Small Business

©2023 Indiana Furniture 3/23

