PRICING EFFECTIVE MAY 13, 2024

Indiana

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.



All of our product lines:

- Are manufactured and assembled in the USA.
- · Meet or exceed Indoor Air quality standards*,
- Meet or exceed BIFMA level® Sustainability standards and certification*,
- Conform to the BIFMA Compliance standards*,
- · Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



















Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.











Indiana

CANVASTM LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

Explore Canvas Reception models, sizes, and premium details to heighten function and luxury for the user, the environment, and all of your visitors. Choose from waterfall transaction counters with paper slots, conventional transaction counters available in a variety of materials, matching or contrasting overlays, backlighting, extended gallery returns with storage, ADA returns, and more!

CONSTRUCTION

Canvas Reception features a TFL chassis with your choice of TFL or HPL Top and TFL, HPL, or Solid Surface transaction counters. Units ship assembled unless otherwise noted.

LAMINATES

- Exposed surfaces are woodgrain and solid color laminates
- Worksurfaces are bonded to the core with a PVA adhesive in a cold press to prevent separation of the laminate from the core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

TOPS

- Worksurfaces are 1" thick thermally-fused laminate (TFL) or High Pressure Laminate (HPL) with 1mm matching PVC rims in a square profile; Designer White, Sugar Maple, Williamsburg Cherry feature ABS edge bands
- Worksurfaces are shaped on all four sides and fit flush with adjoining worksurfaces for a clean aesthetic
- Transaction tops in TFL or HPL are edge-banded and have a selfedge on all sides
- Accent tops of 3/8" glass with 11/4" silver standoffs are available
- Transaction tops in Solid Surface materials are 1½" thick and available in 6 standard colors

CHASSIS/COMPONENTS

- TFL chassis and storage components
- Worksurfaces, storage components and end panels are securely fastened using high quality European fastening systems, 16-gauge joining brackets and wooden dowels to assure maximum strength
- · Exposed edges have matching PVC edge band
- All units are equipped with heavy-duty glides featuring 1 ¼" adjustment to ensure proper leveling and compensation for uneven floors
- All modular components have standard wire openings from inside the pedestal to the kneespace allowing quick access to technology below

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Drawer fronts are 3-ply, ¾" thick thermally fused laminate on both faces with matching PVC banded edges
- All drawer sides are ½" thick woodgrain vinyl-wrapped construction with mitered corners
- Box and file drawers have ½" thick hardboard bottoms and tested for 100lb capacity
- Lateral files feature ¼" thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- All suspensions have a limited lifetime warranty

FILING

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Letter width file drawers provide letter filing front to back and legal filing side to side
- Lateral file drawers provide legal or letter filing front to back or side to side

LOCKING

- All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date, if required
- · Units are shipped randomly keyed as standard
- · Keyed alike units available upon request at no additional charge
- Lock core will match pull color (if applicable, otherwise specify)

NTERIOR DRAWER	DIMENSIONS		
Model			
66-2415PD1			
Drawers	w	L	D
Зох	121/8"	16 3/16"	3½"
-ile	121/8"	16 3/16"	95/16"
1odel			
66-2418PD1			
Drawers	W	L	D
Зох	14%2"	15%"	3½"
ïle	14%2"	15%"	95/16"
1odel			
66-2436LF1			
Drawers	W	L	D
at File	32%32"	151/16"	97/32"
Model			
6-2430LF1			
rawers	W	L	D
at File	26%2"	151/16"	97⁄32"
1odel			
66-2430LF2			
rawers	W	L	D
Box	115/16"	16¾16"	3½"
ile	121/8"	16¾16"	95/16"
at File	26%2"	151/16"	91/4"
1odel			
66-2436LF2			
)rawers	W	L	D
Box	14%2"	151%"	3½"
ile	14%2"	151/8"	95/16"
at File	321/32"	151/16"	97/32"
lodel			
6-2415PD2			
rawers	W	L	D
ile	121/8"	16¾16"	95/16"
1odel			
6-2418PD2			
Drawers	W	L	D
ile	14%2"	151/4"	95/16'



CANVASTM

LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

INTERIOR DRAWER DIMENSIONS (CONTINUED)			
Model			
66-24360MF			
Drawers	W	L	D
File	14%2"	151/8"	3½"
Lat File	321/32"	151/16"	97/32"
Model			
66-24300MF			
Drawers	W	L	D
Box	115/16"	16¾16"	3½"
Lat File	26¾2"	151/16"	91/4"


Model			
64-2595ERSWD2L46	64-2595ERSW	D2L41 64-2	2583ERSWD2L23
64-2595ERSWD2L35	64-2583ERSW	D2L34 64-2	583ERSWD2L29
Drawers	W	L	D
Box	14%2"	151/8"	3½"
File	143/32"	151/8"	95/16"

FILING CAPABILITIES


Drawers with Dimensions: 115/16"W x 163/16"L




Drawers with Dimensions: 121/8"W x 165/32"L




Drawers with Dimensions: 121/8"W x 163/16"L




Drawers with Dimensions: 14%2"W x 15%"L



Drawers with Dimensions: 26% 32 W x 15% 6 L



Drawers with Dimensions: 32%32"W x 151/16"L



HOW TO C	RDEF	REXAMPLES		
	QTY	MODEL NO.	DESCRIPTION	EXAMPLE
DESK	1	64-3066RSRL	Color	AS
SHELL			Overlay	HGA
			Overlay Color	WHA
			Back Lighting	YES
			Grommet	GL
			Grommet Color	BLK
			PDC Type	CHGSP
			PDC Location	С
			PDC Color	N/A
RETURN	1	64-2583ERSWD1R41	Color	AS
SHELL			Overlay	NO
			Grommet	GL
			Grommet Color	BLK
			PDC Type	HWDUO-
				BEZEL
			PDC Location	С
			PDC Color/Circuits	
			Door Style	DEB
			Grain Direction	N/A
			Door Lock	YES
			Lock Color	BLK
PED	2	66-2418PD2	Color	AS
			Drawer Color	AS
			Grain Direction	VERTICAL
			Pull/Color	AAV
			Wire Management	WMLR

TFL (T) AND HPL (P) LAMINATE OPTIONS				
WOODGRAIN				
AS	Asian Night	PTK	Portico Teak	
BW	Beigewood	RC	River Cherry	
CO	Columbian Walnut	SPW	Sepia Walnut	
EF	Espresso	SKC	Shaker Cherry	
FLW	Florence Walnut	SBP	Smoky Brown Pear	
KHE	Kirsche	TK	Studio Teak	
MNR	Midnight Run	SM	Sugar Maple	
NTM	Natural Marrone	WTA	Weathered Ash	
ORW	Oak Riftwood	WNB	White Nebbia	
PNW	Pinnacle Walnut	WC	Williamsburg Cherry	
SOLID				
BL	Black	FHG	Fashion Grey	
WH	Designer White	SG	Slate Grey	



SOLID SURFACE (S) TRANSACTION COUNTER OPTIONS

AR	Arroyo	SNW	Snow White
PE	Pebble Beach	SN	Starry Night
SE	Sedona	TN	Tundra

ACRYLIC OVERLAY OPTIONS

FST	Frosted	WHA	White
BLA	Black	WMA	Wired Mercury

GPA Graphite

EDGE PROFILES

CHASSIS/WORKSURFACES/TRANSACTION COUNTERS

Н Square

SOLID SURFACE TRANSACTION COUNTERS

Straight





PULL OPTIONS

Square

Note: Lock Core will match Pull Color

AAV	Alcove, Aluminum	AEL	Elite, Aluminum
CAV	Alcove, Chrome	BEL	Elite, Black
AAC	Arc, Aluminum	AFL	Flair, Aluminum
BAC	Arc, Black	CFL	Flair, Chrome
ABM	Beam, Aluminum	AFC	Focus, Aluminum
BBM	Beam, Black	BFC	Focus, Black
BBT	Bow Tie, Black	AQD	Quadra, Aluminum
NBT	Bow Tie, Nickel	BQD	Quadra, Black
ABU	Buckle, Aluminum	AST	Studio, Aluminum
BBU	Buckle, Black	BST	Studio, Black
		CST	Studio Chroma



GROMMET OPTIONS & POWER UNIT LOCATIONS

Desk grommets are available in standard locations. Please specify using table below. Multiple unit locations may be selected. Only one unit per location.

Grommets are available on hutches in standard locations for task light management at no additional charge. Please specify HUGRMT.

Multiple locations may be selected. Only one unit per location.

GROMMET LOCATIONS (Black = BLK and Silver = SLV)

GC	Grommet, Center - Specify BLK or SLV	\$ 52
GL	Grommet, Left - Specify BLK or SLV	\$ 52
GR	Grommet, Right - Specify BLK or SLV	\$ 52

DUO/TRIO BEZEL LOCATIONS

PDC-C	Bezel, Center
PDC-L	Bezel, Left
PDC-R	Bezel, Right

DOCK 950 and DOCK 150 LOCATIONS (See Dock Units)

DOCK950-L	D950 Wireless Charger, Left	\$ 265
DOCK950-C	D950 Wireless Charger, Center	\$ 265
DOCK950-R	D950 Wireless Charger, Right	\$ 265
DOCK150-L	D150 Wireless and USB Charger, Left	\$ 405
DOCK150-C	D150 Wireless and USB Charger, Center	\$ 405
DOCK150-R	D150 Wireless and USB Charger, Right	\$ 405

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets, Power Units, Dock 950 and Dock 150 may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

Power Units, Dock 950 and Dock 150 must be specified separately with surface mount location.

Models		
64-3696RSRL	64-3672RSRL	64-3660ARSRR
64-3696RSRR	64-3672RSRR	64-3654ARSRL
64-3696RS	64-3672RS	64-3654ARSRR
64-3694B46	64-3672ARSRL	64-3648ARSRL
64-3690RSRL	64-3672ARSRR	64-3648ARSRR
64-3690RSRR	64-3666RSRL	64-3642ARSRL
64-3690RS	64-3666RSRR	64-3642ARSRR
64-3688B40	64-3666RS	64-3636ARSRL
64-3684RSRL	64-3666ARSRL	64-3636ARSRR
64-3684RSRR	64-3666ARSRR	64-3630ARSRL
64-3684RS	64-3660RSRL	64-3630ARSRR
64-3678RSRL	64-3660RSRR	
64-3678RSRR	64-3660RS	
64-3678RS	64-3660ARSRL	



GL/GR/PDC-L/PDC-R/DOCK950-L/ DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 32" from

GC/PDC-C/DOCK950-C/ DOCK150-C: Located 32" from user side

See additional units and locations on the next page.



GROMMET OPTIONS & POWER UNIT LOCATIONS (CONTINUED)

Models

64-3096RSRL	64-3084RSRL	64-3066RSRL
64-3096RSRR	64-3084RSRR	64-3066RSRR
64-3096RS	64-3084RS	64-3066RS
64-3094B46	64-3078RSRL	64-3060RSRL
64-3090RSRL	64-3078RSRR	64-3060RSRR
64-3090RSRR	64-3078RS	64-3060RSPDC
64-3090RS	64-3072RSRL	64-3060RS
64-3090RS	64-3072RSRR	

64-3088B40 64-3072RS

GL/GR/PDC-L/PDC-R/CHGSP-L/ CHGSP-R: Located 6" from ends and 26" from user side

GC/PDC-C/CHGSP-C: Located 26" from user side

Models

64-2596RSRL	64-2584RSRR	64-2566RS
64-2596RSRR	64-2583ERSL58	64-2560RSRL
64-2596RS	64-2583ERSR58	64-2560RSRR
64-2595ERSWD2L46	64-2583ERSL53	64-2560RS
64-2595ERSWD2R46	64-2583ERSR53	64-2559ERSL34
64-2595ERSWD2L41	64-2583ERSL47	64-2559ERSR34
64-2595ERSWD2R41	64-2583ERSR47	64-2559ERSL29
64-2595ERSWD2L35	64-2578RSRL	64-2559ERSR29
64-2595ERSWD2R35	64-2578RSRR	64-2559ERSL23
64-2595ERSWD1L58	64-2578RS	64-2559ERSR23
64-2595ERSWD1R58	64-2572RSRL	64-3072ARSRL
64-2595ERSWD1L53	64-2572RSRR	64-3072ARSRR
64-2595ERSWD1R53	64-2572RS	64-3066ARSRL
64-2595ERSWD1L47	64-2571ERSWD1L34	64-3066ARSRR
64-2595ERSWD1R47	64-2571ERSWD1R34	64-3060ARSRL
64-2595ERSL70	64-2571ERSWD1L29	64-3060ARSRR
64-2595ERSR70	64-2571ERSWD1R29	64-3054ARSRL
64-2595ERSL65	64-2571ERSWD1L23	64-3054ARSRR
64-2595ERSR65	64-2571ERSWD1R23	64-3048ARSRL
64-2595ERSL59	64-2571ERSL46	64-3048ARSRR
64-2595ERSR59	64-2571ERSR46	64-3042ARSRL
64-2594B46	64-2571ERSL41	64-3042ARSRR
64-2590RSRL	64-2571ERSR41	64-3036ARSRL
64-2590RSRR	64-2571ERSL35	64-3036ARSRR
64-2590RS	64-2571ERSR35	64-3030ARSRL
64-2588B40	64-2566RSRL	64-3030ARSRR

64-2566RSRR



64-2584RSRL

GL/GR/PDC-L/PDC-R/CHGSP-L/ CHGSP-R: Located 6" from ends and 20" from user side

GC/PDC-C/CHGSP-C: Located 20" from user side


LOCKING DOORS

Locking doors are available. You must specify WITH LOCKING when ordering and add upcharge.

LKT_HU 42"W to 24"W Units \$ 91 LKT_HU 18"W to 12"W Units \$ 69

CERTIFICATIONS & COMPLIANCE

- · Intertek Sustainability Certified
- BIFMA level® Certified
- · BIFMA Compliant Certified
- TSCA Title VI (formerly CARB) Compliance
- US Green Building's LEED Contribution






CANVASTM STATEMENT OF LINE




Reception Desk Shell with Gallery Screen (See Details)




Single Reception Desk Shell with Gallery Screen (See Details)




ADA Reception Return Shell (<u>See Details</u>)




Return Shell with Extended Gallery Screen (See Details)




Narrow Tower Storage Return with Extended Gallery Screen (See Details)




Tower Storage Return with Gallery Screen (See Details)




Reception Bridge with Gallery Screen (See Details)



Waterfall Transaction Kits with Paper Slots (See Details)



Corner Waterfall Transaction Kits with Paper Slots (See Details)



Overlay Panels TFL (See <u>Details</u>) High Gloss Acrylic (See <u>Details</u>) Frosted Acrylic (See <u>Details</u>)



Transaction Top (See Mulitple Unit Details)



Optional Glass Transaction Top (See Mulitple Unit Details)



Tackboards for use under Transaction Counters (See Details)

Modular Component Pedestals



Box/Box/File Pedestal (See Details)



File/File Pedestal (See Details)



Door Bookcase Pedestal (<u>See Details</u>)



Lateral File Pedestal (<u>See Details</u>)



Multi-File Pedestal (<u>See Details</u>)



Open Multi-File Pedestal (<u>See Details</u>)



Pedestal with Doors (See Details)



Pedestal with Doors and Open Compartment (See Details)



Pedestal Open Storage (<u>See Details</u>)

Accessories + Power Options

















Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft		List Price
	64-1		106	97	42	813	199.2	T\$	9291
						-		P\$	10091
	CONSIST OF:	QTY							
	64-3096RS	1	Reception	n Desk She	ell with Ga	llery Scree	n	T\$	2262
				P\$	2580				
	64-1284TKS	1	Waterfall	T\$	1952				
	64-3060ARSRL	1	ADA Rece	eption Ret	urn Shell	- Left		T\$	1025
								P\$	1266
	66-2430LF1	1	Modular F	Pedestal w	ith Latera	l File		T\$	1384
	64-3060ARSRR	1	ADA Rece	eption Ret	urn Shell	- Right		T\$	1025
								P\$	1266
	66-2430LF2	1	Modular F	Pedestal w	ith Multi-l	File		T\$	1643
	Products are available as le	-							

Products are available as left or right, where applicable





64-2		102	87	42	596	154.6	T\$	6500
							P\$	7424
			Add Option	al Glass Top	to TFL or	HPL Pricing	+Glass \$	3401
CONSIST OF:	QTY							
64-3090RSRL	1	Single Rec	eption De	sk Shell w	ith Gallery	y Screen	T\$	1961
							P\$	2273
64-2583ERSR53	1	Return Sh	ell with Ex	tended G	allery Scr	een	T\$	1228
							P\$	1426
66-2430LF2	1	Modular P	edestal wi	th Multi-F	ile		T\$	1643
64-1296TP	1	Transactio	n Top - 99	" Wide			T\$	545
							P\$	763
			Add Option	al Glass Top	to TFL or	HPL Pricing	+Glass \$	1905
64-1275TP	1	Transactio	n Top - 75	" Wide			T\$	491
							P\$	687
			Add Option	al Glass Top	to TFL or	HPL Pricing	+Glass \$	1496
64-OT90	1	Overlay Pa	nel - For l	Jse With 9	90" Desks	;	\$	632
		Optional Ba	ck Lighting I	Not Include	d			

Products are available as left or right, where applicable



64-3		96¾	96¾	42	664	161.9	T\$ P\$	8261 8748
CONSIST OF:	QTY							
64-3096RSRL	1	Single Rec	eption Des	y Screen	T\$ P\$	2013 2332		
64-1284CTKSL	1	Corner Wa	aterfall Trar	nsaction	Kit with F	Paper Slots	T\$	2073
64-2595ERSWD2R41	1	Tower Sto	rage Retur	n with G	allery Scr	een	T\$ P\$	2928 3096
66-2418PD2	1	Modular P	edestal wit	h File/Fil	e		T\$	1247

Products are available as left or right, where applicable



	Width	Depth	Height	Ship Wt	Cubic Ft	I	List Price
	89	96	42	604	139.6	T\$ P\$	7679 8207
QTY							
1	Single Re	ception De	esk Shell v	vith Gallery	y Screen	T\$ P\$	2151 2438
1	ADA Rece	eption Ret	urn Shell -	- Left		T\$ P\$	1025 1266
1	Waterfall	Transactio	n Kit with	Paper Slo	ts	T\$	1613
1	Modular F	Pedestal w	ith Multi-F	-ile		T\$	1643
1	Modular F	Pedestal w	ith File/Fi	le		T\$	1247
	1 1 1 1 1	QTY 1 Single Re 1 ADA Rece 1 Waterfall 1 Modular F	QTY 1 Single Reception De 1 ADA Reception Ret 1 Waterfall Transaction 1 Modular Pedestal was	QTY 1 Single Reception Desk Shell v 1 ADA Reception Return Shell 1 Waterfall Transaction Kit with 1 Modular Pedestal with Multi-f	OTY 1 Single Reception Desk Shell with Gallery 1 ADA Reception Return Shell - Left	QTY 1 Single Reception Desk Shell with Gallery Screen 1 ADA Reception Return Shell - Left 1 Waterfall Transaction Kit with Paper Slots 1 Modular Pedestal with Multi-File	QTY 1 Single Reception Desk Shell with Gallery Screen T\$ P\$ 1 ADA Reception Return Shell - Left T\$ P\$ 1 Waterfall Transaction Kit with Paper Slots T\$ 1 Modular Pedestal with Multi-File T\$

Products are available as left or right, where applicable



64-5

			P\$	7362
		Add Optional Glass Top to TFL or HPL Pricing	Glass \$	2992
CONSIST OF:	QTY			
64-3072RSRL	1	Single Reception Desk Shell with Gallery Screen	T\$	1480
			P\$	1751
64-2583ERSR53	1	Return Shell with Extended Gallery Screen	T\$	1228
			P\$	1426
64-1275TP	2	Transaction Top - 75" Wide	T\$	982
			P\$	1374
		Add Optional Glass Top to TFL or HPL Pricing	+Glass \$	2992
66-2418PD1	1	Modular Pedestal with Box/Box/File	T\$	1247
66-2418PD2	1	Modular Pedestal with File/File	T\$	1247
TB-6284	1	Tackboard (Optional)	G1\$	317

87

42

559

135.9

T\$ 6501

78

Products are available as left or right, where applicable



RECEPTION DESK SHELL WITH **GALLERY SCREEN**



Must Specify (in this order):

Model # Top Material Top Color Chassis Color Overlay Overlay Color Back Lighting Grommet Location Grommet Color PDC Type PDC Color


Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
64-3696RS	94" Worksurface	96	36	41	272	90.3	T\$ 2464 P\$ 2802
64-3690RS	88" Worksurface	90	36	41	261	84.8	T\$ 2394 P\$ 2726
64-3684RS	82" Worksurface	84	36	41	249	79.3	T\$ 2338 P\$ 2642
64-3678RS	76" Worksurface	78	36	41	237	73.8	T\$ 2269 P\$ 2564
64-3672RS	70" Worksurface	72	36	41	226	68.3	T\$ 1933 P\$ 2223
64-3666RS	64" Worksurface	66	36	41	214	62.8	T\$ 1861 P\$ 2137
64-3660RS	58" Worksurface	60	36	41	203	57.3	T\$ 1792 P\$ 2056
64-3096RS	94" Worksurface	96	30	41	245	80.3	T\$ 2262 P\$ 2580
64-3090RS	88" Worksurface	90	30	41	234	75.8	T\$ 2205 P\$ 2517
64-3084RS	82" Worksurface	84	30	41	223	71.3	T\$ 2151 P\$ 2438
64-3078RS	76" Worksurface	78	30	41	213	66.7	T\$ 2076 P\$ 2355
64-3072RS	70" Worksurface	72	30	41	202	62.1	T\$ 1727 P\$ 1996
64-3066RS	64" Worksurface	66	30	41	192	57.5	T\$ 1663 P\$ 1921
64-3060RS	58" Worksurface	60	30	41	181	48.2	T\$ 1596 P\$ 1836
64-2596RS	94" Worksurface	96	25	41	245	80.3	T\$ 1685 P\$ 1965
64-2590RS	88" Worksurface	90	25	41	234	75.8	T\$ 1625 P\$ 1899
64-2584RS	82" Worksurface	84	25	41	198	58.4	T\$ 1567 P\$ 1820
64-2578RS	76" Worksurface	78	25	41	188	53.8	T\$ 1502 P\$ 1745
64-2572RS	70" Worksurface	72	25	41	177	49.2	T\$ 1439 P\$ 1675
64-2566RS	64" Worksurface	66	25	41	167	44.6	T\$ 1383 P\$ 1606
64-2560RS Kneespace 58"; No Add	58" Worksurface ditional Support Needed	60	25	41	156	40.0	T\$ 1280 P\$ 1501

- Horizontal Woodgrain on Chassis; Side-to-Side Woodgrain on Top
- · Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Unsupported By Pedestal, See Stiffener Bar
- Optional Overlay Panel for Approach Side of Gallery Screen, See Overlay Options
- · Additional Options: Waterfall Transaction Kit (See Kit Options), TFL, HPL, or Solid Surface Transaction Tops (See Multiple Unit Details), Power Options (Sold Separately, See Accessories)



SINGLE RECEPTION DESK SHELL WITH GALLERY SCREEN





Desk Shell Shaded (Shown as Left)

Must Specify (in this order):


Model #
Top Material
Top Color
Chassis Color
Overlay
Overlay Color
Back Lighting
Grommet Location
Grommet Color
PDC Type
PDC Location
PDC Color

Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
Left	Right						
64-3696RSRL 94" Worksurface	64-3696RSRR	96	36	41	326	91.6	T\$ 2171 P\$ 2509
64-3690RSRL 88" Worksurface	64-3690RSRR	90	36	41	315	86.0	T\$ 2120 P\$ 2452
64-3684RSRL 82" Worksurface	64-3684RSRR	84	36	41	303	80.4	T\$ 2067 P\$ 2372
64-3678RSRL 76" Worksurface	64-3678RSRR	78	36	41	291	74.7	T\$ 1997 P\$ 2292
64-3672RSRL 70" Worksurface	64-3672RSRR	72	36	41	201	69.2	T\$ 1665 P\$ 1955
64-3666RSRL 64" Worksurface	64-3666RSRR	66	36	41	190	63.5	T\$ 1590 P\$ 1865
64-3660RSRL 58" Worksurface	64-3660RSRR	60	36	41	179	57.9	T\$ 1524 P\$ 1789
64-3096RSRL 94" Worksurface	64-3096RSRR	96	30	41	206	73.2	T\$ 2013 P\$ 2332
64-3090RSRL 88" Worksurface	64-3090RSRR	90	30	41	196	69.3	T\$ 1961 P\$ 2273
64-3084RSRL 82" Worksurface	64-3084RSRR	84	30	41	186	65.4	T\$ 1902 P\$ 2189
64-3078RSRL 76" Worksurface	64-3078RSRR	78	30	41	176	61.5	T\$ 1830 P\$ 2109
64-3072RSRL 70" Worksurface	64-3072RSRR	72	30	41	165	57.6	T\$ 1480 P\$ 1751
64-3066RSRL 64" Worksurface	64-3066RSRR	66	30	41	155	53.0	T\$ 1419 P\$ 1676
64-3060RSRL 58" Worksurface	64-3060RSRR	60	30	41	144	48.2	T\$ 1353 P\$ 1594
64-2596RSRL 94" Worksurface	64-2596RSRR	96	25	41	184	64.1	T\$ 1461 P\$ 1741
64-2590RSRL 88" Worksurface	64-2590RSRR	90	25	41	174	60.2	T\$ 1400 P\$ 1674
64-2584RSRL 82" Worksurface	64-2584RSRR	84	25	41	163	56.3	T\$ 1338 P\$ 1591
64-2578RSRL 76" Worksurface	64-2578RSRR	78	25	41	153	52.4	T\$ 1277 P\$ 1521
64-2572RSRL 70" Worksurface	64-2572RSRR	72	25	41	143	48.5	T\$ 1216 P\$ 1452
64-2566RSRL 64" Worksurface	64-2566RSRR	66	25	41	133	44.6	T\$ 1162 P\$ 1386
64-2560RSRL 58" Worksurface	64-2560RSRR	60	25	41	123	40.7	T\$ 1062 P\$ 1281
Kneespace 58"; No Ad	ditional Support Needed						


- Horizontal Woodgrain on Chassis; Side-to-Side Woodgrain on Top
- · Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Surface is Not Supported By Pedestal, See Stiffener Bar
- Not for Freestanding, Must Attach to Return or Bridge Components
- Optional Overlay Panel for Approach Side of Gallery Screen, See Overlay Options
- Additional Options: Waterfall Transaction Kit (<u>See Kit Options</u>), TFL, HPL, or Solid Surface Transaction Tops (<u>See Multiple Unit Details</u>), Power Options (Sold Separately, <u>See Accessories</u>)



ADA RECEPTION RETURN SHELL



Shown as Right



Return Shell Shaded (Shown as Left)

Must Specify (in this order):

Model # Top Material Top Color Chassis Color **Grommet Location** Grommet Color PDC Type PDC Location PDC Color

Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
Left	Right						
64-3672ARSRL	64-3672ARSRR	72	36	30	144	51.9	T\$ 1228 P\$ 1518
64-3666ARSRL	64-3666ARSRR	66	36	30	134	47.7	T\$ 1176 P\$ 1452
64-3660ARSRL	64-3660ARSRR	60	36	30	123	43.5	T\$ 1124 P\$ 1389
64-3654ARSRL	64-3654ARSRR	54	36	30	113	39.5	T\$ 1056 P\$ 1300
64-3648ARSRL	64-3648ARSRR	48	36	30	102	35.1	T\$ 999 P\$ 1222
64-3642ARSRL	64-3642ARSRR	42	36	30	92	30.9	T\$ 935 P\$ 1140
64-3636ARSRL	64-3636ARSRR	36	36	30	81	26.7	T\$ 876 P\$ 1063
64-3630ARSRL	64-3630ARSRR	30	36	30	71	22.5	T\$ 817 P\$ 986
64-3072ARSRL	64-3072ARSRR	72	30	30	125	43.6	T\$ 1181 P\$ 1452
64-3066ARSRL	64-3066ARSRR	66	30	30	116	40.0	T\$ 1086 P\$ 1343
64-3060ARSRL	64-3060ARSRR	60	30	30	107	36.5	T\$ 1025 P\$ 1266
64-3054ARSRL	64-3054ARSRR	54	30	30	98	33.0	T\$ 969 P\$ 1195
64-3048ARSRL	64-3048ARSRR	48	30	30	89	29.5	T\$ 913 P\$ 1123
64-3042ARSRL	64-3042ARSRR	42	30	30	80	26.0	T\$ 857 P\$ 1048
64-3036ARSRL	64-3036ARSRR	36	30	30	71	22.5	T\$ 797 P\$ 966
64-3030ARSRL	64-3030ARSRR	30	30	30	62	19.0	T\$ 755 P\$ 918


- Horizontal Woodgrain on Chassis; Side-to-Side Woodgrain on Top
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Unsupported By Pedestal, See Stiffener Bar
- 5" Overhang on Approach Side
- Must Attach to Reception Desk Shell or Panel End of Single Reception Desk Shell



RETURN SHELL WITH EXTENDED GALLERY SCREEN



Shown as Left



Return Shell Shaded (Shown as Right)

Must Specify (in this order):


Model #
Top Material
Top Color
Chassis Color
Overlay
Overlay Color
Overlay Back Lighting
Grommet Location
Grommet Color
PDC Type
PDC Location
PDC Color

Model No.	Width	Depth	Height	Ship Wt	Cubic Ft		List Price
Left Right							
64-2595ERSL70 64-2595ERSR70	95	25	41	176	63.7	T\$	1332
70" Worksurface; To Connect to 25" Deep Single	e Desk Shell					P\$	1568
64-2595ERSL65 64-2595ERSR65	95	25	41	174	63.7	T\$	1316
65" Worksurface; To Connect to 30" Deep Single	e Desk Shell					P\$	1539
64-2595ERSL59 64-2595ERSR59	95	25	41	172	63.7	T\$	1301
59" Worksurface; To Connect to 36" Deep Single	e Desk Shell					P\$	1521
64-2583ERSL58 64-2583ERSR58	83	25	41	154	55.8	T\$	1245
58" Worksurface; To Connect to 25" Deep Single	e Desk Shell					P\$	1465
64-2583ERSL53 64-2583ERSR53	83	25	41	151	55.8	T\$	1228
53" Worksurface; To Connect to 30" Deep Single	e Desk Shell					P\$	1426
64-2583ERSL47 64-2583ERSR47	83	25	41	148	55.8	T\$	1209
47" Worksurface; To Connect to 36" Deep Single	e Desk Shell					P\$	1395
64-2571ERSL46 64-2571ERSR46	71	25	41	131	47.9	T\$	1154
46" Worksurface; To Connect to 25" Deep Single	e Desk Shell					P\$	1340
64-2571ERSL41 64-2571ERSR41	71	25	41	129	47.9	T\$	1138
41" Worksurface; To Connect to 30" Deep Single	Desk Shell					P\$	1306
64-2571ERSL35 64-2571ERSR35	71	25	41	127	47.9	T\$	1117
35" Worksurface; To Connect to 36" Deep Single	e Desk Shell					P\$	1265
64-2559ERSL34 64-2559ERSR34	59	25	41	112	40.0	T\$	1019
34" Worksurface; To Connect to 25" Deep Single	e Desk Shell					P\$	1167
64-2559ERSL29 64-2559ERSR29	59	25	41	109	40.0	T\$	1003
29" Worksurface; To Connect to 30" Deep Single	e Desk Shell					P\$	1146
64-2559ERSL23 64-2559ERSR23	59	25	41	107	40.0	T\$	985
23" Worksurface; To Connect to 36" Deep Single	e Desk Shell					P\$	1122

- Horizontal Woodgrain on Chassis; Front to Back Woodgrain on Top
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Available with TFL (T) or HPL (P) Top; Must Specify
- 24" Deep Worksurfaces
- Side-to-Side Woodgrain on Top over 60"
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Unsupported By Pedestal, See Stiffener Bar
- Optional Overlay Panel for Approach Side of Gallery Screen, See Overlay Options
- Additional Options: Waterfall Transaction Kit (<u>See Kit Options</u>), TFL, HPL, or Solid Surface Transaction Tops (<u>See Multiple Unit Details</u>), Power Options (Sold Separately, <u>See Accessories</u>)



NARROW TOWER STORAGE RETURN WITH EXTENDED **GALLERY SCREEN**



Shown as Left

Must Specify (in this order):

Model# Top Material Top Color Overlay Color Overlay Back Lighting Grommet Location Grommet Color PDC Type PDC Location PDC Color Door Style/Color Door Grain Direction Locking Door Lock Core Color

Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
Left	Right						
64-2595ERSWD1L58	64-2595ERSWD1R58	95	25	41	208	63.7	T\$ 1942
58" Worksurface; To Co	onnect to 25" Deep Single De	sk Shell					P\$ 2162
64-2595ERSWD1L53	64- 2595ERSWD1R53	95	25	41	204	63.7	T\$ 1926
53" Worksurface; To Co	nnect to 30" Deep Single De	sk Shell					P\$ 2124
64-2595ERSWD1L47	64-2595ERSWD1R47	95	25	41	201	63.7	T\$ 1906
47" Worksurface; To Co	onnect to 36" Deep Single De	sk Shell					P\$ 2092
64-2583ERSWD1L46	64-2583ERSWD1R46	83	25	41	188	55.8	T\$ 1850
46" Worksurface; To Co	onnect to 25" Deep Single De	esk Shell					P\$ 2035
64-2583ERSWD1L41	64-2583ERSWD1R41	83	25	41	184	55.8	T\$ 1832
41" Worksurface; To Co	nnect to 30" Deep Single De	sk Shell					P\$ 2000
64-2583ERSWD1L35	64-2583ERSWD1R35	83	25	41	181	55.8	T\$ 1814
35" Worksurface; To Co	onnect to 36" Deep Single De	sk Shell					P\$ 1962
64-2571ERSWD1L34	64-2571ERSWD1R34	71	25	41	167	47.9	T\$ 1757
34" Worksurface; To Co	onnect to 25" Deep Single De	sk Shell					P\$ 1904
64-2571ERSWD1L29	64-2571ERSWD1R29	71	25	41	164	47.9	T\$ 1739
29" Worksurface; To Co	onnect to 30" Deep Single De	esk Shell					P\$ 1883
64-2571ERSWD1L23	64-2571ERSWD1R23	71	25	41	161	47.9	T\$ 1720
23" Worksurface; To Co	onnect to 36" Deep Single De	sk Shell					P\$ 1858

Description

- Standard with Horizontal Woodgrain on Chassis; Front to Back Woodgrain on Worksurface Top; Vertical Woodgrain on Door Fronts
- Worksurface Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Available with TFL (T) or HPL (P) Worksurface Top; Must Specify
- Worksurface Top Flush with Storage Cabinet Door Front
- 12" Wide Tower Features Touch Latch Door, Coat Rod, and Two (2) Adjustable Shelves Behind Door
- For Use with Single Reception Desk Shell
- Door Options: Dry Erase (See below), High Gloss Acrylic (See Below), Panel Door with Horizontal Grain Direction on Door Front (See Color Options); Must Specify
- Optional Locking Door (See Options); Must Specify and Add
- Optional Overlay Panel for Approach Side of Gallery Screen, See Overlay Options
- · Additional Options: Waterfall Transaction Kit (See Kit Options), TFL, HPL, or Solid Surface Transaction Tops (See Multiple Unit Details), Power Options (Sold Separately, See Accessories)

Door Options: Specify & Add

1-DEB	Dry Erase	Board	\$ 122
1-HGA	High Glos	s Acrylic; Must Specify Color	
	GPA	Graphite Acrylic	\$ 462
	BLA	Black, Wired Mercury or White Acrylic	\$ 418



TOWER STORAGE RETURN WITH GALLERY SCREEN

Item



Shown as Left

Must Specify (in this order):

Model # Top Material Top Color Chassis Color Overlay Overlay Color Overlay Back Lighting Drawer Pull Door/Drawer Color Door/Drawer Grain Direction Locking Door Lock Core Color Grommet Location Grommet Color PDC Type PDC Location PDC Color

	Width	Depth	Height	Ship Wt	Cubic Ft	L	ist Price
Right							
64-2595ERSWD2R46	95	25	41	258	63.7	T\$	2944
ect to 25" Deep Single Des	k Shell					P\$	3130
64- 2595ERSWD2R41	95	25	41	254	63.7	T\$	2928
ct to 30" Deep Single Desk	Shell					P\$	3096
64-2595ERSWD2R35	95	25	41	251	63.7	T\$	2907
ect to 36" Deep Single Desl	k Shell					P\$	3056
64-2583ERSWD2R34	83	25	41	238	55.8	T\$	2854
ect to 25" Deep Single Desl	k Shell					P\$	3001
64-2583ERSWD2R29	83	25	41	234	55.8	T\$	2837
ect to 30" Deep Single Des	k Shell					P\$	2980
64-2583ERSWD2R23	83	25	41	230	55.8	T\$	2819
ect to 36" Deep Single Desl	k Shell		-			P\$	2957
	64-2595ERSWD2R46 ect to 25" Deep Single Desi 64-2595ERSWD2R41 ct to 30" Deep Single Desi 64-2595ERSWD2R35 ect to 36" Deep Single Desi 64-2583ERSWD2R34 ect to 25" Deep Single Desi 64-2583ERSWD2R29 ect to 30" Deep Single Des 64-2583ERSWD2R29	Right 64-2595ERSWD2R46 95 ect to 25" Deep Single Desk Shell 64-2595ERSWD2R41 95 ect to 30" Deep Single Desk Shell 64-2595ERSWD2R35 95 ect to 36" Deep Single Desk Shell 64-2583ERSWD2R34 83 ect to 25" Deep Single Desk Shell 64-2583ERSWD2R29 83 ect to 30" Deep Single Desk Shell	Right 64-2595ERSWD2R46 95 25 ect to 25" Deep Single Desk Shell 64-2595ERSWD2R41 95 25 ect to 30" Deep Single Desk Shell 64-2595ERSWD2R35 95 25 ect to 36" Deep Single Desk Shell 64-2583ERSWD2R34 83 25 ect to 25" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 ect to 30" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 ect to 30" Deep Single Desk Shell 64-2583ERSWD2R23 83 25	Right 64-2595ERSWD2R46 95 25 41 64-2595ERSWD2R41 95 25 41 64-2595ERSWD2R41 95 25 41 ct to 30" Deep Single Desk Shell 64-2595ERSWD2R35 95 25 41 ect to 36" Deep Single Desk Shell 64-2583ERSWD2R34 83 25 41 ect to 25" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 41 ect to 30" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 41 ect to 30" Deep Single Desk Shell	Right 64-2595ERSWD2R46 95 25 41 258 ect to 25" Deep Single Desk Shell 64-2595ERSWD2R41 95 25 41 254 ct to 30" Deep Single Desk Shell 64-2595ERSWD2R35 95 25 41 251 ect to 36" Deep Single Desk Shell 64-2583ERSWD2R34 83 25 41 238 ect to 25" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 41 234 ect to 30" Deep Single Desk Shell 64-2583ERSWD2R23 83 25 41 234	Right 64-2595ERSWD2R46 95 25 41 258 63.7 ect to 25" Deep Single Desk Shell 64-2595ERSWD2R41 95 25 41 254 63.7 ect to 30" Deep Single Desk Shell 64-2595ERSWD2R35 95 25 41 251 63.7 ect to 36" Deep Single Desk Shell 64-2583ERSWD2R34 83 25 41 238 55.8 ect to 25" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 41 234 55.8 ect to 30" Deep Single Desk Shell 64-2583ERSWD2R29 83 25 41 234 55.8 ect to 30" Deep Single Desk Shell 64-2583ERSWD2R23 83 25 41 230 55.8	Right 64-2595ERSWD2R46 95 25 41 258 63.7 T\$ ect to 25" Deep Single Desk Shell P\$ 64-2595ERSWD2R41 95 25 41 254 63.7 T\$ ct to 30" Deep Single Desk Shell P\$ 64-2595ERSWD2R35 95 25 41 251 63.7 T\$ ect to 36" Deep Single Desk Shell P\$ 64-2583ERSWD2R34 83 25 41 238 55.8 T\$ ect to 25" Deep Single Desk Shell P\$ 64-2583ERSWD2R29 83 25 41 234 55.8 T\$ ect to 30" Deep Single Desk Shell P\$ 64-2583ERSWD2R29 83 25 41 234 55.8 T\$ ect to 30" Deep Single Desk Shell P\$

- Standard with Horizontal Woodgrain on Chassis; Front to Back Woodgrain on Worksurface Top; Vertical Woodgrain on Door Fronts
- · Worksurface Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Must Select Drawer Pull Options, See Pull Options
- Worksurface Top Flush with Storage Cabinet Door Front
- Tower Features Touch Latch Door and 6%" Coat Rod
- Box/Box/File Locking Pedestal Provides Legal or Letter Filing
- For Use With Single Reception Desk Shell
- Optional Horizontal Grain Direction on Door and Drawer Fronts; Must Specify
- Optional Locking Doors (<u>See Options</u>); Must Specify and Add
- Optional Overlay Panel for Approach Side of Gallery Screen, See Overlay Options
- Additional Options: Waterfall Transaction Kit (See Kit Options), TFL, HPL, or Solid Surface Transaction Tops (See Multiple Unit Details), Power Options (Sold Separately, See Accessories)



T\$ P\$ T\$ P\$	1109 1332 1062
T\$	1062
P\$	
	1267
T\$	1081
P\$	1291
T\$	1036
P\$	1228
T\$	1055
P\$	1241
T\$	1015
P\$	1183
_	P\$ T\$ P\$ T\$ P\$ T\$

Chassis Color Overlay Overlay Color Overlay Back Lighting Grommet Location Grommet Color PDC Type PDC Location PDC Color

- For Use With Two 25" Deep Single Reception Desk Shells; Must Attach to Open End of Shells
- Cannot Be Used with 30" or 36" Reception Desk Shells
- Available with TFL (T) or HPL (P) Worksurface Top; Must Specify
- · Worksurface Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Overlay Panel for Approach Side of Gallery Screen, See Overlay Options
- · Some Assembly Required
- · Additional Options: Waterfall Transaction Kit (See Kit Options), TFL, HPL, or Solid Surface Transaction Tops (See Multiple Unit Details), Power Options (Sold Separately, See Accessories)



LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	L	ist Price
MODULAR PEDESTAL WITH BOX/BOX/FILE	66-2418PD1	18	231/4	281/4	93	7.8	T\$	1247
	66-2415PD1	15¾	231⁄4	281/4	98	8.9	T\$	1181

Description

- Box/Box/File Locking Modular Pedestal; Letter Width
- For Use With Desk and Return Shells
- · Open Back
- · Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Must Specify (in this order):

Model# Chassis Color Drawer Front Color Drawer Front Grain Direction Wire Management

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMIR	Wire Management - Left and Right Panel	\$ 160

MODULAR PEDESTAL WITH FILE/FILE



66-2418PD2	18	231/4	281/4	93	7.8	T\$ 1247
66-2415PD2	15¾	231/4	281/4	98	8.9	T\$ 1181

Description

- File/File Locking Modular Pedestal; Letter Width
- · For Use With Desk and Return Shells
- Open Back
- · Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160

Must Specify (in this order):

Model # Chassis Color Drawer Front Color Drawer Front Grain Direction Pull Wire Management

MODULAR PEDESTAL WITH DOOR BOOKCASE



Left	Right							
66-2418PD4L	66-2418PD4R	18	231/4	281/4	90	8.9	Т\$	1004

Description

- · Adjustable Shelf Inside Cabinet
- · For Use With Desk and Return Shells
- · Open Back
- Grain Runs Vertical on Door Front. Optional Horizontal Grain Direction on Door Fronts; Must Specify
- Optional Locking Doors (See Options); Must Specify and Add

Must Specify (in this order):

Model# Chassis Color Drawer Front Color Drawer Front Grain Direction Wire Management

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160



CANVAS™ LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

Cubic Model No. Width Depth Height Ship Wt **List Price** Ft MODULAR PEDESTAL WITH 66-2436LF1 36 231/4 281/4 154 18.5 T\$ 1489 LATERAL FILE 66-2430LF1 30 231/4 281/4 128 14.9 T\$ 1384



Description

- Lateral/Lateral Locking Modular Pedestal
- · For Use With Desk and Return Shells
- · Open Back
- · Legal or Letter Filing Front to Back or Side to Side
- · Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Must Specify (in this order):

Wire Management

Model # Chassis Color Drawer Front Color Drawer Front Grain Direction

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160

MODULAR PEDESTAL WITH MULTI-FILE



66-2436LF2	36	231/4	281/4	153	18.5	T\$ 1710	
66-2430LF2	30	231/4	281/4	128	14.9	T\$ 1643	

Description

- Box/Box/File/Lateral Locking Modular Pedestal
- For Use With Desk and Return Shells
- Lateral File Drawer Provides Legal or Letter Filing Front to Back or Side to Side
- · Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Must Specify (in this order):

Model# Chassis Color Drawer Front Color Drawer Front Grain Direction

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160

MODULAR PEDESTAL WITH OPEN MULTI-FILE

Must Specify (in this order):

Drawer Front Color

Wire Management

Wire Management



Model #

Chassis Color

66-24360MF 36 231/4 281/4 128 18.5 1641 T\$ 66-24300MF 30 231/4 281/4 118 14.9 T\$ 1575

Description

- Box/Box/Lateral Locking Modular Pedestal
- Upper Section Provides 12¾" Clearance for Open Storage
- · For Use With Desk and Return Shells
- Open Back
- · Lateral File Drawer Provides Legal or Letter Filing Front to Back or Side to Side
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Drawer Front Grain Direction

Options: S	pecify & Add	
WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160

Pricing Codes:

P= HPL



LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
MODULAR PEDESTAL WITH DOORS	66-2436DB	36	231/4	281/4	105	18.5	T\$ 1412
	66-2430DB	30	231/4	281/4	87	14.9	T\$ 1116

Description

- 12" Deep Adjustable Shelf Behind Doors
- For Use With Desk and Return Shells
- · Open Back
- · Grain Runs Vertical on Door Fronts. Optional Horizontal Grain Direction on Door Fronts; Must Specify
- Optional Locking Doors (See Options); Must Specify and Add

Must Specify (in this order):

Model # Chassis Color Drawer Front Color Drawer Front Grain Direction Wire Management

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80	
WMR	Wire Management - Right Panel	\$ 80	
WMLR	Wire Management - Left and Right Panel	\$ 160	_

MODULAR PEDESTAL WITH DOORS AND OPEN COMPARTMENT



66-2436ODB	36	231/4	281/4	118	18.5	T\$ 1334
66-2430ODB	30	231/4	281/4	108	14.9	T\$ 1032

Description

- Upper Section Provides 12¾" Clearance for Open Storage
- Lower Section Provides Storage Behind Two (2) Doors
- · For Use With Desk and Return Shells
- · Open Back
- · Grain Runs Vertical on Door Fronts. Optional Horizontal Grain Direction on Door Fronts; Must Specify
- Optional Locking Doors (See Options); Must Specify and Add

Must Specify (in this order):

Wire Management

Model # Chassis Color Drawer Front Color Drawer Front Grain Direction Pull

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160

MODULAR PEDESTAL WITH OPEN STORAGE



66-2436MBC	36	2215/32	281/4	118	18.5	T\$	1154	
66-2430MBC	30	2215/32	281/4	108	14.9	T\$	979	

Description

- · For Use With Desk and Return Shells
- Open Back
- One (1) Adjustable Shelf

Must Specify (in this order):


Model # Chassis Color Wire Management

Options: Specify & Add

WML	Wire Management - Left Panel	\$ 80
WMR	Wire Management - Right Panel	\$ 80
WMLR	Wire Management - Left and Right Panel	\$ 160



WATERFALL TRANSACTION KIT WITH PAPER SLOTS




Must Specify (in this order):
Model #
Color
Paper Slot Divider Color
Support Bracket Color

Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	ı	ist Price
64-1284TKS	84	12	38	98	16.1	T\$	1952
Five Slots; For Use With 96" Gallery							
64-1278TKS	78	12	38	91	15.0	T\$	1899
Four Slots; For Use With 90" Gallery							
64-1272TKS	72	12	38	85	13.9	T\$	1613
Four Slots; For Use With 84" Gallery							
64-1266TKS	66	12	38	78	12.8	T\$	1563
Four Slots; For Use With 78" Gallery							
64-1260TKS	60	12	38	71	11.7	T\$	1517
Four Slots; For Use With 72" Gallery							
64-1254TKS	54	12	38	64	10.6	T\$	1462
Three Slots; For Use With 66" Gallery							
64-1248TKS	48	12	38	57	9.5	T\$	1412
Three Slots; For Use With 60" Gallery							
64-1242TKS	42	12	38	50	8.4	T\$	1361
Two Slots							
64-1236TKS	36	12	38	43	7.3	T\$	1260
Two Slots							
64-1230TKS	30	12	38	36	6.2	T\$	1212
Two Slots							
64-1224TKS	24	12	38	29	5.1	T\$	1164
Two Slots							


- Two (2) Support Brackets Included; Must Specify: Black (BLK) or Silver (SLV)
- Paper Slot Divider; Must Specify Color: Chrome or Laminate in Matching or Contrasting Color
- Some Assembly Required



CORNER WATERFALL TRANSACTION KIT WITH PAPER SLOTS



Shown as Left



Must Specify (in this order):

Model #

Color

Paper Slot Divider Color

Support Bracket Color

Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	I	List Price
Left	Right							
64-1290CTKSL Five Slots; For Use	64-1290CTKSR e With 96" Gallery	90	12	38	113	17.2	T\$	2124
64-1284CTKSL Five Slots; For Use	64-1284CTKSR e With 90" Gallery	84	12	38	106	16.1	T\$	2073
64-1278CTKSL Four Slots; For Us	64-1278CTKSR e With 84" Gallery	78	12	38	99	15.0	T\$	2021
64-1272CTKSL Four Slots; For Us	64-1272CTKSR e With 78" Gallery	72	12	38	92	13.9	T\$	1734
64-1266CTKSL Four Slots; For Us	64-1266CTKSR se With 72" Gallery	66	12	38	85	12.8	T\$	1684
64-1260CTKSL Four Slots; For Us	64-1260CTKSR e With 66" Gallery	60	12	38	78	11.7	T\$	1635
64-1254CTKSL Three Slots; For U	64-1254CTKSR se With 60" Gallery	54	12	38	71	10.6	T\$	1578
64-1248CTKSL Three Slots	64-1248CTKSR	48	12	38	65	9.5	T\$	1531
64-1242CTKSL Two Slots	64-1242CTKSR	42	12	38	58	8.4	T\$	1475
64-1236CTKSL Two Slots	64-1236CTKSR	36	12	38	51	7.3	T\$	1376
64-1230CTKSL Two Slots	64-1230CTKSR	30	12	38	44	6.2	T\$	1328
64-1224CTKSL Two Slots	64-1224CTKSR	24	12	38	37	5.1	T\$	1277

- One (1) Support Brackets Included; Must Specify: Black (BLK) or Silver (SLV)
- Paper Slot Divider; Must Specify Color: Chrome or Laminate in Matching or Contrasting Color
- Some Assembly Required



Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	ı	List Price
TRANSACTION TOPS	64-6012TP	60	12	1	18	1.8	T\$	425
alianing.	Front to Back Grain						P\$	597
					Optio	nal Glass To	p Add \$	1362
	64-5712TP	57	12	1	17	1.7	T\$	418
	Front to Back Grain						P\$	587
					Optio	nal Glass To	p Add \$	1323
	64-5412TP	54	12	1	16	1.6	T\$	414
Two (2) Support Bracket Required	Front to Back Grain						P\$	579
					Optio	nal Glass To	p Add \$	1304
National House House	64-5112TP	51	12	1	16	1.5	T\$	407
	Front to Back Grain						P\$	571
					Optio	nal Glass To	p Add \$	1099
	64-4812TP	48	12	1	15	1.4	T\$	403
	Front to Back Grain						P\$	564
One (1)1 Support Bracket Required					Optio	nal Glass To	p Add \$	1082
	64-4512TP	45	12	1	14	1.3	T\$	384
	Front to Back Grain						P\$	536
					Optio	nal Glass To	p Add \$	1043
	64-4212TP	42	12	1	13	1.2	T\$	376
	Front to Back Grain						P\$	528
					Optio	nal Glass To	p Add \$	1023
	64-3912TP	39	12	1	12	1.1	T\$	372
	Front to Back Grain						P\$	520
Ontined Class Transaction Ton					Optio	nal Glass To	p Add \$	986
Optional Glass Transaction Top for TFL or HPL Transaction	64-3612TP	36	12	1	11	1.0	T\$	366
Tops	Front to Back Grain						P\$	513
						nal Glass To	p Add \$	967
	64-3312TP	33	12	1	10	0.9	T\$	361
Must Specify (in this order):	Front to Back Grain						P\$	505
Model # Transaction Top Material						nal Glass To		927
Color	64-3012TP	30	12	1	9	8.0	T\$	357
Glass Transaction Top	Front to Back Grain				0 11	1.Cl T	P\$	500
Support Bracket Color						nal Glass To		906
	64-2712TP	27	12	1	8	0.7	T\$	348
	Front to Back Grain				o		P\$	489
						nal Glass To	•	702
	64-2412TP	24	12	1	7	0.6	T\$	341
	Front to Back Grain				o		P\$	474
Additional Transaction Tons on					Optio	nal Glass To	p Add \$	684

Additional Transaction Tops on next page.

Description

- Square (H) Edge Profile On All Sides
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Required; See Below and Must Specify: Black (BLK) or Silver (SLV)
- Optional Glass Transaction Top with 1¼" Silver Standoff, See "Optional Glass Top Add" Pricing and Specify (SOG)
- Optional Glass Transaction Top Field Installed



Support Brackets Required for Non-Supported End: Specify & Add

01-0607SSB	Black	\$ 49
01-0607SSS	Silver	\$ 49

Cubic



CANVASTM LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

TRANSACTION TOPS - CONTINUED



Two (2) Support Bracket Required



One (1)1 Support Bracket Required




Optional Glass Transaction Top for TFL or HPL Transaction Tops

Must Specify (in this order):

Model #

Transaction Top Material
Color
Glass Transaction Top
Support Bracket Color

Additional Transaction Tops on next page.



Description

- Square (H) Edge Profile On All Sides
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Required; See Below and Must Specify: Black (BLK) or Silver (SLV)
- Optional Glass Transaction Top with 1¼" Silver Standoff, See "Optional Glass Top Add" Pricing and Specify (SOG)
- Optional Glass Transaction Top Field Installed



Support Brackets Required for Non-Supported End: Specify & Add

01-0607SSB	Black	\$ 49
01-0607SSS	Silver	\$ 49



CANVASTM

LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

TRANSACTION TOPS - CONTINUED
A STATE OF THE PARTY OF THE PAR



Item

Two (2) Support Bracket Required



One (1)1 Support Bracket Required



Optional Glass Transaction Top for TFL or HPL Transaction Tops

Must Specify (in this order):

Model #

Transaction Top Material
Color
Class Transaction Top

Glass Transaction Top Support Bracket Color

Additional Transaction Tops on next page.

Model No.	Width	Depth	Height	Ship Wt	Cubic Ft		List Price
64-1263TP Side to Side Grain	63	12	1	19	1.9	T\$ P\$	432 602
				Optio	nal Glass To		1379
64-1260TP	60	12	1	18	1.8	T\$	425
Side to Side Grain				0-4:-	aal Class T	P\$	597
C 4 1057TD		10	1		nal Glass To		1362
64-1257TP Side to Side Grain	57	12	1	17	1.7	T\$ P\$	419 588
Side to Side Ordin				Optio	nal Glass To		1323
64-1254TP	54	12	1	16	1.6	T\$	414
Side to Side Grain						P\$	579
					nal Glass To		1304
64-1251TP Side to Side Grain	51	12	1	16	1.5	T\$ P\$	407 571
Side to Side Grain				Optio	nal Glass To		1099
64-1248TP	48	12	1	15	1.4	T\$	403
Side to Side Grain						P\$	564
				· · · · · ·	nal Glass To	•	1082
64-1245TP	45	12	1	14	1.3	T\$ P\$	384 536
Side to Side Grain				Optio	nal Glass To		1043
64-1242TP	42	12	1	13	1.2	T\$	376
Side to Side Grain						P\$	528
					nal Glass To		1023
64-1239TP	39	12	1	12	1.1	T\$ P\$	372 520
Side to Side Grain				Optio	nal Glass To		986
64-1236TP	36	12	1	11	1.0	T\$	366
Side to Side Grain						P\$	513
				Optio	nal Glass To	op Add \$	967
64-1233TP	33	12	1	10	0.9	T\$	361
Side to Side Grain				Ontio	nal Glass To	P\$ 2 Ph Δ n	505 927
64-1230TP	30	12	1	9	0.8	Τ\$	357
Side to Side Grain	30	12	'	3	0.0	P\$	500
				Optio	nal Glass To	op Add \$	906
64-1227TP	27	12	1	8	0.7	T\$	348
Side to Side Grain				Ontio	nal Glass To	P\$	489 702
64-1224TP	24	12	1	7	0.6	T\$	341
Side to Side Grain	24	ı∠	ı	,	0.0	15 P\$	341 474
				Optio	nal Glass To		684

- Square (H) Edge Profile On All Sides
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Required; See Below and Must Specify: Black (BLK) or Silver (SLV)
- Optional Glass Transaction Top with 1 ¼" Silver Standoff, See "Optional Glass Top Add" Pricing and Specify (SOG)
- Optional Glass Transaction Top Field Installed



Support Brackets Required for Non-	-Supported End: Speci	ifv & Add
Support Blackets Required for Non	Supported Line. Spec	iiy a Aaa

01-0607SSB	Black	\$ 49
01-0607SSS	Silver	\$ 49



TRANSACTION TOP WITH SOLID SURFACE



Two (2) Support Bracket Required



One (1) Support Bracket Required

Must Specify (in this order):

Model #
Color
Support Bracket Color

96	12					
07		1½	102	3.0	\$	2884
93	12	11/2	99	2.9	\$	2824
90	12	1½	96	2.8	\$	2770
87	12	1½	92	2.7	\$	2724
84	12	1½	89	2.5	\$	2561
81	12	1½	86	2.5	\$	2506
78	12	1½	83	2.4	\$	2460
75	12	1½	80	2.3	\$	2419
72	12	1½	76	2.2	\$	2203
69	12	1½	73	2.1	\$	2155
66	12	1½	70	2.0	\$	2114
63	12	1½	67	1.9	\$	2076
60	12	1½	64	1.8	\$	1891
57	12	1½	60	1.7	\$	1846
54	12	1½	57	1.6	\$	1807
51	12	1½	54	1.5	\$	1773
48	12	1½	51	1.4	\$	1563
45	12	1½	48	1.3	\$	1522
42	12	1½	44	1.2	\$	1486
39	12	1½	41	1.1	\$	1455
36	12	1½	38	1.0	\$	1247
33	12	1½	35	0.9	\$	1212
30	12	1½	32	0.8	\$	1177
27	12	1½	28	0.7	\$	1151
24	12	1½	25	0.6	\$	845
	87 84 81 78 75 72 69 66 63 60 57 54 51 48 45 42 39 36 33 30 27	87 12 84 12 81 12 78 12 75 12 69 12 66 12 63 12 60 12 57 12 54 12 48 12 45 12 39 12 36 12 33 12 30 12 27 12	87 12 1½ 84 12 1½ 81 12 1½ 78 12 1½ 75 12 1½ 69 12 1½ 63 12 1½ 60 12 1½ 57 12 1½ 54 12 1½ 51 12 1½ 48 12 1½ 45 12 1½ 42 12 1½ 39 12 1½ 36 12 1½ 30 12 1½ 27 12 1½	87 12 1½ 92 84 12 1½ 89 81 12 1½ 86 78 12 1½ 83 75 12 1½ 76 69 12 1½ 73 66 12 1½ 67 60 12 1½ 67 60 12 1½ 64 57 12 1½ 57 51 12 1½ 57 51 12 1½ 54 48 12 1½ 54 48 12 1½ 48 42 12 1½ 48 42 12 1½ 44 39 12 1½ 41 36 12 1½ 38 33 12 1½ 35 30 12 1½ 32 27 12 1½ 28	87 12 1½ 92 2.7 84 12 1½ 89 2.5 81 12 1½ 86 2.5 78 12 1½ 83 2.4 75 12 1½ 80 2.3 72 12 1½ 76 2.2 69 12 1½ 73 2.1 66 12 1½ 70 2.0 63 12 1½ 67 1.9 60 12 1½ 64 1.8 57 12 1½ 60 1.7 54 12 1½ 57 1.6 51 12 1½ 54 1.5 48 12 1½ 51 1.4 45 12 1½ 48 1.3 42 12 1½ 44 1.2 39 12 1½ 41 1.1 36 12 1½ 38 1.0 33 12 <td< td=""><td>87 12 1½ 92 2.7 \$ 84 12 1½ 89 2.5 \$ 81 12 1½ 86 2.5 \$ 78 12 1½ 83 2.4 \$ 75 12 1½ 80 2.3 \$ 72 12 1½ 76 2.2 \$ 69 12 1½ 73 2.1 \$ 66 12 1½ 70 2.0 \$ 63 12 1½ 67 1.9 \$ 60 12 1½ 64 1.8 \$ 57 12 1½ 60 1.7 \$ 54 12 1½ 57 1.6 \$ 51 12 1½ 54 1.5 \$ 48 12 1½ 54 1.5 \$ 48 12 1½ 48 1.3 \$ 42 12 1½ 44 1.2 \$</td></td<>	87 12 1½ 92 2.7 \$ 84 12 1½ 89 2.5 \$ 81 12 1½ 86 2.5 \$ 78 12 1½ 83 2.4 \$ 75 12 1½ 80 2.3 \$ 72 12 1½ 76 2.2 \$ 69 12 1½ 73 2.1 \$ 66 12 1½ 70 2.0 \$ 63 12 1½ 67 1.9 \$ 60 12 1½ 64 1.8 \$ 57 12 1½ 60 1.7 \$ 54 12 1½ 57 1.6 \$ 51 12 1½ 54 1.5 \$ 48 12 1½ 54 1.5 \$ 48 12 1½ 48 1.3 \$ 42 12 1½ 44 1.2 \$

Description

- Straight (S1) Edge Profile On All Sides
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Available in Black or Silver: See Below and Must Specify



Support Brackets Required for Non-Supported End: Specify & Add

(01-0607SSB	Black	\$ 49
(01-0607SSS	Silver	\$ 49



Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	L	ist Price
OVERLAY PANEL	64-OT96	72	3/4	41	57	5.2	T\$	666
	For Use With 96" Desk or 95" Return							
	64-OT90 For Use With 90" Desk	66	3/4	41	52	4.8	T\$	632
	64-OT84 For Use With 84" Desk or 83" Return	60	3/4	41	47	4.4	T\$	599
	64-0178 For Use With 78" Desk	54	3/4	41	42	4.0	T\$	564
	64-OT72 For Use With 72" Desk or 71" Return	48	3/4	41	38	3.6	T\$	526
Model # Color	64-OT66 For Use With 66" Desk	42	3/4	41	33	3.2	T\$	486
	64-OT60 For Use With 60" Desk or 58" Return	36	3/4	41	28	2.8	T\$	443

Description

- Horizontal Woodgrain
- Designed to be Used with a Transaction Top
- Not Compatible with Waterfall Transaction Kit
- Optional Back Lighting

Options: Specify & Add

BKLIT	Back Lighting	\$ 1568

Indiana

CANVASTM LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft		List Price
OVERLAY PANEL, HIGH GLOSS ACRYLIC	64-OHGA96 For Use With 96" Desk or 95" Return	72	1/4	41	57	5.2	\$ GPA\$	2511 3370
	64-OHGA90 For Use With 90" Desk	66	1/4	41	52	4.8	\$ GPA\$	2329 3111
Shaded Overlay Panel (Shown with Optional Transactional Top) Must Specify (in this order): Model #	64-OHGA84 For Use With 84" Desk or 83" Return	60	1/4	41	47	4.4	\$ GPA\$	2141 2854
	64-OHGA78 For Use With 78" Desk	54	1/4	41	42	4.0	\$ GPA\$	1951 2595
	64-OHGA72 For Use With 72" Desk or 71" Return	48	1/4	41	38	3.6	\$ GPA\$	1765 2336
	64-OHGA66 For Use With 66" Desk	42	1/4	41	33	3.2	\$ GPA\$	1571 2071
	64-OHGA60 For Use With 60" Desk or 58" Return	36	1/4	41	28	2.8	\$ GPA\$	1376 1803

Must Specify (in this order): Model # Color Overlay Back Lighting

Description

- Must Specify Color: Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)
- Optional Back Lighting

Options: Specify & Add

BKLIT	Back Lighting		\$	1568
-------	----------------------	--	----	------

OVERLAY PANEL, 64-OFA96 72 1/4 41 21 5.2 \$ 2218 FROSTED ACRYLIC For Use With 96" Desk or 95" Return 64-OFA90 66 1/4 41 19 4.8 \$ 2120 For Use With 90" Desk 64-OFA84 1/4 41 17 60 4.4 \$ 1947 For Use With 84" Desk or 83" Return 64-OFA78 54 1/4 41 15 4.0 \$ 1796 For Use With 78" Desk Shaded Overlay Panel 64-OFA72 48 1/4 41 13 3.6 \$ 1652 (Shown with Optional Transactional Top) For Use With 72" Desk or 71" Return 64-OFA66 42 1/4 41 11 3.2 1498 For Use With 66" Desk 64-OFA60 36 1/4 41 9 2.8 \$ 1304 For Use With 60" Desk or 58" Return

- Features Decorative Hardware, 1¼" Silver Standoffs
- Optional Custom Engraving Available; Call Customer Service For Lead Times and Pricing



Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
CENTER DRAWER	66-1622CD	22	16	2	7	1.4	T\$ 401



Description

- · Attaches Under Worksurfaces
- Built in Pen Tray
- · Field Installed Only
- · Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Must Specify (in this order):

Model #

Color

Grain Direction

STIFFENER BAR	

01-00060SB	60	13/4	3/4	8	0.3	\$ 129
01-00048SB	48	13/4	3/4	5	0.3	\$ 121

Description

- · Reinforces Worksurfaces with Large Kneespace Widths
- Includes End Caps to Cover Sharp Edges
- Field Installed
- Recommended in Kneespaces 60" or Greater



TRANSACTION SUPPORT BRACKET

•	01-0607SSB	Black	6	-	-	1	1.0	\$ 49
	01-0607SSS	Silver						


Description

• For Use With Unsupported Transaction Tops and Waterfall Transaction Kits



CANVASTM TACKBOARDS/POWER ACCESSORIES

DESK SHELL TACKBOARDS 9" H



Must Specify (in this order):

Model #

Tackboard Fabric Vendor, Pattern,
and Color

				Grades						
Model #	Size	COM ydg	OM, 2 or 3	4	5	6	7	8	9	10
TB-6296	96"	3.00	\$ 351	768	963	1161	1443	1737	2079	2475
TB-6290	90"	2.75	\$ 335	717	896	1078	1336	1606	1919	2282
TB-6284	84"	2.50	\$ 317	665	827	992	1227	1472	1757	2087
TB-6278	78"	2.50	\$ 311	659	821	986	1221	1466	1751	2081
TB-6272	72"	2.25	\$ 256	569	715	864	1075	1296	1552	1849
TB-6266	66"	2.00	\$ 232	510	640	772	960	1156	1384	1648
TB-6260	60"	1.75	\$ 219	462	576	692	856	1028	1227	1458

Description

- All tackboards 78" and longer are Two (2) pieces
- Field Installed
- For Use with Transaction Tops
- · Not Compatible with Waterfall Transaction Kit

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
DOCK 950 WIRELESS CHARGER	01-DOCK950W	White	3¾10	31/10	-	1	0.2	\$ 265
	01-DOCK950B	Black						
	Description							
	For Use with Wireles	ss Charging Enable	d Devices					

- OPEN MARKET ONLY
- 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0
- Mounts in 76mm Round Cut-Out
- · LED will Confirm Pairing with Device and Begin Wireless Charging

 DOCK 150
 01-DOCK150W
 White
 3
 3
 3/4"
 1
 0.2
 \$ 405

 WIRELESS AND USB CHARGER

 01-DOCK150B
 Black




OPEN MARKET ONLY

- Description
- For Use with Wireless Charging Enabled Devices and USB Charging Devices
- 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge)
- Mounts in 76mm Round Cut-Out
- Pop-Up is ¾"H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge)
- LED Light will Confirm Pairing with Device and Begin Wireless Charging
- · UL and cUL Certified



CANVASTM POWER/DATA/ACCESSORIES

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
POWER DATA PORT	01-DPORT4A	Aluminum	8	4	-	7	0.2	\$ 1093
	01-DPORT4B	Black	8	4	-	7	0.2	\$ 1093



Description

- Retracts into Work Surface to Regain Productive Space
- One-Touch Access to Power and Data
- Two Power Outlets and Two Open Ports for Data
- Water-Proof Simplex (Outlets)
- Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- 6' Power Cord

 USB PORT
 01-USBPORT
 \$ 161



Description

- Passive USB-A Port wtih Increased Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability
- Idle Device Power Saving State
- 6' Cord

 VOICE COUPLER
 01-VOICE1
 73



Description

- 6-Pin Modular Plug
- Molded Black
- · Cord Not included

 DATA PORT
 01-RJ4DATA
 167



- 8-Pin Modular Plug
- Cat6 Ethernet Cable
- · Pre-terminated Cable
- 10' Cord




Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
DUO CLAMP NEMA PLUG	01-DUOCLAMPW	White	5 ½	3	7	1	0.2	\$ 572
	01-DUOCLAMPB	Black						
bere B	01-DUOCLAMPS	Silver						
	Description							
ٿ	 Silver Metal Trim 							

- Clamps to Top
- Two (2) Power/Two (2) USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10 Cord

TRIO CLAMP NEMA PLUG	01-TRIOCLAMPW	White	8	3	7	1	0.2	\$ 671
^ <i>®</i>	01-TRIOCLAMPB	Black						
Di 100 100 100 100 100 100 100 100 100 10	01-TRIOCLAMPS	Silver						



- Silver Metal Trim
- Clamps to Top
- Three (3) Power/Two (2) USB Power/One (1) Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; See Accessories
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10 Cord





- Sits On Top of the Worksurface
- Two (2) Power/Two (2) USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- · All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord



Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
TRIO BEZEL NEMA PLUG	01-TRIOBEZELW	White	6½	21/5	3	1	0.2	\$ 725
	01-TRIOBEZELB	Black						
	01-TRIOBEZELS	Silver						

Description

- Sits On Top of the Worksurface
- Three (3) Power/Two (2) USB Power/One (1) Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; <u>See Accessories</u>
- · All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

UNDERMOUNT DUO NEMA PLUG	01-DUOUNDERW	White	6½	21/5	3	1	0.2	\$ 546
	01-DUOUNDERB	Black						
	01-DUOUNDERS	Silver						

Description

- Sits Under the Worksurface
- Two (2) Power/Two (2) USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

UNDERMOUNT TRIO NEMA PLUG	01-TRIOUNDERW	White	6½	21/5	3	1	0.2	\$ 655
	01-TRIOUNDERB	Black						
	01-TRIOUNDERS	Silver						

- Sits On Top of the Worksurface
- Three (3) Power/Two (2) USB Power/One (1) Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; See Accessories
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord



LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

			Depth	Height	Ship Wt	Ft	 ist Price
TRIO VGA DATA PORT ACCESSORY	01-LCOMVGA	-	-	-	1	0.2	\$ 121
	Description						
	VGA Port for Trio Bezel Units						

TRIO HDMI DATA PORT ACCESSORY



OPEN MARKET ONLY

01-LCOMHDMI

Description

· HDMI Port for Trio Bezel Units

TRIO RJ45 DATA PORT ACCESSORY



01-LCOMRJ45

0.2

0.2

\$ 79

\$ 166

Description

• RJ45 Port for Trio Bezel Units

SINGLE POWER SAND DOLLAR

01-SAND60PW	White	3	3	4	1	0.2	\$ 98
01-SAND60PB	Black						
01-SAND60PS	Silver						

Description

- Available on Height Adjustable Desks, Returns and Bridge Units with Wire Management Box in Center Grommet Only (GC-BOX)
- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- · Single Power Outlet

DOUBLE USB SAND DOLLAR



01-SAND60UW	White	3	3	4	1	0.2	\$ 277
01-SAND60UB	Black						
01-SAND60US	Silver						

- Available on Height Adjustable Desks, Returns and Bridge Units with Wire Management Box in Center Grommet Only (GC-BOX)
- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Dual USB Outlets



Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price	
VESTA POWER CENTER	01-PDCTR	103/4	12	281/4	14	2.5	\$ 1776	



Description

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three
 (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- · Base is 5" Tall

WIRE MANAGEMENT CHANNEL

01-WMGR4

16

11/2

3/4

1

\$ 116



, 8

Description

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- · Ships via UPS Only

CABLE GRIP

01-WMGRCB

5 3/8

2 %

.

17



Description

- Under Surface Wire Management
- Black

WIRE CHANNEL

01-32125

24

15/8

.25

0.3

\$ 106



Description

- Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Open J Channel for Easy Storage of Cables

LINK 360 CABLE MANAGER



01-0251LINKSLV	Silver	53/16	3 %16	30-51	4	3.0	\$ 390
01-0251LINKBLK	Black	5¾6	3 %16	30-51	4	3.0	\$ 353

- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use



ORDERING INFORMATION

All orders should be emailed to **neworders@indianafurniture.com**.

Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture P.O. Box 270, 1919 Hospitality Dr., Ste. A Jasper, IN 47547-0270

ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods or tables, give complete quantity, model number, finish and any other options.

When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification of order procedure, contact Customer Service.

PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. Note: Shipping fees will not be listed on the acknowledgment.

BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request, **a .084% per calendar day** (2.52% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the carrons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

GENERAL INFORMATION + CONDITIONS OF SALE

Obvious Damage/Missing Cartons — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

Concealed Damage — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered $\frac{1}{2}$ by the carrier and $\frac{2}{2}$ by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

- 1. Manufacturing defect (inspected by Indiana Furniture representative)
- 2. Indiana Furniture order processing error
- 3. Shipping error
- 4. Mis-marked cartons
- 5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$18. For order shipments over \$100, shipped by small package carrier, the fee is \$40. All shipping fees will be added at the time of invoicing.

BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.



Warranty

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("Indiana Furniture") warrants to the original purchaser all product in this price list ("Product") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after May 13, 2024, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- · Seating Mechanisms
- Veneers
- Laminates
- · Casters and Glides

7-year Warranty (from the date of shipment)

- · Pneumatic Table Lift
- · Electric Table Lift

5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- · Textiles, Foam, and Decorative Trim
- · Swivel Arm Pads
- Keyboard Kits
- Lighting
- · All Height Adjustable Mechanisms

3-year Warranty (from date of shipment)

- Dock 950 Wireless Charger
- · Dock 150 Wireless and USB Charger

THIS WARRANTY DOES NOT COVER:

- · Damage caused by a carrier or third party
- · Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana
 Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by
 the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.


If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.


INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc. Attn: Customer Service 1919 Hospitality Dr., Ste A P.O. Box 270 Jasper, Indiana 47547-0270 800.422.5727 Fax 812.482.9035 custsery@indianafurniture.com

Surface Materials

Wood Finishes and Woodgrain, Solid, and 3D Laminates





Indiana

1919 Hospitality Drive, Suite A PO Box 270 Jasper, Indiana 47547-0270

Tel 812.482.5727 Tol 800.422.5727

Fax 812.482.9035

www.indianafurniture.com







Federal Classification: Small Business