PRICING EFFECTIVE MAY 13, 2024

Indiana

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.



All of our product lines:

- Are manufactured and assembled in the USA.
- · Meet or exceed Indoor Air quality standards*,
- Meet or exceed BIFMA level® Sustainability standards and certification*,
- Conform to the BIFMA Compliance standards*,
- · Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



















Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.

















JEFFERSONTM RECEPTION UNITS (4600 SERIES)

Jefferson echoes history and creates a timeless foundation for today's sophisticated work place. Finely crafted in select solids with Walnut and Cherry veneers, the tailored details of this collection accentuate our expert craftsmanship and perfect attention to detail.

Jefferson forges traditional styling with modern sensibility with new Height Adjustable options and coordinating reception models, allowing the premium feel and flexibility of Jefferson to easily function throughout entire facilities.

CONSTRUCTION

Jefferson features a Veneer chassis with your choice of a Veneer or HPL top. Units ship assembled unless otherwise noted.

VENEER

- Choose from premium or select veneer on exposed surfaces in American Black Walnut or Cherry species in bookmatched veneer faces
- Veneers are carefully selected and matched to assure proper balance and consistency

TOPS

- Veneer tops offer a 5-ply balanced construction, 1¾6" thick with solid hardwood mitered rims
- High Pressure Laminate (HPL) tops offer a 3-ply balanced construction. 1 ³/₆" thick with solid hardwood mitered rims
- Grain direction runs left-to-right unless otherwise noted
- All Jefferson tops are standard with the Jefferson edge profile (C2), unless otherwise noted.



CHASSIS

- Chassis is securely fastened using high quality European fastening systems, heavy-duty, 16-gauge joining brackets and wood dowels to assure maximum strength
- Bases are solid hardwood with mitered corners
- All units have finished veneer backs
- · Construction offers tight tolerances and long term durability
- All units equipped with heavy-duty, adjustable glides to ensure proper leveling and compensate for uneven floors
- Vertical grain direction on chassis

DRAWERS

- · Drawer fronts standard with bookmatched veneer faces
- Fronts are 3-ply construction and $\frac{3}{4}$ " thick
- Drawer interiors are dovetail, wood constructed with %6" hardwood sides and backs and 532" thick hardboard bottoms
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- · Box and file drawers are tested for 100lb capacity
- All suspensions have a limited lifetime warranty
- Optional soft close is available on center, box, and file drawers, unless otherwise noted (see option details); File drawers with the soft close option feature front-to-back filing.

FILING

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Optional soft close on box and file drawers allows front-to-back filing in file drawer

FILING (CONT)

- Legal width file drawers provide legal filing front to back, and letter or legal filing side to side
- Letter width file drawers provide letter filing front to back, and letter or legal filing side to side

LOCKING

- Central locking is standard on all desks; one key in the lock cylinder locks all drawers in the desk
- Pedestal locking for credenzas and returns
- Lock core color will coordinate with pull selection (brass pulls will have black cores, while aluminum pulls will have silver cores)
- Removable lock cylinders allow for units to be re-keyed at a later date if required
- Units are shipped randomly keyed as standard. Keyed alike units available upon request at no additional charge.

CORD MANAGEMENT

- Grommets may be ordered in the tops of desks, returns, bridges, and credenzas
- See all grommet options and locations
- Wire Managers available for additional cord management; <u>See</u>
 Accessories


INTERIOR DRAWE	ER DIMENSIONS		
Models 46-2472RCR 46-2448RPD2R	46-2466RCL 46-2472RCL	46-2466RCR	46-2448RPD2L
Drawers File	W 12¾"	L 16 ⁷ / ₃₂ "	D 8 ²⁹ / ₃₂ "
Models			
46-3672RPD1L	46-3672RPD1R		
Drawers	W	L	D
Box	15¾"	19¾"	321/32"
File	15¾"	25¾"	829/32"
Center	25¾"	19¾"	127/32"
Models			
46-3066RPD1L	46-3066RPD1R		
Drawers	W	L	D
Box	123/8"	19¾"	321/32"
File	123/8"	25¾"	829/32"
Center	221/8"	19¾"	127/32"




JEFFERSONTM RECEPTION UNITS (4600 SERIES)

FILING CAPABILITIES


Drawers with Dimensions: 153/4"W x 253/4"L



Drawers with Dimensions: 123/4"W x 253/4"L



Drawers with Dimensions: 123/8"W x 167/32"L



HOW TO ORDER EXAMPLES

46-2448RPD2R

RECEPTION L-UNIT			
46-3672RPD1L	1	Premium or Standard Veneer	W
		Top Material	Р
		Finish/Color	GC
		Pull	ARA
		No Molding	-
		Drawer Track	SOFT
		Top Grommet Loc./Color	GC/BLK
		Flip Down Center Drawer	LFD
		Tackboard/Fabric	CF Stinson
			Nikko Beach

1 Premium or Standard Veneer W
Top Material P
Finish/Color GC
Pull ARA
No Molding Drawer Track SOFT
Top Grommet Loc./Color GC/BLK

PREMIUM AND STANDARD VENEER (W) OPTIONS

The multi-step, finish process used by Indiana Furniture provides years of lasting beauty. High quality finish materials offer distinctive grain clarity, superior resistance to normal wear, and easy maintenance. Wood veneer tops are shipped standard with satin sheen finish.

AW	Artisan Walnut	LW	Legacy Walnut
CO	Columbian Walnut	MW	Mahogany Walnut
DC	Dark Cherry	MTS	Metropolis Sky**
DFW	Dark Forest Walnut	PNW	Pinnacle Walnut**
EW	Espresso	SCH	Select Cherry
GC	Golden Cherry	SKC	Shaker Cherry
HW	Harvest Walnut	WC	Williamsburg Cherry
HNW	Henna Walnut**		

^{**} Available in Standard Veneer Only

HPL (P) TOP OPTIONS

WOODGRAIN

CO	Columbian Walnut	PNW	Pinnacle Walnut
EF	Espresso	SCH	Select Cherry
GC	Golden Cherry	SKC	Shaker Cherry
MW	Mahogany Walnut	WC	Williamsburg Cherry

DRAWER AND DOOR PULL OPTIONS

Units with doors and drawers will feature coordinating pulls however door and drawer pulls cannot be intermixed.

ARA Arlington A, Antique Brass JEF Jefferson, Antique Brass
ARB Arlington B, Antique Brass ALB Liberty, Aluminum

WLM Wilmington, Antique Brass



Antique Brass - 51/4"

Arlington B (ARB) Antique Brass - 5¼"

Antique Brass - 5¼"

Antique Brass - 51/4'

Arlington A (ARA)

Wilmington (WLM) Liberty (ALB)

Liberty (ALB) Aluminum - 4¼"

DRAWER TRACK OPTIONS

Soft close tracks are available on center, tray, box, and file drawers in Jefferson. Soft close drawer tracks have many benefits including reduced stress on the unit, extends the life of the drawer, and ensures a gentle close so fingers don't accidentally get hurt. File drawers with the soft close option feature front-to-back filing. Must specify when ordering.

Pricing is per Drawer, not per Model/Unit

SFTCL Soft Close Drawer Track

\$



JEFFERSONTM RECEPTION UNITS (4600 SERIES)

LOCKING FLIP DOWN CENTER DRAWER

Single and double pedestal desks and kneespace credenzas standard with a center drawer have an optional central locking, keyboard flip down drawer. Drawer front is wood veneer with laminate drawer interior.

LFD Locking Flip Down Front Center Drawer \$ 82

MOLDING OPTIONS

All standard, height adjustable, and reception units ship with decorative pencil molding. If you do not want molding, please specify "NO MOLDING" when ordering each model.

Modular components come standard with no molding. To accommodate for flush ends, molding is offered as an option. Specify one of the following codes when ordering.

STD	No Molding	\$ Std
MR46R1	Molding on Right Side Only	\$ 85
MR46L1	Molding on Left Side Only	\$ 85
M46LR	Molding on Both Right and Left Sides	\$ 170

Note: Left or right is determined when facing the front of the unit.

WORKSURFACE GROMMETS FOR RECEPTION

GC	Grommet, Center; Must Specify Black (BLK) or Silver (SLV)	\$ 52
GL	Grommet, Left; Must Specify Black (BLK) or Silver (SLV)	\$ 52
GR	Grommet, Right; Must Specify Black (BLK) or Silver (SLV)	\$ 52

Verify Grommet Option is available on the model(s) you are specifying using the location.

Grommets may be ordered in non-standard locations. Call Customer Service to assist with specification. Note additional charges and lead times may apply.

Multiple locations may be selected.

Models

46-3672RPD1L 46-3672RPD1R



GL/GR: Located 6" from sides and 313/4" from user side

GC: 31¾" from user side

Models

46-3066RPD1L 46-3066RPD1R




GL/GR: Located 6" from sides and 26%" from user side

GC: 26%" from user side

Models

46-2448RPD2L 46-2448RPD2R 46-2448RUF 46-2442RUF 46-2472RCL 46-2472RCR 46-2466RCL 46-2466RCR




GL/GR: Located 6" from sides and 19" from user

GC: 19" from user side

CERTIFICATIONS & COMPLIANCE

- Intertek Sustainability Certified
- BIFMA level® Certified
- · BIFMA Compliant Certified
- · TSCA Title VI (formerly CARB) Compliance
- US Green Building's LEED Contribution










Reception Units









Reception Returns Reception Bridges (See Details) (See Details)

Reception Credenzas (<u>See Details</u>)

Kneespace Options, Wire Management + Accessories
















Tackboards





JEFFERSON™ RECEPTION UNITS (4600 SERIES)

Item	Model No.		Width	Depth	Height	K	R	Ship Wt	Cubic Ft	List Price
SINGLE PED RECEPTION DESK	Left Ped	Right Ped								
BOX/BOX/FILE	46-3672RPD1L	46-3672RPD1R	74	39	42	281/4	-	374	76.3	W/P\$ 8254
	Worksurface 70W	x 34%6D; Legal Ped								PV\$ 9245
	46-3066RPD1L	46-3066RPD1R	68	33	42	251/4	-	327	59.9	W/P\$ 7545
	Worksurface 64W	x 28%6D; Letter Ped								PV\$ 8453





No Molding

Tackboard/Fabric



Approach Side Shown with Decorative Molding and Optional No Molding

Model # Premium or Standard Veneer Top Material

Drawer Track Top Grommet Location/Color Flip Down Center Drawer


Description

- · Standard with: Transaction Surface Profiled on All Sides, Rectangle User Surface with Square Profile, Base Molding on All Sides, Decorative Molding on Approach and Both Sides, Central Locking Center Drawer, Box/Box/File Ped, Left-to-Right Grain Direction on Top, and Dovetail Wood Drawer Construction
- Chassis Available with Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Top/Transaction Available with Premium/Standard Veneer (PV/W) or HPL (P); Must Specify
- Lock Core Color will Coordinate with Pull Selection (Brass Pull with Black Lock, Silver Pull with Silver Lock)
- · Additional Options: No Decorative Molding (Specify NO MOLDING); Keyboard Flip Down Center Drawer (See Center Drawer Options); Factory-Installed Tackboard (See Tackboards); Soft Close Drawer Closure (See Soft Close Options); Top Grommet Options (See Grommet Options); Wire Management + Accessories (Sold Separately; See Accessories)

RECEPTION RETURN FILE/FILE



Shown as Left



Approach Side Shown with Decorative Molding and Optional No Molding

Model # Premium or Standard Veneer Top Material Finish/Color Pull No Molding Top Grommet Location/Color Kneespace Options

Left Ped	Right Ped									
46-2448RPD2L	46-2448RPD2R	48	24	40%	281/4	-	195	33.3	W/P\$	5520
Worksurface 461/4	W x 21%D								PV\$	6183

- · Standard with: Rectangle Top with Square Profile, Base Molding on All Sides, Decorative Molding on Approach and Side, Locking File/File Ped, Front-To-Back Grain Direction on Top, and Dovetail Wood **Drawer Construction**
- Chassis Available with Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Top Available with Premium/Standard Veneer (PV/W) or HPL (P); Must Specify
- Additional Options: No Decorative Molding (Specify NO MOLDING); Keyboard Flip Down Center Drawer (See Center Drawer Options); Keyboard Flip Down Center Drawer (See Center Drawer Options); Soft Close Drawer Closure (See Soft Close Options); Top Grommet Options (See Grommet Options); Kneespace Options (Sold Separately, See Units), Wire Management + Accessories (Sold Separately; See Accessories)




JEFFERSON™ RECEPTION UNITS (4600 SERIES)

Item	Model No.	Width	Depth	Height	К	R	Ship Wt	Cubic Ft	List Price
RECEPTION BRIDGE	46-2448RUF Worksurface 48W x 221/4D	48	24	40%	48	-	116	7.3	W/P\$ 2520 PV\$ 2821
	46-2442RUF Worksurface 42W x 221/1D	42	24	40%	42	-	104	6.3	W/P\$ 2373 PV\$ 2659

Description

- · Standard With: Rectangle Top with Square Profile, Front-to-Back Grain Direction on Top, and Hinged Back Panel
- Chassis Available with Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Top Available with Premium/Standard Veneer (PV/W) or HPL (P); Must Specify
- Additional Options: No Decorative Molding (Specify NO MOLDING); Top Grommet Options (See Grommet Options); Wire Management + Accessories (Sold Separately; See Accessories)




Approach Side Shown with Decorative Molding and Optional No Molding


Model # Premium or Standard Veneer Top Material Finish/Color

No Molding Top Grommet Location/Color

SINGLE PED RECEPTION CREDENZA FILE/FILE



Shown as Right



Approach Side Shown with Decorative Molding and Optional No Molding

Must Specify (in this order):

Model # Premium or Standard Veneer

Top Material

Finish/Color Pull

Back Panel Grommet Color

No Molding

Top Grommet Location/Color

Left Ped	Right Ped									
46-2472RCL Worksurface 70	46-2472RCR W x 22D; Legal Ped	72	24	40%	321/4	-	264	46.8	W/P\$ PV\$	6612 7405
46-2466RCL Worksurface 64	46-2466RCR W x 22D; Letter Ped	66	24	40%	261/4	-	249	43.0	W/P\$ PV\$	6509 7291

- Standard with: Rectangle Top with Square Profile, Base Molding on All Sides, Decorative Molding on Approach and Both Sides, Locking File/File Ped, Left-to-Right Grain Direction on Top, and Dovetail Wood **Drawer Construction**
- Chassis Available with Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Top Available with Premium/Standard Veneer (PV/W) or HPL (P); Must Specify
- Lock Core Color will Coordinate with Pull Selection (Brass Pull with Black Lock, Silver Pull with Silver Lock)
- Additional Options: No Decorative Molding (Specify NO MOLDING); Soft Close Drawer Closure (See Soft Close Options); Top Grommet Options (See Grommet Options); Wire Management + Accessories (Sold Separately; See Accessories)

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
ROUND GROMMET COVER	01-GRMTBK	Black	21/25	2%5	-	1	0.1	\$ 11
	01-GRMTSL	Silver						

OPEN MARKET ONLY (SILVER)

Must Specify (in this order):
Model #
Factory Installed

Description

- 29/25" (60mm) Round Grommet Cover
- Field Installed

SINGLE POWER SAND DOLLAR

01-SAND60PW	White	3	3	4	1	0.2	\$ 98
01-SAND60PB	Black						
01-SAND60PS	Silver						

Description

- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Single Power Outlet



01-SAND60UW	White	3	3	4	1	0.2	\$ 277
01-SAND60UB	Black						
01-SAND60US	Silver						

- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Dual USB Outlets



JEFFERSONTM GROMMET/POWER/DATA ACCESSORIES

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	ı	List Price
DUO CLAMP	01-DUOCLAMPW	White	5½	3	7	1	0.2	\$	572
WITH NEMA PLUG	01-DUOCLAMPB	Black							
	01-DUOCLAMPS	Silver							
	Standard with: Two (Delivery Port with G. Clamps to Top and F Independent USB Cii All Mounting Hardwa FCC Part 15A and UL	aN Technology wit Features Silver Meta rcuit Controllers De are Included	h 10' Cord al Trim eliver up to 2.	.1 Amps to	Each Pos		-Watt USB-C	Power	
TRIO CLAMP	01-TRIOCLAMPW	White	8	3	7	1	0.2	\$	671
WITH NEMA PLUG	01-TRIOCLAMPB	Black							
	01-TRIOCLAMPS	Silver							
	 Clamps to Top and F Independent USB Ci HDMI, VGA, or RJ45 All Mounting Hardwa FCC Part 15A and UL 	rcuit Controllers De Accessories Sold S are Included	eliver up to 2. Separately (Se	ee Below))	t			
VGA DATA PORT ACCESSORY	01-LCOMVGA		-	-	-	1	0.2	\$	121
	Description • VGA Port for Trio Cla	mp Units							
HDMI DATA PORT ACCESSORY	01-LCOMHDMI		-		-	1	0.2	\$	166
0.0	Description • HDMI Port for Trio C	lamp Units							
OPEN MARKET ONLY									
RJ45 DATA PORT ACCESSORY	01-LCOMRJ45		_		_	1	0.2	\$	79



Description

• RJ45 Port for Trio Clamp Units

Indiana

JEFFERSONTM ACCESSORIES

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
WIRE MANAGEMENT CHANNEL	01-WMGR4	16	1½	1	1	-	\$ 116





Description

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- · Ships via UPS Only

WIRE CHANNEL	01-32125	24	1 %	1	.25	0.3	\$ 106



Description

- · Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Open J Channel for Easy Storage of Cables

CABLE GRIP 01-WMGRCB 5% 2% -	CABLE GRIP	OI-WMGRCB		25/8	-	-	-	\$	17
--	------------	-----------	--	------	---	---	---	----	----



Description

- Under Surface Wire Management
- Black

LINK 360 CABLE MANAGER	01-0251LINKSLV	Silver	53/16	3%16	30-51	4	3.0	\$ 390
	01-0251LINKBLK	Black	53/16	3%16	30-51	4	3.0	\$ 353
	Description							
	 Kit Includes: 50 L Assembly with To 	ink 360™ elemen wo (2) Magnetic (, ,,	Connecto	r, One (1) [Oumbbel	ll Connector,	One (1) Foot

• Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use



JEFFERSON™ ACCESSORIES

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
HEIGHT ADJUSTABLE WORKSTATION	01-S2SBLK Black	35½	25	6-22	49	6.5	\$ 1503



Description

- · Height Adjustable
- Weight Capacity: 35lbs
- One-Handed Operation; Platforms Move Simultaneously
- Keyboard Platform: $10\frac{1}{2}$ "D x $26\frac{4}{5}$ "W
- Worksurface: 21"D x 351/2"W
- Can be Used on Worksurface 24"D x 35"W

POWER STRIP 01-PRSP 9 2 2 1 \$ 205



Description

- Includes Four (4) Outlets, Two (2) Phone Jacks, and Rocker On/Off Switch
- · Black Plastic with 10' Power Cord
- Suitable for Surface or Recessed Mounting
- 13 Amp Circuit Breaker
- Two (2) 14 ft. Phone Hook Up Cords
- · UL and CSA Recognized
- · Item will ship via UPS only

KEYBOARD FLIP DOWN 12 46-2410FD 24 153/4 31/16 2.0 W\$ 988 **CENTER DRAWER** PV\$ 1106



Premium or Standard Veneer

Model #

Pull Factory Installed

Description

- Flip Down Front
- · Available with Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Does Not Feature Soft Close Hinges
- · Use on Any Open Kneespace 24" or Larger

Options: Specify & Add

Factory Installed - Must Specify \$ 208

ARTICULATING KEYBOARD CORNER PLATFORM



Model # Factory Installed

Description

01-KB2CC

• Standard With: 25" Cut Corner Platform, +/- 15° Tilt Adjustment, 360 Rotation, 21" Track, Independent Tilt Adjustment, 7" Locking Height Adjustment

101/2

41/2

16

1.4

\$ 832

25

- Keyboard and Mouse on Same Level
- Single Palm Rest for Both Left and Right Hands
- Works with 17"+ Diagonal Work Surface
- · Cannot Be Used on 20" or 21" Deep Unit
- Not Available with Optional Center Grommet



JEFFERSOI **ACCESSORIES**

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
KEYBOARD MECHANISM WITH KEYBOARD CLAMP	01-KB3	9	17	6	13	1.0	\$ 914

Model# Factory Installed

Description

- Standard With: 18.75" Platform, Left or Right Handed Swivel Mouse Platform, Palm Rest, 7" Locking Height Adjustment, +/- 15° Tilt Adjustment, 360° Rotation, Independent Tilt Adjustment, 21" Track
- Cannot Be Used on 20" or 21" Deep Unit
- Not Available with Optional Center Grommet

RECEPTION	DESK	TACKBO	DARDS
9" H			



Must Specify (in this order): Model# Fabric Vendor, Pattern, and Color

						GRADE	S			
Model #	For Units:	COM YDG	COM, 1, 2, or 3	4	5	6	7	8	9	10
TB-6172	72"	2.25	\$ 256	569	715	864	1075	1296	1552	1849
TB-6166	66"	2.00	\$ 232	510	640	772	960	1156	1384	1648

Description


- Coordinates with Reception Desks
- · Factory Installed

VESTA POWER CENTER




01-PDCTR 103/4 12 281/4 14 2.5 \$ 1776

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall



Surface Materials

Wood Finishes and Woodgrain, Solid, and 3D Laminates



Indiana

1919 Hospitality Drive, Suite A PO Box 270 Jasper, Indiana 47547-0270

Tel 812.482.5727 Tol 800.422.5727

Fax 812.482.9035

www.indianafurniture.com







Federal Classification: Small Business