2024 +**1**3, МΑΥ CTIVE 3443 S PAC PRICING

# Indiana FURNITURE

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

### **Our Pledge to People + Our Planet.**

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards\*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to <u>www.IndianaFurniture.com/resources.</u>



### **Ease of Specification**

data systems

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.

collaborator<sup>,</sup>





## TRI-ONE<sup>TM</sup> MULTI-USE TABLES (8500/8600 SERIES)

Designers Jim Contois and Ramsey Madsen complement existing products with the Tri-One Table Collection. A full offering of training, meeting, and modular tables are available in flexible models that is sure to meet every expectation with integrated power and data capabilities.

### CONSTRUCTION

### LAMINATE

- Thermally-Fused Laminate (TFL) and High-Pressure Laminate (HPL) are made of woodgrain and solid color laminates fused to particleboard core; each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance VENEER
- Surfaces feature select-grade, plain-sliced hardwood Cherry, Maple, American Black Walnut, White Oak, and composite veneers; Veneers are carefully selected and matched to assure proper balance and consistency
- Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology TOPS
- Tops with the Square (Y) edge profile are 1" thick TFL or  $1\%_6$ " HPL with a 3mm PVC rim; or  $1\%_6$ " Veneer with 1.5mm edge banding
- Tops with the Knife (K) edge profile are 1%6" HPL with a 3mm PVC rim or 1%6" Veneer with 1% mm edge banding
- Laminate colors Designer White, Sugar Maple, and Williamsburg Cherry feature ABS edge bands
- Training and Modular tops feature shaped profiles on the user side while Meeting tops are shaped on all four sides
- Tops are pre-drilled for the specified base assembly and for ganging where applicable
- Grain direction runs left-to-right, unless noted

Square (Y)



Knife (K)

### LEGS/BASES

- The Envy and Vantage leg/base styles are powder-coated Aluminum and include a 5mm steel mounting plate
- Envy style legs are aluminum extrusions while Vantage style legs are welded steel
- All legs and bases come standard with adjustable glides

### GANGING

- All Modular and Training tops are pre-drilled with threaded inserts for ganging applications
- Ganging brackets include quick release thumb screws for ease of use; No tools required

### NESTING

- Training tables offer an exclusive flip mechanism which can be accessed from any position to allow easier nesting of tables
- Optional flip mechanisms are factory installed and must be specified at the time of order

### POWER/DATA/CORD MANAGEMENT

- Grommets are available in tops, where noted
- Grommets are 2<sup>3</sup>/<sub>8</sub>" in diameter and available in black or silver
  Power/Data units available for under-surface mount, routed into
- tops, or for use in standard grommet holes (e.g., Sand Dollar)
- Power/Data Units comply with FCC Part 15A and UL
- Standard Power/Data plugs and daisy-chain connections are available; daisy chains are non-sequential; connect up to 8 modules

| HOW TO ORDER EXAMPL | ES  |               |                |          |
|---------------------|-----|---------------|----------------|----------|
| MODULAR TABLE       |     | MODEL NO.     |                | EXAMPLE  |
| ТОР                 | 4   | 85-3084MCT    | Finish         | FO       |
| LEG                 | 4   | 08-0227APL4   |                |          |
| GANGING             | 3   | 08-1505GB     |                |          |
| MODESTY             | 4   | 85-0884MD     | Finish         | FO       |
| GROMMET/POWER/DATA  | 4   | 01-DUOBEZELS  |                | PDC-L    |
| FLEXIBLE SIZE TOP   | QTY | MODEL NO.     |                | EXAMPLE  |
| ТОР                 | 4   | 86-FLEXMCT30  | Width<br>Color | 79<br>WH |
| LEG                 | 4   | 08-0227SPL4   |                |          |
| GANGING             | 3   | 08-1505GB     |                |          |
| MODESTY             |     | No Modesty    |                |          |
| GROMMET/POWER/DATA  |     | No Grommet    |                |          |
| MEETING TABLE       | QTY | MODEL NO.     |                | EXAMPLE  |
| ТОР                 | 1   | 86-4296MTKH   | Color          | WTA      |
| LEG                 | 1   | 08-2828YLG84  | Finish         | BLK      |
| GROMMET/POWER/DATA  | 1   | GC            | Color          | BLK      |
| TRAINING TABLE      | QTY | MODEL NO.     |                | EXAMPLE  |
| TOP                 | 6   | 86-2472TTKH   | Color          | PTM      |
| LEG                 | 6   | 08-2427TLC72  | Casters        | SOFT     |
| GANGING             | 5   | 08-1505GB     |                |          |
| NESTING             | 6   | 08-FLIP       |                |          |
| MODESTY             | 6   | 86-0865HMD    | Color          | PTM      |
| GROMMET/POWER/DATA  | 6   | 01-PDUOBEZELW |                | PDC-C    |

### TFL (T) & HPL (P) LAMINATE OPTIONS

Tops with Knife Edge Profile available in HPL Only.

### WOODGRAIN

| AS    | Asian Night      | PNW | Pinnacle Walnut     |
|-------|------------------|-----|---------------------|
| BW    | Beigewood        | PTK | Portico Teak        |
| CO    | Columbian Walnut | RC  | River Cherry        |
| EF    | Espresso         | SCH | Select Cherry       |
| FLW   | Florence Walnut  | SPW | Sepia Walnut        |
| GC    | Golden Cherry    | SKC | Shaker Cherry       |
| HVM   | Harvest Maple    | SBP | Smoky Brown Pear    |
| KHE   | Kirsche          | ΤK  | Studio Teak         |
| MW    | Mahogany Walnut  | SM  | Sugar Maple         |
| MNR   | Midnight Run     | WTA | Weathered Ash       |
| NTM   | Natural Marrone  | WNB | White Nebbia        |
| ORW   | Oak Riftwood     | WC  | Williamsburg Cherry |
| SOLID |                  |     |                     |
| BL    | Black            | FHG | Fashion Grey        |
| WH    | Designer White   | SG  | Slate Grey          |
|       |                  |     |                     |

## TRI-ONE<sup>TM</sup> MULTI-USE TABLES (8500/8600 SERIES)

### VENEER (W) OPTIONS

Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology

| AW  | Artisan Walnut     | MW  | Mahogany Walnut     |
|-----|--------------------|-----|---------------------|
| AS  | Asian Night        | MAS | Mesa Sunset*        |
| CO  | Columbian Walnut   | MTS | Metropolis Sky      |
| DC  | Dark Cherry        | ORW | Oak Riftwood*       |
| DFW | Dark Forest Walnut | PNW | Pinnacle Walnut     |
| EW  | Espresso           | SCH | Select Cherry       |
| FO  | Fawn Oak*          | SKC | Shaker Cherry       |
| GC  | Golden Cherry      | SM  | Sugar Maple         |
| ΗW  | Harvest Walnut     | WTA | Weathered Ash*      |
| HNW | Henna Walnut       | WC  | Williamsburg Cherry |
| LW  | Legacy Walnut      |     |                     |

\* Finish is Low Sheen

### GROMMET OPTIONS & POWER/DATA UNIT LOCATIONS

Grommets are available in modular, meeting, and training tops. Tops may also be ordered without grommets at no additional charge. Please specify NO GROMMET on order.

Power/Data units must be specified separately with surface mount location. Specify location on order, as well as the power/data unit. Routed for field placement at no additional charge.

Grommets are available in standard locations. Please specify using info below. Multiple locations may be selected. Only one grommet/ power/data unit per location.

### GROMMET LOCATIONS (Black = BLK and Silver = SLV)


| GC | Grommet, Center - Must Specify BLK or SLV | \$<br>52 |
|----|---|----------|
| GL | Grommet, Left - Must Specify BLK or SLV   | \$<br>52 |
| GR | Grommet, Right - Must Specify BLK or SLV  | \$<br>52 |

DUO/TRIO BEZEL LOCATIONS (Starting on Page 200)

| PDC-C | Bezel, Center |
|-------|---------------|
| PDC-L | Bezel, Left   |
| PDC-R | Bezel, Right  |


Grommets and Power/Data Units may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

### 24" Modular Tops



GL/GR: Located 10" from end based on widest dimension, 13 % " from user side GC/PDC-C: Located 13% " from user side

### 30" Modular Tops



GL/GR: Located 10" from end based on widest dimension, 19 ¾" from user side GC/PDC-C: Located 19¾" from user side

### Meeting Tops (Where Applicable)



PDC-C: On Center, front to back

#### **18" Training Tables**




GL/GR/PDC-L/PDC-R: Located 10" from end, 12" from user side GC/PDC-C: Located 12" from user side

### 24" Training Tables



GL/GR: Located 10" from end, 16½" from user side GC: Located 16½" from user side

### **30**" Training Tables



GL/GR: Located 10" from end, 20" from user side GC: Located 20" from user side

### **CERTIFICATIONS & COMPLIANCE**


- Intertek Sustainability Certified
- BIFMA level<sup>®</sup> Certified
- BIFMA Compliant<sup>®</sup> Certified
- TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED<sup>®</sup>, Green Globes<sup>®</sup>, and WELL<sup>®</sup> Sustainable Programs





# Tri-One

### Modular Tops & Legs



## SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| tem                              | Model No.    | w      | D  | н  | Ship Wt | Cubic Ft | List Price |            |      |
|----------------------------------|--------------|--------|----|----|---------|----------|------------|------------|------|
| RECTANGULAR MODULAR TOPS         | Square Edge  |        |    |    |         |          |            |            |      |
|                                  | 86-3084MCT   | TFL    | 84 | 30 | -       | 76.4     | 6.0        | T\$        | 1014 |
|                                  | 86-3084MCTH  | HPL    |    |    |         |          |            | P\$        | 1373 |
|                                  | 85-3084MCT   | Veneer |    |    |         |          |            | W\$        | 2034 |
|                                  | 86-3072MCT   | TFL    | 72 | 30 | -       | 65.5     | 5.1        | Τ\$        | 819  |
|                                  | 86-3072MCTH  | HPL    |    |    |         |          |            | P\$        | 1111 |
| User Side                        | 85-3072MCT   | Veneer |    |    |         |          |            | W\$        | 1647 |
|                                  | 86-3060MCT   | TFL    | 60 | 30 | -       | 54.6     | 4.3        | Т\$        | 738  |
|                                  | 86-3060MCTH  | HPL    |    |    |         |          |            | P\$        | 999  |
|                                  | 85-3060MCT   | Veneer |    |    |         |          |            | W\$        | 1477 |
|                                  | 86-3048MCT   | TFL    | 48 | 30 | -       | 43.7     | 3.5        | Т\$        | 550  |
|                                  | 86-3048MCTH  | HPL    |    |    |         |          |            | P\$        | 747  |
|                                  | 85-3048MCT   | Veneer |    |    |         |          |            | W\$        | 1107 |
|                                  | 86-2484MCT   | TFL    | 84 | 24 | -       | 61.1     | 4.9        |            | 940  |
|                                  | 86-2484MCTH  | HPL    |    |    |         |          |            | P\$        | 1277 |
|                                  | 85-2484MCT   | Veneer |    |    |         |          |            | W\$        | 1889 |
| lust Specify (in this order):    | 86-2472MCT   | TFL    | 72 | 24 | -       | 52.4     | 4.2        | Τ\$        | 758  |
| Model #                          | 86-2472MCTH  | HPL    |    |    |         |          |            | P\$        | 1026 |
| Top Finish/Color<br>Leg Model #  | 85-2472MCT   | Veneer |    |    |         |          |            | W\$        | 1518 |
| Ganging Brackets                 | 86-2460MCT   | TFL    | 60 | 24 | -       | 43.7     | 3.5        | Τ\$        | 690  |
| Modesty Model # and Finish/Color | 86-2460MCTH  | HPL    |    |    |         |          |            | P\$        | 932  |
| Grommet/Power/Data Location      | 85-2460MCT   | Veneer |    |    |         |          |            | W\$        | 1379 |
|                                  | 86-2448MCT   | TFL    | 48 | 24 | -       | 34.9     | 2.8        | Т\$        | 510  |
|                                  | 86-2448MCTH  | HPL    |    |    |         |          |            | P\$        | 693  |
|                                  | 85-2448MCT   | Veneer |    |    |         |          |            | W\$        | 1023 |
|                                  | Knife Edge   |        |    |    |         |          |            |            |      |
|                                  | 86-3084MCTKH | HPL    | 84 | 30 | -       | 76.4     | 6.0        | P\$        | 1798 |
|                                  | 85-3084MCTK  | Veneer |    |    |         |          |            | W\$        | 2479 |
|                                  | 86-3072MCTKH | HPL    | 72 | 30 | -       | 65.5     | 5.1        | P\$        | 1457 |
|                                  | 85-3072MCTK  | Veneer |    |    |         |          |            | W\$        | 2007 |
|                                  | 86-3060MCTKH | HPL    | 60 | 30 | -       | 54.6     | 4.3        | P\$        | 1309 |
|                                  | 85-3060MCTK  | Veneer |    |    |         | 0 110    |            | W\$        | 1804 |
|                                  | 86-3048MCTKH | HPL    | 48 | 30 | -       | 43.7     | 3.5        | P\$        | 980  |
|                                  | 85-3048MCTK  | Veneer | 40 | 50 |         | 43.7     | 5.5        | ₩\$        | 1352 |
|                                  | 86-2484MCTKH | HPL    | 84 | 24 | -       | 61.1     | 4.9        | <br>P\$    | 1675 |
|                                  | 85-2484MCTK  | Veneer | 04 | 24 | -       | 01.1     | 4.9        | P\$<br>W\$ | 2303 |
|                                  | 86-2472MCTKH | HPL    | 72 | 24 | -       | FD 4     | 4.2        |            |      |
|                                  |              |        | 12 | 24 | -       | 52.4     | 4.2        | P\$        | 1346 |
|                                  | 85-2472MCTK  | Veneer | 60 | 24 |         | 47 7     | 7 5        | W\$        | 1855 |
|                                  | 86-2460MCTKH | HPL    | 60 | 24 | -       | 43.7     | 3.5        | P\$        | 1219 |
|                                  | 85-2460MCTK  | Veneer |    |    |         |          |            | W\$        | 1681 |
| $\sim$                           | 86-2448MCTKH | HPL    | 48 | 24 | -       | 34.9     | 2.8        | P\$        | 903  |
|                                  | 85-2448MCTK  | Veneer |    |    |         |          |            | W\$        | 1247 |



Must Order Envy or Vantage Post Legs. See Leg Options.

Description

•

• Profile on User Side Only

Flexible Sizes Available, See Next Page • •

Tops 60" or Larger Include Stiffener Bar for Additional Support

Legs Required (Assembly Required); Sold Separately, See Leg Options •

Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Details

• Fixed Modesty Panel Options Available; Sold Separately, See Modesty Options

• Power & Data Options Available; Sold Separately, See Multiple Units and See Locations

## SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| em  | Model No.                     |             | w     | D  | н | Ship Wt | Cubic Ft | Lis        | st Price     |  |
|---|-------------------------------|-------------|-------|----|---|---------|----------|------------|--------------|--|
| RECTANGULAR MODULAR TOPS  | Square Edge                   |             |       |    |   |         |          |            |              |  |
| FLEXIBLE SIZES  | 86-FLEXMCT30                  | TFL         | 84-73 | 30 | - | 76.4    | 6.0      | Т\$        | 1014         |  |
| $\sim$  | 86-FLEXMCTH30                 | HPL         |       |    |   |         |          | P\$        | 1373         |  |
|   | 85-FLEXMCT30                  | Veneer      |       |    |   |         |          | W\$        | 2034         |  |
|   |                               |             | 72-61 | 30 | - | 65.5    | 5.1      | Т\$        | 819          |  |
| User Side   |                               |             |       |    |   |         |          | P\$        | 1111         |  |
|   |                               |             |       |    |   |         |          | W\$        | 1647         |  |
|   |                               |             | 60-49 | 30 | - | 54.6    | 4.3      | Т\$        | 738          |  |
|   |                               |             |       |    |   |         |          | P\$        | 999          |  |
|   |                               |             |       |    |   |         |          | W\$        | 1477         |  |
|   |                               |             | 48-36 | 30 | - | 43.7    | 3.5      | Т\$        | 550          |  |
|   |                               |             |       |    |   |         |          | P\$        | 747          |  |
|   |                               | <b>T</b> E1 | 04.77 | 24 |   |         | 1.0      | W\$        | 1107         |  |
|   | 86-FLEXMCT24                  | TFL<br>HPL  | 84-73 | 24 | - | 61.1    | 4.9      | T\$        | 940<br>1277  |  |
| Must Specify (in this order):<br>Model #                        | 86-FLEXMCTH24<br>85-FLEXMCT24 | Veneer      |       |    |   |         |          | P\$<br>W\$ | 1277<br>1889 |  |
|   | 03-FLEXMC124                  | veneer      | 72-61 | 24 | - | 52.4    | 4.2      |            | 758          |  |
| Top Width Measurement<br>Top Finish/Color                       |                               |             | 72-01 | 24 | - | 52.4    | 4.2      | гэ<br>Р\$  | 1026         |  |
| Leg Model #   |                               |             |       |    |   |         |          | ₩\$        | 1518         |  |
| Ganging Brackets  |                               |             | 60-49 | 24 | - | 43.7    | 3.5      | T\$        | 690          |  |
| Modesty Model # and Finish/Color<br>Grommet/Power/Data Location |                               |             | 00 10 |    |   |         | 0.0      | P\$        | 932          |  |
|   |                               |             |       |    |   |         |          | W\$        | 1379         |  |
|   |                               |             | 48-36 | 24 | - | 34.9    | 2.8      | Т\$        | 510          |  |
|   |                               |             |       |    |   |         |          | P\$        | 693          |  |
|   |                               |             |       |    |   |         |          | W\$        | 1023         |  |
|   | Knife Edge                    |             |       |    |   |         |          |            |              |  |
|   | 86-FLEXMCTKH30                | HPL         | 84-73 | 30 | - | 76.4    | 6.0      | P\$        | 1798         |  |
|   | 85-FLEXMCTK30                 | Veneer      |       |    |   |         |          | W\$        | 2479         |  |
|   |                               |             | 72-61 | 30 | - | 65.5    | 5.1      | P\$        | 1457         |  |
|   |                               |             |       |    |   |         |          | W\$        | 2007         |  |
|   |                               |             | 60-49 | 30 | - | 54.6    | 4.3      | P\$        | 1309         |  |
|   |                               |             |       |    |   |         |          | W\$        | 1804         |  |
|   |                               |             | 48-36 | 30 | - | 43.7    | 3.5      | P\$        | 980          |  |
|   |                               |             |       |    |   |         |          | W\$        | 1352         |  |
|   | 86-FLEXMCTKH24                | HPL         | 84-73 | 24 | - | 61.1    | 4.9      | P\$        | 1675         |  |
|   | 85-FLEXMCTK24                 | Veneer      |       |    |   |         |          |            | 2303         |  |
|   |                               |             | 72-61 | 24 | - | 52.4    | 4.2      |            | 1346         |  |
|   |                               |             |       |    |   |         |          |            | 1855         |  |
|   |                               |             | 60-49 | 24 | - | 43.7    | 3.5      | P\$        | 1219         |  |
|   |                               |             |       |    |   |         |          | · •        |              |  |
|   |                               |             |       |    |   |         |          | W\$        | 1681         |  |



### Description

- Profile on User Side Only
- Must Specify Width In One Inch Increments from 36" to 84"
- Tops 60" or Larger Include Stiffener Bar for Additional Support

Legs Required (Assembly Required); Sold Separately, See Leg Options

- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Details
- Fixed Modesty Panel Options Available; Sold Separately, <u>See Modesty Options</u>
- Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>

T = TFL P = HPL W = Veneer

Must Order Envy or Vantage

Post Legs. See Leg Options.

See Tri-One Overview For Ordering Options

W\$ 1247

## SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item  | Model No.     |        | w  | D        | н | Ship Wt | Cubic Ft | Lis | st Price |
|---|---------------|--------|----|----------|---|---------|----------|-----|----------|
| LEFT TRAPEZOID MODULAR TOPS                                     | Square Edge   |        |    |          |   |         |          |     |          |
| ~   | 86-3084LMCT   | TFL    | 84 | 30       | - | 76.4    | 6.0      | Т\$ | 974      |
|   | 86-3084LMCTH  | HPL    |    |          |   |         |          | P\$ | 1319     |
|   | 85-3084LMCT   | Veneer |    |          |   |         |          | W\$ | 1952     |
|   | 86-3072LMCT   | TFL    | 72 | 30       | - | 65.5    | 5.1      | Т\$ | 788      |
| User Side   | 86-3072LMCTH  | HPL    |    |          |   |         |          | P\$ | 1066     |
| /   | 85-3072LMCT   | Veneer |    |          |   |         |          | W\$ | 1577     |
|   | 86-3060LMCT   | TFL    | 60 | 30       | - | 54.6    | 4.3      | Т\$ | 708      |
| /   | 86-3060LMCTH  | HPL    |    |          |   |         |          | P\$ | 962      |
|   | 85-3060LMCT   | Veneer |    |          |   |         |          | W\$ | 1422     |
|   | 86-3048LMCT   | TFL    | 48 | 30       | - | 43.7    | 3.5      | Т\$ | 530      |
|   | 86-3048LMCTH  | HPL    |    |          |   |         |          | P\$ | 718      |
|   | 85-3048LMCT   | Veneer |    |          |   |         |          | W\$ | 1062     |
|   | 86-2484LMCT   | TFL    | 84 | 24       | - | 61.1    | 4.9      | T\$ | 903      |
|   | 86-2484LMCTH  | HPL    |    |          |   |         |          | P\$ | 1229     |
| Auch Currentific (in their evelop)                              | 85-2484LMCT   | Veneer |    |          |   |         |          | W\$ | 1818     |
| <u>Must Specify (in this order):</u><br>Model #                 | 86-2472LMCT   | TFL    | 72 | 24       | - | 52.4    | 4.2      | Τ\$ | 725      |
| Top Finish/Color  | 86-2472LMCTH  | HPL    |    |          |   |         |          | P\$ | 983      |
| Leg Model #   | 85-2472LMCT   | Veneer |    |          |   |         |          | W\$ | 1456     |
| Ganging Brackets  | 86-2460LMCT   | TFL    | 60 | 24       | - | 43.7    | 3.5      | T\$ | 661      |
| Modesty Model # and Finish/Color<br>Grommet/Power/Data Location | 86-2460LMCTH  | HPL    |    |          |   |         |          | P\$ | 894      |
|   | 85-2460LMCT   | Veneer |    |          |   |         |          | W\$ | 1327     |
|   | 86-2448LMCT   | TFL    | 48 | 24       | - | 34.9    | 2.8      | T\$ | 486      |
|   | 86-2448LMCTH  | HPL    |    |          |   |         |          | P\$ | 659      |
|   | 85-2448LMCT   | Veneer |    |          |   |         |          | W\$ | 976      |
|   | Knife Edge    |        |    |          |   |         |          |     |          |
|   | 86-3084LMCTKH | HPL    | 84 | 30       | - | 76.4    | 6.0      | P\$ | 1729     |
|   | 85-3084LMCTK  | Veneer |    |          |   |         |          | W\$ | 2383     |
|   | 86-3072LMCTKH | HPL    | 72 | 30       | - | 65.5    | 5.1      | P\$ | 1395     |
|   | 85-3072LMCTK  | Veneer |    |          |   |         |          | W\$ | 1924     |
|   | 86-3060LMCTKH | HPL    | 60 | 30       | - | 54.6    | 4.3      | P\$ | 1258     |
|   | 85-3060LMCTK  | Veneer |    |          |   |         |          | W\$ | 1734     |
|   | 86-3048LMCTKH | HPL    | 48 | 30       | - | 43.7    | 3.5      | P\$ | 939      |
|   | 85-3048LMCTK  | Veneer |    |          |   |         |          | W\$ | 1294     |
|   | 86-2484LMCTKH | HPL    | 84 | 24       | - | 61.1    | 4.9      | P\$ | 1605     |
|   | 85-2484LMCTK  | Veneer |    |          |   |         |          | W\$ | 2215     |
|   | 86-2472LMCTKH | HPL    | 72 | 24       | - | 52.4    | 4.2      | P\$ | 1290     |
|   | 85-2472LMCTK  | Veneer |    |          |   |         |          | W\$ | 1777     |
|   | 86-2460LMCTKH | HPL    | 60 | 24       | - | 43.7    | 3.5      | P\$ | 1173     |
|   | 85-2460LMCTK  | Veneer |    | <u>.</u> |   |         |          | W\$ | 1618     |
|   | 86-2448LMCTKH | HPL    | 48 | 24       | - | 34.9    | 2.8      | P\$ | 864      |
|   | 85-2448LMCTK  | Veneer |    |          |   |         |          | W\$ | 1192     |



Must Order Envy or Vantage Post Legs. See Leg Options.

### Description

- Profile on User Side Only
- ٠ Flexible Sizes Available, See Next Page
- Tops 60" or Larger Include Stiffener Bar for Additional Support ٠
- Legs Required (Assembly Required); Legs Sold Separately, See Leg Options ٠
- ٠ Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Details
- For Ganging Applications, the Angled End of a Trapezoid Modular Top Must Connect with the Angled End of Another Trapezoid Modular Top; Please Specify a Left and a Right to Gang Tops
- Trapezoid Modular Tops Only Connect to Rectanglular Modular Tops on Straight End
- Fixed Modesty Panel Options Available; Sold Separately, See Modesty Options
- Power & Data Options Available; Sold Separately, See Multiple Units and See Locations

Item

Model No.

Square Edge

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

Cubic

Ship Wt

| /8600 s | SERIES)    |
|---------|------------|
| Ft      | List Price |
|         | Τ\$ 07/    |

| FLEXIBLE SIZES |  |
|----------------|--|
|                |  |
| User Side      |  |

LEFT TRAPEZOID MODULAR TOPS



| Must Specify (in this order):    |
|----------------------------------|
| Model #                          |
| Top Width Measurement            |
| Top Finish/Color                 |
| Leg Model #                      |
| Ganging Brackets                 |
| Modesty Model # and Finish/Color |
| Grommet/Power/Data Location      |
|                                  |

| Square Euge     |        |       |    |   |       |     |            |             |
|-----------------|--------|-------|----|---|-------|-----|------------|-------------|
| 86-FLEXLMCT30   | TFL    | 84-73 | 30 | - | 76.4  | 6.0 | Т\$        | 974         |
| 86-FLEXLMCTH30  | HPL    |       |    |   |       |     | P\$        | 1319        |
| 85-FLEXLMCT30   | Veneer | 70.01 | 70 |   | 65 F  | F 1 | W\$        | 1952        |
|                 |        | 72-61 | 30 | - | 65.5  | 5.1 | T\$<br>P\$ | 788<br>1066 |
|                 |        |       |    |   |       |     | r⊅<br>W\$  | 1577        |
|                 |        | 60-49 | 30 | - | 54.6  | 4.3 |            | 708         |
|                 |        | 00 10 |    |   | 0 110 |     | P\$        | 962         |
|                 |        |       |    |   |       |     | W\$        | 1422        |
|                 |        | 48-36 | 30 | - | 43.7  | 3.5 | Т\$        | 530         |
|                 |        |       |    |   |       |     | P\$        | 718         |
|                 |        |       |    |   |       |     | W\$        | 1062        |
| 86-FLEXLMCT24   | TFL    | 84-73 | 24 | - | 61.1  | 4.9 | Т\$        | 903         |
| 86-FLEXLMCTH24  | HPL    |       |    |   |       |     | P\$        | 1229        |
| 85-FLEXLMCT24   | Veneer | 70.01 |    |   | == .  |     | W\$        | 976         |
|                 |        | 72-61 | 24 | - | 52.4  | 4.2 | T\$        | 725         |
|                 |        |       |    |   |       |     | P\$<br>W\$ | 983<br>1456 |
|                 |        | 60-49 | 24 | - | 43.7  | 3.5 |            | 661         |
|                 |        | 00-49 | 24 | - | 43.7  | 5.5 | P\$        | 894         |
|                 |        |       |    |   |       |     | W\$        | 1327        |
|                 |        | 48-36 | 24 | - | 34.9  | 2.8 | T\$        | 486         |
|                 |        |       |    |   |       |     | P\$        | 659         |
|                 |        |       |    |   |       |     | W\$        | 976         |
| Knife Edge      |        |       |    |   |       |     |            |             |
| 86-FLEXLMCTKH30 | HPL    | 84-73 | 30 | - | 76.4  | 6.0 | P\$        | 1729        |
| 85-FLEXLMCTK30  | Veneer |       |    |   |       |     | W\$        | 2383        |
|                 |        | 72-61 | 30 | - | 65.5  | 5.1 | P\$        | 1395        |
|                 |        |       |    |   |       |     | W\$        | 1924        |
|                 |        | 60-49 | 30 | - | 54.6  | 4.3 | P\$        | 1258        |
|                 |        |       |    |   |       |     | W\$        | 1734        |
|                 |        | 48-36 | 30 | - | 43.7  | 3.5 | P\$        | 939         |
|                 |        |       |    |   |       |     | W\$        | 1294        |
| 86-FLEXLMCTKH24 | HPL    | 84-73 | 24 | - | 61.1  | 4.9 | P\$        | 1605        |
| 85-FLEXLMCTK24  | Veneer |       |    |   |       |     | W\$        | 2215        |
|                 |        | 72-61 | 24 | - | 52.4  | 4.2 | P\$        | 1290        |
|                 |        |       |    |   |       |     | W\$        | 1777        |
|                 |        | 60-49 | 24 | - | 43.7  | 3.5 | P\$        | 1173        |
|                 |        |       |    |   |       |     | W\$        | 1618        |
|                 |        | 48-36 | 24 | - | 34.9  | 2.8 | P\$        | 864         |
|                 |        |       |    |   |       |     | W\$        | 1192        |

w

D

н

### Description

- Profile on User Side Only
- Tops 60" or Larger Include Stiffener Bar for Additional Support
- Legs Required (Assembly Required); Sold Separately, <u>See Leg Options</u>
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, <u>See Details</u>
- For Ganging Applications, the Angled End of a Trapezoid Modular Top Must Connect with the Angled End of Another Trapezoid Modular Top; Please Specify a Left and a Right to Gang Tops
- Trapezoid Modular Tops Only Connect to Rectanglular Modular Tops on Straight End
- Fixed Modesty Panel Options Available; Sold Separately, <u>See Modesty Options</u>
- Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>



Must Order Envy or Vantage Post Legs. <u>See Leg Options</u>.

T = TFL P = HPL W = Veneer

See Tri-One Overview For Ordering Options

## SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item   | Model No.     |        | w  | D  | н | Ship Wt | Cubic Ft | Lis | t Price |
|--|---------------|--------|----|----|---|---------|----------|-----|---------|
| RIGHT TRAPEZOID MODULAR TOPS   | Square Edge   |        |    |    |   |         |          |     |         |
| -  | 86-3084RMCT   | TFL    | 84 | 30 | - | 76.4    | 6.0      | T\$ | 974     |
|  | 86-3084RMCTH  | HPL    |    |    |   |         |          | P\$ | 1319    |
|  | 85-3084RMCT   | Veneer |    |    |   |         |          | W\$ | 1952    |
|  | 86-3072RMCT   | TFL    | 72 | 30 | - | 65.5    | 5.1      | Т\$ | 788     |
| User Side  | 86-3072RMCTH  | HPL    |    |    |   |         |          | P\$ | 1066    |
|  | 85-3072RMCT   | Veneer |    |    |   |         |          | W\$ | 1577    |
|  | 86-3060RMCT   | TFL    | 60 | 30 | - | 54.6    | 4.3      | Т\$ | 708     |
|  | 86-3060RMCTH  | HPL    |    |    |   |         |          | P\$ | 962     |
| <u>Must Specify (in this order):</u><br>Model #<br>Top Finish/Color<br>Leg Model # | 85-3060RMCT   | Veneer |    |    |   |         |          | W\$ | 1422    |
|  | 86-3048RMCT   | TFL    | 48 | 30 | - | 43.7    | 3.5      | Т\$ | 530     |
|  | 86-3048RMCTH  | HPL    |    |    |   |         |          | P\$ | 718     |
|  | 85-3048RMCT   | Veneer |    |    |   |         |          | W\$ | 1062    |
|  | 86-2484RMCT   | TFL    | 84 | 24 | - | 61.1    | 4.9      | Τ\$ | 903     |
|  | 86-2484RMCTH  | HPL    |    |    |   |         |          | P\$ | 1229    |
|  | 85-2484RMCT   | Veneer |    |    |   |         |          | W\$ | 1818    |
|  | 86-2472RMCT   | TFL    | 72 | 24 | - | 52.4    | 4.2      | Τ\$ | 725     |
|  | 86-2472RMCTH  | HPL    |    |    |   |         |          | P\$ | 983     |
|  | 85-2472RMCT   | Veneer |    |    |   |         |          | W\$ | 1456    |
| Ganging Brackets   | 86-2460RMCT   | TFL    | 60 | 24 | - | 43.7    | 3.5      | Т\$ | 661     |
| Modesty Model # and Finish/Color<br>Grommet/Power/Data Location                    | 86-2460RMCTH  | HPL    |    |    |   |         |          | P\$ | 894     |
| Gronniet/Power/Data Location   | 85-2460RMCT   | Veneer |    |    |   |         |          | W\$ | 1327    |
|  | 86-2448RMCT   | TFL    | 48 | 24 | - | 34.9    | 2.8      | T\$ | 486     |
|  | 86-2448RMCTH  | HPL    |    |    |   |         |          | P\$ | 659     |
|  | 85-2448RMCT   | Veneer |    |    |   |         |          | W\$ | 976     |
|  | Knife Edge    |        |    |    |   |         |          |     |         |
|  | 86-3084RMCTKH | HPL    | 84 | 30 | - | 76.4    | 6.0      | P\$ | 1729    |
|  | 85-3084RMCTK  | Veneer |    |    |   |         |          | W\$ | 2383    |
|  | 86-3072RMCTKH | HPL    | 72 | 30 | - | 65.5    | 5.1      | P\$ | 1395    |
|  | 85-3072RMCTK  | Veneer |    |    |   |         |          | W\$ | 1924    |
|  | 86-3060RMCTKH | HPL    | 60 | 30 | - | 54.6    | 4.3      | P\$ | 1258    |
|  | 85-3060RMCTK  | Veneer |    |    |   |         |          | W\$ | 1734    |
|  | 86-3048RMCTKH | HPL    | 48 | 30 | - | 43.7    | 3.5      | P\$ | 939     |
|  | 85-3048RMCTK  | Veneer |    |    |   |         |          | W\$ | 1294    |
|  | 86-2484RMCTKH | HPL    | 84 | 24 | - | 61.1    | 4.9      | P\$ | 1605    |
|  | 85-2484RMCTK  | Veneer |    |    |   |         |          | W\$ | 2215    |
|  | 86-2472RMCTKH | HPL    | 72 | 24 | - | 52.4    | 4.2      | P\$ | 1290    |
|  | 85-2472RMCTK  | Veneer |    |    |   |         |          | W\$ | 1777    |
|  | 86-2460RMCTKH | HPL    | 60 | 24 | - | 43.7    | 3.5      | P\$ | 1173    |
|  | 85-2460RMCTK  | Veneer |    |    |   |         |          | W\$ | 1618    |
|  | 86-2448RMCTKH | HPL    | 48 | 24 | - | 34.9    | 2.8      | P\$ | 864     |
| ~  | 85-2448RMCTK  | Veneer |    |    |   |         |          | W\$ | 1192    |



Must Order Envy or Vantage Post Legs. See Leg Options.

### Description

• Profile on User Side Only

• Flexible Sizes Available, See Next Page

• Tops 60" or Larger Include Stiffener Bar for Additional Support

• Legs Required (Assembly Required); Sold Separately, See Leg Options

• Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Details

• For Ganging Applications, the Angled End of a Trapezoid Modular Top Must Connect with the Angled End of Another Trapezoid Modular Top; Please Specify a Left and a Right to Gang Tops

• Trapezoid Modular Tops Only Connect to Rectanglular Modular Tops on Straight End

Fixed Modesty Panel Options Available; Sold Separately, <u>See Modesty Options</u>

Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>

## **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item   | Model No.       |        | w        | D  | н | Ship Wt | Cubic Ft | Lis        | t Price     |
|--|-----------------|--------|----------|----|---|---------|----------|------------|-------------|
| RIGHT TRAPEZOID MODULAR TOPS   | Square Edge     |        |          |    |   |         |          |            |             |
| FLEXIBLE SIZES   | 86-FLEXRMCT30   | TFL    | 84-73    | 30 | - | 76.4    | 6.0      | Т\$        | 974         |
|  | 86-FLEXRMCTH30  | HPL    |          |    |   |         |          | P\$        | 1319        |
|  | 85-FLEXRMCT30   | Veneer |          |    |   |         |          | W\$        | 1952        |
|  |                 |        | 72-61    | 30 | - | 65.5    | 5.1      | T\$        | 788         |
|  |                 |        |          |    |   |         |          | P\$        | 1066        |
| User Side  |                 |        | 60-49    | 30 |   | 54.6    | 4.3      | W\$<br>T\$ | 1577<br>708 |
| \  |                 |        | 00-49    | 30 | - | 54.0    | 4.5      | P\$        | 962         |
|  |                 |        |          |    |   |         |          | W\$        | 1422        |
|  |                 |        | 48-36    | 30 | - | 43.7    | 3.5      | T\$        | 530         |
|  |                 |        |          |    |   |         |          | P\$        | 718         |
| Must Specify (in this order):  |                 |        |          |    |   |         |          | W\$        | 1062        |
|  | 86-FLEXRMCT24   | TFL    | 84-73    | 24 | - | 61.1    | 4.9      | T\$        | 903         |
|  | 86-FLEXRMCTH24  | HPL    |          |    |   |         |          | P\$        | 1229        |
|  | 85-FLEXRMCT24   | Veneer |          |    |   |         |          | W\$        | 1818        |
| <u>Must Specify (in this order):</u><br>Model #<br>Top Width Measurement<br>Top Finish/Color |                 |        | 72-61    | 24 | - | 52.4    | 4.2      | T\$        | 725         |
|  |                 |        |          |    |   |         |          | P\$        | 983         |
|  |                 |        | <u> </u> | 24 | - | 47.7    | 7 5      | W\$        | 1456        |
| Ganging Brackets   |                 |        | 60-49    | 24 | - | 43.7    | 3.5      | T\$<br>P\$ | 661<br>894  |
| Ganging Model #<br>Modesty Model # and Finish/Color  |                 |        |          |    |   |         |          | P\$<br>W\$ | 094<br>1327 |
| Grommet/Power/Data Location  |                 |        | 48-36    | 24 | - | 34.9    | 2.8      |            | 486         |
|  |                 |        | 10 00    | 2. |   | 0 1.0   | 2.0      | P\$        | 659         |
|  |                 |        |          |    |   |         |          | W\$        | 976         |
|  | Knife Edge      |        |          |    |   | 1       |          |            |             |
|  | 86-FLEXRMCTKH30 | HPL    | 84-73    | 30 | - | 76.4    | 6.0      | P\$        | 1729        |
|  | 85-FLEXRMCTK30  | Veneer |          |    |   |         |          | W\$        | 2383        |
|  |                 |        | 72-61    | 30 | - | 65.5    | 5.1      | P\$        | 1395        |
|  |                 |        |          |    |   |         |          | W\$        | 1924        |
|  |                 |        | 60-49    | 30 | - | 54.6    | 4.3      | P\$        | 1258        |
|  |                 |        |          |    |   |         |          | W\$        | 1734        |
|  |                 |        | 48-36    | 30 | - | 43.7    | 3.5      | P\$        | 939         |
|  |                 |        |          |    |   |         |          | W\$        | 1294        |
|  | 86-FLEXRMCTKH24 | HPL    | 84-73    | 24 | - | 61.1    | 4.9      | P\$        | 1605        |
|  | 85-FLEXRMCTK24  | Veneer |          |    |   |         |          | W\$        | 2215        |
|  |                 |        | 72-61    | 24 | - | 52.4    | 4.2      | P\$        | 1290        |
|  |                 |        |          |    |   |         |          | W\$        | 1777        |
|  |                 |        | 60-49    | 24 | - | 43.7    | 3.5      | P\$        | 1173        |
|  |                 |        |          |    |   |         |          | W\$        | 1618        |
|  |                 |        | 48-36    | 24 | - | 34.9    | 2.8      | P\$        | 864         |
|  |                 |        |          |    |   |         |          | W\$        | 1192        |



Must Order Envy or Vantage Post Legs. See Leg Options.

• Profile on User Side Only

Description

- Tops 60" or Larger Include Stiffener Bar for Additional Support
- Legs Required (Assembly Required); Sold Separately, See Leg Options
- Pre-Drilled for Optional Ganging Brackets; Sold Separately, See Details
- For Ganging Applications, the Angled End of a Trapezoid Modular Top Must Connect with the Angled End ٠ of Another Trapezoid Modular Top; Please Specify a Left and a Right to Gang Tops
- Trapezoid Modular Tops Only Connect to Rectanglular Modular Tops on Straight End •
- . Fixed Modesty Panel Options Available; Sold Separately, See Modesty Options
- Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>

T = TFL P = HPL W = Veneer

Tri-One

## TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

|                     | Model No.  |                                    | w  | D             | н | Ship Wt | Cubic Ft | Lis        | t Price      |
|---------------------|--|------------------------------------|--|---------------|---|---------|----------|------------|--------------|
| N MODULAR TOPS      | Square Edge  |                                    |  |               |   |         |          |            |              |
|                     | For Use with 30"D Modular  |                                    |  |               |   |         |          |            |              |
|                     | 86-30MCTP  | TFL                                | 58-48%   | 18-25         | - | 44      | 3.6      | Т\$        | 619          |
|                     | 86-30MCTPH   | HPL                                |  |               |   |         |          | P\$        | 837          |
|                     | 85-30MCTP  | Veneer                             |  |               |   |         |          | W\$        | 1240         |
|                     | For Use with 24"D Modular  | Tops:                              |  |               |   |         |          |            |              |
|                     | 86-24MCTP  | TFL                                | 46⅓-37   | 18-23½        | - | 33.7    | 3.6      | Т\$        | 545          |
|                     | 86-24MCTPH   | HPL                                |  |               |   |         |          | P\$        | 739          |
|                     | 85-24MCTP  | Veneer                             |  |               |   |         |          | W\$        | 1095         |
| order):             | Knife Edge   |                                    |  |               |   |         |          |            |              |
|                     | For Use with 30"D Modula   |                                    |  |               |   |         |          |            |              |
|                     | 86-30MCTPKH  | HPL                                | 58-48%   | 18-25         | - | 44      | 3.6      | P\$        | 1099         |
|                     | 85-30MCTPK   | Veneer                             |  |               |   |         |          | W\$        | 1509         |
|                     | For Use with 24"D Modular  |                                    | AG1/ 77  | 10 271/       |   | 77 7    | 7.6      | D¢         | 066          |
|                     | 86-24MCTPKH  | HPL                                | 46⅓-37   | 18-23½        | - | 33.7    | 3.6      | P\$        | 966<br>1774  |
|                     | 85-24MCTPK   | Veneer                             |  |               |   |         |          | W\$        | 1334         |
|                     | Description  |                                    |  |               |   |         |          |            |              |
| itage<br>ions.      |  | Set of 2 Legs; 3<br>quired Ganging | 30" Tops Requ<br>9 Brackets<br>9 Juires 2 Sets | uire Set of 4 |   |         |          | \$         | 82           |
| LAR TOPS            | Square Edge<br>For Use with 30"D Modular   | Tons:                              |  |               |   |         |          |            |              |
| 3                   | 86-3090MCTB  | TFL                                | 42%  | 30            | - | 18.2    | 2.0      | T\$        | 691          |
|                     | 86-3090MCTBH   | HPL                                |  |               |   |         |          | P\$        | 934          |
|                     | 85-3090MCTB  | Veneer                             |  |               |   |         |          | W\$        | 1382         |
|                     | For Use with 24"D Modular  |                                    |  |               |   |         |          |            |              |
|                     | 86-2490MCTB  | TFL                                | 34   | 24            | - | 11.6    | 1.3      | T\$        | 486          |
|                     | 86-2490MCTBH   | HPL                                |  |               |   |         |          | P\$        | 659<br>076   |
|                     | 85-2490MCTB  | Veneer                             |  |               |   |         |          | W\$        | 976          |
|                     | Knife Edge   | _                                  |  |               |   |         |          |            |              |
| <u>this order):</u> | For Use with 30"D Modular  |                                    | 102/   | 70            |   | 10.0    | 20       | D¢         | 1227         |
|                     | 86-3090MCTBKH  | HPL<br>Veneer                      | 42%  | 30            | - | 18.2    | 2.0      | P\$<br>W\$ | 1223<br>1686 |
|                     | 85-3090MCTBK   |                                    |  |               |   |         |          | <u>۵۷۵</u> | 1000         |
|                     | For Use with 24"D Modular<br>86-2490MCTBKH   | HPL                                | 34   | 24            | - | 11.6    | 1.3      | P\$        | 864          |
|                     | 85-2490MCTBK   | Veneer                             | 54   | 27            |   | 11.0    | 1.5      | r⊅<br>W\$  | 1192         |
|                     |  |                                    |  |               |   |         |          |            |              |
|                     | <ul> <li>Description</li> <li>Profile on User Sid</li> <li>90° Bridge to Con</li> <li>Not a Freestanding</li> <li>Pre-Drilled for Rec</li> </ul> | nect Two Table<br>g Unit           |  |               |   |         |          |            |              |
|                     |  |                                    |  |               |   |         |          |            |              |
|                     | Specify & Add: Gangin  |                                    |  |               |   |         |          |            |              |

08-1505GB Ganging Bracket Kit - Set of 2 with Thumb Screws

\$ 82

# **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

SIN 33721

| ltem                          | Model No.                 |        | w                              | D  | н | Ship Wt | Cubic Ft | Lis | t Price |
|-------------------------------|---------------------------|--------|--------------------------------|----|---|---------|----------|-----|---------|
| 45° BRIDGE MODULAR TOPS       | Square Edge               |        |                                |    |   |         |          |     |         |
|                               | For Use with 30"D Modular | Tops:  |                                |    |   |         |          |     |         |
| User Side                     | 86-3045MCTB               | TFL    | 27½                            | 30 | - | 16.1    | 2.0      | Т\$ | 500     |
|                               | 86-3045MCTBH              | HPL    |                                |    |   |         |          | P\$ | 678     |
|                               | 85-3045MCTB               | Veneer |                                |    |   |         |          | W\$ | 1005    |
|                               | For Use with 24"D Modular | Tops:  |                                |    |   |         |          |     |         |
|                               | 86-2445MCTB               | TFL    | 22 <sup>2</sup> / <sub>5</sub> | 24 | - | 10.8    | 1.4      | Т\$ | 447     |
|                               | 86-2445MCTBH              | HPL    |                                |    |   |         |          | P\$ | 608     |
|                               | 85-2445MCTB               | Veneer |                                |    |   |         |          | W\$ | 894     |
|                               | Knife Edge                |        |                                |    |   |         |          |     |         |
|                               | For Use with 30"D Modular | Tops:  |                                |    |   |         |          |     |         |
|                               | 86-3045MCTBKH             | HPL    | 271⁄5                          | 30 | - | 16.1    | 2.0      | P\$ | 889     |
| Must Specify (in this order): | 85-3045MCTBK              | Veneer |                                |    |   |         |          | W\$ | 1223    |
| Model #                       | For Use with 24"D Modular | Tops:  |                                |    |   |         |          |     |         |
| Top Finish/Color              | 86-2445MCTBKH             | HPL    | 22 <sup>2</sup> / <sub>5</sub> | 24 | - | 10.8    | 1.4      | P\$ | 794     |
| Ganging Brackets              | 85-2445MCTBK              | Veneer |                                |    |   |         |          | W\$ | 1094    |

### Description

- Profile on User Side Only
- 45° Bridge to Connect Two Table Tops
- Not a Freestanding Unit
- Pre-Drilled for Required Ganging Brackets

### Specify & Add: Ganging Brackets - Requires 2 Sets

### 30° BRIDGE MODULAR TOPS





Must Specify (in this order): Model # Top Finish/Color Ganging Brackets

| Square Edge  |        |      |    |   |      |     |     |      |
|--|--------|------|----|---|------|-----|-----|------|
| For Use with 30"D Modular  | Tops:  |      |    |   |      |     |     |      |
| 86-3030MCTB  | TFL    | 19¾  | 30 | - | 11.4 | 1.5 | Т\$ | 470  |
| 86-3030MCTBH   | HPL    |      |    |   |      |     | P\$ | 635  |
| 85-3030MCTB  | Veneer |      |    |   |      |     | W\$ | 939  |
| For Use with 24"D Modular  | Tops:  |      |    |   |      |     |     |      |
| 86-2430MCTB  | TFL    | 16⅔  | 24 | - | 8.6  | 1.1 | Т\$ | 427  |
| 86-2430MCTBH   | HPL    |      |    |   |      |     | Р\$ | 659  |
| 85-2430MCTB  | Veneer |      |    |   |      |     | W\$ | 850  |
| Knife Edge   |        |      |    |   |      |     |     |      |
| For Use with 30"D Modular  | Tops:  |      |    |   |      |     |     |      |
| 86-3030MCTBKH  | HPL    | 19¾  | 30 | - | 11.4 | 1.5 | P\$ | 833  |
| 85-3030MCTBK   | Veneer |      |    |   |      |     | W\$ | 1145 |
| For Use with 24"D Modular  | Tops:  |      |    |   |      |     |     |      |
| 86-2430MCTBKH  | HPL    | 16⅔  | 24 | - | 8.6  | 1.1 | P\$ | 756  |
| 85-2430MCTBK   | Veneer |      |    |   |      |     | W\$ | 1037 |
| Description  |        |      |    |   |      |     |     |      |
| <ul> <li>Profile on User Sid</li> <li>30° Bridge to Condition</li> </ul> | 5      | Tons |    |   |      |     |     |      |

- 30° Bridge to Connect Two Table Tops
- Not a Freestanding Unit
- Pre-Drilled for Required Ganging Brackets

### Specify & Add: Ganging Brackets - Requires 2 Sets

| 08-1505GB Ganging Bracket Kit - Set of 2 with Thumb Screws \$ | \$ | 82 |
|---|----|----|
|---|----|----|

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item              | Model No.   | Ship Wt | Cubic Ft | List Price |
|-------------------|---|---------|----------|------------|
| ENVY POST LEG FOR | 08-0227APL2   | 10      | 0.8      | \$ 498     |
| MODULAR TOPS      | Set of 2: For Use with 24" Pentagon Modular Tops Only |         |          |            |
|                   | 08-0227APL4   | 20      | 1.6      | \$ 864     |
|                   | Set of 4  |         |          |            |
|                   | Description   |         |          |            |

• Available in Aluminum

• Each Leg has Adjustable Glides

• Must Specify with Modular Top; Legs Are Not Available To Be Sold Separately

| VANTAGE POST LEG FOR<br>MODULAR TOPS | 08-0227SPL2<br>Set of 2: For Use with 24" Pentagon Modular Tops Only | 10 | 0.8 | \$ 413 |
|--------------------------------------|--|----|-----|--------|
| $\langle \hat{\nabla} \rangle$       | 08-0227SPL4  | 20 | 1.6 | \$ 699 |
|                                      | Set of 4   |    |     |        |
|                                      | Description  |    |     |        |

• Available in Aluminum • Each Leg has Adjustable Glides

• Must Specify with Modular Top; Legs Are Not Available To Be Sold Separately

GANGING BRACKET FOR MODULAR TOPS

2 0.5 08-1505GB \$ 82 Set of 2 with Thumb Screws



| FIXED MODESTY PANEL FOR                         | For 84"W TOPS |        |     |      |
|---|---------------|--------|-----|------|
| RECTANGULAR MODULAR TOPS                        | 86-0884MD     | TFL    | Т\$ | 506  |
|   | 86-0884MDH    | HPL    | P\$ | 691  |
|   | 85-0884MD     | Veneer | W\$ | 1022 |
|   | For 72"W TOPS |        |     |      |
|   | 86-0872MD     | TFL    | Т\$ | 495  |
|   | 86-0872MDH    | HPL    | P\$ | 670  |
| <u>lust Specify (in this order):</u><br>Model # | 85-0872MD     | Veneer | W\$ | 992  |
| Finish/Color                                    | For 60"W Tops |        |     |      |
|   | 86-0860MD     | TFL    | Т\$ | 468  |
|   | 86-0860MDH    | HPL    | P\$ | 629  |
|   | 85-0860MD     | Veneer | W\$ | 934  |
|   | For 48"W Tops |        |     |      |
|   | 86-0848MD     | TFL    | Т\$ | 451  |
|   | 86-0848MDH    | HPL    | P\$ | 612  |
|   | 85-0848MD     | Veneer | W\$ | 903  |

### Description

• Modesty Panels are 8"H

Must Specify Color; See <u>HPL/TFL Colors</u> and <u>Veneer Finishes</u>

# TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| tem  | Model No.   |  | Ship Wt Cubic Ft | List                            | Price                      |
|--|---|--|------------------|---------------------------------|----------------------------|
| IXED MODESTY PANEL FOR                         | For 84"-73"W TOPS   |  |                  |                                 |                            |
| ECTANGULAR MODULAR                             | 86-FLEXMD84   | TFL  |                  | T\$                             | 506                        |
| OPS WITH FLEXIBLE SIZES                        | 86-FLEXMDH84  | HPL  |                  | P\$                             | 691                        |
|  | 85-FLEXMD84   | Veneer                                       |                  | W\$                             | 1022                       |
|  |   | Veneer                                       |                  | 114                             | 1022                       |
|  | For 72"-61"W TOPS<br>86-FLEXMD72  | TFL  |                  | Т\$                             | 495                        |
|  |   |  |                  |                                 |                            |
|  | 86-FLEXMDH72  | HPL  |                  | P\$                             | 670                        |
| ust Specify (in this order):                   | 85-FLEXMD72   | Veneer                                       |                  | W\$                             | 992                        |
| Model #  | For 60"-49"W Tops   |  |                  |                                 |                            |
| Finish/Color                                   | 86-FLEXMD60   | TFL  |                  | Τ\$                             | 468                        |
|  | 86-FLEXMDH60  | HPL  |                  | P\$                             | 629                        |
|  | 85-FLEXMD60   | Veneer                                       |                  | W\$                             | 934                        |
|  | For 48"-36"W Tops   |  |                  |                                 |                            |
|  | 86-FLEXMD48   | TFL  |                  | Т\$                             | 451                        |
|  | 86-FLEXMDH48  | HPL  |                  | P\$                             | 612                        |
|  | 85-FLEXMD48   | Veneer                                       |                  | W\$                             | 903                        |
|  | Description   |  |                  |                                 |                            |
|  | <ul> <li>Modesty Panels are 8"H</li> </ul>  |  |                  |                                 |                            |
|  |   | L/TFL Colors and Veneer Finis                | bos              |                                 |                            |
|  |   |  |                  |                                 |                            |
| XED MODESTY PANEL FOR<br>EFT & RIGHT TRAPEZOID | For 30"D TRAPEZOID TOPS   |  |                  |                                 |                            |
| ODULAR TOPS                                    | For 84"W TOPS   |  |                  |                                 |                            |
|  | 86-0884MDT30  | TFL  |                  | Т\$                             | 53                         |
|  | 86-0884MDTH30   | HPL  |                  | P\$                             | 72                         |
|  | 85-0884MDT30  | Veneer                                       |                  | W\$                             | 107                        |
|  | For 72"W TOPS   |  |                  |                                 |                            |
|  | 86-0872MDT30  | TFL  |                  | Τ\$                             | 48                         |
| ust Specify (in this order):                   | 86-0872MDTH30   | HPL  |                  | P\$                             | 65                         |
| Model #  | 85-0872MDT30  | Veneer                                       |                  | W\$                             | 97                         |
| Finish/Color                                   |   | 10.000                                       |                  |                                 |                            |
|  | For 60"W Tops<br>86-0860MDT30   | TFL  |                  | Т\$                             | 45                         |
|  | 86-0860MDT30  | HPL  |                  | P\$                             | 43<br>619                  |
|  | 85-0860MDTH30   |  |                  | P\$<br>W\$                      | 91                         |
|  |   | Veneer                                       |                  | <u>۷۷</u> ⊅                     | 91                         |
|  | For 48"W Tops   |  |                  |                                 |                            |
|  | 86-0848MDT30  | TFL  |                  | Т\$                             | 43                         |
|  | 86-0848MDTH30   | HPL  |                  | P\$                             | 58                         |
|  | 85-0848MDT30  | Veneer                                       |                  | W\$                             | 86                         |
|  | For 24"D TRAPEZOID TOPS   |  |                  |                                 |                            |
|  | For 84"W TOPS   |  |                  |                                 |                            |
|  | 86-0884MDT24  | TFL  |                  | Τ\$                             | 52                         |
|  | 86-0884MDTH24   | HPL  |                  | P\$                             | 71                         |
|  | 85-0884MDT24  | Veneer                                       |                  | W\$                             | 105                        |
|  | For 72"W TOPS   | TE   |                  | T\$                             | 47                         |
|  |   |  |                  | 1.2                             | 64                         |
|  | 86-0872MDT24  | TFL  |                  | <b>ኮ</b> ሶ                      |                            |
|  | 86-0872MDTH24   | HPL  |                  | P\$                             |                            |
|  | 86-0872MDTH24<br>85-0872MDT24   |  |                  | P\$<br>W\$                      | 94                         |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops  | HPL<br>Veneer                                |                  | W\$                             | 94                         |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops<br>86-0860MDT24  | HPL<br>Veneer<br>TFL                         |                  | W\$<br>T\$                      | 94<br>44                   |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops<br>86-0860MDT24<br>86-0860MDTH24   | HPL<br>Veneer<br>TFL<br>HPL                  |                  | W\$<br>T\$<br>P\$               | 94<br>44<br>60             |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops<br>86-0860MDT24  | HPL<br>Veneer<br>TFL                         |                  | W\$<br>T\$                      | 94<br>44                   |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops<br>86-0860MDT24<br>86-0860MDTH24<br>85-0860MDT24<br>For 48"W Tops                | HPL<br>Veneer<br>TFL<br>HPL<br>Veneer        |                  | W\$<br>T\$<br>P\$<br>W\$        | 94<br>44<br>60<br>89       |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops<br>86-0860MDT24<br>86-0860MDT24<br>85-0860MDT24<br>For 48"W Tops<br>86-0848MDT24 | HPL<br>Veneer<br>TFL<br>HPL<br>Veneer<br>TFL |                  | W\$<br>T\$<br>P\$<br>W\$<br>T\$ | 94<br>44<br>60<br>89<br>41 |
|  | 86-0872MDTH24<br>85-0872MDT24<br>For 60"W Tops<br>86-0860MDT24<br>86-0860MDTH24<br>85-0860MDT24<br>For 48"W Tops                | HPL<br>Veneer<br>TFL<br>HPL<br>Veneer        |                  | W\$<br>T\$<br>P\$<br>W\$        | 94<br>44<br>60<br>89       |

Description

T = TFL P = HPL W = Veneer

• Modesty Panels are 8"H

Must Specify Color; See <u>HPL/TFL Colors</u> and <u>Veneer Finishes</u>

SIN 33721

See Tri-One Overview For Ordering Options

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item                                | Model No.               |        | Ship Wt Cubic Ft | Lis | t Price |
|-------------------------------------|-------------------------|--------|------------------|-----|---------|
| FIXED MODESTY PANEL FOR             | For 30"D TRAPEZOID TOPS |        |                  |     |         |
| LEFT & RIGHT TRAPEZOID              | For 84"W-73"W TOPS      |        |                  |     |         |
| MODULAR TOPS WITH<br>FLEXIBLE SIZES | 86-FLEXMDTRP3084        | TFL    |                  | Т\$ | 538     |
| LEXIBLE SIZES                       | 86-FLEXMDTRP30H84       | HPL    |                  | P\$ | 726     |
| ]                                   | 85-FLEXMDTRP3084        | Veneer |                  | W\$ | 1075    |
|                                     | For 72"W-61"W TOPS      |        |                  |     |         |
|                                     | 86-FLEXMDTRP3072        | TFL    |                  | Т\$ | 485     |
|                                     | 86-FLEXMDTRP30H72       | HPL    |                  | P\$ | 658     |
| lust Specify (in this order):       | 85-FLEXMDTRP3072        | Veneer |                  | W\$ | 974     |
| Model #<br>Finish/Color             | For 60"W-49"W Tops      |        |                  |     |         |
| Finish/Color                        | 86-FLEXMDTRP3060        | TFL    |                  | Т\$ | 455     |
|                                     | 86-FLEXMDTRP30H60       | HPL    |                  | P\$ | 619     |
|                                     | 85-FLEXMDTRP3060        | Veneer |                  | W\$ | 917     |
|                                     | For 48"W-36"W Tops      |        |                  |     |         |
|                                     | 86-FLEXMDTRP3048        | TFL    |                  | Т\$ | 431     |
|                                     | 86-FLEXMDTRP30H48       | HPL    |                  | P\$ | 581     |
|                                     | 85-FLEXMDTRP3048        | Veneer |                  | W\$ | 861     |
|                                     | For 24"D TRAPEZOID TOPS |        |                  |     |         |
|                                     | For 84"W-73"W TOPS      |        |                  |     |         |
|                                     | 86-FLEXMDTRP2484        | TFL    |                  | Т\$ | 527     |
|                                     | 86-FLEXMDTRP24H84       | HPL    |                  | P\$ | 714     |
|                                     | 85-FLEXMDTRP2484        | Veneer |                  | W\$ | 1056    |
|                                     | For 72"W-61"W TOPS      |        |                  |     |         |
|                                     | 86-FLEXMDTRP2472        | TFL    |                  | Т\$ | 474     |
|                                     | 86-FLEXMDTRP24H72       | HPL    |                  | P\$ | 642     |
|                                     | 85-FLEXMDTRP2472        | Veneer |                  | W\$ | 949     |
|                                     | For 60"W-49"W Tops      |        |                  |     |         |
|                                     | 86-FLEXMDTRP2460        | TFL    |                  | Т\$ | 447     |
|                                     | 86-FLEXMDTRP24H60       | HPL    |                  | P\$ | 608     |
|                                     | 85-FLEXMDTRP2460        | Veneer |                  | W\$ | 894     |
|                                     | For 48"W-36"W Tops      |        |                  |     |         |
|                                     | 86-FLEXMDTRP2448        | TFL    |                  | Т\$ | 416     |
|                                     | 86-FLEXMDTRP24H48       | HPL    |                  | P\$ | 569     |
|                                     | 85-FLEXMDTRP2448        | Veneer |                  | W\$ | 842     |

### Description

• Modesty Panels are 8"H

Must Specify Color; See <u>HPL/TFL Colors</u> and <u>Veneer Finishes</u>

## TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| tem   | Model No.               |            | Kneespace | w  | D  | н | Ship Wt | Cubic Ft | Lis        | t Price     |
|---|-------------------------|------------|-----------|----|----|---|---------|----------|------------|-------------|
| ECTANGULAR MEETING TOPS   | Square Edge             |            |           |    |    |   |         |          |            |             |
|   | 86-4296MT               | TFL        | 55        | 96 | 42 | - | 122.2   | 9.4      | Т\$        | 1166        |
|   | 86-4296MTH              | HPL        |           |    |    |   |         |          | P\$        | 1580        |
|   | 85-4296MT               | Veneer     |           |    |    |   |         |          | W\$        | 234         |
|   | 86-4284MT               | TFL        | 47        | 84 | 42 | - | 106.9   | 8.2      | Т\$        | 1096        |
|   | 86-4284MTH              | HPL        |           |    |    |   |         |          | P\$        | 1485        |
|   | 85-4284MT               | Veneer     |           |    |    |   |         |          | W\$        | 2196        |
|   | 86-4272MT               | TFL        | 39        | 72 | 42 | - | 91.7    | 7.1      | T\$        | 974         |
|   | 86-4272MTH              | HPL        |           |    |    |   |         |          | P\$        | 1319        |
|   | 85-4272MT               | Veneer     | 711/      | 60 | 40 | - | 76.4    | E 7      | W\$        | 1952        |
|   | 86-4260MT<br>86-4260MTH | TFL<br>HPL | 31½       | 60 | 42 | - | /0.4    | 5.7      | T\$<br>P\$ | 892<br>1210 |
|   | 85-4260MT               | Veneer     |           |    |    |   |         |          | r⊅<br>W\$  | 1792        |
| Must Specify (in this order):<br>Model #<br>Top Finish/Color<br>Leg Model # and Color (if applicable) | 86-3696MT               | TFL        | 55        | 96 | 36 | - | 104.8   | 8.1      |            | 1054        |
|   | 86-3696MTH              | HPL        | 55        | 50 | 50 |   | 104.0   | 0.1      | P\$        | 1425        |
|   | 85-3696MT               | Veneer     |           |    |    |   |         |          | W\$        | 2113        |
| Grommet/Power/Data Location   | 86-3684MT               | TFL        | 47        | 84 | 36 | - | 92      | 7.1      | T\$        | 980         |
| Crommet, i ower, Bata Edución   | 86-3684MTH              | HPL        |           |    |    |   |         |          | P\$        | 1328        |
|   | 85-3684MT               | Veneer     |           |    |    |   |         |          | W\$        | 1965        |
|   | 86-3672MT               | TFL        | 39        | 72 | 36 | - | 78.6    | 6.1      | Т\$        | 891         |
|   | 86-3672MTH              | HPL        |           |    |    |   |         |          | P\$        | 1207        |
|   | 85-3672MT               | Veneer     |           |    |    |   |         |          | W\$        | 1788        |
|   | 86-3660MT               | TFL        | 31½       | 60 | 36 | - | 65.5    | 5.1      | Т\$        | 818         |
|   | 86-3660MTH              | HPL        |           |    |    |   |         |          | P\$        | 1110        |
|   | 85-3660MT               | Veneer     |           |    |    |   |         |          | W\$        | 1645        |
|   | Knife Edge              |            |           |    |    |   |         |          |            |             |
|   | 86-4296MTKH             | HPL        | 55        | 96 | 42 | - | 122.2   | 9.4      | P\$        | 207         |
|   | 85-4296MTK              | Veneer     |           |    |    |   |         |          | W\$        | 2855        |
|   | 86-4284MTKH             | HPL        | 47        | 84 | 42 | - | 106.9   | 8.2      | Ρ\$        | 1944        |
|   | 85-4284MTK              | Veneer     |           |    |    |   |         |          | W\$        | 2679        |
|   | 86-4272MTKH             | HPL        | 39        | 72 | 42 | - | 91.7    | 7.1      | P\$        | 1729        |
|   | 85-4272MTK              | Veneer     |           |    |    |   |         |          | W\$        | 2383        |
|   | 86-4260MTKH             | HPL        | 31½       | 60 | 42 | - | 76.4    | 5.7      | P\$        | 1587        |
|   | 85-4260MTK              | Veneer     |           |    |    |   |         |          | W\$        | 2182        |
|   | 86-3696MTKH             | HPL        | 55        | 96 | 36 | - | 104.8   | 8.1      | P\$        | 1869        |
|   | 85-3696MTK              | Veneer     |           |    |    |   |         |          | W\$        | 2577        |
|   | 86-3684MTKH             | HPL        | 47        | 84 | 36 | - | 92      | 7.1      | P\$        | 1736        |
|   | 85-3684MTK              | Veneer     |           |    |    |   |         |          | W\$        | 2399        |
| J   | 86-3672MTKH             | HPL        | 39        | 72 | 36 | - | 78.6    | 6.1      | P\$        | 1585        |
| U   | 85-3672MTK              | Veneer     |           |    |    |   | . 0.0   | 0.1      | W\$        | 2181        |
| lust Order X-Base or Y-Base   | 86-3660MTKH             | HPL        | 31½       | 60 | 36 | - | 65.5    | 5.1      | P\$        | 1455        |
| eparately See Base/Leg  | 00 0000111111           |            | 01/2      |    |    |   | 00.0    | 0.1      | W\$        |             |

Description

• Profiled on All Four Sides

- Seated Height Base/Legs Required (Assembly Required); Sold Separately, See Base/Legs Options
- Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>
- T = TFL P = HPL W = Veneer

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| tem  | Model No.                 |            | Kneespace | w   | D  | н | Ship Wt | Cubic Ft | List       | t Price      |
|--|---------------------------|------------|-----------|-----|----|---|---------|----------|------------|--------------|
| SOFT RECTANGULAR   | Square Edge               |            |           |     |    |   |         |          |            |              |
| 1EETING TOPS   | 86-4296SMT                | TFL        | 55        | 96  | 42 | - | 122.2   | 9.4      | Т\$        | 1127         |
|  | 86-4296SMTH               | HPL        |           |     |    |   |         |          | P\$        | 1527         |
|  | 85-4296SMT                | Veneer     |           |     |    |   |         |          | W\$        | 2260         |
|  | 86-4284SMT                | TFL        | 47        | 84  | 42 | - | 106.9   | 8.2      | Т\$        | 106          |
|  | 86-4284SMTH               | HPL        |           |     |    |   |         |          | P\$        | 1436         |
|  | 85-4284SMT                | Veneer     |           |     |    |   |         |          | W\$        | 2126         |
|  | 86-4272SMT                | TFL        | 39        | 72  | 42 | - | 91.7    | 7.1      | T\$        | 940          |
|  | 86-4272SMTH               | HPL        |           |     |    |   |         |          | P\$        | 1277         |
|  | 85-4272SMT                | Veneer     | 741/      | 6.0 | 10 |   | 76.4    |          | W\$        | 1889         |
|  | 86-4260SMT                | TFL        | 31½       | 60  | 42 | - | 76.4    | 5.7      | T\$        | 865          |
|  | 86-4260SMTH               | HPL        |           |     |    |   |         |          | P\$        | 1173         |
|  | 85-4260SMT                | Veneer     | 55        | 96  | 36 | - | 10.4.0  | 8.1      | W\$        | 1735<br>1015 |
|  | 86-3696SMT<br>86-3696SMTH | TFL<br>HPL | 22        | 96  | 30 | - | 104.8   | 8.1      | T\$<br>P\$ | 1379         |
| Must Specify (in this order):<br>Model #<br>Top Finish/Color<br>Leg Model # and Color (if applicable)<br>Grommet/Power/Data Location | 85-3696SMT                | Veneer     |           |     |    |   |         |          | r⊅<br>W\$  | 203          |
|  | 86-3684SMT                | TFL        | 47        | 84  | 36 | _ | 92      | 7.1      | T\$        | 947          |
|  | 86-3684SMTH               | HPL        | 47        | 04  | 50 |   | 52      | 7.1      | P\$        | 128          |
|  | 85-3684SMT                | Veneer     |           |     |    |   |         |          | W\$        | 189          |
|  | 86-3672SMT                | TFL        | 39        | 72  | 36 | - | 78.6    | 6.1      | T\$        | 863          |
|  | 86-3672SMTH               | HPL        |           |     |    |   | , 010   |          | P\$        | 1169         |
|  | 85-3672SMT                | Veneer     |           |     |    |   |         |          | W\$        | 173          |
|  | 86-3660SMT                | TFL        | 31½       | 60  | 36 | - | 65.5    | 5.1      | Т\$        | 795          |
|  | 86-3660SMTH               | HPL        |           |     |    |   |         |          | P\$        | 107          |
|  | 85-3660SMT                | Veneer     |           |     |    |   |         |          | W\$        | 159          |
|  | Knife Edge                |            |           |     |    |   |         |          |            |              |
|  | 86-4296SMTKH              | HPL        | 55        | 96  | 42 | - | 122.2   | 9.4      | P\$        | 200          |
|  | 85-4296SMTK               | Veneer     |           |     |    |   |         |          | W\$        | 275          |
|  | 86-4284SMTKH              | HPL        | 47        | 84  | 42 | - | 106.9   | 8.2      | P\$        | 1883         |
|  | 85-4284SMTK               | Veneer     |           |     |    |   |         |          | W\$        | 259          |
|  | 86-4272SMTKH              | HPL        | 39        | 72  | 42 | - | 91.7    | 7.1      | P\$        | 167          |
|  | 85-4272SMTK               | Veneer     |           |     |    |   |         |          | W\$        | 230          |
|  | 86-4260SMTKH              | HPL        | 31½       | 60  | 42 | - | 76.4    | 5.7      | P\$        | 153          |
|  | 85-4260SMTK               | Veneer     |           |     |    |   |         |          | W\$        | 2120         |
|  | 86-3696SMTKH              | HPL        | 55        | 96  | 36 | - | 104.8   | 8.1      | P\$        | 180          |
|  | 85-3696SMTK               | Veneer     | 55        |     |    |   | 10-10   | 0.1      | W\$        | 248          |
|  | 86-3684SMTKH              | HPL        | 47        | 84  | 36 | - | 92      | 7.1      |            | 1680         |
|  | 85-3684SMTK               | Veneer     | -+/       | 04  | 50 |   | 52      | 7.1      | r⊅<br>W\$  | 2314         |
|  | 86-3672SMTKH              | HPL        | 39        | 72  | 36 |   | 78.6    | 6.1      | <br>P\$    | 1530         |
|  |                           |            | 23        | 12  | 30 | - | / Ŏ.Ŭ   | 0.1      |            |              |
| J.   | 85-3672SMTK               | Veneer     | 711/      | 60  | 70 |   |         | F 1      | W\$        | 2111         |
| lust Order V Dass or V Dass  | 86-3660SMTKH              | HPL        | 311/2     | 60  | 36 | - | 65.5    | 5.1      | P\$        | 1412         |
| ust Order X-Base or Y-Base<br>eparately <u>See Base/Leg</u><br>ptions.   | 85-3660SMTK               | Veneer     |           |     |    |   |         |          | W\$        | 194          |

Description

• Profiled on All Four Sides

• Seated Height Base/Legs Required (Assembly Required); Sold Separately, See Base/Legs Options

Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| ltem  | Model No.   |        | w  | D  | н | Ship Wt | Cubic Ft | Lis | t Price |
|---|-------------|--------|----|----|---|---------|----------|-----|---------|
| SQUARE MEETING TOPS                             | Square Edge |        |    |    |   |         |          |     |         |
|   | 86-4242SQ   | TFL    | 42 | 42 | - | 70      | 3.3      | Т\$ | 686     |
|   | 86-4242SQH  | HPL    |    |    |   |         |          | P\$ | 928     |
|   | 85-4242SQ   | Veneer |    |    |   |         |          | W\$ | 1373    |
|   | 86-3636SQ   | TFL    | 36 | 36 | - | 37      | 2.5      | Т\$ | 583     |
|   | 86-3636SQH  | HPL    |    |    |   |         |          | P\$ | 794     |
|   | 85-3636SQ   | Veneer |    |    |   |         |          | W\$ | 1173    |
|   | 86-3030SQ   | TFL    | 30 | 30 | - | 30      | 2.2      | Т\$ | 514     |
|   | 86-3030SQH  | HPL    |    |    |   |         |          | P\$ | 698     |
|   | 85-3030SQ   | Veneer |    |    |   |         |          | W\$ | 1029    |
| <u>Must Specify (in this order):</u><br>Model # | Knife Edge  |        |    |    |   |         |          |     |         |
| Top Finish/Color                                | 86-4242SQKH | HPL    | 42 | 42 | - | 70      | 3.3      | P\$ | 1213    |
| Leg Model # and Color (if applicable)           | 85-4242SQK  | Veneer |    |    |   |         |          | W\$ | 1677    |
|   | 86-3636SQKH | HPL    | 36 | 36 | - | 37      | 2.5      | P\$ | 1037    |
|   | 85-3636SQK  | Veneer |    |    |   |         |          | W\$ | 1429    |
|   | 86-3030SQKH | HPL    | 30 | 30 | - | 30      | 2.2      | P\$ | 914     |
|   | 85-3030SQK  | Veneer |    |    |   |         |          | W\$ | 1255    |



### Description

• Profiled on All Four Sides

• Base/Legs Required (Assembly Required); Sold Separately, See Base/Legs Options

Must Order X-Base Separately. <u>See Base/Leg Options.</u>

| SOFT SQUARE MEETING TOPS                                  | Square Edge  |          |    |    |   |    |     |     |      |
|---|--------------|----------|----|----|---|----|-----|-----|------|
|   | 86-4242SSQ   | TFL      | 42 | 42 | - | 70 | 3.3 | Т\$ | 662  |
|   | 86-4242SSQH  | HPL      |    |    |   |    |     | P\$ | 895  |
|   | 85-4242SSQ   | Veneer   |    |    |   |    |     | W\$ | 1373 |
|   | 86-3636SSQ   | TFL      | 36 | 36 | - | 37 | 2.5 | Т\$ | 569  |
|   | 86-3636SSQH  | HPL      |    |    |   |    |     | P\$ | 768  |
|   | 85-3636SSQ   | Veneer   |    |    |   |    |     | W\$ | 1139 |
|   | 86-3030SSQ   | TFL      | 30 | 30 | - | 30 | 2.2 | Т\$ | 501  |
|   | 86-3030SSQH  | HPL      |    |    |   |    |     | P\$ | 680  |
|   | 85-3030SSQ   | Veneer   |    |    |   |    |     | W\$ | 1009 |
| Must Specify (in this order):                             | Knife Edge   | <b>I</b> |    |    |   |    |     |     |      |
| Model #   | 86-4242SSQKH | HPL      | 42 | 42 | - | 70 | 3.3 | P\$ | 1174 |
| Top Finish/Color<br>Leg Model # and Color (if applicable) | 85-4242SSQK  | Veneer   |    |    |   |    |     | W\$ | 1620 |
| Leg Model # and Color (II applicable)                     | 86-3636SSQKH | HPL      | 36 | 36 | - | 37 | 2.5 | P\$ | 1008 |
|   | 85-3636SSQK  | Veneer   |    |    |   |    |     | W\$ | 1389 |
|   | 86-3030SSQKH | HPL      | 30 | 30 | - | 30 | 2.2 | P\$ | 892  |
|   | 85-3030SSQK  | Veneer   |    |    |   |    |     | W\$ | 1232 |
|   |              |          |    |    |   |    |     |     |      |



### Description

- Profiled on All Four Sides
- Base/Legs Required (Assembly Required); Sold Separately, See Base/Legs Options



T = TFL P = HPL W = Veneer

See Tri-One Overview For Ordering Options

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| tem                                   | Model No.   |        | w  | D  | н | Ship Wt | Cubic Ft | Lis | t Price |
|---------------------------------------|-------------|--------|----|----|---|---------|----------|-----|---------|
| ROUND MEETING TOPS                    | Square Edge |        |    |    |   |         |          |     |         |
|                                       | 86-4848CT   | TFL    | 48 | 48 | - | 95      | 4.3      | Т\$ | 741     |
|                                       | 86-4848CTH  | HPL    |    |    |   |         |          | P\$ | 1005    |
|                                       | 85-4848CT   | Veneer |    |    |   |         |          | W\$ | 1486    |
| $\frown$                              | 86-4242CT   | TFL    | 42 | 42 | - | 70      | 3.3      | Т\$ | 643     |
|                                       | 86-4242CTH  | HPL    |    |    |   |         |          | P\$ | 873     |
|                                       | 85-4242CT   | Veneer |    |    |   |         |          | W\$ | 1290    |
|                                       | 86-3636CT   | TFL    | 36 | 36 | - | 37      | 2.5      | Т\$ | 563     |
|                                       | 86-3636CTH  | HPL    |    |    |   |         |          | P\$ | 762     |
|                                       | 85-3636CT   | Veneer |    |    |   |         |          | W\$ | 1128    |
|                                       | 86-3030CT   | TFL    | 30 | 30 | - | 30      | 2.2      | Т\$ | 498     |
| Must Specify (in this order):         | 86-3030CTH  | HPL    |    |    |   |         |          | P\$ | 673     |
| Model #                               | 85-3030CT   | Veneer |    |    |   |         |          | W\$ | 997     |
| Top Finish/Color                      |             |        |    |    |   |         |          |     |         |
| Leg Model # and Color (if applicable) | Knife Edge  |        |    |    |   |         |          |     |         |
|                                       | 86-4848CTKH | HPL    | 48 | 48 | - | 95      | 4.3      | P\$ | 1315    |
|                                       | 85-4848CTK  | Veneer |    |    |   |         |          | W\$ | 1812    |
|                                       | 86-4242CTKH | HPL    | 42 | 42 | - | 70      | 3.3      | P\$ | 1142    |
|                                       | 85-4242CTK  | Veneer |    |    |   |         |          | W\$ | 1573    |
|                                       | 86-3636CTKH | HPL    | 36 | 36 | - | 37      | 2.5      | P\$ | 999     |
|                                       | 85-3636CTK  | Veneer |    |    |   |         |          | W\$ | 1378    |
|                                       | 86-3030CTKH | HPL    | 30 | 30 | - | 30      | 2.2      | P\$ | 883     |
| $\mathbf{k}$                          | 85-3030CTK  | Veneer |    |    |   |         |          | W\$ | 1215    |

Base/Legs Required (Assembly Required); Sold Separately, <u>See Base/Leg Options</u>

#### Μ Separately. See Base/Leg **Options.**





Must Specify (in this order): Model # Top Finish/Color Leg Model # and Color (if applicable) Grommet/Power/Data Location



Must Order X-Base Separately. See Base/Leg Options.

T = TFL P = HPL W = Veneer

| Square Edge  |        |    |       |   |       |     |     |      |
|--------------|--------|----|-------|---|-------|-----|-----|------|
| 86-4296SVT   | TFL    | 96 | 42-36 | - | 122.2 | 9.4 | Т\$ | 1122 |
| 86-4296SVTH  | HPL    |    |       |   |       |     | P\$ | 1517 |
| 85-4296SVT   | Veneer |    |       |   |       |     | W\$ | 2247 |
| 86-4284SVT   | TFL    | 84 | 42-36 | - | 106.9 | 8.2 | Т\$ | 1014 |
| 86-4284SVTH  | HPL    |    |       |   |       |     | P\$ | 1373 |
| 85-4284SVT   | Veneer |    |       |   |       |     | W\$ | 2034 |
| 86-4272SVT   | TFL    | 72 | 42-36 | - | 91.7  | 7.1 | Т\$ | 939  |
| 86-4272SVTH  | HPL    |    |       |   |       |     | P\$ | 1276 |
| 85-4272SVT   | Veneer |    |       |   |       |     | W\$ | 1887 |
| Knife Edge   |        |    |       |   |       |     |     |      |
| 86-4296SVTKH | HPL    | 96 | 42-36 | - | 122.2 | 9.4 | P\$ | 1989 |
| 85-4296SVTK  | Veneer |    |       |   |       |     | W\$ | 2743 |
| 86-4284SVTKH | HPL    | 84 | 42-36 | - | 106.9 | 8.2 | P\$ | 1798 |
| 85-4284SVTK  | Veneer |    |       |   |       |     | W\$ | 2479 |
| 86-4272SVTKH | HPL    | 72 | 42-36 | - | 91.7  | 7.1 | P\$ | 1672 |
| 85-4272SVTK  | Veneer |    |       |   |       |     | W\$ | 2302 |
|              |        |    |       |   |       |     |     |      |

### Description

Description

· Profiled on All Sides

- Profiled on All Four Sides
- Base/Legs Required (Assembly Required); Sold Separately, See Base/Leg Options
- Power & Data Options Available; Sold Separately, See Multiple Units and See Locations

| $\gg$             |  |
|-------------------|--|
| lust Order X-Base |  |

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

|  | R |
|--|---|
|  | 7 |
|  | Ġ |
|  | _ |
|  | n |
|  |   |

| ltem   | Model No.    |        | W  | D  | н | Ship Wt | Cubic Ft | Lis | t Price |
|--|--------------|--------|----|----|---|---------|----------|-----|---------|
| ELLIPSE MEETING TOPS                           | Square Edge  |        |    |    |   |         |          |     |         |
|  | 86-4284EMT   | TFL    | 84 | 42 | - | 106.9   | 8.2      | Т\$ | 1053    |
|  | 86-4284EMTH  | HPL    |    |    |   |         |          | P\$ | 1423    |
|  | 85-4284EMT   | Veneer |    |    |   |         |          | W\$ | 2108    |
|  | 86-3672EMT   | TFL    | 72 | 36 | - | 78.6    | 6.1      | Т\$ | 853     |
|  | 86-3672EMTH  | HPL    |    |    |   |         |          | P\$ | 1158    |
|  | 85-3672EMT   | Veneer |    |    |   |         |          | W\$ | 1714    |
|  | Knife Edge   |        |    |    |   |         |          |     |         |
|  | 86-4284EMTKH | HPL    | 84 | 42 | - | 106.9   | 8.2      | P\$ | 1864    |
|  | 85-4284EMTK  | Veneer |    |    |   |         |          | W\$ | 2568    |
|  | 86-3672EMTKH | HPL    | 72 | 36 | - | 78.6    | 6.1      | P\$ | 1515    |
| <u>ust Specify (in this order):</u><br>Model # | 85-3672EMTK  | Veneer |    |    |   |         |          | W\$ | 2089    |
| Ton Finich (Color                              |              |        |    |    |   |         |          |     |         |

Top Finish/Color Leg Model # Grommet/Power/Data Location

### Description

- Includes Stiffener Bar for Additional Support
- Profiled on All Four Sides
- Legs Required (Assembly Required); Sold Separately, See Below
- Power & Data Options Available; Sold Separately, <u>See Multiple Units</u> and <u>See Locations</u>

### Specify & Add: Your Choice Of Legs

| 08-0227APL4 | Envy Post Leg (Set of 4)  | 20 | 1.6 | \$<br>864 |
|-------------|---|----|-----|-----------|
|             | <ul> <li>Available in Aluminum</li> <li>Each Leg has Adjustable Glides</li> <li>Legs Are Not Available To Be Sold Separately</li> </ul> |    |     |           |
| 08-0227SPL4 | Vantage Post Leg (Set of 4)   | 20 | 1.6 | \$<br>699 |
|             | <ul> <li>Available in Aluminum</li> <li>Each Leg has Adjustable Glides</li> <li>Legs Are Not Available To Be Sold Separately</li> </ul> |    |     |           |



Must Order Envy or Vantage Post Legs.

### SIN 33721

### Indiana FURNITURE

# TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item                     | Model No.   | Ship Wt | Cubic Ft | List Price |  |  |  |  |  |
|--------------------------|---|---------|----------|------------|--|--|--|--|--|
| X-BASES FOR MEETING TOPS | Large X-Base: For Use with 42"D and 48"D Tops             |         |          |            |  |  |  |  |  |
|                          | 08-2642LXBA   | 33      | 20.0     | \$ 1322    |  |  |  |  |  |
|                          | For 42"H Tables; Square, Soft Square, and Round Tops Only |         |          |            |  |  |  |  |  |
|                          | 08-2636LXBA   | 30      | 17.2     | \$ 1275    |  |  |  |  |  |
|                          | For 36"H Tables; Square, Soft Square, and Round Tops Only |         |          |            |  |  |  |  |  |
|                          | 08-2630LXBA   | 27      | 14.5     | \$ 1219    |  |  |  |  |  |
|                          | For 30"H Tables   |         |          |            |  |  |  |  |  |
|                          | Small X-Base: For Use with 30"D and 36"D Tops             |         |          |            |  |  |  |  |  |
|                          | 08-2042SXBA   | 27      | 15.9     | \$ 1235    |  |  |  |  |  |
|                          | For 42"H Tables; Square, Soft Square, and Round Tops Only |         |          |            |  |  |  |  |  |
|                          | 08-2036SXBA   | 24      | 13.7     | \$ 1185    |  |  |  |  |  |
|                          | For 36"H Tables; Square, Soft Square, and Round Tops Only |         |          |            |  |  |  |  |  |
|                          | 08-2030SXBA   | 21      | 11.6     | \$ 1139    |  |  |  |  |  |
|                          | For 30"H Tables   |         |          |            |  |  |  |  |  |

### Description

• Available in Aluminum

• Square, Soft Square, and Round Tops Require One (1) Base; All Other Meeting Tops Require Two (2) Seated Height (30"H) Bases

Bases Are Not Available To Be Sold Separately

### Y-BASES FOR MEETING TOPS



| 08-2828YLG96                   | 47 | 6.5 | \$ 1736 |
|--------------------------------|----|-----|---------|
| For Use with 96"W Meeting Tops |    |     |         |
| 08-2828YLG84                   | 43 | 5.4 | \$ 1713 |
| For Use with 84"W Meeting Tops |    |     |         |
| 08-2828YLG72                   | 39 | 4.3 | \$ 1676 |
| For Use with 72"W Meeting Tops |    |     |         |
| 08-2828YLG60                   | 35 | 3.2 | \$ 1607 |
| For Use with 60"W Meeting Tops |    |     |         |
|                                |    |     |         |

### Description

Available in Aluminum

- Y-Base Includes Trough with Removable Panels for Wire Management
- · Bases Are Not Available To Be Sold Separately

## SIN 33721 **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| RECTANGULAR TRAINING TOPS          | <b>Square Edge</b><br>86-3072TT<br>86-3072TTH | 65½                            |    |    |   |      |     |     |      |
|------------------------------------|---|--------------------------------|----|----|---|------|-----|-----|------|
|                                    | 86-3072TTH                                    | 65½                            |    |    |   |      |     |     |      |
|                                    |   |                                | 72 | 30 | - | 75.5 | 5.2 | Т\$ | 737  |
|                                    |   |                                |    |    |   |      |     | P\$ | 997  |
|                                    | 86-3060TT                                     | 53 <sup>2</sup> ⁄5             | 60 | 30 | - | 64.6 | 4.3 | Т\$ | 656  |
| <b>~</b> .                         | 86-3060TTH                                    |                                |    |    |   |      |     | P\$ | 889  |
| User Side                          | 86-3048TT                                     | 41½                            | 48 | 30 | - | 53.7 | 3.5 | Т\$ | 598  |
|                                    | 86-3048TTH                                    |                                |    |    |   |      |     | P\$ | 810  |
|                                    | 86-2472TT                                     | 65½                            | 72 | 24 | - | 62.4 | 4.2 | Т\$ | 671  |
|                                    | 86-2472TTH                                    |                                |    |    |   |      |     | P\$ | 914  |
|                                    | 86-2460TT                                     | 53 <sup>2</sup> ⁄ <sub>5</sub> | 60 | 24 | - | 53.7 | 3.5 | Т\$ | 605  |
|                                    | 86-2460TTH                                    |                                |    |    |   |      |     | P\$ | 815  |
| ust Specify (in this order):       | 86-2448TT                                     | 41½                            | 48 | 24 | - | 44.9 | 2.8 | Т\$ | 554  |
| Model #                            | 86-2448TTH                                    |                                |    |    |   |      |     | P\$ | 749  |
| Top Finish/Color                   | 86-1872TT                                     | 65½                            | 72 | 18 | - | 49.3 | 3.2 | Т\$ | 608  |
| Leg Model #                        | 86-1872TTH                                    |                                |    |    |   |      |     | P\$ | 819  |
| Ganging Model #<br>Nesting Model # | 86-1860TT                                     | 53 <sup>2</sup> ⁄ <sub>5</sub> | 60 | 18 | - | 43.7 | 2.7 | Т\$ | 546  |
| Grommet/Power/Data Location        | 86-1860TTH                                    |                                |    |    |   |      |     | P\$ | 741  |
|                                    | 86-1848TT                                     | 41½                            | 48 | 18 | - | 36.2 | 2.2 | Т\$ | 505  |
|                                    | 86-1848TTH                                    |                                |    |    |   |      |     | P\$ | 690  |
|                                    | Knife Edge                                    |                                |    |    |   |      |     |     |      |
|                                    | 86-3072TTKH                                   | 65½                            | 72 | 30 | - | 75.5 | 5.2 | P\$ | 1307 |
|                                    | 86-3060TTKH                                   | 53 <sup>2</sup> ⁄5             | 60 | 30 | - | 64.6 | 4.3 | P\$ | 1165 |
|                                    | 86-3048TTKH                                   | 41½                            | 48 | 30 | - | 53.7 | 3.5 | P\$ | 1061 |
|                                    | 86-2472TTKH                                   | 65½                            | 72 | 24 | - | 62.4 | 4.2 | P\$ | 1195 |
|                                    | 86-2460TTKH                                   | 53²⁄₅                          | 60 | 24 | - | 53.7 | 3.5 | Р\$ | 1070 |
|                                    | 86-2448TTKH                                   | 41½                            | 48 | 24 | - | 44.9 | 2.8 | Ρ\$ | 982  |
|                                    | 86-1872TTKH                                   | 65½                            | 72 | 18 | - | 49.3 | 3.2 | P\$ | 1075 |
| 8-                                 | 86-1860TTKH                                   | 53⅔                            | 60 | 18 | - | 42.7 | 2.7 | P\$ | 969  |
|                                    | 86-1848TTKH                                   | 41½                            | 48 | 18 | - | 36.2 | 2.2 | P\$ | 900  |

Must Order Envy C-Leg or Vantage T-Leg Base. See Envy Details and Vantage Details.

### Description

- Profile on User Side Only
- Legs Required (Assembly Required); Sold Separately, See Envy and Vantage Details
- Leg Assemblies available with Glides or Casters
- 18"D Tops Available with Envy C-Leg Base Only
- Pre-Drilled for Optional Ganging Brackets, See Below
- Optional Flip Mechanism for Nesting is Available, See Below
- Modesty Panel Standard on Envy C-Leg Base and Optional on Vantage T-Leg Base; Sold Separately, See Envy C-Leg Base Details and Vantage T-Leg Base Details
- Power & Data Options Available; Sold Separately, See Multiple Units and See Locations

### **Options: Specify & Add**

| GANGING   |   |           |
|-----------|---|-----------|
| 08-1505GB | Ganging Bracket Kit   | \$<br>82  |
|           | <ul><li>Set of 2 with Thumb Screws</li><li>Tops Are Pre-Drilled</li></ul> |           |
| NESTING   |   |           |
| 08-FLIP   | Flip Mechanism for Nesting (Factory Installed)                            | \$<br>503 |
|           |   |           |

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item                     | Model No.   | Ship Wt | Cubic Ft | List P | rice |
|--------------------------|---|---------|----------|--------|------|
| ENVY C-LEG BASE ASSEMBLY | Large C-Leg Base Assembly: For Use with 24"D and 30"D Tops        |         |          |        |      |
| FOR TRAINING TOPS        | With Casters: Also Specify Soft Wheel (SOFT) or Hard Wheel (CAST) |         |          |        |      |
|                          | 08-2428CLC72  | 40      | 4.3      | \$ 1   | 540  |
|                          | For 72"W Tops   |         |          |        |      |
|                          | 08-2428CLC60  | 36      | 3.2      | \$ 14  | 483  |
|                          | For 60"W Tops   |         |          |        |      |
|                          | 08-2428CLC48  | 32      | 2.9      | \$ 1·  | 433  |
|                          | For 48"W Tops   |         |          |        |      |
|                          | With Glides:  |         |          |        |      |
| 8                        | 08-2428CLG72  | 39      | 4.3      | \$ 14  | 406  |
|                          | For 72"W Tops   |         |          |        |      |
|                          | 08-2428CLG60  | 35      | 3.2      | \$ 1   | 1351 |
|                          | For 60"W Tops   |         |          |        |      |
|                          | 08-2428CLG48  | 31      | 2.9      | \$ 1.  | 302  |
|                          | For 48"W Tops   |         |          |        |      |
|                          | Small C-Leg Base Assembly: For Use with 18"D Tops                 |         |          |        |      |
|                          | With Casters: Also Specify Soft Wheel (SOFT) or Hard Wheel (CAST) |         |          |        |      |
|                          | 08-1828CLC72  | 36      | 4.3      | \$ 1   | 1417 |
|                          | For 72"W Tops   |         |          |        |      |
|                          | 08-1828CLC60  | 32      | 3.2      | \$ 1   | 362  |
|                          | For 60"W Tops   |         |          |        |      |
|                          | 08-1828CLC48  | 28      | 2.9      | \$ 1   | 1311 |
|                          | For 48"W Tops   |         |          |        |      |
|                          | With Glides:  |         |          |        |      |
|                          | 08-1828CLG72  | 35      | 4.3      | \$ 12  | 283  |
|                          | For 72"W Tops   |         |          |        |      |
|                          | 08-1828CLG60  | 31      | 3.2      | \$ 1   | 1231 |
|                          | For 60"W Tops   |         |          |        |      |
|                          | 08-1828CLG48  | 27      | 2.9      | \$ 1   | 1179 |
|                          | For 48"W Tops   |         |          |        |      |

### Description

• Available in Aluminum

- Includes Trough/Modesty
- Legs Feature Removable Panel for Wire Management
- When Casters are Specified, Must Choose Soft Wheel (SOFT) or Hard Wheel (Hard)
- Caster Option Features Two Locking Casters and Two Non-Locking Casters
- Bases Are Not Available To Be Sold Separately

## **TRI-ONE** MULTI-USE TABLES (8500/8600 SERIES)

| Item   | Model No.   | Ship Wt | Cubic Ft | List Price |
|--|---|---------|----------|------------|
| VANTAGE T-LEG BASE ASSEMBLY  | Large T-Leg Base Assembly: For Use with 24"D and 30"D Tops        |         |          |            |
| FOR TRAINING TOPS  | With Casters: Also Specify Soft Wheel (SOFT) or Hard Wheel (CAST) |         |          |            |
|  | 08-2428TLC72  | 36      | 4.3      | \$ 738     |
| and a start of the | For 72"W Tops   |         |          |            |
|  | 08-2428TLC60  | 32      | 3.2      | \$ 705     |
|  | For 60"W Tops   |         |          |            |
|  | 08-2428TLC48  | 28      | 2.9      | \$ 676     |
|  | For 48"W Tops   |         |          |            |
|  | With Glides:  |         |          |            |
|  | 08-2428TLG72  | 35      | 4.3      | \$ 708     |
| <u>Aust Specify (in this order):</u>   | For 72"W Tops   |         |          |            |
| Model #<br>Caster Type (if applicable)   | 08-2428TLG60  | 31      | 3.2      | \$ 676     |
| Optional Modesty   | For 60"W Tops   |         |          |            |
| Optional Modesty Color   | 08-2428TLG48  | 27      | 2.9      | \$ 651     |
|  | For 48"W Tops   |         |          |            |

### Description

- Available in Aluminum
- Not Available for Use on 18"D Tops
- Includes Stretcher Rail
- When Casters are Specified, Must Choose Soft Wheel (SOFT) or Hard Wheel (Hard)
- Caster Option Features Two Locking Casters and Two Non-Locking Casters
- Optional 12"H Modesty Panel, See Below
- Bases Are Not Available To Be Sold Separately

### **Optional Modesty Panels: Specify & Add**

### FIXED MODESTY: Used on Standard, Non-Nesting Tables

| 86-0872MD  | TFL | For 72"W Tops | T\$ 495 |
|------------|-----|---------------|---------|
| 86-0872MDH | HPL |               | P\$ 670 |
| 86-0860MD  | TFL | For 60"W Tops | T\$ 468 |
| 86-0860MDH | HPL |               | P\$ 629 |
| 86-0848MD  | TFL | For 48" Tops  | T\$ 451 |
| 86-0848MDH | HPL |               | P\$ 612 |
|            |     |               |         |

### HINGED MODESTY: Used on Nesting Tables with Flip Mechanism

| 86-0865HMD  | TFL | For 72"W Tops | Т\$ | 495 |
|-------------|-----|---------------|-----|-----|
| 86-0865HMDH | HPL |               | P\$ | 670 |
| 86-0853HMD  | TFL | For 60"W Tops | Т\$ | 469 |
| 86-0853HMDH | HPL |               | P\$ | 634 |
| 86-0841HMD  | TFL | For 48" Tops  | Т\$ | 453 |
| 86-0841HMDH | HPL |               | P\$ | 616 |
|             |     |               |     |     |

SIN 33721

## TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| ltem                         | Model No.   |                | w     | D    | н | Ship Wt | Cubic Ft | List Price |
|------------------------------|---|----------------|-------|------|---|---------|----------|------------|
| ROUND GROMMET COVER          | 01-GRMTB  | Black          | 23/8  | 23/8 | - | 1       | 0.1      | \$<br>11   |
|                              | 01-GRMTSL   | Silver         |       |      |   |         |          |            |
|                              | Description   |                |       |      |   |         |          |            |
| OPEN MARKET ONLY<br>(SILVER) | <ul> <li>2<sup>3</sup>/<sub>8</sub>" (60mm) R</li> <li>Field Installed</li> </ul> | ound Grommet C | Cover |      |   |         |          |            |

|                          | Description |        |   |   |   |   |     |          |
|--------------------------|-------------|--------|---|---|---|---|-----|----------|
|                          | 01-SAND60PS | Silver |   |   |   |   |     |          |
|                          | 01-SAND60PB | Black  |   |   |   |   |     |          |
| SINGLE POWER SAND DOLLAR | 01-SAND60PW | White  | 3 | 3 | 4 | 1 | 0.2 | \$<br>98 |

- Unit is 2¾" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Single Power Outlet

| DOUBLE USB SAND DOLLAR | 01-SAND60UW   | White  | 3       | 3         | 4    | 1 | 0.2 | \$<br>277 |
|------------------------|---|--------|---------|-----------|------|---|-----|-----------|
|                        | 01-SAND60UB   | Black  |         |           |      |   |     |           |
|                        | 01-SAND60US   | Silver |         |           |      |   |     |           |
|                        | Description   |        |         |           |      |   |     |           |
|                        | <ul> <li>Unit is 2%" Diam</li> <li>6' Cord</li> <li>Dual USB Outlets</li> </ul> |        | 60mm Rc | ound Grom | nmet |   |     |           |

| DUO CLAMP                                | 01-DUOCLAMPW                              | White  | 6½    | 3 | 7 | 1   | 0.2 | \$        | 572  |
|--|---|--------|-------|---|---|-----|-----|-----------|------|
| WITH NEMA PLUG                           | 01-DUOCLAMPB                              | Black  |       |   |   |     |     |           |      |
|  | 01-DUOCLAMPS                              | Silver |       |   |   |     |     |           |      |
| 250 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - | Description                               |        |       |   |   |     |     |           |      |
| 1  | Clamps to Table To     Power Delivery Poi | •      | • • • | , |   | 0 0 |     | 60-Watt U | SB-C |

- Silver Metal Trim on All Color Options
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications
- Works with Tri-One Modular, Meeting, and Training Tables

## TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| ltem                  | Model No.   |   | w   | D  | н  | Ship Wt  | Cubic Ft       |          | List Prie |
|-----------------------|---|---|---|--|--|--|----------------|----------|-----------|
| RIO CLAMP             | 01-TRIOCLAMPW   | White   | 9   | 3  | 7  | 1  | 0.2            |          | \$ 67     |
| VITH NEMA PLUG        | 01-TRIOCLAMPB   | Black   |   |  |  |  |                |          |           |
|                       | 01-TRIOCLAMPS   | Silver  |   |  |  |  |                |          |           |
| See H                 | Description   |   |   |  |  |  |                |          |           |
|                       | <ul> <li>Clamps to Table To<br/>Power Delivery Por</li> <li>HDMI, VGA, or RJ4</li> <li>Silver Metal Trim or</li> <li>Independent USB (</li> <li>FCC Part 15A, UL A</li> <li>Works with Tri-One</li> </ul> | t with GaN Te<br>5 Accessory fo<br>n All Color Op<br>Circuit Control<br>pproved for H | chnology,<br>or Open D<br>tions<br>lers Delive<br>orizontal | One (1) Op<br>ata Port Sp<br>or up to 2.1<br>and Vertica | pen Data,<br>pecified S<br>Amps to<br>al Applica | 10' Cord, an<br>eparately, <u>Se</u><br>Each Post  | d All Mounting | g Hardwa |           |
| INDERMOUNT DUO        | 01-DUOUNDERW  | White   | 6½  | 24⁄5   | 3  | 1  | 0.2            | \$       | 546       |
| VITH NEMA PLUG        | 01-DUOUNDERB  | Black   |   |  |  |  |                |          |           |
|                       | 01-DUOUNDERS  | Silver  |   |  |  |  |                |          |           |
|                       | Description   |   |   |  |  |  |                |          |           |
| NDERMOUNT TRIO        | 01-TRIOUNDERW   | White   | 9   | 21/5   | 3  | 1  | 0.2            | \$       | 655       |
| WITH NEMA PLUG        | 01-TRIOUNDERB   | Black   | -   |  | -  | ·  |                | Ţ        |           |
|                       | 01-TRIOUNDERS   | Silver  |   |  |  |  |                |          |           |
|                       | Description   |   |   |  |  |  |                |          |           |
|                       | <ul> <li>Sits Under Table Tc<br/>Power Delivery Por</li> <li>HDMI, VGA, or RJ4</li> <li>Independent USB (</li> <li>FCC Part 15A, UL A</li> <li>Works with Tri-One</li> </ul>                              | t with GaN Te<br>5 Accessory fo<br>Circuit Control<br>pproved for H                   | chnology,<br>or Open D<br>lers Delive<br>orizontal a        | One (1) Op<br>ata Port Sp<br>r up to 2.1<br>and Vertica  | pen Data,<br>pecified S<br>Amps to<br>al Applica | 10' Cord, and<br>eparately, <u>Se</u><br>Each Post | d All Mounting | g Hardwa |           |
| INDERMOUNT DUO        | 01-PDUOUNDERW   | White   | 6½  | 24⁄5   | 3  | 1  | 0.2            | \$       | 539       |
| VITH DAISY CHAIN PLUG | 01-PDUOUNDERB   | Black   |   |  | ~  |  |                | Ŧ        |           |
| A.                    | 01-PDUOUNDERS   | Silver  |   |  |  |  |                |          |           |
|                       | Description   |   |   |  |  |  |                |          |           |
|                       | Sits Under Table To   | p and Include   | s: Two (2)  | Power Or   |  |  | art and One (1 |          |           |

- Non-Sequential System Allows up to 8 Modules to be Connected with Jumper Cord, See Details
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal Applications
- Works with Tri-One Modular, Meeting, and Training Tables

## SIN 33721 TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| Item                                     | Model No.   |   | w  | D   | н  | Ship Wt   | Cubic Ft                        |                            | List Pric |  |  |  |
|--|---|---|--|---|--|---|---------------------------------|----------------------------|-----------|--|--|--|
| UNDERMOUNT TRIO<br>WITH DAISY CHAIN PLUG | 01-PTRIOUNDERW  | White   | 9  | 24⁄5  | 3  | 1   | 0.2                             | \$                         | 646       |  |  |  |
|  | 01-PTRIOUNDERB  | Black   |  |   |  |   |                                 |                            |           |  |  |  |
| <b>A</b>                                 | 01-PTRIOUNDERS  | Silver  |  |   |  |   |                                 |                            |           |  |  |  |
|  | Description   | Description   |  |   |  |   |                                 |                            |           |  |  |  |
|  | <ul> <li>Sits Under Table To<br/>Power Delivery Por</li> <li>HDMI, VGA, or RJ4.</li> <li>Requires Daisy Cha</li> <li>Non-Sequential System</li> <li>Independent USB Control</li> <li>FCC Part 15A, RU Long</li> <li>Works with Tri-One</li> </ul> | t with GaN Tee<br>5 Accessory fo<br>in Power Box,<br>stem Allows up<br>Circuit Controll<br>isted and UL R | chnology,<br>r Open D<br>Specified<br>to Eight<br>ers Delive<br>ecognize | One (1) Op<br>ata Port Sp<br>Separatel<br>(8) Modul<br>r up to 2.1<br>d for Horiz | pen Data,<br>pecified S<br>y, <u>See De</u><br>es to be (<br>Amps to<br>contal App | 12" Cord, an<br>eparately, <u>Se</u><br>tails<br>Connected w<br>Each Post | d All Mountin<br>ee Data Port C | g Hardwa<br><u>options</u> | re        |  |  |  |
| DUO BEZEL                                | 01-DUOBEZELW  | White   | 6½   | 24⁄5  | 31/10  | 1   | 0.2                             |                            | \$ 67     |  |  |  |
| VITH NEMA PLUG                           | 01-DUOBEZELB  | Black   |  |   |  |   |                                 |                            | •         |  |  |  |
| × 50                                     | 01-DUOBEZELS  | Silver  |  |   |  |   |                                 |                            |           |  |  |  |
|  | Description   |   |  |   |  |   |                                 |                            |           |  |  |  |
| RIO BEZEL                                | Works with Tri-One     O1-TRIOBEZELW  | Modular, Mee<br>White   | ting, and  | Iraining Ia<br>24∕₅   | ables  | 1   | 0.2                             |                            | \$ 72     |  |  |  |
| NITH NEMA PLUG                           | 01-TRIOBEZELB   | Black   | 5  | 275   | 5  | , i   | 0.2                             |                            | ψ /2      |  |  |  |
|  | 01-TRIOBEZELS   | Silver  |  |   |  |   |                                 |                            |           |  |  |  |
|  | Description   |   |  |   |  |   |                                 |                            |           |  |  |  |
|  | <ul> <li>Sits on Table Top at<br/>Delivery Port with (</li> <li>HDMI, VGA, or RJ4:</li> <li>Independent USB (</li> <li>FCC Part 15A, UL A</li> <li>Works with Tri-One</li> </ul>  | GaN Technolog<br>5 Accessory fo<br>Circuit Controll<br>pproved for H                                      | gy, One (1)<br>r Open D<br>ers Delive<br>prizontal a                     | Open Data<br>Ata Port Sp<br>r up to 2.1<br>and Vertica                            | ta, 10' Cor<br>pecified S<br>Amps to<br>al Applica                                 | rd, and All M<br>eparately, <u>Se</u><br>Each Post                        | ounting Hard                    | vare                       | -C Powe   |  |  |  |
| DUO BEZEL                                | 01-PDUOBEZELW   | White   | 6½   | 21/5  | 3  | 1   | 0.2                             |                            | \$ 66     |  |  |  |
| WITH DAISY CHAIN PLUG                    | 01-PDUOBEZELB   | Black   |  |   |  |   |                                 |                            |           |  |  |  |
| × ×                                      | 01-PDUOBEZELS   | Silver  |  |   |  |   |                                 |                            |           |  |  |  |
|  | <ul> <li>Description</li> <li>Sits on Table Top at Power Delivery Por</li> <li>Requires Daisy Chates</li> <li>Non-Sequential System</li> <li>Independent USB Comparison</li> </ul>  | t with GaN Tee<br>in Power Box,<br>stem Allows up   | chnology<br>Specified<br>to 8 Mod  | with 12" Co<br>Separatel<br>Jules to be   | ord, and A<br>y, <u>See De</u><br>e Connect  | All Mounting<br>tails<br>ed with Jum                                      | Hardware                        |                            | SB-C      |  |  |  |

• Works with Tri-One Modular, Meeting, and Training Tables

Tri-One

| Item                     | Model No.   |   | w  | D  | н   | Ship Wt  | Cubic Ft  | List Pi | ric |
|--------------------------|---|---|--|--|---|--|---|---------|-----|
| TRIO BEZEL               | 01-PTRIOBEZELW  | White   | 9  | 21/5   | 3   | 1  | 0.2   | \$7     | 715 |
| WITH DAISY CHAIN PLUG    | 01-PTRIOBEZELB  | Black   |  |  |   |  |   |         |     |
| <b>N</b>                 | 01-PTRIOBEZELS  | Silver  |  |  |   |  |   |         |     |
|                          | Description   |   |  |  |   |  |   |         |     |
|                          | <ul> <li>Sits on Table Top a<br/>Delivery Port with</li> <li>HDMI, VGA, or RJ4</li> <li>Requires Daisy Cha</li> <li>Non-Sequential System</li> <li>Independent USB (</li> <li>FCC Part 15A, RU L</li> <li>Works with Tri-One</li> </ul> | GaN Technolog<br>5 Accessory fo<br>ain Power Box,<br>stem Allows up<br>Circuit Controll<br>isted and UL F | gy, One (1)<br>or Open Da<br>Specified<br>o to Eight<br>ers Delive<br>Recognized | Open Dat<br>ata Port Sp<br>Separately<br>(8) Module<br>r up to 2.1<br>d for Horize | a, 12" Corr<br>lecified Se<br>v, <u>See Det</u><br>es to be C<br>Amps to E<br>ontal and | d, and All Me<br>eparately, Se<br><u>ails</u><br>onnected w<br>Each Post | ounting Hardware<br>e Below<br>ith Jumper Cord, | 3       | ve  |
| IDMI DATA PORT ACCESSORY | 01-LCOMHDMI   |   |  | _  | _   | -  | 1 0.2   | \$ 16   | 66  |
| OPEN MARKET ONLY         | Description <ul> <li>HDMI Port for Und</li> </ul>   | lermount Trio,  | Trio Clam  | o and Trio I   | Bezel Unit  | ts   |   |         |     |
| GA DATA PORT ACCESSORY   | 01-LCOMVGA  |   |  | -  | _   | -  | 1 0.2   | \$ 12   | 21  |
|                          | <ul><li>Description</li><li>VGA Port for Unde</li></ul>   | rmount Trio, Ti   | rio Clamp  | and Trio Be  | ezel Units  |  |   |         |     |
| RJ45 DATA PORT ACCESSORY | 01-LCOMRJ45   |   |  | -  | -   | -  | 1 0.2   | \$ 7    | 79  |
|                          | Description <ul> <li>RJ45 Port for Und</li> </ul>   | ermount Trio,   | Trio Clamp   | and Trio E   | Bezel Unit  | S  |   |         |     |
| DAISY CHAIN POWER BOX    | 01-PPOWER   |   |  | -  | _   | 1  | 0.2   | \$ 7    | 7   |
| SI I                     | 76" Perimeter, 36" Po   | wer Cord  |  |  |   |  |   |         |     |
| BE                       | 01-PPOWER2  |   | -  | -  | -   | 1  | 0.2   | \$ 7    | '9  |
| 4                        | 24" Perimeter, 144" Pe  | ower Cord   |  |  |   |  |   |         |     |
|                          | <ul> <li>Description</li> <li>Powers up to Eight</li> <li>One (1) Nema Plug</li> <li>12-Amp System Ra</li> <li>15-Amp Over-Curre</li> </ul>   | and One (1) D   | -  |  | S   |  |   |         |     |

• 15-Amp Over-Current Protection

Ű

## TRI-ONE MULTI-USE TABLES (8500/8600 SERIES)

| lel No.          |                    | w              | D   | Н   | Ship Wt  | Cubic Ft   | List   | Price   |
|------------------|--------------------|----------------|---|---|--|--|--|---|
| 6JUMP Z          | 2" Long            | -              | -   | -   | 1  | 0.2  | \$   | 299   |
| 5JUMP 6          | 0" Long            | -              | -   | -   | 1  | 0.2  | \$   | 284   |
| 4JUMP 4          | 8" Long            | -              | -   | -   | 1  | 0.2  | \$   | 240   |
| 2JUMP <i>2</i> . | 4" Long            | -              | -   | -   | 1  | 0.2  | \$   | 220   |
|                  | 5JUMP 6<br>IJUMP 4 | 5JUMP 60" Long | 5JUMP         60" Long         -           IJUMP         48" Long         - | 5JUMP         60" Long         -         -           IJUMP         48" Long         -         - | 5JUMP       72" Long       -       -         5JUMP       60" Long       -       -         4JUMP       48" Long       -       - | SJUMP       72" Long       -       -       1         SJUMP       60" Long       -       -       1         IJUMP       48" Long       -       -       1 | SJUMP       72" Long       -       -       1       0.2         SJUMP       60" Long       -       -       1       0.2         HJUMP       48" Long       -       -       1       0.2 | 5JUMP       72" Long       -       -       1       0.2       \$         5JUMP       60" Long       -       -       1       0.2       \$         HJUMP       48" Long       -       -       1       0.2       \$ |

### Description

• Connects Duo and Trio Daisy Chain Units

• Non-Sequential System Allows up to 8 Modules to be Connected

| POWER STRIP | 01-PRSP     | 9 | 2 | 2 | 1 | - | \$ 205 |
|-------------|-------------|---|---|---|---|---|--------|
|             | Description |   |   |   |   |   |        |

- Includes Four (4) Outlets and Two (2) Phone Jacks
- Black Plastic with Rocker On/Off Switch
- 13 Amp Circuit Breaker
- 10' Power Cord and Two (2) 14' Phone Hook Up Cords
- UL and CSA Recognized
- Suitable for Surface or Recessed Mounting
- Ships via UPS Only

| WIRE MANAGEMENT CHANNEL | 01-WMGR4   | 16         | 1½    | 3/4 | 1 | - | \$<br>116 |
|-------------------------|--|------------|-------|-----|---|---|-----------|
|                         | <ul> <li>Description</li> <li>Set of Four (4) Black Plastic Wire Mana</li> <li>Snap Lock Channel</li> <li>Attaches with Adhesive Strips</li> <li>Ships via UPS Only</li> </ul> | gement Cha | nnels |     |   |   |           |

| CABLE GRIP | 01-WMGRCB  | 53⁄8    | 25⁄8 | - | - | - | \$<br>17 |
|------------|--|---------|------|---|---|---|----------|
| STOR       | Description <ul> <li>Under Surface Wire Mar</li> </ul> | agement |      |   |   |   | <br>     |

Black

See Tri-One Overview For Ordering Options

### **ORDERING INFORMATION**

All orders should be emailed to **neworders@indianafurniture.com**. Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture P.O. Box 270, 1919 Hospitality Dr., Ste. A Jasper, IN 47547-0270

### **ORDER PROCEDURE**

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods or tables, give complete quantity, model number, finish and any other options.

When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification of order procedure, contact Customer Service.

### PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

### ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. Note: Shipping fees will not be listed on the acknowledgment.

### **BUYER'S OBLIGATION: RIGHTS OF SELLER**

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

### CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

### PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

### **REPAIR CHARGES**

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

#### WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request, **a .084% per calendar day** (2.52% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

### DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged tiem. Once you have notified the carrier, please contact Customer Service for further assistance.

## GENERAL INFORMATION + CONDITIONS OF SALE

**Obvious Damage/Missing Cartons** — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

**Concealed Damage** — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered  $\frac{1}{3}$  by the carrier and  $\frac{2}{3}$  by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

#### **RETURN MERCHANDISE**

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

- 1. Manufacturing defect (inspected by Indiana Furniture representative)
- 2. Indiana Furniture order processing error
- 3. Shipping error
- 4. Mis-marked cartons
- 5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

### **DELIVERY AND FREIGHT CHARGES**

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$18. For order shipments over \$100, shipped by small package carrier, the fee is \$40. All shipping fees will be added at the time of invoicing.

### **BIFMA AND ANSI TESTING**

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.

# Warranty

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("**Indiana Furniture**") warrants to the original purchaser all product in this price list ("**Product**") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after May 13, 2024, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

### Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

### 7-year Warranty (from the date of shipment)

- Pneumatic Table Lift
- Electric Table Lift

### 5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- All Height Adjustable Mechanisms

### 3-year Warranty (from date of shipment)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

### THIS WARRANTY DOES NOT COVER:

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- · Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.

If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc. Attn: Customer Service 1919 Hospitality Dr., Ste A P.O. Box 270 Jasper, Indiana 47547-0270 800.422.5727 Fax 812.482.9035 custserv@indianafurniture.com

## **Surface Materials**

Wood Finishes and Woodgrain, Solid, and 3D Laminates

|   | 11  |                                     |                           |   |  |  |   |
|---|---|-------------------------------------|---------------------------|---|--|--|---|
| spen White (AWH)<br>ହୀ  | White Nebbia<br>TFL, HPL, Sea                         |                                     | Beigewoo<br>TFL, HPL, S   |   | Natural Beech (NB)<br>SQ1                          | <b>Sugar Maple (SM)</b><br>Veneer, TFL, HPL, Seati | Oak Riftwood (ORW)<br>ing Veneer*, TFL, HPL, Seating      |
|   |   |                                     |                           | 250   | 19 2   |  |   |
| <b>irsche (KHE)</b><br>FL, HPL, Seating                               | <b>Fawn Oak (FC</b><br>Veneer*, Seati                 |                                     | <b>Truffle Rai</b><br>SQ1 | in (TR)   | <b>River Cherry (RC)</b><br>TFL, HPL, Seating*     | Mesa Sunset (MAS)<br>Veneer*, Seating*             | Natural Marrone (NTM)<br>TFL, HPL, Seating*               |
|   |   |                                     |                           |   |  | T KAT  |   |
| t <b>udio Teak (TK)</b><br>FL, HPL, Seating                           | <b>Pinnacle Walı</b><br>Veneer, TFL, H                |                                     | Harvest Ma<br>TFL, HPL, S | <b>aple (HVM)</b><br>Seating*                     | Golden Cherry (GC)<br>Veneer, TFL, HPL, Sea        | Legacy Walnut (LW)<br>ting Veneer, Seating         | Artisan Walnut (AW)<br>Veneer, Seating                    |
|   |   |                                     | R3                        |   |  |  |   |
| rrchard (OR)<br>Q1  | <b>Shaker Cherry</b><br>Veneer, TFL, H                |                                     | Select Che<br>Veneer, TF  | <b>erry (SCH)</b><br><sup>-</sup> L, HPL, Seating | Williamsburg Cherry<br>Veneer, TFL, HPL, Sea       |  | Dark Cherry (DC)<br>Veneer, Seating                       |
|   |   |                                     |                           |   |  | W Dirite   |   |
| <b>lahogany Walnut (MW</b> )<br>/eneer, TFL, HPL, Seatin              |   |                                     |                           | <b>Walnut (CO)</b><br>L, HPL, Seating             | Sepia Walnut (SPW)<br>TFL, HPL, Seating*           | Florence Walnut (FLW<br>TFL, HPL, Seating*         | ) Dark Forest Walnut (DFW<br>Veneer, Seating*             |
|   |   |                                     |                           |   |  |  |   |
| <b>mber Gray (EG)</b><br>Q1   | <b>Espresso (EW</b><br>Veneer, TFL, H                 |                                     | Portico Te<br>TFL, HPL, S |   | Weathered Ash (WTA<br>Veneer*, TFL, HPL, Sea       |  | BP) Asian Night (AS)<br>Veneer, TFL, HPL, Seating         |
|   |   |                                     |                           |   |  |  |   |
| <b>lidnight Run (MNR)</b><br>FL, HPL, Seating                         | <b>Metropolis Sk</b><br>Veneer, Seatir                |                                     | Designer<br>TFL, HPL, S   | White (WH)<br>Seating                             | Fashion Grey (FHG)<br>TFL, HPL                     | Slate Grey (SG)<br>TFL, HPL                        | Black (BL)<br>TFL, HPL, Seating                           |
|   |   |                                     |                           |   |  |  |   |
| latte White (WH3)<br>D Laminate<br>conic Only)<br>Finish is Low Sheen | <b>Concrete (CR3)</b><br>3D Laminate<br>(Iconic Only) | Matte Bla<br>3D Lamin<br>(Iconic Or | ate                       | Blush (BSH)<br>HPL Accent<br>(Iconic+Plush        | First Kiss (Fl<br>HPL Accent<br>Only) (Iconic+Plus | HPL Accent   | Summer Vacation (SV)<br>HPL Accent<br>(Iconic+Plush Only) |
| rosted & High   | Gloss Acrylics  |                                     |                           |   |  |  |   |
|   |   |                                     |                           |   |  |  |   |
| rosted (FSTA)   | White (WHA)   | Wired Mercury                       | y (WMA) Gra               | aphite (GPA)                                      | Black (BLA)  |  |   |
|   |   |                                     |                           |   |  |  |   |
| now White (SNW)<br>1etal Options                                      | Pebble Beach (PE)                                     | Sedona (SE)                         | Arı                       | royo (AR)   | Tundra (TN)  | Starry Night (SN)<br>Glass Options                 |   |
|   |   |                                     |                           |   |  |  |   |
| now (SNOW)  | Oyster White (OYST)                                   | Sugar Cookie                        | (SUGC) Alu                | ıminum (ALUM)                                     | Chrome (CHRM)                                      | Gloss White (GWHG)<br>(Catalyst + Strut)           | Acid Etched White (GWHA)<br>(Catalyst + Strut)            |
|   | Contraction of  |                                     |                           |   |  | Chara Pi - 1 (PP) Pi                               |   |
| iold (GOLD)   | Platinum (PLAT)                                       | Mist (MIST)                         | Bla                       | ick (BLK)   |  | Gloss Black (GBLG)<br>(Catalyst + Strut)           | Acid Etched Black (GBLA)<br>(Catalyst + Strut)            |

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at www.indianafurniture.com. Graining and finish colors may vary, yet will continue to complement, across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.



1919 Hospitality Drive, Suite A PO Box 270 Jasper, Indiana 47547-0270

Tel 812.482.5727 Tol 800.422.5727 Fax 812.482.9035 sales@indianafurniture.com www.indianafurniture.com

Federal Classification: Small Business



