

Indiana  
FURNITURE

# CASEGOODS + RECEPTION

PRICING EFFECTIVE MAY 13, 2024

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

## Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards\*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to [www.IndianaFurniture.com/resources](http://www.IndianaFurniture.com/resources).



## Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



\* Recently launched or new products may still be in testing; Cush Pillows is currently not BIFMA Compliant due to no available compliance test.

Always stylish, comfortable, and effortlessly adaptable, Canvas enlivens environments with refined aesthetics born from an appealing mix of materials, finishes, and components. The redesign and expansion of integrated height adjustable units, white and black glass door options on hutch and storage units as well as a full line of white and black glass marker boards provide opportunities for more elegant and clean styling. Metal accents within the line include a broad scope of aluminum and black finishes with coordinating black, aluminum, chrome, and gold pull give you multiple choices to customize a look and feel for modern office environments.

## CONSTRUCTION

*Canvas Casegoods feature a TFL chassis with your choice of either a TFL or HPL top. Units ship assembled unless otherwise noted.*

### LAMINATES

- Exposed surfaces are woodgrain and solid color laminates fused to particle-board core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

### TOPS

- Worksurfaces are 1" thick Thermally-Fused Laminate (TFL) or High Pressure Laminate (HPL) with 3mm matching PVC rims on profiled edges and 1mm PVC rims on self edges HPL tops are 1 $\frac{1}{16}$ " thick with a 3mm PVC edge bands and TFL tops are 1" thick with a 3mm PVC edge bands; Designer White, Sugar Maple, Williamsburg Cherry feature ABS edge bands
- Optional 1 $\frac{1}{2}$ " thick HPL worksurfaces are available in select colors. Please contact Customer Service or your local Sales Rep for pricing and lead times.
- Grain direction runs left-to-right unless otherwise noted

### CHASSIS

- Chassis is securely fastened using high-quality European fastening systems and heavy-duty, 16-gauge joining brackets to assure maximum strength
- All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors
- All desks, non-lateral credenzas, and returns have wire management access from pedestal to kneespace

### DRAWERS

- Drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Drawer fronts are 3-ply construction,  $\frac{3}{4}$ " thick with matched grain
- Drawer sides, back, and front are  $\frac{1}{2}$ " thick, woodgrain vinyl wrapped construction with mitered corners
- Box and file drawers feature full extension, progressive action slides with precision steel ball bearings allowing side-to-side and front-to-back
- Optional soft close on box and file drawers allows front-to-back filing in file drawers
- Optional wood dovetail construction with  $\frac{7}{16}$ " thick hardwood sides and backs, and  $\frac{5}{32}$ " thick hardboard bottoms
- Box and file drawers have  $\frac{1}{8}$ " thick hardboard bottoms and tested for 100lb capacity
- Lateral files feature  $\frac{1}{4}$ " thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All suspensions have a limited lifetime warranty

### FILING

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Optional soft close on box and file drawers allows front-to-back filing in file drawer
- Letter width file drawers provide letter filing front-to-back and legal filing side-to-side
- Lateral file drawers provide legal or letter filing front-to-back or side-to-side

### STORAGE

- All hinged doors include soft close hinges, unless noted
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

### LOCKING

- All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date, if required
- Units are shipped randomly keyed as standard
- Keyed alike units available upon request at no additional charge
- Lock core is predetermined by pull color. Black lock cores are used with black and gold pulls while silver lock cores are used with chrome and aluminum pulls

### CORD MANAGEMENT

- Grommets may be ordered in the tops of all assembled desks, returns, bridges, credenzas, and component worksurfaces
- All desks, returns, and credenzas (except lateral pedestals) have standard wire openings from inside the pedestal to the kneespace allowing quick access to technology below
- Additionally, returns, bridge units, kneespace credenzas, and hutch units have standard grommets in back panels
- Grommets are also standard in the tops of corner units and extended corner units
- Grommets are 2 $\frac{3}{8}$ " and are available in black or silver, must specify color
- [See all grommet options and locations](#)
- Undersurface Wire Manager (Q1-WMGR4) is available for additional cord management; See Accessories

### HEIGHT ADJUSTABLE MECHANISMS

- Optional center drawer, Dock 950 and Dock 150,  $\frac{3}{4}$  modesty panels, and kneespace options are not available with height adjustable units
- Height adjustment range 30"H-45"H
- 5-year warranty
- [See additional Height Adjust information](#)
- Height Adjustable units begin on [here](#)

### STUDIO LEGS

- For each of the Studio models, standard or shared legs will need to be specified
- Choose to use four standard, a combination of standard or shared, or all shared legs on each unit
- The below images will provide a guide to the aesthetics of single, double, and shared legs
- Studio components begin on [here](#)



Single Standard Leg



Shared Leg (used between two models)



Double Standard Leg (standard legs used on each model)

**INTERIOR DRAWER DIMENSIONS**

**Models**

|               |                |                |
|---------------|----------------|----------------|
| 66-2515SHDP1  | 68-3672DP      | 68-3672BRPSTS  |
| 66-2415PD1    | 68-3672DPSTS   | 68-3672BDPS    |
| 66-1519MP     | 68-3672LPS     | 68-3672BDPSSTS |
| 66-1519MP1    | 68-3672LPSSTS  | 68-3666BDP     |
| 68-4872CBLP   | 68-3672RPS     | 68-3666BDPSTS  |
| 68-4872CBRP   | 68-3672RPSSTS  | 68-3072DP      |
| 68-4272CLP    | 68-3672DPS     | 68-3072DPSTS   |
| 68-4272CRP    | 68-3672DPSSTS  | 68-3066DP      |
| 68-3672BDP    | 68-3672BLPS    | 68-3066DPSTS   |
| 68-3672BDPSTS | 68-3672BLPSSTS | 68-3066RP      |
| 68-3672LP     | 68-3672BRPS    | 68-3066RPSTS   |
| 68-3672LPSTS  | 68-3672BRPSSTS | 68-3060DP      |
| 68-3672RP     | 68-3672BLP     | 68-3060DPSTS   |
| 68-3672RPSTS  | 68-3672BLPSTS  | 68-3060LP      |
| 68-3072LP     | 68-3066LP      | 68-3060LPSTS   |
| 68-3072LPSTS  | 68-3066LPSTS   | 68-3060RP      |
| 68-3072RP     | 68-3072RPSTS   | 68-3060RPSTS   |

**Drawers**

|      |                                  |                                   |                                  |
|------|----------------------------------|-----------------------------------|----------------------------------|
|      | <b>W</b>                         | <b>L</b>                          | <b>D</b>                         |
| Box  | 12 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 3 <sup>1</sup> / <sub>2</sub> "  |
| File | 12 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 9 <sup>5</sup> / <sub>16</sub> " |

**Models**

|                |               |                |
|----------------|---------------|----------------|
| 68-4824RF2     | 68-2466RC2    | 68-2448RF2     |
| 68-4824RF2STS  | 68-2466RC2STS | 68-2448RF2STS  |
| 68-4824LF2     | 68-2466LC2    | 68-2448RF2STS3 |
| 68-4824LF2STS  | 68-2466LC2STS | 68-2448LF2     |
| 68-4224RF2     | 68-2472SC     | 68-2448LF2STS  |
| 68-4224RF2STS  | 68-2472RC2    | 68-2448LF2STS3 |
| 68-4224RF2STS3 | 68-2472RC2STS | 68-2442RF2     |
| 68-4224LF2     | 68-2472LC2    | 68-2442RF2STS  |
| 68-4224LF2STS  | 68-2472LC2STS | 68-2442RF2STS3 |
| 66-1519MP2     | 68-2472KC     | 68-2442LF2     |
| 68-2466KC      | 68-2472KCSTS  | 68-2442LF2STS  |
| 68-2466KCSTS   | 66-2415PD2    | 68-2442LF2STS3 |
| 66-2515SHDP2   |               |                |

**Drawer**

|      |                                  |                                   |                                  |
|------|----------------------------------|-----------------------------------|----------------------------------|
|      | <b>W</b>                         | <b>L</b>                          | <b>D</b>                         |
| File | 12 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 9 <sup>5</sup> / <sub>16</sub> " |

**Models**

|                |                |                |
|----------------|----------------|----------------|
| 68-4824RF1     | 68-2472RC1STS  | 68-2448LF1     |
| 68-4824RF1STS  | 68-2472LC1     | 68-2448LF1STS  |
| 68-4824LF1     | 68-2472LC1STS  | 68-2448LF1STS3 |
| 68-4824LF1STS  | 68-2466RC1     | 68-2442RF1     |
| 68-4224RF1     | 68-2466RC1STS  | 68-2442RF1STS  |
| 68-4224RF1STS  | 68-2466LC1     | 68-2442RF1STS3 |
| 68-4224RF1STS3 | 68-2466LC1STS  | 68-2442LF1     |
| 68-4224LF1     | 68-2448RF1     | 68-2442LF1STS  |
| 68-4224LF1STS  | 68-2448RF1STS  | 68-2442LF1STS3 |
| 68-2472RC1     | 68-2448RF1STS3 |                |

**Drawers**

|      |                                  |                                   |                                   |
|------|----------------------------------|-----------------------------------|-----------------------------------|
|      | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
| Box  | 12 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 3 <sup>1</sup> / <sub>2</sub> "   |
| File | 12 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 9 <sup>15</sup> / <sub>16</sub> " |

**Models**

|              |              |            |
|--------------|--------------|------------|
| 66-3684WDS2L | 66-3672WDS2R | 66-2430LF3 |
| 66-3684WDS2R | 66-3084SU2   | 66-2430LF1 |
| 66-3672WDS2L | 66-3072SU2   |            |

**Drawer**

|          |                                   |                                   |                                  |
|----------|-----------------------------------|-----------------------------------|----------------------------------|
|          | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Lat File | 26 <sup>3</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Models**

|            |           |            |
|------------|-----------|------------|
| 66-3684SU2 | 66-2466RL | 66-2436LF3 |
| 66-3672SU2 | 66-2466LL | 66-2436LF1 |

**Drawer**

|          |                                   |                                   |                                  |
|----------|-----------------------------------|-----------------------------------|----------------------------------|
|          | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Lat File | 32 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Models**

|                |                |              |
|----------------|----------------|--------------|
| 66-2472L21OBFL | 66-2072L21OBFL | 66-2436L21BF |
| 66-2472L21OBFR | 66-2072L21OBFR | 66-2036L21BF |
| 66-2472L21DBF  | 66-2072L21DBF  |              |

**Drawers**

|      |                                   |                                   |                                  |
|------|-----------------------------------|-----------------------------------|----------------------------------|
|      | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Box  | 32 <sup>9</sup> / <sub>32</sub> " | 13 <sup>5</sup> / <sub>8</sub> "  | 3 <sup>1</sup> / <sub>2</sub> "  |
| File | 32 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Models**

|               |               |              |
|---------------|---------------|--------------|
| 66-2460L21OBL | 66-2060OBFL   | 66-2430L21BF |
| 66-2460L21OBR | 66-2060OBFR   | 66-2030L21BF |
| 66-2460L21DBF | 66-2060L21DBF |              |

**Drawers**

|      |                                   |                                   |                                  |
|------|-----------------------------------|-----------------------------------|----------------------------------|
|      | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Box  | 26 <sup>9</sup> / <sub>32</sub> " | 13 <sup>3</sup> / <sub>8</sub> "  | 3 <sup>1</sup> / <sub>2</sub> "  |
| File | 26 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Models**

|              |              |
|--------------|--------------|
| 66-2418L21BF | 66-2018L21BF |
|--------------|--------------|

**Drawers**

|      |                                   |                                  |                                  |
|------|-----------------------------------|----------------------------------|----------------------------------|
|      | <b>W</b>                          | <b>L</b>                         | <b>D</b>                         |
| Box  | 14 <sup>9</sup> / <sub>32</sub> " | 13 <sup>3</sup> / <sub>8</sub> " | 3 <sup>1</sup> / <sub>2</sub> "  |
| File | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Model**

|            |
|------------|
| 66-2436OMF |
|------------|

**Drawers**

|              |                                   |                                   |                                  |
|--------------|-----------------------------------|-----------------------------------|----------------------------------|
|              | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Box          | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> "  | 3 <sup>1</sup> / <sub>2</sub> "  |
| Lateral File | 32 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Model**

|            |
|------------|
| 66-2430OMF |
|------------|

**Drawers**

|              |                                   |                                   |                                  |
|--------------|-----------------------------------|-----------------------------------|----------------------------------|
|              | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Box          | 11 <sup>3</sup> / <sub>4</sub> "  | 16 <sup>3</sup> / <sub>16</sub> " | 3 <sup>1</sup> / <sub>2</sub> "  |
| Lateral File | 26 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

**Model**

|           |
|-----------|
| 66-2472BF |
|-----------|

**Drawer**

|     |                                  |                                   |                                 |
|-----|----------------------------------|-----------------------------------|---------------------------------|
|     | <b>W</b>                         | <b>L</b>                          | <b>D</b>                        |
| Box | 32 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 3 <sup>1</sup> / <sub>2</sub> " |

**Models**

|            |            |            |
|------------|------------|------------|
| 66-2472RMR | 66-2472LMF | 66-2436MF  |
| 66-2472LMR | 66-2466RMF | 66-2436LF2 |
| 66-2472RMF | 66-2466LMF |            |

**Drawers**

|          |                                   |                                   |                                  |
|----------|-----------------------------------|-----------------------------------|----------------------------------|
|          | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Box      | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> "  | 3 <sup>1</sup> / <sub>2</sub> "  |
| File     | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> "  | 9 <sup>5</sup> / <sub>16</sub> " |
| Lat File | 32 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |



**INTERIOR DRAWER DIMENSIONS (CONTINUED)**

| <b>Models</b>  |                                   |                                   |                                  |
|----------------|-----------------------------------|-----------------------------------|----------------------------------|
| 66-2430LF2     | 66-2430MF                         |                                   |                                  |
| <b>Drawers</b> |                                   |                                   |                                  |
|                | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
| Box            | 11 <sup>5</sup> / <sub>16</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 3 <sup>1</sup> / <sub>2</sub> "  |
| File           | 12 <sup>1</sup> / <sub>16</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 9 <sup>5</sup> / <sub>16</sub> " |
| Lat File       | 26 <sup>5</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>1</sup> / <sub>4</sub> "  |

| <b>Models</b> |             |             |  |
|---------------|-------------|-------------|--|
| 66-2418PD2    | 66-2451WD2L | 66-1884WFO  |  |
| 66-3018PD2    | 66-2451WD2R | 66-1872DS2L |  |
| 66-3618PD2    | 66-1884DS2L | 66-1872DS2R |  |
| 66-2484WD2L   | 66-1884DS2R | 66-1872WFL  |  |
| 66-2484WD2R   | 66-1884WFL  | 66-1872WFR  |  |
| 66-2472WD2L   | 66-1884WFR  | 66-1872WFO  |  |
| 66-2472WD2R   |             |             |  |

| <b>Drawer</b> | <b>W</b>                          | <b>L</b>                         | <b>D</b>                         |
|---------------|-----------------------------------|----------------------------------|----------------------------------|
| File          | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> " | 9 <sup>5</sup> / <sub>16</sub> " |

| <b>Models</b> |             |             |  |
|---------------|-------------|-------------|--|
| 66-3018PD1    | 66-2451WD1R | 66-1884WBO  |  |
| 66-2484WD1L   | 66-2418PD1  | 66-1872DS1L |  |
| 66-2484WD1R   | 66-1884DS1L | 66-1872DS1R |  |
| 66-2472WD1L   | 66-1884DS1R | 66-1872WBL  |  |
| 66-2472WD1R   | 66-1884WBL  | 66-1872WBR  |  |
| 66-2451WD1L   | 66-1884WBR  | 66-1872WBO  |  |

| <b>Drawers</b> | <b>W</b>                          | <b>L</b>                         | <b>D</b>                         |
|----------------|-----------------------------------|----------------------------------|----------------------------------|
| Box            | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> " | 3 <sup>1</sup> / <sub>2</sub> "  |
| File           | 14 <sup>9</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>8</sub> " | 9 <sup>5</sup> / <sub>16</sub> " |

| <b>Models</b> |              |            |  |
|---------------|--------------|------------|--|
| 66-2415PD2    | 66-2515SHPD2 | 66-1519MP2 |  |

| <b>Drawer</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|---------------|----------------------------------|-----------------------------------|-----------------------------------|
| File          | 12 <sup>1</sup> / <sub>8</sub> " | 16 <sup>3</sup> / <sub>16</sub> " | 9 <sup>15</sup> / <sub>16</sub> " |

| <b>Models</b> |           |           |  |
|---------------|-----------|-----------|--|
| 66-2430L4     | 66-2430L3 | 66-2430L2 |  |

| <b>Drawer</b> | <b>W</b>                          | <b>L</b>                          | <b>D</b>                         |
|---------------|-----------------------------------|-----------------------------------|----------------------------------|
| Lat File      | 25 <sup>1</sup> / <sub>32</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

| <b>Models</b> |           |           |  |
|---------------|-----------|-----------|--|
| 66-2472RL     | 66-2472DL | 66-2436L3 |  |
| 66-2472LL     | 66-2436L4 | 66-2436L2 |  |


| <b>Drawer</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                         |
|---------------|----------------------------------|-----------------------------------|----------------------------------|
| Lat File      | 31 <sup>1</sup> / <sub>2</sub> " | 15 <sup>1</sup> / <sub>16</sub> " | 9 <sup>7</sup> / <sub>32</sub> " |

| <b>Model</b> |  |  |  |
|--------------|--|--|--|
| 66-1622CD    |  |  |  |

| <b>Drawer</b> | <b>W</b>                          | <b>L</b>                           | <b>D</b>                        |
|---------------|-----------------------------------|------------------------------------|---------------------------------|
| Center        | 18 <sup>1</sup> / <sub>16</sub> " | 14 <sup>15</sup> / <sub>16</sub> " | 1 <sup>3</sup> / <sub>4</sub> " |


**FILING CAPABILITIES**

**Drawers with Dimensions: 11<sup>5</sup>/<sub>16</sub>"W x 16<sup>3</sup>/<sub>16</sub>"L**




Letter or Legal Side to Side

**Drawers with Dimensions: 12<sup>1</sup>/<sub>8</sub>"W x 16<sup>3</sup>/<sub>16</sub>"L**




Letter Front to Back




Legal Side to Side

**Drawers with Dimensions: 14<sup>9</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>8</sub>"L**




Letter Front to Back




Legal Side to Side

**Drawers with Dimensions: 25<sup>17</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>16</sub>"L**




2 Rows Letter Front to Back




1 Row Letter or Legal Side to Side

**Drawers with Dimensions: 26<sup>5</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>16</sub>"L**




2 Rows Letter Front to Back



1 Row Legal Side to Side

**Drawers with Dimensions: 31<sup>1</sup>/<sub>2</sub>"W x 15<sup>1</sup>/<sub>16</sub>"L**




2 Rows Letter or Legal Front to Back



1 Row Letter or Legal Side to Side

**Drawers with Dimensions: 32<sup>3</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>16</sub>"L**



2 Rows Letter Front to Back



1 Row Legal Side to Side

**HOW TO ORDER EXAMPLES**

**DESK WITH CREDENZA & HUTCH**

|                 | QTY | MODEL NO.   | DESCRIPTION                          | EXAMPLE    |
|-----------------|-----|-------------|--------------------------------------|------------|
| <b>DESK</b>     | 1   | 68-3672DPS  | Top Material                         | P          |
|                 |     |             | Top Color                            | WC         |
|                 |     |             | Edge Profile                         | X          |
|                 |     |             | Chassis Color                        | WC         |
|                 |     |             | Drawer Construction                  | DOV        |
|                 |     |             | Drawer Track                         | SFTCL      |
|                 |     |             | Grain Direction                      | VERTICAL   |
|                 |     |             | Drawer Color                         | WC         |
|                 |     |             | Modesty Panel                        | 66-HGAF    |
|                 |     |             | Modesty Color                        | GPA        |
|                 |     |             | Grommet Location/<br>Wire Management | GL         |
|                 |     |             | Grommet Color                        | BLK        |
|                 |     |             | Power/Data                           | DOCK950B-R |
| Pull/Color      | CFL |             |                                      |            |
| Keyboard Option | N/A |             |                                      |            |
| <b>CREDENZA</b> | 1   | 68-2472KC   | Top Material                         | P          |
|                 |     |             | Top Color                            | WC         |
|                 |     |             | Edge Profile                         | X          |
|                 |     |             | Chassis Color                        | WC         |
|                 |     |             | Drawer Construction                  | DOV        |
|                 |     |             | Drawer Track                         | SFTCL      |
|                 |     |             | Drawer Color                         | WC         |
|                 |     |             | Grain Direction                      | VERTICAL   |
|                 |     |             | Pull/Color                           | CFL        |
|                 |     |             | Back Panel Grommet                   | SVR        |
|                 |     |             | Grommets                             | LR         |
|                 |     |             | Power/Data                           | NONE       |
|                 |     |             | Grommet Color                        | SVR        |
| Keyboard Option | N/A |             |                                      |            |
| <b>HUTCH</b>    | 1   | 66-1572TWDS | Chassis Color                        | WC         |
|                 |     |             | Door Style                           | HGA        |
|                 |     |             | Door Color                           | GPA        |
|                 |     |             | Locking                              | NO         |
|                 |     |             | Paper Slot Color                     | WC         |
|                 |     |             | Paper Slot Divider                   | CHROME     |

**STUDIO DESK**

|                 | QTY | MODEL NO.           | DESCRIPTION     | EXAMPLE          |
|-----------------|-----|---------------------|-----------------|------------------|
| <b>DESK TOP</b> | 1   | 66-3672TP           | Top Material    | P                |
|                 |     |                     | Top Color       | WTA              |
|                 |     |                     | Edge Profile    | Y                |
|                 |     |                     | Grommet         | GL               |
|                 |     |                     | PDC Type        | 01-DUO<br>BEZELW |
|                 |     |                     | PDC Location    | PDC-C            |
|                 |     |                     | Grommet Color   | BLK              |
|                 |     |                     | <b>PEDESTAL</b> | 2                |
|                 |     | Drawer Color        | WTA             |                  |
|                 |     | Grain Direction     | VERTICAL        |                  |
|                 |     | Pull/Color          | CST             |                  |
|                 |     | Drawer Construction | DOV             |                  |
|                 |     | Drawer Track        | SFTCL           |                  |
|                 |     | Wire Management     | NONE            |                  |

**STUDIO DESK (CONTINUED)**

|                | QTY | MODEL NO.    | DESCRIPTION   | EXAMPLE |
|----------------|-----|--------------|---------------|---------|
| <b>MODESTY</b> | 1   | 66-3624MDHGA | HGA Color     | WMA     |
|                |     |              | Grommet       | GRMT    |
|                |     |              | Grommet Color | BLK     |
| <b>LEGS</b>    | 2   | 01-0404SL4   | Color         | CHRM    |

**HEIGHT ADJUSTABLE**

|                           | QTY   | MODEL NO.     | DESCRIPTION     | EXAMPLE  |
|---------------------------|-------|---------------|-----------------|----------|
| <b>DESK</b>               | 1     | 68-3672LPSTS  | Top Material    | P        |
|                           |       |               | Top Color       | SBP      |
|                           |       |               | Edge Profile    | X        |
|                           |       |               | Chassis Color   | WTA      |
|                           |       |               | Drawer Color    | WTA      |
|                           |       |               | Grain Direction | VERTICAL |
|                           |       |               | Pull/Color      | CFL      |
|                           |       |               | Drawer          | DOV      |
|                           |       |               | Construction    |          |
|                           |       |               | Drawer Track    | SFTCL    |
|                           |       |               | Moving Modesty  | MOVMOD   |
|                           |       |               | Height Adjust   | MSWCH    |
|                           |       |               | Switch          |          |
|                           |       |               | Wire Management | GL       |
|                           |       |               | Grommet Color   | BLK      |
|                           |       |               | <b>BRIDGE</b>   | 1        |
| Top Color                 | SBP   |               |                 |          |
| Edge Profile              | X     |               |                 |          |
| Chassis Color             | WTA   |               |                 |          |
| Height Adjust             | MSWCH |               |                 |          |
| Switch                    |       |               |                 |          |
| Wire Management           | GR    |               |                 |          |
| Grommet Color             | SLV   |               |                 |          |
| <b>CREDENZA<br/>RIGHT</b> | 1     | 68-2472RC2STS | Modesty         | GMBSV    |
|                           |       |               | Grommet/Color   |          |
|                           |       |               | Top Material    | P        |
|                           |       |               | Top Color       | SBP      |
|                           |       |               | Edge Profile    | X        |
|                           |       |               | Chassis Color   | WTA      |
|                           |       |               | Drawer Color    | WTA      |
|                           |       |               | Grain Direction | VERTICAL |
|                           |       |               | Pull/Color      | CFL      |
|                           |       |               | Drawer          | DOV      |
|                           |       |               | Construction    |          |
|                           |       |               | Drawer Track    | SFTCL    |
|                           |       |               | Height Adjust   | MSWCH    |
|                           |       |               | Switch          |          |
|                           |       |               | Wire Management | GL       |
|                           |       |               | Grommet Color   | SLV      |
|                           |       |               | Modesty         | GMBSV    |
|                           |       |               | Grommet/Color   |          |

### TFL (T) AND HPL (P) LAMINATE OPTIONS

#### WOODGRAIN

|     |                  |     |                     |
|-----|------------------|-----|---------------------|
| AS  | Asian Night      | PNW | Pinnacle Walnut     |
| BW  | Beigewood        | PTK | Portico Teak        |
| CO  | Columbian Walnut | RC  | River Cherry        |
| EF  | Espresso         | SCH | Select Cherry       |
| FLW | Florence Walnut  | SPW | Sepia Walnut        |
| GC  | Golden Cherry    | SKC | Shaker Cherry       |
| HVM | Harvest Maple    | SBP | Smoky Brown Pear    |
| KHE | Kirsche          | TK  | Studio Teak         |
| MW  | Mahogany Walnut  | SM  | Sugar Maple         |
| MNR | Midnight Run     | WTA | Weathered Ash       |
| NTM | Natural Marrone  | WNB | White Nebbia        |
| ORW | Oak Riftwood     | WC  | Williamsburg Cherry |

#### SOLID

|    |                |     |               |
|----|----------------|-----|---------------|
| BL | Black          | FHG | Fashion Grey* |
| WH | Designer White | SG  | Slate Grey*   |

\* Not available on cylinder bases

### 1½" THICK WORKSURFACE HPL (P) LAMINATE OPTIONS

Tops 1½" thick are available in the following HPL colors. Top thickness will affect overall height of other units such as surface mounted hutches. Please contact Customer Service or your local Sales Representative for pricing and lead times.

#### WOODGRAIN

|     |                  |     |                     |
|-----|------------------|-----|---------------------|
| AS  | Asian Night      | PNW | Pinnacle Walnut     |
| BW  | Beigewood        | PTK | Portico Teak        |
| CO  | Columbian Walnut | RC  | River Cherry        |
| EF  | Espresso         | SCH | Select Cherry       |
| FLW | Florence Walnut  | SPW | Sepia Walnut        |
| GC  | Golden Cherry    | SKC | Shaker Cherry       |
| HVM | Harvest Maple    | SBP | Smoky Brown Pear    |
| KHE | Kirsche          | TK  | Studio Teak         |
| MW  | Mahogany Walnut  | SM  | Sugar Maple         |
| MNR | Midnight Run     | WTA | Weathered Ash       |
| NTM | Natural Marrone  | WNB | White Nebbia        |
| ORW | Oak Riftwood     | WC  | Williamsburg Cherry |

#### SOLID

|    |                |     |              |
|----|----------------|-----|--------------|
| BL | Black          | FHG | Fashion Grey |
| WH | Designer White | SG  | Slate Grey   |

### EDGE PROFILES

|   |             |   |        |
|---|-------------|---|--------|
| F | Double Kerf | X | Flute  |
| G | Duo         | Y | Square |



Double Kerf (F)    Duo (G)    Flute (X)    Square (Y)

### METAL FINISH OPTIONS

|      |          |      |        |
|------|----------|------|--------|
| ALUM | Aluminum | CHRM | Chrome |
| BLK  | Black    |      |        |

### ACRYLIC OPTIONS

|      |                                  |     |                             |
|------|----------------------------------|-----|-----------------------------|
| FSTA | Frosted Acrylic                  | BLA | Black High Gloss Acrylic    |
| WHA  | White High Gloss Acrylic         | GPA | Graphite High Gloss Acrylic |
| WMA  | Wired Mercury High Gloss Acrylic |     |                             |

### PULL OPTIONS

Lock core color is predetermined by pull color.

|     |                  |     |                  |
|-----|------------------|-----|------------------|
| AAV | Alcove, Aluminum | BEL | Elite, Black     |
| CAV | Alcove, Chrome   | AFL | Flair, Aluminum  |
| AAC | Arc, Aluminum    | CFL | Flair, Chrome    |
| BAC | Arc, Black       | AFC | Focus, Aluminum  |
| ABM | Beam, Aluminum   | BFC | Focus, Black     |
| BBM | Beam, Black      | AQD | Quadra, Aluminum |
| BBT | Bow Tie, Black   | BQD | Quadra, Black    |
| NBT | Bow Tie, Nickel  | AST | Studio, Aluminum |
| ABU | Buckle, Aluminum | BST | Studio, Black    |
| BBU | Buckle, Black    | CST | Studio, Chrome   |
| AEL | Elite, Aluminum  | GST | Studio, Gold     |



### DRAWER CONSTRUCTION OPTIONS

Drawers come standard with woodgrain vinyl-wrapping and mitered corners. Optional wood dovetail construction for all box, file, and lateral file drawers is available. Must Specify when ordering.

**Pricing is per Drawer, not per Model/Unit**

|       |                             |       |
|-------|-----------------------------|-------|
| MITER | Mitered Fold Construction   | STD   |
| DOVE  | Wood Dove Tail Construction | \$ 45 |

### DRAWER TRACK OPTIONS

Soft close tracks are available on box and file drawers only. Soft close drawer tracks have many benefits including reduced stress on the unit, extends the life of the drawer, and ensures a gentle close so fingers don't accidentally get hurt. **File drawers with the soft close option feature front-to-back filing.** Must specify when ordering.

**Pricing is per Drawer, not per Model/Unit**

|       |   |       |
|-------|---|-------|
| SFTCL | Soft Close Drawer Track (Box & File Drawers Only) | \$ 34 |
|-------|---|-------|

### LOCK CORE COLOR OPTIONS

|     |  |
|-----|--|
| BLK | Black (Used with Black and Gold Pulls)       |
| SLV | Silver (Used with Aluminum and Chrome Pulls) |



Grommet options on next page.

**GROMMET OPTIONS & POWER UNIT LOCATIONS**

**Note: Wire Management Options for Integrated and Modular Height Adjustable Models may be found in their specific area within this section.**

Grommets are standard in the back panels of returns, bridges, and credenzas, and may be ordered without grommets at no additional charge. Please specify NO GROMMET on order.

Grommets are available on hutches in standard locations for task light management at no additional charge. Please specify WMHUBL (Black) or WMHUSV (Silver).

Power units, Dock 950 and Dock 150 must be specified separately with surface mount location. Dock 950 and Dock 150 are available on Modular Benching Desk Tops, Modular Cabinet Tops, Work Tables, and Media Peninsula Tops, and where otherwise noted.

Grommets are available in standard locations. Please specify using info below. Multiple locations may be selected. Only one unit per location.

**GROMMET LOCATIONS (Black = BLK and Silver = SLV)**

|     |  |    |    |
|-----|--|----|----|
| GC  | Grommet, Center                        | \$ | 52 |
| GL  | Grommet, Left                          | \$ | 52 |
| GR  | Grommet, Right                         | \$ | 52 |
| GAL | Grommet, Approach Left - D-Tops Only   | \$ | 52 |
| GAR | Grommet, Approach Right - D-Tops Only  | \$ | 52 |
| GSL | Grommet, Seat Side Left - D-Tops Only  | \$ | 52 |
| GSR | Grommet, Seat Side Right - D-Tops Only | \$ | 52 |

**DUO/TRIO BEZEL LOCATIONS**

|       |               |
|-------|---------------|
| PDC-C | Bezel, Center |
| PDC-L | Bezel, Left   |
| PDC-R | Bezel, Right  |


**DOCK 950 and DOCK 150 LOCATIONS (See Dock Units)**

|           |                                       |    |     |
|-----------|---------------------------------------|----|-----|
| DOCK950-L | D950 Wireless Charger, Left           | \$ | 265 |
| DOCK950-C | D950 Wireless Charger, Center         | \$ | 265 |
| DOCK950-R | D950 Wireless Charger, Right          | \$ | 265 |
| DOCK150-L | D150 Wireless and USB Charger, Left   | \$ | 405 |
| DOCK150-C | D150 Wireless and USB Charger, Center | \$ | 405 |
| DOCK150-R | D150 Wireless and USB Charger, Right  | \$ | 405 |

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets, Power Units, Dock 950 and Dock 150 may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

**Models**


|             |             |            |
|-------------|-------------|------------|
| 68-4872CBLP | 68-3672BLPS | 68-3672BDP |
| 68-4872CBRP | 68-3672BRPS | 68-3666BDP |
| 68-3672BDPS | 68-3672BRP  | 68-3672BLP |



GL/GR: Located 6" from ends and 22½" from user side  
GC: Located 22½" from user side

**Models**

|            |            |            |
|------------|------------|------------|
| 68-4272CLP | 68-3672RPS | 66-3672SH* |
| 68-4272CRP | 68-3672LP  | 66-3666SH* |
| 68-3672DPS | 68-3672RP  | 66-3660SH* |
| 68-3672LPS | 68-3672DP  |            |




GL/GR: Located 6" from ends and 22½" from user side  
GC: Located 22½" from user side

\*PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R/PDC-C/DOCK950-C/DOCK150-C available only on Shell (SH) units in same locations

**Models**

|           |           |            |
|-----------|-----------|------------|
| 68-3072DP | 68-3060RP | 66-3072SH* |
| 68-3066DP | 68-3066LP | 66-3066SH* |
| 68-3060DP | 68-3066RP | 66-3060SH* |
| 68-3060LP | 68-3072RP | 68-3072LP  |




GL/GR: Located 6" from ends and 22½" from user side

GC: Located 22½" from user side

\*PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R/PDC-C/DOCK950-C/DOCK150-C available only on Shell (SH) units in same locations

**Models**

|            |             |            |
|------------|-------------|------------|
| 68-2448LF1 | 66-2448UF   | 68-4824LF1 |
| 68-2448RF1 | 66-2448UFH  | 68-4824RF1 |
| 68-2448LF2 | 66-2442UF   | 68-4824LF2 |
| 68-2448RF2 | 66-2442UFH  | 68-4824RF2 |
| 68-2442LF1 | 66-2448RSHL | 68-4224LF1 |
| 68-2442RF1 | 66-2448RSHR | 68-4224RF1 |
| 68-2442LF2 | 66-2442RSHL | 68-4224LF2 |
| 68-2442RF2 | 66-2442RSHR | 68-4224RF2 |
| 66-2436UF  | 66-2436UFH  |            |




GL/GR: Located 6" from ends and 20" from user side

GC: Located 20" from user side

**Models**

|            |           |            |
|------------|-----------|------------|
| 66-2472LMR | 66-2472LL | 66-2472RMF |
| 66-2472RMR | 66-2472RL | 66-2472LMF |
| 66-2466LL  | 66-2466RL | 66-2466LMF |
| 66-2466RMF |           |            |




GL/GR: Located 6" from ends and 20" from user side

Grommets are only available on opposite side of pedestal

**Models**

|            |            |            |
|------------|------------|------------|
| 68-2472KC  | 68-2472RC2 | 68-2466RC1 |
| 68-2472LC1 | 68-2466KC  | 68-2466LC2 |
| 68-2472RC1 | 68-2466LC1 | 68-2466RC2 |
| 68-2472LC2 |            |            |




GL/GR: Located 6" from ends and 20" from user side

GC: Located 20" from user side

**Models**

|           |           |           |
|-----------|-----------|-----------|
| 66-2472SH | 66-2466SH | 66-2460SH |
|-----------|-----------|-----------|



GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 20" from user side

GC/DOCK950-C/DOCK150-C: Located 20" from user side


PDC-L/PDC-R: Located 6" from ends and 21" from user side

PDC-C: Located 21" from user side

**GROMMET OPTIONS & POWER UNIT LOCATIONS (CONTINUED)**

**Models**


66-2048UF                      66-2042UF                      66-2036UF  
66-2048UFH                    66-2042UFH                    66-2036UFH



GL/GR: Located 6" from ends and 16" from user side  
GC: Located 16" from user side

**Models**


66-2472L21DBF                66-2472L21OBFR                66-2472L21DO  
66-2460L21DBF                66-2460L21OBFL                66-2460L21DO  
66-2472L21OBFL                66-2460L21OBFR



PDC-L/PDC-R: Located 11" from ends and 21½" from user side  
PDC-C: Located 21½" from user side  
GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 20" from user side  
GC/DOCK950-C/DOCK150-C: Located 20" from user side

**Models**


66-2072L21DBF                66-2072L21OBFR                66-2060L21OBFR  
66-2060L21DBF                66-2060L21OBFL                66-2072L21DO  
66-2072L21OBFL                66-2060L21DO



PDC-L/PDC-R: Located 11" from ends and 17½" from user side  
PDC-C: Located 17½" from user side  
GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 16" from user side  
GC/DOCK950-C/DOCK150-C: Located 16" from user side

**Models**


66-4284PR                      66-4272PR  
66-4284TR                      66-4272TR



GAL/GSL: Located 12" from approach or seated side and 6" from end

**Models**


66-4284PL                      66-4272PL  
66-4284TL                      66-4272TL



GAR/GSR: Located 12" from approach or seated side and 6" from end

**Models**


66-4272EDR



GAL: Located 12" from approach, 6" from end  
GSL: Located 18" from approach, 6" from end

**Model**


66-4272EDL



GAR: Located 12" from approach, 6" from end  
GSR: Located 18" from approach, 6" from end

**Models**

66-3684DUR                      66-3084DUR                      66-3066DUR  
66-3672DUR                      66-3072DUR



GAL/GSL: Located 12" from approach or seated side and 6" from end

**Models**

66-3684DUL                      66-3672DR                      66-3066DUL  
66-3672DUL                      66-3084DUL                      66-3066DR  
66-3684DR                      66-3072DUL






GAR/GSR: Located 12" from approach or seated side and 6" from end

**MODULAR DESK TOPS**

**Models**

66-3684TP                      66-3648TP                      66-3066TP  
66-3678TP                      66-3642TP                      66-3060TP  
66-3672TP                      66-3084TP                      66-3054TP  
66-3666TP                      66-3078TP                      66-3048TP  
66-3660TP                      66-3072TP                      66-3042TP  
66-3654TP



GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 11" from ends and 22½" from user side  
GC/DOCK950-C/DOCK150-C: Located 22½" from user side


Additional grommet options on next page.

**GROMMET OPTIONS & POWER UNIT LOCATIONS (CONTINUED)**

**MODULAR CABINET TOPS**

**Models**

|           |           |           |
|-----------|-----------|-----------|
| 66-2496TP | 66-2472TP | 66-2448TP |
| 66-2490TP | 66-2466TP | 66-2442TP |
| 66-2484TP | 66-2460TP | 66-2436TP |
| 66-2478TP | 66-2454TP | 66-2430TP |



PDC-L/PDC-R: Located 11" from ends and 21½" from user side


PDC-C: Located 21½" from user side

GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 11" from ends and 20" from user side

GC/DOCK950-C/DOCK150-C: Located 20" from user side

**Models**

|           |           |           |
|-----------|-----------|-----------|
| 66-2096TP | 66-2072TP | 66-2048TP |
| 66-2090TP | 66-2066TP | 66-2042TP |
| 66-2084TP | 66-2060TP | 66-2036TP |
| 66-2078TP | 66-2054TP | 66-2030TP |



PDC-L/PDC-R: Located 11" from ends and 17½" from user side


PDC-C: Located 17½" from user side

GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 11" from ends and 16" from user side

GC/DOCK950-C/DOCK150-C: Located 16" from user side

**Model**

66-2418TP




PDC-C: Located 21½" from user side

GC/DOCK950-C/DOCK150-C: Located 20" from user side

**Model**

66-2018TP




PDC-C: Located 17½" from user side

GC/DOCK950-C/DOCK150-C: Located 16" from user side

**WORK TABLES**

**Models**

|            |            |            |
|------------|------------|------------|
| 66-4896WT  | 66-4860CWT | 66-4260TWT |
| 66-4896TWT | 66-4296WT  | 66-4260CWT |
| 66-4896CWT | 66-4296TWT | 66-3696TWT |
| 66-4884WT  | 66-4296CWT | 66-3696CWT |
| 66-4884TWT | 66-4284WT  | 66-3684TWT |
| 66-4884CWT | 66-4284TWT | 66-3684CWT |
| 66-4872WT  | 66-4284CWT | 66-3672TWT |
| 66-4872TWT | 66-4272WT  | 66-3672CWT |
| 66-4872CWT | 66-4272TWT | 66-3660TWT |
| 66-4860WT  | 66-4272CWT | 66-3660CWT |
| 66-4860TWT | 66-4260WT  |            |



**42" Work Tables**

GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 21" from user side

GC/PDC-C/DOCK950-C/DOCK150-C: Located 21" from user side

**48" Work Tables**

GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 24" from user side

GC/PDC-C/DOCK950-C/DOCK150-C: Located 24" from user side


**36" Work Tables**

GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 18" from user side

GC/PDC-C/DOCK950-C/DOCK150-C: Located 18" from user side

**Models**

|            |            |            |
|------------|------------|------------|
| 66-2496WT  | 66-2484TWT | 66-2472CWT |
| 66-2496TWT | 66-2484CWT | 66-2460WT  |
| 66-2496CWT | 66-2472WT  | 66-2460TWT |
| 66-2484WT  | 66-2472TWT | 66-2460CWT |




GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 21½" from user side

GC/PDC-C/DOCK950-C/DOCK150-C: Located 21½" from user side

**MODULAR BENCHING DESK TOPS**

**Models**

|           |           |           |
|-----------|-----------|-----------|
| 66-6072TP | 66-6066TP | 66-6060TP |
|-----------|-----------|-----------|



E = 11" from end  
C = 25¾" from user


Only one style of unit per location.

Locations:

- 1C: 2 Center Cutouts
- 1E: 2 End Cutouts
- 2E: 4 End Cutouts
- C1E: 2 Center and 2 End Cutouts
- C2E: 2 Center and 4 End Cutouts

**Models**

|           |           |           |
|-----------|-----------|-----------|
| 66-4872TP | 66-4866TP | 66-4860TP |
|-----------|-----------|-----------|



E = 11" from end  
C = 19¾" from user

Only one style of unit per location.

Locations:

- 1C: 2 Center Cutouts
- 1E: 2 End Cutouts
- 2E: 4 End Cutouts
- C1E: 2 Center and 2 End Cutouts
- C2E: 2 Center and 4 End Cutouts


**GROMMET OPTIONS & POWER UNIT LOCATIONS (CONTINUED)**

**Models**

66-3672MPS  
66-3672MP

66-3066MPS  
66-3066MP

66-3060MPS  
66-3060MP




E = 12" from monitor end  
C = Centered

DUO/TRIO BEZEL, Dock 950 and Dock 150. Only one style of unit per location.

Locations:

- C: Center Cutout
- E: End Cutout
- EC: End and Center Cutouts




**51" Gallery Screens Grommet Options**

- DGL: Desk Height Left; 6" from ends and 25¼" from bottom
- DGR: Desk Height Right; 6" from ends and 25¼" from bottom
- DGC: Desk Height Center; 25¼" from bottom
- BGL: Bench Height Left; 6" from ends and 15" from bottom
- BGR: Bench Height Right; 6" from ends and 15" from bottom
- BGC: Bench Height Center; 15" from bottom


**HEIGHT ADJUSTABLE MECHANISMS**

Height Adjust method that increases user kneespace, offers more stability for overall unit and top construction, and two worksurfaces can move from sitting to standing simultaneously with or without moving modesty panel.


- Maximum height is 45"
- Recommended load capacity of 180lbs
- Gently adjust worksurface with a 1 second stop at each memory position
- Two leg configuration options include the standard 2-channel for Desks, Desk Shells, D-top and P-Top units for one height adjustable worksurface or 3-channel option for two height adjustable worksurfaces to raise simultaneously
- Two height adjustable switches available. Standard up/down switch (SWCH) and advanced switch features Bluetooth capabilities, three stand-up reminder intervals and four height memory positions (MSWCH)
- Moving Modesty (MOVMOD) option creates a clean aesthetic when seated or standing
- Height adjust control switch is factory installed on all units except Desk and Credenza Shells or 3-Channel units
- Bridges, returns, and credenzas will have an optional grommet on the back panel
- Black wire management mesh wrap included when worksurface grommet is selected
- Black wire management mesh wrap is made of polyester braided fabric, 10' long, expands up to 1¾"
- Grommets and one Latch Duct wire management channel provided within kneespace to manage wires from switch and control box. Two Latch Duct wire management channels will be shipped with Desk Shells



Height Adjustable User Side



2-channel Configuration




Moving Modesty




Black wire management mesh sleeve

**HEIGHT ADJUST LEG CONFIGURATION**


The 2-channel leg configuration is standard on height adjustable Desks, Desk Shells, D-top and P-Top units for one height adjustable worksurface. Select models offer an optional 3-channel leg configuration for use with 3-channel Returns to allow two worksurfaces to raise and lower simultaneously.



2-channel Configuration  
Raise Single Surface



3-channel Configuration  
Raise Multiple Surface




Shown with two worksurfaces raised and optional moving modesty.


|      |   |        |
|------|---|--------|
| STS2 | 2-channel configuration<br>(For one height adjustable worksurface)  | STD    |
| STS3 | 3-channel configuration<br>(For two height adjustable worksurfaces) | \$ N/C |

**HEIGHT ADJUST MOVING MODESTY PANEL**


Height adjustable moving modesty panel available on double and single pedestal, D-top and P-Top desks. Moving modesty panels offer a clean aesthetic when seated or standing while giving more privacy to the user.



Stepped Front Desk with Moving Modesty



Recessed Front Desk with Moving Modesty




P-Top with Moving Modesty

|        |                      |        |
|--------|----------------------|--------|
| MOVMOD | Moving Modesty Panel | \$ 219 |
|--------|----------------------|--------|


**HEIGHT ADJUST MODESTY/PEDESTAL PANEL GROMMET**

Height adjustable credenza, bridge and return units feature a modesty panel grommet option for accessing power to a wall.


**2-Channel units feature grommet centered on modesty only, 3" down from top. 3-Channel units feature grommets centered on pedestal only, 3" down from top.**



Credenza with Modesty Grommet



2-Channel Return with Modesty Grommet



3-Channel Return with Pedestal Grommet

|       |                        |        |
|-------|------------------------|--------|
| GMBL  | Black Modesty Grommet  | \$ N/C |
| GMBSV | Silver Modesty Grommet | \$ N/C |

**HEIGHT ADJUST SWITCH CONTROL OPTIONS**

Height adjust units offer two switch options. The standard switch is a simple up and down paddle style switch to move your worksurface from seated to standing height. The advanced switch features Bluetooth capabilities to connect to smart devices, three stand-up reminder intervals and four height adjustment memory positions.

|       |                              |        |
|-------|------------------------------|--------|
| SWCH  | Standard Up/Down Switch      | STD    |
| MSWCH | Advanced Up/Down with Memory | \$ 135 |



SWCH (standard)




MSWCH

Height adjustable grommet options on next page.

**HEIGHT ADJUST GROMMET OPTIONS & POWER UNIT LOCATIONS**

**Ports, Locations and Wire Management:**

- One data or wire management location per unit
- Order the port and then specify the location



Shown with Wire Management Box with Grommet

**Wire Management Box with Grommet** **Add \$ 417**

**Specify Location and Grommet Color (Black = BLK or Silver = SLV)**

| Specify | Units                   | Locations |
|---------|-------------------------|-----------|
| GC-BOX  | Desks/Credenzas/Bridges | Center    |
| GC-BOX  | Return (2-Channel Only) | Center    |

**Grommet with Mesh Sleeve** **Add \$ 142**

**Specify Location and Grommet Color (Black = BLK or Silver = SLV)**

| Specify   | Units                   | Locations             |
|-----------|-------------------------|-----------------------|
| GL-MESH   | Desks/Credenzas/Return  | Left                  |
| GR-MESH   | Desks/Credenzas/Return  | Right                 |
| GC-MESH   | Desks/Credenzas/Bridges | Center                |
| GCKS-MESH | Return/Return Shell     | Centered Between Legs |

**Wire Management Box with DUOBEZEL** **Add \$ 1128**

| Units                   | Locations             |
|-------------------------|-----------------------|
| Desks/Credenzas/Bridges | Center                |
| Return                  | Centered Between Legs |

**Specify**

|              |                 |
|--------------|-----------------|
| 01-DUOBEZELB | DUOBEZEL Black  |
| 01-DUOBEZELS | DUOBEZEL Silver |
| 01-DUOBEZELW | DUOBEZEL White  |

**Wire Management Box with TRIOBEZEL** **Add \$ 1173**

| Units                   | Locations             |
|-------------------------|-----------------------|
| Desks/Credenzas/Bridges | Center                |
| Return                  | Centered Between Legs |

**Specify Color**

|               |                  |
|---------------|------------------|
| 01-TRIOBEZELB | TRIOBEZEL Black  |
| 01-TRIOBEZELS | TRIOBEZEL Silver |
| 01-TRIOBEZELW | TRIOBEZEL White  |

**Port Options for TRIOBEZEL - Must Specify** **Add**

|             |                                   |        |
|-------------|-----------------------------------|--------|
| 01-LCOMVGA  | VGA Date Port                     | \$ 121 |
| 01-LCOMHDMI | HDMI Data Port (Open Market Only) | \$ 166 |
| 01-LCOMRJ45 | RJ45 Data Port                    | \$ 79  |

**Wire Management Box with DPORT4** **Add \$ 1499**

| Units                   | Locations             |
|-------------------------|-----------------------|
| Desks/Credenzas/Bridges | Center                |
| Return                  | Centered Between Legs |

**Specify Color**


|            |                |
|------------|----------------|
| 01-DPORT4A | DPORT Aluminum |
| 01-DPORT4B | DPORT Black    |

**Port Options for DPORT - Must Specify** **Add**

|            |               |        |
|------------|---------------|--------|
| 01-USBPORT | USB Port      | \$ 161 |
| 01-VOICE1  | Voice Coupler | \$ 73  |
| 01-RJ4DATA | Data Port     | \$ 167 |

**Models**


|                |                |                |
|----------------|----------------|----------------|
| 66-2048UFSTS   | 66-2042UFSTS   | 66-2036UFSTS   |
| 66-2048UFSTSL3 | 66-2048UFSTSR3 | 66-2042UFSTSL3 |
| 66-2042UFSTSR3 | 66-2036UFSTSL3 | 66-2036UFSTSR3 |



Center: Located 16" from user side

**Models**


|                |                |                |
|----------------|----------------|----------------|
| 66-2448UFSTS   | 66-2442UFSTS   | 66-2436UFSTS   |
| 66-2448UFSTSL3 | 66-2448UFSTSR3 | 66-2442UFSTSL3 |
| 66-2442UFSTSR3 | 66-2436UFSTSL3 | 66-2436UFSTSR3 |



Center: Located 20" from user side

**Models**

|              |               |              |
|--------------|---------------|--------------|
| 66-2472SHSTS | 68-3072LPSTS  | 68-3072DPSTS |
| 66-2466SHSTS | 68-2472RC2STS | 68-3066RPSTS |
| 66-2460SHSTS | 68-2472LC2STS | 68-3066LPSTS |
| 66-3072SHSTS | 68-2466RC2STS | 68-3066DPSTS |
| 66-3066SHSTS | 68-2466LC2STS | 68-3060RPSTS |
| 68-2466KCSTS | 68-2472RC1STS | 68-3060LPSTS |
| 68-2472KCSTS | 68-2472LC1STS | 68-3060DPSTS |
| 66-3060SHSTS | 68-2466RC1STS |              |
| 68-3072RPSTS | 68-2466LC1STS |              |




L/R: Located 6" from ends and 20" from user side

Center: Located 20" from user side

**Models**

|               |                 |               |
|---------------|-----------------|---------------|
| 68-4824RF2STS | 66-2448RSHRSTS* | 68-2448RF1STS |
| 68-4824LF2STS | 66-2448RSHLSTS* | 68-2448LF1STS |
| 68-4224RF2STS | 66-2442RSHRSTS* | 68-2442RF1STS |
| 68-4224LF2STS | 66-2442RSHLSTS* | 68-2442LF1STS |
| 68-2448RF2STS | 68-4824RF1STS   | 68-4224LF1STS |
| 68-2448LF2STS | 68-4824LF1STS   | 68-4224RF1STS |
| 68-2442RF2STS | 68-2442LF2STS   |               |





GL/GR-MESH: Located 6" from ends and 20" from user side

GCKS-MESH/GC-BOX: Centered between legs and 20" from user side

\* = Only Available with Centered Grommet (GCKS-MESH)

**Models (Grommet only available in ped space)**

|                |                |                |
|----------------|----------------|----------------|
| 68-2448RF2STS3 | 68-2442LF2STS3 | 68-2442RF1STS3 |
| 68-2448LF2STS3 | 68-2448LF1STS3 | 68-2442LF1STS3 |
| 68-2442RF2STS3 | 68-2448RF1STS3 |                |



Grommet only available in ped space 6" from end


L/R: Located 6" from ends and 20" from user side



**HEIGHT ADJUST GROMMET OPTIONS & POWER UNIT LOCATIONS (CONTINUED)**

**Models**


|               |               |                |
|---------------|---------------|----------------|
| 68-3672BDPSTS | 68-3672BLPSTS | 68-3672BRPSSTS |
| 68-3666BDPSTS | 68-3672BRPSTS | 68-3672BLPSSTS |
|               |               | 68-3672BDPSTS  |



L/R: Located 6" from ends and 20" from user side  
Center: Located 20" from user side

**Models**

|               |               |              |
|---------------|---------------|--------------|
| 68-3672DPSTS  | 68-3672RPSTS  | 66-3672SHSTS |
| 68-3672DPSSTS | 68-3672RPSSTS | 66-3666SHSTS |
| 68-3672LPSTS  | 68-3672LPSSTS | 66-3660SHSTS |




Left/Right: Located 6" from ends and 24" from user side  
Center: Located 24" from user side

**Models**


|               |               |              |
|---------------|---------------|--------------|
| 66-3684DURSTS | 66-3072DURSTS | 66-4284PLSTS |
| 66-3684DULSTS | 66-3072DULSTS | 66-4284PRSTS |
| 66-3672DURSTS | 66-3066DURSTS | 66-4272PLSTS |
| 66-3672DULSTS | 66-3066DULSTS | 66-4272PRSTS |
| 66-3084DURSTS | 66-3084DULSTS |              |



Center: Located 18 7/8" from seated side and centered between legs



Left Unit / Center: Located 18 7/8" from seated side and centered between legs



Right Unit / Center: Located 18 7/8" from seated side and centered between legs

**MODULAR HEIGHT ADJUSTABLE GROMMET OPTIONS & POWER UNIT LOCATIONS**

Grommets are standard in tops of cabinets and credenzas in Black (BLK) or Silver (SLV).

Grommets are available in locations shown below. Please specify and add upcharge for each grommet. Multiple locations may be selected. Only one unit per location.

**GROMMET LOCATIONS (Black = BLK and Silver = SLV)**

|    |                                      |    |    |
|----|--------------------------------------|----|----|
| GC | Grommet, Center - Specify BLK or SLV | \$ | 52 |
| GL | Grommet, Left - Specify BLK or SLV   | \$ | 52 |
| GR | Grommet, Right - Specify BLK or SLV  | \$ | 52 |

**DUO/TRIO BEZEL LOCATIONS**

|       |               |
|-------|---------------|
| PDC-C | Bezel, Center |
| PDC-L | Bezel, Left   |
| PDC-R | Bezel, Right  |


**DOCK 950 and DOCK 150 LOCATIONS (See Dock Units)**

|           |                                       |    |     |
|-----------|---------------------------------------|----|-----|
| DOCK950-L | D950 Wireless Charger, Left           | \$ | 265 |
| DOCK950-C | D950 Wireless Charger, Center         | \$ | 265 |
| DOCK950-R | D950 Wireless Charger, Right          | \$ | 265 |
| DOCK150-L | D150 Wireless and USB Charger, Left   | \$ | 405 |
| DOCK150-C | D150 Wireless and USB Charger, Center | \$ | 405 |
| DOCK150-R | D150 Wireless and USB Charger, Right  | \$ | 405 |

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets, Power Units, Dock 950 and Dock 150 may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

**Models**

|            |            |            |
|------------|------------|------------|
| 66-3470HTP | 66-3462HTP | 66-3456HTP |
| 66-3464HTP | 66-3458HTP | 66-2850HTP |
| 66-2870HTP | 66-2858HTP | 66-2846HTP |
| 66-2864HTP | 66-2856HTP |            |
| 66-2862HTP | 66-2852HTP |            |




GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: 18" from ends and 22 1/2" from user

GC/PDC-C/DOCK950-C/DOCK150-C: 22 1/2" from user

**Models**

|            |            |            |
|------------|------------|------------|
| 66-2270HTP | 66-2258HTP | 66-2250HTP |
| 66-2264HTP | 66-2256HTP | 66-2246HTP |
| 66-2262HTP | 66-2252HTP |            |




GL/GR/PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: 18" from ends and user

GC/PDC-C/DOCK950-C/DOCK150-C: 18" from user

**Models**

|             |             |             |
|-------------|-------------|-------------|
| 66-2472HDFL | 66-2472HMFR | 66-2466HMOL |
| 66-2472HDFR | 66-2472HMOL | 66-2466HMOR |
| 66-2472HMFL | 66-2472HMOR | 66-2466HMFL |
| 66-2472HDOL | 66-2466HDFL | 66-2466HMFR |
| 66-2472HDOR | 66-2466HDFR | 66-2460HDFR |
| 66-2460HDOL | 66-2466HDOL | 66-2460HDFL |
| 66-2460HDOR | 66-2466HDOR | 66-2460HMFR |
| 66-2460HMOL | 66-2460HMOR | 66-2460HMFL |



PDC-L/PDC-R: Located 11" from ends and 21 1/2" from user side

PDC-C: Located 21 1/2" from user side


GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 20" from user side

GC/DOCK950-C/DOCK150-C: Located 20" from user side

**GROMMET OPTIONS & POWER UNIT LOCATIONS**

**Models**

|             |             |             |
|-------------|-------------|-------------|
| 66-2072HDFL | 66-2072HMFR | 66-2066HMOL |
| 66-2072HDFR | 66-2072HMOL | 66-2066HMOR |
| 66-2072HMFL | 66-2072HMOR | 66-2066HMFL |
| 66-2072HDOL | 66-2066HDFL | 66-2066HMFR |
| 66-2072HDOR | 66-2066HDFR | 66-2060HDFR |
| 66-2060HDOL | 66-2066HDOL | 66-2060HDFL |
| 66-2060HDOR | 66-2066HDOR | 66-2060HMFR |
| 66-2060HMOL | 66-2060HMOR | 66-2060HMFL |



PDC-L/PDC-R: Located 11" from ends and 17½" from user side


PDC-C: Located 17½" from user side

GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 16" from user side

GC/DOCK950-C/DOCK150-C: Located 16" from user side

**Models**

|           |            |            |
|-----------|------------|------------|
| 66-2436HM | 66-2436HDL | 66-2430HDL |
| 66-2430HM | 66-2436HDR | 66-2430HDR |
| 66-2424HM |            |            |




PDC-L/PDC-R: Located 11" from ends and 21½" from user side

PDC-C: Located 21½" from user side

**Models**

|           |            |            |
|-----------|------------|------------|
| 66-2036HM | 66-2036HDL | 66-2030HDL |
| 66-2030HM | 66-2036HDR | 66-2030HDR |
| 66-2024HM |            |            |



PDC-L/PDC-R: Located 11" from ends and 17½" from user side

PDC-C: Located 17½" from user side

**HEIGHT ADJUSTABLE WORKSURFACE MONITOR ARM LOCATIONS**

Monitor Arm Grommets are available in locations shown below. Please specify and add upcharge for each grommet. [Dual Monitor and Single Monitor Arms sold separately](#)


Monitor Arm Grommet available in one location per unit; grommet is 2¾".

**MONITOR ARM GROMMET LOCATIONS**

|         |                         |    |    |
|---------|-------------------------|----|----|
| MGRMT-C | Monitor Grommet, Center | \$ | 52 |
| MGRMT-L | Monitor Grommet, Left   | \$ | 52 |
| MGRMT-R | Monitor Grommet, Right  | \$ | 52 |

**Models**

|            |            |            |
|------------|------------|------------|
| 66-3470HTP | 66-3462HTP | 66-3456HTP |
| 66-3464HTP | 66-3458HTP |            |




MGRMT-L/MGRMT-R: Located 18" from ends and 31" from user side

MGRMT-C: Located 31" from user side

**Models**

|            |            |            |
|------------|------------|------------|
| 66-2870HTP | 66-2858HTP | 66-2850HTP |
| 66-2864HTP | 66-2856HTP | 66-2846HTP |
| 66-2862HTP | 66-2852HTP |            |




MGRMT-L/MGRMT-R: Located 18" from ends and 25" from user side

MGRMT-C: Located 25" from user side

**Models**

|            |            |            |
|------------|------------|------------|
| 66-2270HTP | 66-2258HTP | 66-2250HTP |
| 66-2264HTP | 66-2256HTP | 66-2246HTP |
| 66-2262HTP | 66-2252HTP |            |



MGRMT-L/MGRMT-R: Located 18" from ends and 19" from user side

MGRMT-C: Located 19" from user side

**CONFERENCE AND MEETING TABLE GROMMET OPTIONS**

Meeting and Conference Tables offer power and grommet locations at multiple locations.

**Must Specify Black (BLK) or Silver (SLV)**

**Grommet**

|                               |    |    |
|-------------------------------|----|----|
| Factory Installed Grommet     | \$ | 52 |
| Field Installed Grommet Cover | \$ | 11 |

**Grommet + Power Locations**

|    |                     |    |                        |
|----|---------------------|----|------------------------|
| OC | On Center           | CL | 5½" Left of Center     |
| EL | 24½" from Left End) | CR | 5½" Right of Center    |
| ER | 24½" from Right End | BB | Centered Between Bases |

**Location Availability by Top Size**

|                 |                                |
|-----------------|--------------------------------|
| 72" + 96"W Tops | OC, EL+ER                      |
| 120"W Tops      | BB, CL, CR, CL+EL+ER, CR+EL+ER |

**LOCKING DOORS**

Locking doors are available on select hinged doors. You must specify WITH LOCKING when ordering and add upcharge.

|        |                     |    |     |
|--------|---------------------|----|-----|
| LKT_HU | 108"W to 84"W Units | \$ | 135 |
| LKT_HU | 78"W to 48"W Units  | \$ | 115 |
| LKT_HU | 42"W to 24"W Units  | \$ | 91  |
| LKT_HU | 18"W to 12"W Units  | \$ | 69  |





**WIRE MANAGEMENT**

Wire Management openings available for modular pedestals.

|      |                      |    |     |
|------|----------------------|----|-----|
| WML  | Left Panel           | \$ | 80  |
| WMR  | Right Panel          | \$ | 80  |
| WMLR | Left and Right Panel | \$ | 160 |

**CERTIFICATIONS & COMPLIANCE**

- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant® Certified
- TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED®, Green Globes®, and WELL® Sustainable Programs




**Standard Components**




Double Ped Desks with or without Bow Tops  
[\(See Multiple Unit Details\)](#)




Single Ped Desks with or without Bow Tops  
[\(See Multiple Unit Details\)](#)




Curved Single Ped Desks with or without Bow Tops  
[\(See Multiple Unit Details\)](#)




P-Top and D-Tops  
[\(See Multiple Unit Details\)](#)




Media Peninsula  
[\(See Multiple Unit Details\)](#)




Returns  
[\(See Multiple Unit Details\)](#)




Bridges  
[\(See Multiple Unit Details\)](#)



Corner Units  
[\(See Multiple Unit Details\)](#)




Kneespace, Storage, and Single Ped Credenzas  
[\(See Multiple Unit Details\)](#)




21" Low Storage and Open Credenzas  
[\(See Multiple Unit Details\)](#)



Filing  
[\(See Multiple Unit Details\)](#)




Mobile Pedestals  
[\(See Multiple Unit Details\)](#)




Surface Mount and Wall Mount Hutches  
[\(See Multiple Unit Details\)](#)




Surface Mount Storage Towers  
[\(See Multiple Unit Details\)](#)



Surface Mount Bookcases  
[\(See Multiple Unit Details\)](#)




Storage Cabinets  
[\(See Multiple Unit Details\)](#)



Tower Wardrobe  
[\(See Multiple Unit Details\)](#)




Wardrobe/Storage Cabinet  
[\(See Multiple Unit Details\)](#)




Bookcases  
[\(See Multiple Unit Details\)](#)


**Tables**



Work Tables  
[\(See Multiple Unit Details\)](#)



Occasional Tables  
[\(See Multiple Unit Details\)](#)



Rectangular Tops  
[\(See Details\)](#)  
Round Tops  
[\(See Details\)](#)



Strut Bases  
[\(See Details\)](#)



Cylinder Bases  
[\(See Details\)](#)



Metal Bases  
[\(See Details\)](#)




Height Adjustable Bases and Lifts  
[\(See Details\)](#)



Rectangular with Door  
[\(See Details\)](#)

**Modular Components**



Desk, Credenza and Return Shells  
[\(See Multiple Unit Details\)](#)




P-Tops, D-Tops And Media Peninsula  
[\(See Multiple Unit Details\)](#)




Pedestals  
[\(See Multiple Unit Details\)](#)



Filing  
[\(See Multiple Unit Details\)](#)




Door and Open Bookcase Pedestals  
[\(See Multiple Unit Details\)](#)



21" Low Storage  
[\(See Multiple Unit Details\)](#)




Seated and Low Height Metal Supports  
[\(See Seated Height and Low Height Units\)](#)




Desk End Bookcases  
[\(See Multiple Unit Details\)](#)




Support Panels  
[\(See Standard Height and Low Height\)](#)




Dual and Single Access Hutches  
[\(See Multiple Unit Details\)](#)



Privacy Panels  
[\(See Multiple Unit Details\)](#)



Floorstanding Gallery Screens  
[\(See Multiple Unit Details\)](#)




Modular Tops - Table, Desk, Benching Tops  
[\(See Multiple Unit Details\)](#)



Height Adjustable Worksurface Lifts  
[\(See Multiple Unit Details\)](#)


### Studio Components




Modular Tops - Table, Desk, Benching  
Tops [\(See Multiple Unit Details\)](#)



Studio Pedestals  
[\(See Details\)](#)



Studio Low Pedestals  
[\(See Multiple Unit Details\)](#)



Studio Storage  
Cabinets  
[\(See Multiple Unit Details\)](#)



Kneespace  
Modesty Panels  
[\(See Multiple Unit Details\)](#)




Single and Shared  
Stanchions  
[\(See Details\)](#)




Studio Single and  
Shared Legs  
[\(See Details\)](#)


### Height Adjustable Units and Components




Double Ped Desks  
[\(See Details\)](#)




Single Ped Desks  
[\(See Multiple Unit Details\)](#)




P and D-Top  
[\(See Multiple Unit Details\)](#)




Returns  
[\(See Multiple Unit Details\)](#)



Bridge  
[\(See Multiple Unit Details\)](#)



Credenzas  
[\(See Multiple Unit Details\)](#)



Desk Shell [\(See Details\)](#),  
Return Shell [\(See Details\)](#) and  
Credenza Shell [\(See Details\)](#)




Height Adjustable  
Worksurfaces  
[\(See Multiple Unit Details\)](#)



Height Adjustable  
Legs  
[\(See Multiple Unit Details\)](#)



Height Adjustable  
Cabinets  
[\(See Multiple Unit Details\)](#)



Height Adjustable  
Credenzas  
[\(See Multiple Unit Details\)](#)



Height Adjustable  
Modesty Panels  
[\(See Multiple Unit Details\)](#)




Height Adjustable  
Privacy Screens  
[\(See Multiple Unit Details\)](#)



Height Adjustable  
Worksurface Lifts  
[\(See Multiple Unit Details\)](#)


### Tackboards, Work Walls, Marker Boards and Other Accessories



Tackboards  
[\(See Multiple Unit Details\)](#)



Work Walls and  
Accessories  
[\(See Multiple Unit Details\)](#)




Marker Boards  
[\(See Multiple Unit Details\)](#)




Marker, Eraser and  
Magnet Sets  
[\(See Details\)](#)




Tasklights  
[\(See Multiple Unit Details\)](#)




Wire Management  
[\(See Multiple Unit Details\)](#)



Power Options [\(See Multiple Unit Details\)](#)



Monitor Arms [\(See Multiple Unit Details\)](#)




Kneespace  
Accessories  
[\(See Multiple Unit Details\)](#)




Cushion  
[\(See Details\)](#)




Floating and L Shelf  
[\(See Multiple Unit Details\)](#)



Visual Board  
[\(See Details\)](#)

| Item  | Model No.   | Width | Depth  | Height | Ship Wt              | Cubic Ft | List Price             |
|---|---|-------|--|--------|----------------------|----------|------------------------|
|  | 66-21   | 108   | 105  | 70½    | 1418                 | 200.5    | T\$ 21184<br>P\$ 21899 |
|   | <b>CONSIST OF:</b>  |       | <b>QTY</b>   |        |                      |          |                        |
|   | 68-3672RPSTS  | 1     | Height Adjustable Single Ped Desk with Box/Box/File with Moving Modesty Option |        | T\$ 5998<br>P\$ 6288 |          |                        |
|   | 68-2448LF2STS3  | 1     | Height Adjustable Return with File/File, 3-Channel                             |        | T\$ 3436<br>P\$ 3623 |          |                        |
|   | GMB-2372W   | 1     | 72"W Glass Marker Board for Wall Mount Hutch                                   |        | \$ 2595              |          |                        |
|   | 68-2472KC   | 1     | Kneespace Credenza Full Pedestal   |        | T\$ 2697<br>P\$ 2935 |          |                        |
|   | 66-1572SWD  | 1     | 72"W Wall Mount Hutch with Sliding Door  |        | T\$ 2352             |          |                        |
|   | 66-1872WR   | 1     | Wardrobe Storage Cabinet, Right  |        | T\$ 2053             |          |                        |
|   | 66-1872WL   | 1     | Wardrobe Storage Cabinet, Left   |        | T\$ 2053             |          |                        |
|   | <p><i>Products are available as left or right, where applicable</i><br/> <i>Depth includes 42" between Double Ped Desk and Kneespace Credenza</i><br/> <i>List price does not include optional moving modesty</i></p> |       |  |        |                      |          |                        |

|   |   |     |  |     |                      |       |                        |  |
|---|---|-----|--|-----|----------------------|-------|------------------------|--|
|  | 66-25   | 228 | 72   | 51½ | 1121                 | 121.8 | T\$ 20801<br>P\$ 21831 |  |
|   | <b>CONSIST OF:</b>  |     | <b>QTY</b>                                   |     |                      |       |                        |  |
|   | 66-3072TP   | 2   | Modular Desk Top                             |     | T\$ 1354<br>P\$ 1894 |       |                        |  |
|   | 01-3028HL   | 2   | H Modular Peninsula Support Seated Height    |     | \$ 2252              |       |                        |  |
|   | 01-3007OL   | 2   | Layer Support for Desk Top                   |     | T\$ 1114             |       |                        |  |
|   | 66-2430SBC  | 2   | 30"W Studio Low Mod Open Bookcase            |     | T\$ 2102             |       |                        |  |
|   | 66-2418STF  | 2   | 18"W Studio Low Mod Tray/File Ped            |     | T\$ 2030             |       |                        |  |
|   | 66-1851SWBL   | 1   | Studio Storage Cabinet Door/Tray/File, Left  |     | T\$ 1588             |       |                        |  |
|   | 66-1851SWBR   | 1   | Studio Storage Cabinet Door/Tray/File, Right |     | T\$ 1588             |       |                        |  |
|   | 66-2430SDB  | 2   | 30"W Studio Low Mod Door Bookcase            |     | T\$ 1836             |       |                        |  |
|   | 66-2478TP   | 2   | 78" Modular Top for Storage                  |     | T\$ 1222<br>P\$ 1712 |       |                        |  |
|   | 66-2430CUSHION  | 2   | 30"W Component Cushion for Door Bookcase     |     | GR1\$ 770            |       |                        |  |
|   | 01-0404SSL4   | 3   | Studio Shared Leg, 4 Pack                    |     | ALUM\$ 741           |       |                        |  |
|   | 01-0404SL4  | 2   | Studio Leg, 4 Pack                           |     | ALUM\$ 494           |       |                        |  |
|   | GMB-5136W   | 1   | 36"W Glass Marker Board From Floor           |     | \$ 2802              |       |                        |  |
|   | 66-0942FS   | 2   | 42"W Floating Shelf                          |     | T\$ 908              |       |                        |  |
|   | <p><i>Products are available as left or right, where applicable</i></p> |     |  |     |                      |       |                        |  |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price             |
|---|-----------|-------|-------|--------|---------|----------|------------------------|
|  | 66-12     | 174   | 60    | 41¾    | 986     | 86.8     | T\$ 13448<br>P\$ 14638 |

| CONSIST OF: | QTY |   |                      |
|-------------|-----|---|----------------------|
| 01-3028OLS  | 2   | Seated Height Shared Metal Leg          | A\$ 1258             |
| 01-6028OL   | 2   | Seated Height Modular Peninsula Support | A\$ 1834             |
| 01-00060SB  | 4   | Stiffener Bar                           | \$ 516               |
| 01-1228OL   | 2   | O Leg Support                           | A\$ 884              |
| 66-1519MP1  | 4   | Mobile Pedestal Box/Box/File            | T\$ 5108             |
| 66-1560DTP  | 2   | Desk Top Extensions                     | T\$ 772<br>P\$ 1078  |
| 66-6072TP   | 2   | Modular Desk Top                        | T\$ 2216<br>P\$ 3100 |
| 66-6812PP   | 2   | 12" TFL Privacy Panel                   | T\$ 860              |

Products are available as left or right, where applicable


|   |       |     |     |     |      |       |                        |
|---|-------|-----|-----|-----|------|-------|------------------------|
|  | 66-23 | 108 | 102 | 82¾ | 1127 | 152.3 | T\$ 17033<br>P\$ 17557 |
|---|-------|-----|-----|-----|------|-------|------------------------|

| CONSIST OF:  | QTY |  |                      |
|--------------|-----|--|----------------------|
| 66-3672TP    | 1   | Modular Desk Top                                   | T\$ 726<br>P\$ 1015  |
| 66-2472TP    | 1   | Modular Cabinet Top                                | T\$ 595<br>P\$ 830   |
| 01-0404SL4   | 2   | Single Studio Leg 4-Pack                           | ALUM\$ 494           |
| 66-3618SPD1  | 2   | Studio Modular Desk Pedestal, Box/Box/File         | T\$ 2982             |
| 66-3624MDHGA | 1   | Studio Kneespace Modesty Panel, High Gloss Acrylic | \$ 589<br>+GPA\$ 676 |
| 66-1572TWDS  | 1   | Tall Wall Mount Door Hutch with Paper Slots        | T\$ 3242             |
| 66-2418PD1   | 2   | Modular Desk Pedestal, Box/Box/File                | T\$ 2494             |
| 66-7228BP    | 1   | Modular Modesty Panel                              | T\$ 492              |
| 66-1884WL    | 1   | Tall Wardrobe/Storage Cabinet, Left                | T\$ 2143             |
| 66-1884WR    | 1   | Tall Wardrobe/Storage Cabinet, Right               | T\$ 2143             |
| WW-1972TRWPS | 1   | Tool Rail Work Wall                                | GRI\$ 1004           |
| 01-FLDRSRTRC | 1   | Folder Sorter for Tool Rail Work Wall, Clear       | \$ 129               |


Products are available as left or right, where applicable  
Depth includes 42" between Modular Double Ped Desk and Modular Credenza

**Pricing Codes:**  
T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.          | Width | Depth  | Height | Ship Wt            | Cubic Ft | List Price           |
|---|--------------------|-------|--|--------|--------------------|----------|----------------------|
|  | 66-22              | 102   | 72   | 47½    | 508                | 56.9     | T\$ 8153<br>P\$ 8675 |
|   | <b>CONSIST OF:</b> |       | <b>QTY</b>                                     |        |                    |          |                      |
|   | 66-3072TP          | 1     | Modular Desk Top                               |        | T\$ 677<br>P\$ 947 |          |                      |
|   | 66-2484TP          | 1     | Modular Cabinet Top                            |        | T\$ 624<br>P\$ 876 |          |                      |
|   | 01-3028BL          | 1     | Bar Modular Peninsula Support                  |        | ALUM\$ 644         |          |                      |
|   | 66-2430SBC         | 1     | Studio Modular Low Storage, Open Bookcase      |        | T\$ 1051           |          |                      |
|   | 66-2436STF         | 1     | Studio Modular Low Storage, Tray/File          |        | T\$ 1257           |          |                      |
|   | 66-2418SDBR        | 1     | Studio Modular Low Door Bookcase, Right Hinged |        | T\$ 825            |          |                      |
|   | 01-3007OL          | 1     | Layer Support for 21" Low Credenzas            |        | \$ 557             |          |                      |
|   | 66-1851SWR         | 1     | Studio Wardrobe, Right Hinged                  |        | \$ 1387            |          |                      |
|   | 01-0404SL4         | 1     | Single Studio Leg 4-Pack                       |        | ALUM\$ 247         |          |                      |
|   | 01-0404SSL2        | 1     | Shared Studio Leg 2-Pack                       |        | ALUM\$ 143         |          |                      |
|   | 01-0404SSL4        | 1     | Shared Studio Leg 4-Pack                       |        | ALUM\$ 247         |          |                      |
|   | 66-0948FS          | 1     | 48" Canvas Floating Shelf Display              |        | T\$ 494            |          |                      |

Products are available as left or right, where applicable

|   |                    |     |   |     |                      |       |                        |
|---|--------------------|-----|---|-----|----------------------|-------|------------------------|
|  | 66-24              | 180 | 72  | 47¾ | 769                  | 118.6 | T\$ 13997<br>P\$ 15367 |
|   | <b>CONSIST OF:</b> |     | <b>QTY</b>                                |     |                      |       |                        |
|   | 66-2436SBC         | 4   | Studio Modular Low Storage, Open Bookcase |     | T\$ 4380             |       |                        |
|   | 66-2436SDB         | 1   | Studio Modular Low Door Bookcase          |     | T\$ 1047             |       |                        |
|   | 01-0404SL4         | 1   | Single Studio Leg 4-Pack                  |     | ALUM\$ 247           |       |                        |
|   | 01-0404SSL4        | 2   | Shared Studio Leg 4-Pack                  |     | ALUM\$ 494           |       |                        |
|   | 66-2472TP          | 2   | Modular Cabinet Top                       |     | T\$ 1190<br>P\$ 1660 |       |                        |
|   | 66-2436TP          | 1   | Modular Cabinet Top                       |     | T\$ 371<br>P\$ 519   |       |                        |
|   | 66-2436CUSHION     | 2   | Component Cushion                         |     | GR1\$ 890            |       |                        |
|   | 01-3607OL          | 1   | Layer Support For 21" Low Credenza        |     | \$ 576               |       |                        |
|   | 66-3672MP          | 1   | Media Peninsula                           |     | T\$ 2166<br>P\$ 2918 |       |                        |
|   | WW-3172TTRW        | 2   | Tool Rail Work Wall                       |     | GR1\$ 2636           |       |                        |

Products are available as left or right, where applicable


**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item   | Model No.   | Width | Depth | Height | K   | R | Ship Wt | Cubic Ft | List Price           |
|--|-------------|-------|-------|--------|-----|---|---------|----------|----------------------|
| <b>DOUBLE PED DESK<br/>BOW TOP<br/>STEPPED FRONT</b> | 68-3672BDPS | 72    | 36-30 | 30     | 40½ | - | 410     | 50.0     | T\$ 3311<br>P\$ 3609 |



Stepped Front




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Construction
  - Track
- Drawer Front
  - Color
  - Grain Direction (if applicable)
- Modesty/Color
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options


**Description**

- Standard With: Bow Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify & Add**

|   |         |  |          |
|---|---------|--|----------|
|  | 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
|  | 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 969   |
|  | 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|   |         | (GPA) Graphite Acrylic   | \$ 1914  |
|   |         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1748  |

|  |            |    |    |    |     |   |     |      |                      |
|--|------------|----|----|----|-----|---|-----|------|----------------------|
| <b>DOUBLE PED DESK<br/>RECTANGLE TOP<br/>STEPPED FRONT</b> | 68-3672DPS | 72 | 36 | 30 | 40½ | - | 425 | 50.0 | T\$ 3574<br>P\$ 3866 |
|--|------------|----|----|----|-----|---|-----|------|----------------------|



Stepped Front




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Construction
  - Track
- Drawer Front
  - Color
  - Grain Direction (if applicable)
- Modesty/Color
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

**Description**

- Standard With: Rectangle Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify & Add**


|   |         |  |          |
|---|---------|--|----------|
|  | 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
|  | 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 969   |
|  | 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|   |         | (GPA) Graphite Acrylic   | \$ 1914  |
|   |         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1748  |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.  | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price           |
|--|------------|-------|-------|--------|-----|----|---------|----------|----------------------|
| DOUBLE PED DESK<br>BOW TOP<br>RECESSED FRONT | 68-3672BDP | 72    | 36-30 | 30     | 40½ | 10 | 410     | 50.0     | T\$ 3180<br>P\$ 3474 |
|  | 68-3666BDP | 66    | 30-36 | 30     | 34½ | 10 | 380     | 48.0     | T\$ 3064<br>P\$ 3401 |



Recessed Front


Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
   Construction  
   Track  
 Drawer Front  
   Color  
   Grain Direction (if applicable)  
 Modesty/Color  
 Grommet Location  
 Wire Management  
 Grommet Style/Color  
 Power/Data Options  
 Drawer Pull  
 Kneespace Options

**Description**

- Standard With: Bow Top, Recessed Front, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|  |           |    |    |    |     |    |     |      |                      |
|--|-----------|----|----|----|-----|----|-----|------|----------------------|
| DOUBLE PED DESK<br>RECTANGLE TOP<br>RECESSED FRONT | 68-3672DP | 72 | 36 | 30 | 40½ | 10 | 425 | 50.0 | T\$ 2774<br>P\$ 3060 |
|  | 68-3072DP | 72 | 30 | 30 | 40½ | 4  | 410 | 43.9 | T\$ 2676<br>P\$ 2945 |
|  | 68-3066DP | 66 | 30 | 30 | 34½ | 4  | 390 | 38.7 | T\$ 2579<br>P\$ 2839 |
|  | 68-3060DP | 60 | 30 | 30 | 28½ | 4  | 358 | 35.3 | T\$ 2468<br>P\$ 2710 |



Recessed Front

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
   Construction  
   Track  
 Drawer Front  
   Color  
   Grain Direction (if applicable)  
 Modesty/Color  
 Grommet Location  
 Wire Management  
 Grommet Style/Color  
 Power/Data Options  
 Drawer Pull  
 Kneespace Options

**Description**


- Standard With: Rectangle Top, Recessed Front, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.       | Width            | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price           |
|--|-----------------|------------------|-------|--------|----|-----|---------|----------|----------------------|
| <b>SINGLE PED DESK<br/>BOW TOP<br/>STEPPED FRONT</b> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |     |         |          |                      |
|  | 68-3672BLPS     | 68-3672BRPS      | 72    | 30-36  | 30 | 32¼ | -       | 320      | 50.0                 |
|  |                 |                  |       |        |    |     |         |          | T\$ 2971<br>P\$ 3267 |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
- Construction Track
- Drawer Front Color
- Grain Direction (if applicable)
- Modesty/Color
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

**Description**


- Standard With: Bow Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify & Add**



|         |  |          |
|---------|--|----------|
| 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
| 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 969   |
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|         | (GPA) Graphite Acrylic   | \$ 1914  |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1748  |

|  |                 |                  |    |    |    |     |   |     |                      |
|--|-----------------|------------------|----|----|----|-----|---|-----|----------------------|
| <b>SINGLE PED DESK<br/>RECTANGLE TOP<br/>STEPPED FRONT</b> | <b>Left Ped</b> | <b>Right Ped</b> |    |    |    |     |   |     |                      |
|  | 68-3672LPS      | 68-3672RPS       | 72 | 36 | 30 | 32¼ | - | 330 | 50.0                 |
|  |                 |                  |    |    |    |     |   |     | T\$ 2575<br>P\$ 2865 |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
- Construction Track
- Drawer Front Color
- Grain Direction (if applicable)
- Modesty/Color
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

**Description**

- Standard With: Rectangle Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify & Add**




|         |  |          |
|---------|--|----------|
| 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
| 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 969   |
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|         | (GPA) Graphite Acrylic   | \$ 1914  |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1748  |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.       | Width            | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price |
|---|-----------------|------------------|-------|--------|----|-----|---------|----------|------------|
| <b>SINGLE PED DESK<br/>BOW TOP<br/>RECESSED FRONT</b> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |     |         |          |            |
|   | 68-3672BLP      | 68-3672BRP       | 72    | 30-36  | 30 | 32¼ | 10      | 320      | 50.0       |




**Description**

- Standard With: Bow Top, Recessed Front, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Construction
  - Track
- Drawer Front
  - Color
  - Grain Direction (if applicable)
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

|   |                 |                  |    |    |    |     |    |     |      |                      |
|---|-----------------|------------------|----|----|----|-----|----|-----|------|----------------------|
| <b>SINGLE PED DESK<br/>RECTANGLE TOP<br/>RECESSED FRONT</b> | <b>Left Ped</b> | <b>Right Ped</b> |    |    |    |     |    |     |      |                      |
|   | 68-3672LP       | 68-3672RP        | 72 | 36 | 30 | 32¼ | 10 | 330 | 50.0 | T\$ 2357<br>P\$ 2645 |
|   | 68-3072LP       | 68-3072RP        | 72 | 30 | 30 | 32¼ | 4  | 210 | 43.0 | T\$ 2322<br>P\$ 2595 |
|   | 68-3066LP       | 68-3066RP        | 66 | 30 | 30 | 26¼ | 4  | 180 | 38.7 | T\$ 2229<br>P\$ 2486 |
|   | 68-3060LP       | 68-3060RP        | 60 | 30 | 30 | 20¼ | 4  | 150 | 35.0 | T\$ 2140<br>P\$ 2395 |



**Description**

- Standard With: Rectangle Top, Recessed Front, Letter Width Locking Box/Box/File on Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

Must Specify (in this order):


- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Construction
  - Track
- Drawer Front
  - Color
  - Grain Direction (if applicable)
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.       | Width            | Depth | Height | K  | R | Ship Wt | Cubic Ft | List Price |
|--|-----------------|------------------|-------|--------|----|---|---------|----------|------------|
| <b>CURVED SINGLE PED DESK<br/>BOW TOP<br/>RECESSED FRONT</b> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |   |         |          |            |
|  | 68-4872CBLP     | 68-4872CBRP      | 72    | 48-30  | 30 | - | -       | 365      | 68.5       |




**Description**

- Standard With: Bow Top, Recessed Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Construction
  - Track
- Drawer Front
  - Color
  - Grain Direction (if applicable)
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

| Item   | Model No.       | Width            | Depth | Height | K  | R | Ship Wt | Cubic Ft | List Price |
|--|-----------------|------------------|-------|--------|----|---|---------|----------|------------|
| <b>CURVED SINGLE PED DESK<br/>RECTANGLE TOP<br/>RECESSED FRONT</b> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |   |         |          |            |
|  | 68-4272CLP      | 68-4272CRP       | 72    | 42-30  | 30 | - | -       | 350      | 65.8       |



**Description**

- Standard With: Rectangle Top, Recessed Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

Must Specify (in this order):


- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Construction
  - Track
- Drawer Front
  - Color
  - Grain Direction (if applicable)
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options
- Drawer Pull
- Kneespace Options

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                   | Model No.   | Width        | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|------------------------|-------------|--------------|-------|--------|---------|----------|----------------------|
| P-TOP<br>CYLINDER BASE | <b>Left</b> | <b>Right</b> |       |        |         |          |                      |
|                        | 66-4284PL   | 66-4284PR    | 84    | 42-36  | 30      | 161      | T\$ 2662<br>P\$ 3335 |
|                        | 66-4272PL   | 66-4272PR    | 72    | 42-36  | 30      | 161      | T\$ 2442<br>P\$ 2966 |



Shown as Left

**Description**

- Standard with: Left to Right Grain Direction on Worksurface, End Panel Support
- Available with TFL (T) or HPL (P) Top; Must Specify
- Metal Cylinder Base - 4½" Diameter. Must Specify: Black or Aluminum
- Not Recommended for Freestanding Applications
- [Height Adjustable Units Available](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, Sold Separately, [See Unit Details](#))

**Options: Specify & Add**

|  |         |  |                           |
|--|---------|--|---------------------------|
|  | 66-HMD  | 10"H Half Modesty Panel - Must Specify Laminate Color                | 84" \$ 90<br>72" \$ 81    |
|  | 66-FMD  | Full Modesty Panel - Must Specify Laminate Color                     | 84" \$ 167<br>72" \$ 152  |
|  | 66-HSC  | 10"H Aluminum Framed Satin Frosted Tempered Glass Half Modesty Panel | 84" \$ 1091<br>72" \$ 983 |
|  | 66-HGAH | 10"H High Gloss Acrylic Half Modesty Panel; Must Specify Color       |                           |
|  |         | (GPA) Graphite Acrylic   | 84" \$ 1366               |
|  |         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             | 84" \$ 1247               |
|  |         | (GPA) Graphite Acrylic   | 72" \$ 1228               |
|  |         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             | 72" \$ 1117               |


Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Modesty/Color
- Power/Data Options
- Kneespace Options
- Leg Color
- Worksurface Grommet
- Location
- Grommet Color

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.   | Width        | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|-------------|--------------|-------|--------|---------|----------|----------------------|
| <b>D-TOP<br/>CYLINDER BASE</b><br><br><br><br>Shown as Left | <b>Left</b> | <b>Right</b> |       |        |         |          |                      |
|  | 66-3684DUL  | 66-3684DUR   | 84    | 36     | 30      | 187      | T\$ 2392<br>P\$ 3046 |
|  | 66-3672DUL  | 66-3672DUR   | 72    | 36     | 30      | 160      | T\$ 2036<br>P\$ 2565 |
|  | 66-3084DUL  | 66-3084DUR   | 84    | 30     | 30      | 190      | T\$ 2316<br>P\$ 2905 |
|  | 66-3072DUL  | 66-3072DUR   | 72    | 30     | 30      | 160      | T\$ 1971<br>P\$ 2492 |
|  | 66-3066DUL  | 66-3066DUR   | 66    | 30     | 30      | 146      | T\$ 1885<br>P\$ 2389 |





Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Modesty/Color
- Power/Data Options
- Kneespace Options
- Leg Color
- Worksurface Grommet Location
- Grommet Color

**Description**

- Standard with: Left to Right Grain Direction on Worksurface, End Panel Support
- Available with TFL (T) or HPL (P) Top; Must Specify
- Metal Cylinder Base - 4½" Diameter. Must Specify: Black or Aluminum
- Not Recommended for Freestanding Applications
- [Height Adjustable Units Available](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify & Add**


|   |  |   |  |  |
|---|--|---|--|--|
|    | 66-HMD   | 10"H Half Modesty Panel - Must Specify Laminate Color                               | 84" \$ 90<br>72" \$ 81<br>66" \$ 71              |  |
|   |  | 66-FMD  | Full Modesty Panel - Must Specify Laminate Color | 84" \$ 167<br>72" \$ 152<br>66" \$ 136                               |
|   |  |  | 66-HSC   | 10"H Aluminum Framed Satin Frosted Tempered Glass Half Modesty Panel |
|  |  |   | 66-HGAH  | 10"H High Gloss Acrylic Half Modesty Panel; Must Specify Color       |
|   |  |   | (GPA) Graphite Acrylic                           | 84" \$ 1366  |
|   |  | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic                            | 84" \$ 1247                                      |  |
|   |  | (GPA) Graphite Acrylic  | 72" \$ 1228                                      |  |
|   |  | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic                            | 72" \$ 1117                                      |  |
|   |  | (GPA) Graphite Acrylic  | 66" \$ 1093                                      |  |
|   | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic                           | 66" \$ 996  |  |  |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                | Model No.   | Width        | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-------------------------------------|-------------|--------------|-------|--------|---------|----------|----------------------|
| <b>EXTENDED D-TOP CYLINDER BASE</b> | <b>Left</b> | <b>Right</b> |       |        |         |          |                      |
|                                     | 66-4272EDL  | 66-4272EDR   | 72    | 42-36  | 30      | 163      | T\$ 2053<br>P\$ 2623 |



Shown as Left


Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Modesty/Color
- Power/Data Options
- Kneespace Options
- Leg Color
- Worksurface Grommet Location
- Grommet Color

**Description**


- Standard with: Left to Right Grain Direction on Worksurface, End Panel Support
- Available with TFL (T) or HPL (P) Top; Must Specify
- Metal Cylinder Base - 4½" Diameter. Must Specify: Black or Aluminum
- Not Recommended for Freestanding Applications
- [Height Adjustable Units Available](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify & Add**



|         |  |         |
|---------|--|---------|
| 66-HMD  | 10"H Half Modesty Panel - Must Specify Laminate Color                                    | \$ 81   |
| 66-FMD  | Full Modesty Panel - Must Specify Laminate Color   | \$ 152  |
| 66-HSC  | 10"H Aluminum Framed Satin Frosted Tempered Glass Half Modesty Panel                     | \$ 983  |
| 66-HGAH | 10"H High Gloss Acrylic Half Modesty Panel; Must Specify Color<br>(GPA) Graphite Acrylic | \$ 1228 |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic                                 | \$ 1117 |

|                        |            |    |    |    |     |      |                      |
|------------------------|------------|----|----|----|-----|------|----------------------|
| <b>MEDIA PENINSULA</b> | 66-3672MPS | 72 | 36 | 30 | 164 | 52.1 | T\$ 3349<br>P\$ 4101 |
|                        | 66-3066MPS | 66 | 30 | 30 | 148 | 40.3 | T\$ 3180<br>P\$ 3866 |
|                        | 66-3060MPS | 60 | 30 | 30 | 143 | 36.7 | T\$ 3093<br>P\$ 3740 |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Leg
- Power/Data Options
- Kneespace Options

**Description**

- Left to Right Grain Direction on Worksurface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Not Recommended for Freestanding Applications Due to Open Back. May be Used with Component Gallery Screens
- Some Assembly Required
- Open Back for Wire Management
- Prevent Screen from Colliding with Walls or Furniture by Setting Rotation Limits at 15°, 30°, 45° or 90°
- Easily Route and Conceal Cables Through a Wide, In-column Channel for a Clean Finish
- Fits Most Screens 32" - 52"; Mounting Pattern Range: VESA® 100 x 100 mm - 600 x 400 mm
- Standard with Aluminum Rectangle Leg to be Installed 17¾" from Front to Allow for Kneespace Area
- Wire Management Trough Included; 4¼"W x 46⅜"L x 3½"H
- Additional Options: Leg Option (See Below); Power and Grommet Options ([See Options and Locations](#))



**Leg Options: Specify & Add**


|       |                       |        |
|-------|-----------------------|--------|
| OLEGA | 12" Aluminum Tube Leg | \$ 112 |
| OLEGB | 12" Black Tube Leg    | \$ 112 |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item   | Model No.                                    | Width            | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price |                      |
|--|--|------------------|-------|--------|----|-----|---------|----------|------------|----------------------|
| <br>RETURN WITH FILE/FILE<br><br>Shown as Right | <b>Left Ped</b>                              | <b>Right Ped</b> |       |        |    |     |         |          |            |                      |
|  | 68-2448LF2                                   | 68-2448RF2       | 48    | 24     | 30 | 32¼ | -       | 151      | 23.1       | T\$ 1531<br>P\$ 1714 |
|  | Front to Back Grain Direction on Worksurface |                  |       |        |    |     |         |          |            |                      |
|  | 68-4824LF2                                   | 68-4824RF2       | 48    | 24     | 30 | 32¼ | -       | 151      | 23.1       | T\$ 1531<br>P\$ 1714 |
| For Use with Extended Corner and Standard Corner Units; Left to Right Grain Direction  |  |                  |       |        |    |     |         |          |            |                      |
|  | 68-2442LF2                                   | 68-2442RF2       | 42    | 24     | 30 | 26¼ | -       | 133      | 20.4       | T\$ 1469<br>P\$ 1635 |
| Front to Back Grain Direction on Worksurface   |  |                  |       |        |    |     |         |          |            |                      |
|  | 68-4224LF2                                   | 68-4224RF2       | 42    | 24     | 30 | 26¼ | -       | 133      | 20.4       | T\$ 1469<br>P\$ 1635 |
| For Use with Extended Corner and Standard Corner Units; Left to Right Grain Direction  |  |                  |       |        |    |     |         |          |            |                      |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options

**Description**

- Standard with: Letter Width Locking File/File Pedestal, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

| Item  | Model No.                                    | Width            | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price |                      |
|---|--|------------------|-------|--------|----|-----|---------|----------|------------|----------------------|
| <br>RETURN WITH BOX/BOX/FILE<br><br>Shown as Right | <b>Left Ped</b>                              | <b>Right Ped</b> |       |        |    |     |         |          |            |                      |
|   | 68-2448LF1                                   | 68-2448RF1       | 48    | 24     | 30 | 32¼ | -       | 151      | 23.1       | T\$ 1531<br>P\$ 1714 |
|   | Front to Back Grain Direction on Worksurface |                  |       |        |    |     |         |          |            |                      |
|   | 68-4824LF1                                   | 68-4824RF1       | 48    | 24     | 30 | 32¼ | -       | 151      | 23.1       | T\$ 1531<br>P\$ 1714 |
| For Use with Extended Corner and Standard Corner Units; Left to Right Grain Direction   |  |                  |       |        |    |     |         |          |            |                      |
|   | 68-2442LF1                                   | 68-2442RF1       | 42    | 24     | 30 | 26¼ | -       | 133      | 20.4       | T\$ 1469<br>P\$ 1635 |
| Front to Back Grain Direction on Worksurface  |  |                  |       |        |    |     |         |          |            |                      |
|   | 68-4224LF1                                   | 68-4224RF1       | 42    | 24     | 30 | 26¼ | -       | 133      | 20.4       | T\$ 1469<br>P\$ 1635 |
| For Use with Extended Corner and Standard Corner Units; Left to Right Grain Direction   |  |                  |       |        |    |     |         |          |            |                      |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options

**Description**


- Standard with: Letter Width Locking Box/Box/File Pedestal, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.       | Width            | Depth | Height | K  | R  | Ship Wt | Cubic Ft | List Price |
|--|-----------------|------------------|-------|--------|----|----|---------|----------|------------|
| <b>MULTI-FILE RETURN WITH BOX/BOX/FILE/LATERAL</b> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |    |         |          |            |
|  | 66-2472LMR      | 66-2472RMR       | 72    | 24     | 30 | 36 | -       | 280      | 33.6       |



Shown as Right


Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options

**Description**

- Standard with: Box/Box/File/Lateral Pedestal, Locking File Drawer, Side-to-Side Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                                 |           |    |    |    |    |   |    |     |                    |
|---------------------------------|-----------|----|----|----|----|---|----|-----|--------------------|
| <b>BRIDGE WITH FULL MODESTY</b> | 66-2448UF | 48 | 24 | 30 | 48 | - | 82 | 5.3 | T\$ 698<br>P\$ 884 |
|                                 | 66-2442UF | 42 | 24 | 30 | 42 | - | 68 | 4.7 | T\$ 673<br>P\$ 839 |
|                                 | 66-2436UF | 36 | 24 | 30 | 36 | - | 46 | 4.1 | T\$ 637<br>P\$ 788 |
|                                 | 66-2048UF | 48 | 20 | 30 | 48 | - | 77 | 5.3 | T\$ 650<br>P\$ 812 |
|                                 | 66-2042UF | 42 | 20 | 30 | 42 | - | 64 | 4.7 | T\$ 628<br>P\$ 778 |
|                                 | 66-2036UF | 36 | 20 | 30 | 36 | - | 43 | 4.1 | T\$ 597<br>P\$ 728 |



Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options


**Description**

- Standard with: Front to Back Grain Direction on Worksurface, Hinged Back Panel
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation ([See Multiple Unit Details](#))
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**


T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | K  | R | Ship Wt | Cubic Ft | List Price         |
|---|------------|-------|-------|--------|----|---|---------|----------|--------------------|
|  <p><b>BRIDGE WITH HALF MODESTY</b></p> <p><i>Must Specify (in this order):</i><br/>                     Model #<br/>                     Top Material<br/>                     Top Color<br/>                     Edge Profile<br/>                     Chassis Color<br/>                     Worksurface Grommet Location<br/>                     Grommet Color<br/>                     Power/Data Options<br/>                     Kneespace Options</p> | 66-2448UFH | 48    | 24    | 11     | 48 | - | 78      | 5.3      | T\$ 661<br>P\$ 843 |
|   | 66-2442UFH | 42    | 24    | 11     | 42 | - | 74      | 4.6      | T\$ 632<br>P\$ 799 |
|   | 66-2436UFH | 36    | 24    | 11     | 36 | - | 35      | 4.1      | T\$ 598<br>P\$ 750 |
|   | 66-2048UFH | 48    | 20    | 11     | 48 | - | 73      | 5.3      | T\$ 610<br>P\$ 774 |
|   | 66-2042UFH | 42    | 20    | 11     | 42 | - | 61      | 4.7      | T\$ 588<br>P\$ 735 |
|   | 66-2036UFH | 36    | 20    | 11     | 36 | - | 32      | 4.1      | T\$ 561<br>P\$ 692 |

**Description**

- Standard with: Front to Back Grain Direction on Worksurface, Hinged Back Panel
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation ([See Multiple Unit Details](#))
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

| Item  | Model No.                        | Width | Depth | Height | K                               | R | Ship Wt | Cubic Ft | List Price           |
|---|----------------------------------|-------|-------|--------|---------------------------------|---|---------|----------|----------------------|
|  <p><b>CORNER UNITS</b></p> <p>Shown as Curved</p> <p><i>Must Specify (in this order):</i><br/>                     Model #<br/>                     Top Material<br/>                     Top Color<br/>                     Edge Profile<br/>                     Chassis Color<br/>                     Worksurface Grommet Color</p> | 66-4242CU                        | 42    | 42    | 30     | 25 <sup>7</sup> / <sub>16</sub> | - | 145     | 34.5     | T\$ 1495<br>P\$ 1720 |
|   | 66-4242CCU<br>Curved Corner Unit | 42    | 42    | 30     | 25 <sup>7</sup> / <sub>16</sub> | - | 145     | 34.5     | T\$ 1846<br>P\$ 2120 |
|   | 66-3636CU                        | 36    | 36    | 30     | 17                              | - | 109     | 26.3     | T\$ 1241<br>P\$ 1422 |
|   | 66-3636CCU<br>Curved Corner Unit | 36    | 36    | 30     | 17                              | - | 109     | 26.3     | T\$ 1601<br>P\$ 1821 |

**Description**


- Available with TFL (T) or HPL (P) Top; Must Specify
- Freestanding Support Unit
- Connects to 24" Deep Worksurfaces
- Surface Grommet Standard in Top; Must Specify: Black (BLK) or Silver (SLV)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Grain Direction Runs as Shown on Worksurface

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                        | Model No.   | Width        | Depth | Height | K  | R | Ship Wt | Cubic Ft | List Price |
|-----------------------------|-------------|--------------|-------|--------|----|---|---------|----------|------------|
| <b>EXTENDED CORNER UNIT</b> | <b>Left</b> | <b>Right</b> |       |        |    |   |         |          |            |
|                             | 66-4854ECCL | 66-4854ECCR  | 48    | 54     | 30 | - | -       | 174      | 41.1       |



Shown as Right


**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Surface Grommet Standard in Top; Must Specify: Black (BLK), Silver (SLV)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Grain Direction Runs as Shown on Worksurface

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Worksurface Grommet Color

| <b>SINGLE PED CREDENZA<br/>FILE/FILE</b> | <b>Left Ped</b> | <b>Right Ped</b> |    |    |     |     |     |      |                      |                      |
|--|-----------------|------------------|----|----|-----|-----|-----|------|----------------------|----------------------|
|  | 68-2472LC2      | 68-2472RC2       | 72 | 24 | 30  | 32¼ | -   | 199  | 35.6                 | T\$ 1929<br>P\$ 2166 |
| 68-2466LC2                               | 68-2466RC2      | 66               | 24 | 30 | 26¼ | -   | 182 | 32.7 | T\$ 1909<br>P\$ 2135 |                      |



Shown as Right

**Description**

- Standard with: Letter Width Locking File/File Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))


Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.       | Width            | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price |                      |
|--|-----------------|------------------|-------|--------|----|-----|---------|----------|------------|----------------------|
| <b>SINGLE PED CREDENZA BOX/BOX/FILE</b><br> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |     |         |          |            |                      |
|  | 68-2472LC1      | 68-2472RC1       | 72    | 24     | 30 | 32¼ | -       | 199      | 35.6       | T\$ 1929<br>P\$ 2166 |
|  | 68-2466LC1      | 68-2466RC1       | 66    | 24     | 30 | 26¼ | -       | 182      | 32.7       | T\$ 1909<br>P\$ 2135 |


Shown as Right

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options

**Description**

- Standard with: Letter Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|  |                 |                  |    |    |    |    |   |     |      |                      |
|--|-----------------|------------------|----|----|----|----|---|-----|------|----------------------|
| <b>SINGLE PED CREDENZA LATERAL FILE</b><br> | <b>Left Ped</b> | <b>Right Ped</b> |    |    |    |    |   |     |      |                      |
|  | 66-2472LL       | 66-2472RL        | 72 | 24 | 30 | 12 | - | 277 | 35.6 | T\$ 2533<br>P\$ 2773 |
|  | 66-2466LL       | 66-2466RL        | 66 | 24 | 30 | 6  | - | 264 | 32.7 | T\$ 2500<br>P\$ 2726 |

Shown as Right

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options


**Description**

- Standard with: Central Locking Lateral File, Left to Right Grain Direction on Worksurface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.       | Width            | Depth | Height | K  | R  | Ship Wt | Cubic Ft | List Price |                      |
|---|-----------------|------------------|-------|--------|----|----|---------|----------|------------|----------------------|
| <b>MULTI-FILE CREDENZA WITH BOX/BOX/FILE/LATERAL</b><br><br> | <b>Left Ped</b> | <b>Right Ped</b> |       |        |    |    |         |          |            |                      |
|   | 66-2472LMF      | 66-2472RMF       | 72    | 24     | 30 | 12 | -       | 277      | 35.6       | T\$ 2658<br>P\$ 2895 |
|   | 66-2466LMF      | 66-2466RMF       | 66    | 24     | 30 | 6  | -       | 264      | 32.7       | T\$ 2623<br>P\$ 2851 |


Shown as Right

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Box and File Drawer Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options

**Description**

- Standard with: Letter Width Locking Box/Box/File/Lateral Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Box and File Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|  |           |    |    |    |    |   |     |      |                      |
|--|-----------|----|----|----|----|---|-----|------|----------------------|
| <b>KNEESPACE CREDENZA</b><br><br> | 68-2472KC | 72 | 24 | 30 | 39 | - | 240 | 35.6 | T\$ 2697<br>P\$ 2935 |
|  | 68-2466KC | 66 | 24 | 30 | 33 | - | 220 | 32.7 | T\$ 2508<br>P\$ 2733 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Back Panel Grommet Color
- Worksurface Grommet Location
- Grommet Color
- Power/Data Options
- Kneespace Options

**Description**


- Standard with: Letter Width Locking File/File Pedestals, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Modesty Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Details](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item             | Model No. | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List Price           |
|------------------|-----------|-------|-------|--------|---|---|---------|----------|----------------------|
| STORAGE CREDENZA | 68-2472SC | 72    | 24    | 30     | - | - | 285     | 35.6     | T\$ 2913<br>P\$ 3151 |
|                  | 68-2466SC | 66    | 24    | 30     | - | - | 261     | 32.7     | T\$ 2797<br>P\$ 3020 |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Locking Doors

**Description**

- Standard with: Letter Width, File/File Locking Pedestals, One (1) Fixed Shelf Behind Doors, Top Profiles on Front Only Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer/Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer/Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Locking Doors, Must Specify (LKT-DB) and Add \$108; [See Locking Options](#) For More Details
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

|                    |           |    |    |    |   |   |     |      |                      |
|--------------------|-----------|----|----|----|---|---|-----|------|----------------------|
| FOUR DOOR CREDENZA | 66-2472CC | 72 | 24 | 30 | - | - | 290 | 34.2 | T\$ 2692<br>P\$ 2911 |
|                    | 66-2466CC | 66 | 24 | 30 | - | - | 246 | 33.0 | T\$ 2574<br>P\$ 2782 |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Door
  - Color
  - Grain Direction (if applicable)
- Pull
- Locking Doors

**Description**

- Standard with: Four (4) Doors, One (1) Adjustable Shelf Behind Each Set of Doors, Top Profiles on Front Only, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Locking Doors Available; [See Locking Options](#)

|                 |           |    |    |    |   |   |     |      |                      |
|-----------------|-----------|----|----|----|---|---|-----|------|----------------------|
| BUFFET CREDENZA | 66-2472BF | 72 | 24 | 36 | - | - | 342 | 45.5 | T\$ 3388<br>P\$ 3625 |
|-----------------|-----------|----|----|----|---|---|-----|------|----------------------|



Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer
  - Color
  - Grain Direction (if applicable)
  - Construction
  - Track
- Pull
- Locking Doors

**Description**


- Standard with: Two (2) Drawers, Four (4) Doors, One (1) Adjustable Shelf Behind Doors Each Set of Doors, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer/Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer/Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Locking Doors Available; [See Locking Options](#) For More Details
- Additional Options: Dove Tail Drawer Construction and Soft Close Box Drawers ([See Drawer Options](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                   | Model No. | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List Price           |
|------------------------|-----------|-------|-------|--------|---|---|---------|----------|----------------------|
| DOUBLE LATERAL CREENZA | 66-2472DL | 72    | 24    | 30     | - | - | 360     | 35.7     | T\$ 3507<br>P\$ 3747 |



Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Color
- Grain Direction (if applicable)
- Construction
- Pull

**Description**

- Standard with: Legal or Letter Filing, Dual Locking, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component

|                                    |               |  |  |    |    |     |     |      |                      |
|------------------------------------|---------------|--|--|----|----|-----|-----|------|----------------------|
| 21" LOW CREENZA<br>DOUBLE BOX/FILE | 66-2472L2IDBF |  |  | 72 | 24 | 21¾ | 250 | 25.6 | T\$ 3332<br>P\$ 3568 |
|                                    | 66-2460L2IDBF |  |  | 60 | 24 | 21¾ | 230 | 22.4 | T\$ 2968<br>P\$ 3187 |
|                                    | 66-2072L2IDBF |  |  | 72 | 20 | 21¾ | 240 | 21.1 | T\$ 3223<br>P\$ 3435 |
|                                    | 66-2060L2IDBF |  |  | 60 | 20 | 21¾ | 210 | 18.9 | T\$ 2935<br>P\$ 3125 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Color
- Grain Direction (if applicable)
- Construction
- Box Drawer Track
- Pull
- Power/Data Options
- Grommet Location/Color

**Description**

- Standard with: Legal or Letter Filing, Dual Locking Box/File Drawers, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Soft Close Box Drawers ([See Soft Close Option](#)), Power and Grommet Options ([See Options and Locations](#)); Dock 950 and Dock 150 Wireless Chargers ([See Multiple Unit Details](#))

| 21" LOW CREENZA<br>BOX/FILE/OPEN BOOKCASE |                |                | Width | Depth | Height | K   | R    | Ship Wt              | Cubic Ft | List Price |
|---|----------------|----------------|-------|-------|--------|-----|------|----------------------|----------|------------|
|   | Left Box/File  | Right Box/File |       |       |        |     |      |                      |          |            |
| <br>Shown as Right                        | 66-2472L21OBFL | 66-2472L21OBFR | 72    | 24    | 21¾    | 230 | 25.6 | T\$ 2535<br>P\$ 2775 |          |            |
|   | 66-2460L21OBFL | 66-2460L21OBFR | 60    | 24    | 21¾    | 210 | 22.4 | T\$ 2320<br>P\$ 2538 |          |            |
|   | 66-2072L21OBFL | 66-2072L21OBFR | 72    | 20    | 21¾    | 220 | 21.1 | T\$ 2419<br>P\$ 2631 |          |            |
|   | 66-2060L21OBFL | 66-2060L21OBFR | 60    | 20    | 21¾    | 200 | 18.9 | T\$ 2199<br>P\$ 2391 |          |            |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Color
- Grain Direction (if applicable)
- Construction
- Box Drawer Track
- Pull
- Power/Data Options
- Grommet Location/Color

**Description**


- Standard with: Legal or Letter Filing, Locking Box/File with Open Bookcase, Adjustable Bookcase Shelf on Open Side, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- Back Panel Grommet Standard; Must Specify Black or Silver
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Soft Close Box Drawers ([See Soft Close Option](#)), Power and Grommet Options ([See Options and Locations](#)); Dock 950 and Dock 150 Wireless Chargers ([See Multiple Unit Details](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item  | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|--------------|-------|-------|--------|---------|----------|----------------------|
| <b>21" LOW CREDENZA<br/>DOUBLE OPEN BOOKCASE</b><br><br> | 66-2472L21DO | 72    | 24    | 21¾    | 210     | 25.6     | T\$ 2072<br>P\$ 2310 |
|   | 66-2460L21DO | 60    | 24    | 21¾    | 200     | 22.4     | T\$ 1873<br>P\$ 2065 |
|   | 66-2072L21DO | 72    | 20    | 21¾    | 200     | 21.1     | T\$ 1931<br>P\$ 2142 |
|   | 66-2060L21DO | 60    | 20    | 21¾    | 190     | 18.9     | T\$ 1762<br>P\$ 1951 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Power/Data Options
- Grommet Location/Color

**Description**

- Standard with: Open Bookcases, One Adjustable Shelf on Each Side, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify Black or Silver
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Dock 950 and Dock 150 Wireless Chargers ([See Multiple Unit Details](#))


| Item   | Model No.                          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|------------------------------------|-------|-------|--------|---------|----------|----------------------|
| <b>LATERAL FILE</b><br><br> | 66-2436L4<br>Four Lateral Drawers  | 36    | 24    | 57½    | 312     | 32.6     | T\$ 3018<br>P\$ 3165 |
|  | 66-2430L4<br>Four Lateral Drawers  | 30    | 24    | 57½    | 260     | 27.5     | T\$ 2877<br>P\$ 3018 |
|  | 66-2436L3<br>Three Lateral Drawers | 36    | 24    | 43¾    | 170     | 24.2     | T\$ 2419<br>P\$ 2567 |
|  | 66-2430L3<br>Three Lateral Drawers | 30    | 24    | 43¾    | 155     | 20.4     | T\$ 2294<br>P\$ 2437 |
|  | 66-2436L2<br>Two Lateral Drawers   | 36    | 24    | 30     | 204     | 18.3     | T\$ 1598<br>P\$ 1744 |
|  | 66-2430L2<br>Two Lateral Drawers   | 30    | 24    | 30     | 169     | 15.6     | T\$ 1517<br>P\$ 1659 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Color
- Grain Direction (if applicable)
- Construction
- Pull

**Description**

- Standard with: Central Locking, Anti-Tilt System, Legal or Letter Filing Front to Back or Side to Side
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#))

| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|-----------|-------|-------|--------|---------|----------|----------------------|
| <b>MULTI-FILE</b><br><br> | 66-2436MF | 36    | 24    | 30     | 184     | 18.3     | T\$ 1714<br>P\$ 1864 |
|  | 66-2430MF | 30    | 24    | 30     | 148     | 15.6     | T\$ 1626<br>P\$ 1770 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Color
- Grain Direction (if applicable)
- Construction
- Box and File Drawer Track
- Pull

**Description**


- Standard with: Box/Box/File/Lateral File, Locking File Drawer, Lateral File Provides Legal or Letter Filing
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Soft Close Box and File Drawers ([See Soft Close Option](#))

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                        | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------|-----------|-------|-------|--------|---------|----------|------------|
| MOBILE PEDESTAL<br>BOX/FILE | 66-1519MP | 15¾   | 19    | 23     | 85      | 9.0      | T\$ 1226   |



Must Specify (in this order):

Model #  
Chassis and Top Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull

**Description**

- Standard with: Locking Box/File Drawers, Black Plastic Pen Tray, Letter Width Pedestal, and Five Casters
- Fits Underneath 30"H Worksurface with Optional Cushion
- Optional Cushion Increases Height 2¼"; See [66-1519CUSHION](#)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

|                                 |            |     |    |     |    |     |          |
|---------------------------------|------------|-----|----|-----|----|-----|----------|
| MOBILE PEDESTAL<br>BOX/BOX/FILE | 66-1519MP1 | 15¾ | 19 | 27½ | 90 | 9.0 | T\$ 1277 |
|---------------------------------|------------|-----|----|-----|----|-----|----------|




Must Specify (in this order):

Model #  
Chassis and Top Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull

**Description**

- Standard with: Locking Box/Box/File Drawers, Black Plastic Pen Tray, Letter Width Pedestal, and Five Casters
- Optional Cushion Increases Height 2¼"; See [66-1519CUSHION](#)
- Fits Underneath 30"H Worksurface without Optional Cushion
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

|                              |            |     |    |     |    |     |          |
|------------------------------|------------|-----|----|-----|----|-----|----------|
| MOBILE PEDESTAL<br>FILE/FILE | 66-1519MP2 | 15¾ | 19 | 27½ | 90 | 9.0 | T\$ 1277 |
|------------------------------|------------|-----|----|-----|----|-----|----------|



Must Specify (in this order):

Model #  
Chassis and Top Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull



**Description**

- Standard with: Locking File/File Drawers, Black Plastic Pen Tray, Letter Width Pedestal, and Five Casters
- Optional Cushion Increases Height 2¼"; See [66-1519CUSHION](#)
- Fits Underneath 30"H Worksurface without Optional Cushion
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

**Pricing Codes:**

T= TFL  
P= HPL


[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                          | Width                      | Depth | Height | Ship Wt | Cubic Ft | List Price |          |
|--|------------------------------------|----------------------------|-------|--------|---------|----------|------------|----------|
| <br><br>Must Specify (in this order):<br>Model #<br>Chassis and Top Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Locking Doors<br>Paperslots<br>Paperslot Divider Material/Color<br>Tasklights<br>Grommet Color<br>Tackboard Fabric<br><br><br><br>Optional Paper Slots in laminate or chrome available;<br><a href="#">See Paper Slot Options</a><br><br>Also available as 52 7/8" H Tall Surface Mount | SURFACE MOUNT HUTCH<br>HINGED DOOR | 66-1596HU<br>Six (6) Doors | 96    | 15     | 40 7/8  | 260      | 46.5       | T\$ 3019 |
|  | 66-1590HU<br>Five (5) Doors        | 90                         | 15    | 40 7/8 | 243     | 44.3     | T\$ 2822   |          |
|  | 66-1584HU<br>Five (5) Doors        | 84                         | 15    | 40 7/8 | 228     | 40.0     | T\$ 2433   |          |
|  | 66-1578HU<br>Four (4) Doors        | 78                         | 15    | 40 7/8 | 210     | 36.7     | T\$ 2371   |          |
|  | 66-1572HU<br>Four (4) Doors        | 72                         | 15    | 40 7/8 | 203     | 34.1     | T\$ 1998   |          |
|  | 66-1566HU<br>Four (4) Doors        | 66                         | 15    | 40 7/8 | 175     | 32.1     | T\$ 1930   |          |
|  | 66-1560HU<br>Four (4) Doors        | 60                         | 15    | 40 7/8 | 167     | 28.4     | T\$ 1895   |          |
|  | 66-1554HU<br>Three (3) Doors       | 54                         | 15    | 40 7/8 | 150     | 25.7     | T\$ 1763   |          |
|  | 66-1548HU<br>Three (3) Doors       | 48                         | 15    | 40 7/8 | 133     | 22.9     | T\$ 1627   |          |
|  | 66-1542HU<br>Two (2) Doors         | 42                         | 15    | 40 7/8 | 116     | 20.2     | T\$ 1222   |          |
|  | 66-1536HU<br>Two (2) Doors         | 36                         | 15    | 40 7/8 | 99      | 17.4     | T\$ 1064   |          |
|  | 66-1530HU<br>Two (2) Doors         | 30                         | 15    | 40 7/8 | 85      | 14.6     | T\$ 923    |          |

**Description**

- 23 3/4" Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Additional Support is Required when Surface Mounted Hutches Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

**Options: Specify & Add**




|       |  | Per Door |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 438   |
| 1-DEB | Dry Erase Board Doors  | \$ 28    |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 652   |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 868   |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic   | \$ 269   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 247   |


**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------------------------|-------|-------|--------|---------|----------|------------|
| <b>SURFACE MOUNT HUTCH WITH SLIDING DOOR</b><br> | 66-1596SHU<br>Two (2) Doors | 96    | 15    | 40 7/8 | 278     | 57.7     | T\$ 3288   |
|   | 66-1590SHU<br>Two (2) Doors | 90    | 15    | 40 7/8 | 260     | 53.7     | T\$ 3210   |
|   | 66-1584SHU<br>Two (2) Doors | 84    | 15    | 40 7/8 | 243     | 50.2     | T\$ 2757   |
|   | 66-1578SHU<br>One (1) Door  | 78    | 15    | 40 7/8 | 226     | 46.7     | T\$ 2640   |
|   | 66-1572SHU<br>One (1) Door  | 72    | 15    | 40 7/8 | 208     | 43.3     | T\$ 2311   |
|   | 66-1566SHU<br>One (1) Door  | 66    | 15    | 40 7/8 | 190     | 39.7     | T\$ 2240   |
|   | 66-1560SHU<br>One (1) Door  | 60    | 15    | 40 7/8 | 172     | 28.4     | T\$ 2223   |

Must Specify (in this order):  
 Model #  
 Chassis and Top Color  
 Door  
 Style/Color  
 Grain (if applicable)  
 Paperslots  
 Paperslot Divider Material/Color  
 Tasklights  
 Grommet Color  
 Tackboard Fabric




Optional Paper Slots in laminate or chrome available; See [Paper Slot Options](#)

**Description**

- Non-Locking Sliding Doors
- 23 3/4" Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Safely Write on Dry Erase with Our Dry Erase Marker Set; [See Sets](#)
- Additional Support is Required when Surface Mounted Hutches Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

**Options: Specify & Add**





|       |  | Per Door |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 745   |
| 1-DEB | Dry Erase Board Door (Non-Locking)                               | \$ 77    |
| 1-HGA | High Gloss Acrylic Door (Non-Locking); Must Specify Color        |          |
|       | (GPA) Graphite Acrylic   | \$ 773   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 705   |

**Pricing Codes:**

T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                           | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|---|-------------------------------------|-------|-------|------------------|---------|----------|------------|
| <b>SURFACE MOUNT HUTCH OPEN</b><br><br><br>Must Specify (in this order):<br>Model #<br>Chassis and Top Color<br>Paperslots<br>Paperslot Divider Material/Color<br>Tasklights<br>Grommet Color<br>Tackboard Fabric<br><br><br><br>Optional Paper Slots in laminate or chrome available;<br><a href="#">See Paper Slot Options</a><br><br>Also available as 52 $\frac{7}{8}$ " H Tall Surface Mount | 66-1596OH<br>Three (3) Compartments | 96    | 15    | 40 $\frac{3}{4}$ | 158     | 41.5     | T\$ 2475   |
|   | 66-1590OH<br>Three (3) Compartments | 90    | 15    | 40 $\frac{3}{4}$ | 150     | 39.0     | T\$ 2316   |
|   | 66-1584OH<br>Three (3) Compartments | 84    | 15    | 40 $\frac{3}{4}$ | 142     | 36.7     | T\$ 1995   |
|   | 66-1578OH<br>Two (2) Compartments   | 78    | 15    | 40 $\frac{3}{4}$ | 130     | 33.8     | T\$ 1944   |
|   | 66-1572OH<br>Two (2) Compartments   | 72    | 15    | 40 $\frac{3}{4}$ | 121     | 30.7     | T\$ 1640   |
|   | 66-1566OH<br>Two (2) Compartments   | 66    | 15    | 40 $\frac{3}{4}$ | 114     | 30.7     | T\$ 1581   |
|   | 66-1560OH<br>Two (2) Compartments   | 60    | 15    | 40 $\frac{3}{4}$ | 106     | 28.4     | T\$ 1556   |
|   | 66-1554OH<br>Two (2) Compartments   | 54    | 15    | 40 $\frac{3}{4}$ | 98      | 25.7     | T\$ 1443   |
|   | 66-1548OH<br>Two (2) Compartments   | 48    | 15    | 40 $\frac{3}{4}$ | 89      | 21.2     | T\$ 1334   |
|   | 66-1542OH<br>One (1) Compartment    | 42    | 15    | 40 $\frac{3}{4}$ | 77      | 18.6     | T\$ 1198   |
|   | 66-1536OH<br>One (1) Compartment    | 36    | 15    | 40 $\frac{3}{4}$ | 69      | 16.0     | T\$ 1039   |
|   | 66-1530OH<br>One (1) Compartment    | 30    | 15    | 40 $\frac{3}{4}$ | 61      | 13.5     | T\$ 904    |


### Description

- 23 $\frac{3}{4}$ " Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Additional Support is Required when Surface Mounted Hutches Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Set](#))

### Pricing Codes:

T= TFL  
P= HPL






[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                    | Width | Depth | Height  | Ship Wt | Cubic Ft | List Price |
|---|------------------------------|-------|-------|---------|---------|----------|------------|
| <b>WALL MOUNT HUTCH<br/>HINGED DOORS</b><br><br><br><br>Must Specify (in this order):<br>Model #<br>Chassis and Top Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Locking Doors<br><br>Also available as 29 3/16"H<br>Tall Wall Mount | 66-1596WD<br>Six (6) Doors   | 96    | 15    | 17 3/16 | 158     | 17.3     | T\$ 2719   |
|   | 66-1590WD<br>Five (5) Doors  | 90    | 15    | 17 3/16 | 148     | 16.2     | T\$ 2538   |
|   | 66-1584WD<br>Five (5) Doors  | 84    | 15    | 17 3/16 | 138     | 15.2     | T\$ 2190   |
|   | 66-1578WD<br>Four (4) Doors  | 78    | 15    | 17 3/16 | 128     | 14.1     | T\$ 2139   |
|   | 66-1572WD<br>Four (4) Doors  | 72    | 15    | 17 3/16 | 118     | 13.1     | T\$ 1795   |
|   | 66-1566WD<br>Four (4) Doors  | 66    | 15    | 17 3/16 | 105     | 12.0     | T\$ 1736   |
|   | 66-1560WD<br>Four (4) Doors  | 60    | 15    | 17 3/16 | 96      | 11.0     | T\$ 1708   |
|   | 66-1554WD<br>Three (3) Doors | 54    | 15    | 17 3/16 | 87      | 9.9      | T\$ 1585   |
|   | 66-1548WD<br>Three (3) Doors | 48    | 15    | 17 3/16 | 77      | 8.9      | T\$ 1469   |
|   | 66-1542WD<br>Two (2) Doors   | 42    | 15    | 17 3/16 | 67      | 7.8      | T\$ 1100   |
|   | 66-1536WD<br>Two (2) Doors   | 36    | 15    | 17 3/16 | 58      | 6.7      | T\$ 958    |
|   | 66-1530WD<br>Two (2) Doors   | 30    | 15    | 17 3/16 | 48      | 5.6      | T\$ 830    |

### Description

- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))


### Options: Specify & Add

|   |  | Per Door |
|---|--|----------|
|  | 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking)  | \$ 438   |
|  | 1-DEB Dry Erase Board Doors  | \$ 28    |
|  | WHGLS Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 652   |
|  | BLGLS Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 868   |
|  | 1-HGA High Gloss Acrylic Doors; Must Specify Color                     |          |
|   | (GPA) Graphite Acrylic   | \$ 269   |
|   | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 247   |

### Pricing Codes:





T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------|-------|--------|---------|----------|------------|
| <b>WALL MOUNT HUTCH DOORS WITH PAPER SLOTS</b><br><br><br><br>Must Specify (in this order):<br>Model #<br>Chassis and Top Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Paperslot Divider Material/Color<br><br>Also available as 33%”H Tall Wall Mount | 66-1596WDS<br>Six (6) Doors / Six (6) Paper Slots     | 96    | 15    | 21½    | 186     | 24.6     | T\$ 3838   |
|   | 66-1590WDS<br>Five (5) Doors / Five (5) Paper Slots   | 90    | 15    | 21½    | 172     | 23.1     | T\$ 3611   |
|   | 66-1584WDS<br>Five (5) Doors / Five (5) Paper Slots   | 84    | 15    | 21½    | 162     | 21.6     | T\$ 3198   |
|   | 66-1578WDS<br>Four (4) Doors / Four (4) Paper Slots   | 78    | 15    | 21½    | 149     | 20.0     | T\$ 3090   |
|   | 66-1572WDS<br>Four (4) Doors / Four (4) Paper Slots   | 72    | 15    | 21½    | 140     | 18.5     | T\$ 2687   |
|   | 66-1566WDS<br>Four (4) Doors / Four (4) Paper Slots   | 66    | 15    | 21½    | 131     | 16.9     | T\$ 2577   |
|   | 66-1560WDS<br>Four (4) Doors / Four (4) Paper Slots   | 60    | 15    | 21½    | 121     | 15.4     | T\$ 2497   |
|   | 66-1554WDS<br>Three (3) Doors / Three (3) Paper Slots | 54    | 15    | 21½    | 108     | 13.9     | T\$ 2321   |
|   | 66-1548WDS<br>Three (3) Doors / Three (3) Paper Slots | 48    | 15    | 21½    | 99      | 12.3     | T\$ 2150   |
|   | 66-1542WDS<br>Two (2) Doors / Two (2) Paper Slots     | 42    | 15    | 21½    | 86      | 10.8     | T\$ 1734   |
|   | 66-1536WDS<br>Two (2) Doors / Two (2) Paper Slots     | 36    | 15    | 21½    | 76      | 9.2      | T\$ 1541   |
|   | 66-1530WDS<br>Two (2) Doors / Two (2) Paper Slots     | 30    | 15    | 21½    | 67      | 7.7      | T\$ 1364   |

**Description**


- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

| Options: Specify & Add  |       |  | Per Door |
|---|-------|--|----------|
|  | 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 438   |
|  | 1-DEB | Dry Erase Board Doors  | \$ 28    |
|  | WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 652   |
|  | BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 868   |
|   | 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|   |       | (GPA) Graphite Acrylic   | \$ 269   |
|   |       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 247   |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                   | Width | Depth | Height            | Ship Wt | Cubic Ft | List Price |
|--|-----------------------------|-------|-------|-------------------|---------|----------|------------|
| <b>WALL MOUNT HUTCH WITH SLIDING DOOR</b><br> | 66-1596SWD<br>Two (2) Doors | 96    | 15    | 17 $\frac{3}{16}$ | 249     | 55.1     | T\$ 3130   |
|  | 66-1590SWD<br>Two (2) Doors | 90    | 15    | 17 $\frac{3}{16}$ | 233     | 53.7     | T\$ 2930   |
|  | 66-1584SWD<br>Two (2) Doors | 84    | 15    | 17 $\frac{3}{16}$ | 217     | 50.2     | T\$ 2662   |
|  | 66-1578SWD<br>One (1) Door  | 78    | 15    | 17 $\frac{3}{16}$ | 201     | 46.7     | T\$ 2533   |
|  | 66-1572SWD<br>One (1) Door  | 72    | 15    | 17 $\frac{3}{16}$ | 185     | 43.2     | T\$ 2352   |
|  | 66-1566SWD<br>One (1) Door  | 66    | 15    | 17 $\frac{3}{16}$ | 170     | 39.7     | T\$ 2260   |
|  | 66-1560SWD<br>One (1) Door  | 60    | 15    | 17 $\frac{3}{16}$ | 100     | 36.2     | T\$ 2203   |




Must Specify (in this order):

Model #  
Chassis and Top Color  
Door  
Style/Color  
Grain (if applicable)

**Description**

- Non-Locking Sliding Doors
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches That are not Properly Installed
- Additional Options: Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

**Options: Specify & Add**


|   |   | Per Door |
|---|---|----------|
|  | 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 745   |
|  | 1-DEB Dry Erase Board Door (Non-Locking)                              | \$ 77    |
|  | 1-HGA High Gloss Acrylic Door (Non-Locking); Must Specify Color       |          |
|   | (GPA) Graphite Acrylic  | \$ 773   |
|   | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic              | \$ 705   |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|---|-------|-------|--------|---------|----------|------------|
| <b>WALL MOUNT HUTCH<br/>SLIDING DOOR<br/>WITH PAPER SLOTS</b><br><br> | 66-1596SWDS<br>Two (2) Doors / Six (6) Paper Slots  | 96    | 15    | 21     | 186     | 24.6     | T\$ 4252   |
|  | 66-1590SWDS<br>Two (2) Doors / Five (5) Paper Slots | 90    | 15    | 21     | 172     | 23.1     | T\$ 4002   |
|  | 66-1584SWDS<br>Two (2) Doors / Five (5) Paper Slots | 84    | 15    | 21     | 162     | 21.6     | T\$ 3672   |
|  | 66-1578SWDS<br>One (1) Door / Five (5) Paper Slots  | 78    | 15    | 21     | 149     | 20.0     | T\$ 3486   |
|  | 66-1572SWDS<br>One (1) Door / Four (4) Paper Slots  | 72    | 15    | 21     | 140     | 18.5     | T\$ 3243   |
|  | 66-1566SWDS<br>One (1) Door / Four (4) Paper Slots  | 66    | 15    | 21     | 131     | 16.9     | T\$ 3100   |
|  | 66-1560SWDS<br>One (1) Door / Four (4) Paper Slots  | 60    | 15    | 21     | 121     | 15.4     | T\$ 2991   |

Must Specify (in this order):  
 Model #  
 Chassis and Top Color  
 Door  
 Style/Color  
 Grain (if applicable)  
 Paperslot Divider Material/Color

**Description**


- Non-Locking Sliding Doors
- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase, White and Black Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches That are not Properly Installed
- Additional Options: Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))



| Options: Specify & Add |  | Per Door |
|------------------------|--|----------|
| 1-AD                   | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 745   |
| 1-DEB                  | Dry Erase Board Door (Non-Locking)                               | \$ 77    |
| 1-HGA                  | High Gloss Acrylic Door (Non-Locking); Must Specify Color        |          |
|                        | (GPA) Graphite Acrylic   | \$ 773   |
|                        | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 705   |

**Pricing Codes:**  
 T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                           | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>WALL MOUNT HUTCH OPEN</b><br> | 66-1596OW<br>Three (3) Compartments | 96    | 14¼   | 17¾    | 150     | 19.2     | T\$ 2173   |
|   | 66-1590OW<br>Three (3) Compartments | 90    | 14¼   | 17¾    | 140     | 17.9     | T\$ 2031   |
|   | 66-1584OW<br>Three (3) Compartments | 84    | 14¼   | 17¾    | 130     | 16.8     | T\$ 1751   |
|   | 66-1578OW<br>Two (2) Compartments   | 78    | 14¼   | 17¾    | 122     | 15.7     | T\$ 1711   |
|   | 66-1572OW<br>Two (2) Compartments   | 72    | 14¼   | 17¾    | 112     | 14.5     | T\$ 1437   |
|   | 66-1566OW<br>Two (2) Compartments   | 66    | 14¼   | 17¾    | 100     | 13.3     | T\$ 1391   |
|   | 66-1560OW<br>Two (2) Compartments   | 60    | 14¼   | 17¾    | 92      | 12.1     | T\$ 1366   |
|   | 66-1554OW<br>Two (2) Compartments   | 54    | 14¼   | 17¾    | 83      | 10.5     | T\$ 1269   |
|   | 66-1548OW<br>Two (2) Compartments   | 48    | 14¼   | 17¾    | 73      | 9.7      | T\$ 1172   |
|   | 66-1542OW<br>One (1) Compartment    | 42    | 14¼   | 17¾    | 63      | 8.6      | T\$ 1077   |
|   | 66-1536OW<br>One (1) Compartment    | 36    | 14¼   | 17¾    | 54      | 7.5      | T\$ 935    |
|   | 66-1530OW<br>One (1) Compartment    | 30    | 14¼   | 17¾    | 45      | 5.7      | T\$ 815    |

Must Specify (in this order):

Model #  
Color

Also available as 29¾" H  
Tall Wall Mount


#### Description

- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                            | Width | Depth  | Height | Ship Wt | Cubic Ft | List Price |
|---|--------------------------------------|-------|--------|--------|---------|----------|------------|
| <b>WALL MOUNT HUTCH<br/>OPEN WITH PAPER SLOTS</b><br><br><br><br>Must Specify (in this order):<br>Model #<br>Color<br>Paperslot Divider Material/Color<br><br><br>Also available as 33 3/4" H<br>Tall Wall Mount | 66-1596OWS<br>Three (3) Compartments | 96    | 14 1/4 | 21     | 150     | 22.2     | T\$ 3296   |
|   | 66-1590OWS<br>Three (3) Compartments | 90    | 14 1/4 | 21     | 145     | 20.8     | T\$ 3103   |
|   | 66-1584OWS<br>Three (3) Compartments | 84    | 14 1/4 | 21     | 135     | 19.5     | T\$ 2761   |
|   | 66-1578OWS<br>Two (2) Compartments   | 78    | 14 1/4 | 21     | 124     | 18.1     | T\$ 2662   |
|   | 66-1572OWS<br>Two (2) Compartments   | 72    | 14 1/4 | 21     | 114     | 16.7     | T\$ 2330   |
|   | 66-1566OWS<br>Two (2) Compartments   | 66    | 14 1/4 | 21     | 105     | 15.4     | T\$ 2232   |
|   | 66-1560OWS<br>Two (2) Compartments   | 60    | 14 1/4 | 21     | 95      | 14.1     | T\$ 2154   |
|   | 66-1554OWS<br>Two (2) Compartments   | 54    | 14 1/4 | 21     | 88      | 12.7     | T\$ 2003   |
|   | 66-1548OWS<br>Two (2) Compartments   | 48    | 14 1/4 | 21     | 80      | 11.3     | T\$ 1856   |
|   | 66-1542OWS<br>One (1) Compartment    | 42    | 14 1/4 | 21     | 72      | 10.0     | T\$ 1710   |
|   | 66-1536OWS<br>One (1) Compartment    | 36    | 14 1/4 | 21     | 64      | 8.6      | T\$ 1520   |
|   | 66-1530OWS<br>One (1) Compartment    | 30    | 14 1/4 | 21     | 56      | 7.2      | T\$ 1349   |


#### Description

- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Also Available: Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

#### Pricing Codes:


T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                    | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|--|------------------------------|-------|-------|------------------|---------|----------|------------|
|  <p><b>TALL SURFACE MOUNT HUTCH<br/>HINGED DOOR</b></p> | 66-1596THU<br>Six (6) Doors  | 96    | 15    | 52 $\frac{7}{8}$ | 278     | 57.7     | T\$ 3483   |
|  | 66-1590THU<br>Five (5) Doors | 90    | 15    | 52 $\frac{7}{8}$ | 260     | 53.7     | T\$ 3305   |
|  | 66-1584THU<br>Five (5) Doors | 84    | 15    | 52 $\frac{7}{8}$ | 243     | 50.2     | T\$ 2959   |
|  | 66-1578THU<br>Four (4) Doors | 78    | 15    | 52 $\frac{7}{8}$ | 226     | 46.7     | T\$ 2901   |
|  | 66-1572THU<br>Four (4) Doors | 72    | 15    | 52 $\frac{7}{8}$ | 264     | 43.3     | T\$ 2551   |
|  | 66-1566THU<br>Four (4) Doors | 66    | 15    | 52 $\frac{7}{8}$ | 242     | 39.7     | T\$ 2468   |
|  | 66-1560THU<br>Four (4) Doors | 60    | 15    | 52 $\frac{7}{8}$ | 220     | 36.1     | T\$ 2427   |

Must Specify (in this order):

- Model #
- Chassis and Top Color
- Door
- Style/Color
- Grain (if applicable)
- Locking Doors
- Paperslots
- Paperslot Divider Material/Color
- Tasklights
- Grommet Color
- Tackboard Fabric




Optional Paper Slots in laminate or chrome available; See Paper Slot Options

Also available as 40 $\frac{7}{8}$ " H Standard Surface Mount

**Description**

- 23 $\frac{3}{4}$ " Clearance Below Apron Rail
- One (1) Fixed Shelf Behind Doors
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Support is Required when Surface Mounted Hutches Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

**Options: Specify & Add**




|       |  | Per Door |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 621   |
| 1-DEB | Dry Erase Board Doors  | \$ 60    |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 917   |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1210  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic   | \$ 602   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 546   |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.                           | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>TALL SURFACE MOUNT HUTCH OPEN</b><br><br> | 66-1596TOH<br>Six (6) Compartments  | 96    | 14¼   | 52⅞    | 217     | 57.7     | T\$ 2849   |
|   | 66-1590TOH<br>Six (6) Compartments  | 90    | 14¼   | 52⅞    | 206     | 50.2     | T\$ 2728   |
|   | 66-1584TOH<br>Six (6) Compartments  | 84    | 14¼   | 52⅞    | 195     | 48.3     | T\$ 2415   |
|   | 66-1578TOH<br>Four (4) Compartments | 78    | 14¼   | 52⅞    | 177     | 46.7     | T\$ 2368   |
|   | 66-1572TOH<br>Four (4) Compartments | 72    | 14¼   | 52⅞    | 166     | 43.3     | T\$ 2080   |
|   | 66-1566TOH<br>Four (4) Compartments | 66    | 14¼   | 52⅞    | 149     | 39.7     | T\$ 2004   |
|   | 66-1560TOH<br>Four (4) Compartments | 60    | 14¼   | 52⅞    | 144     | 36.1     | T\$ 1995   |

Must Specify (in this order):

- Model #
- Color
- Paperslots
- Paperslot Divider Material/Color
- Tasklights
- Grommet Color
- Tackboard Fabric

**Description**

- 23¾" Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Additional Support is Required when Surface Mounted Hutches Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))




Optional Paper Slots in laminate or chrome available; [See Paper Slot Options](#)

Also available as 40⅞" H Standard Surface Mount

**Pricing Codes:**






- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                     | Width | Depth | Height  | Ship Wt | Cubic Ft | List Price |
|--|-------------------------------|-------|-------|---------|---------|----------|------------|
| <b>TALL WALL MOUNT HUTCH<br/>HINGED DOOR</b><br><br><br><br>Must Specify (in this order):<br>Model #<br>Chassis and Top Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Locking Doors<br><br>Also available as 17 3/16" H<br>Standard Wall Mount | 66-1596TWD<br>Six (6) Doors   | 96    | 15    | 29 3/16 | 249     | 57.2     | T\$ 3182   |
|  | 66-1590TWD<br>Five (5) Doors  | 90    | 15    | 29 3/16 | 233     | 53.7     | T\$ 2892   |
|  | 66-1584TWD<br>Five (5) Doors  | 84    | 15    | 29 3/16 | 217     | 50.2     | T\$ 2722   |
|  | 66-1578TWD<br>Four (4) Doors  | 78    | 15    | 29 3/16 | 201     | 46.7     | T\$ 2669   |
|  | 66-1572TWD<br>Four (4) Doors  | 72    | 15    | 29 3/16 | 185     | 43.2     | T\$ 2351   |
|  | 66-1566TWD<br>Four (4) Doors  | 66    | 15    | 29 3/16 | 170     | 22.0     | T\$ 2249   |
|  | 66-1560TWD<br>Four (4) Doors  | 60    | 15    | 29 3/16 | 155     | 20.1     | T\$ 2139   |
|  | 66-1554TWD<br>Three (3) Doors | 54    | 15    | 29 3/16 | 140     | 18.1     | T\$ 1975   |
|  | 66-1548TWD<br>Three (3) Doors | 48    | 15    | 29 3/16 | 124     | 16.2     | T\$ 1844   |
|  | 66-1542TWD<br>Two (2) Doors   | 42    | 15    | 29 3/16 | 109     | 12.3     | T\$ 1497   |
|  | 66-1536TWD<br>Two (2) Doors   | 36    | 15    | 29 3/16 | 93      | 12.3     | T\$ 1410   |
|  | 66-1530TWD<br>Two (2) Doors   | 30    | 15    | 29 3/16 | 77      | 9.1      | T\$ 1322   |

### Description


- One (1) Fixed Shelf Behind Doors
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

| Options: Specify & Add  |  | Per Door |
|---|--|----------|
|  | 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking)  | \$ 621   |
|  | 1-DEB Dry Erase Board Doors  | \$ 60    |
|  | WHGLS Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 917   |
|  | BLGLS Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1210  |
|  | 1-HGA High Gloss Acrylic Doors; Must Specify Color                     |          |
|   | (GPA) Graphite Acrylic   | \$ 602   |
|   | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 546   |

### Pricing Codes:

T= TFL  
P= HPL





[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|-------|--------|---------|----------|------------|
| <br><br>TALL WALL MOUNT HUTCH<br>HINGED DOOR WITH PAPER SLOTS<br><br>Must Specify (in this order):<br>Model #<br>Chassis and Top Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Paperslot Divider Material/Color<br><br>Also available as 21 1/4" H<br>Standard Wall Mount | 66-1596TWDS<br>Six (6) Doors / Six (6) Paper Slots     | 96    | 15    | 33 1/2 | 320     | 57.2     | T\$ 4301   |
|   | 66-1590TWDS<br>Five (5) Doors / Five (5) Paper Slots   | 90    | 15    | 33 1/2 | 290     | 53.7     | T\$ 3967   |
|   | 66-1584TWDS<br>Five (5) Doors / Five (5) Paper Slots   | 84    | 15    | 33 1/2 | 217     | 50.2     | T\$ 3732   |
|   | 66-1578TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 78    | 15    | 33 1/2 | 201     | 46.0     | T\$ 3621   |
|   | 66-1572TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 72    | 15    | 33 1/2 | 185     | 43.2     | T\$ 3242   |
|   | 66-1566TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 66    | 15    | 33 1/2 | 170     | 22.0     | T\$ 3092   |
|   | 66-1560TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 60    | 15    | 33 1/2 | 155     | 20.1     | T\$ 2928   |
|   | 66-1554TWDS<br>Three (3) Doors / Three (3) Paper Slots | 54    | 15    | 33 1/2 | 140     | 18.1     | T\$ 2706   |
|   | 66-1548TWDS<br>Three (3) Doors / Three (3) Paper Slots | 48    | 15    | 33 1/2 | 124     | 16.2     | T\$ 2526   |
|   | 66-1542TWDS<br>Two (2) Doors / Two (2) Paper Slots     | 42    | 15    | 33 1/2 | 109     | 14.2     | T\$ 2131   |
|   | 66-1536TWDS<br>Two (2) Doors / Two (2) Paper Slots     | 36    | 15    | 33 1/2 | 93      | 12.3     | T\$ 1992   |
|   | 66-1530TWDS<br>Two (2) Doors / Two (2) Paper Slots     | 30    | 15    | 33 1/2 | 81      | 12.3     | T\$ 1852   |

**Description**

- One (1) Fixed Shelf Behind Doors
- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))


**Options: Specify & Add**

|   |  | Per Door |
|---|--|----------|
|  | 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking)  | \$ 621   |
|  | 1-DEB Dry Erase Board Doors  | \$ 60    |
|  | WHGLS Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 917   |
|  | BLGLS Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1210  |
|   | 1-HGA High Gloss Acrylic Doors; Must Specify Color                     |          |
|   | (GPA) Graphite Acrylic   | \$ 602   |
|   | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 546   |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                           | Width | Depth | Height                           | Ship Wt | Cubic Ft | List Price |
|--|-------------------------------------|-------|-------|----------------------------------|---------|----------|------------|
| <b>TALL WALL MOUNT HUTCH OPEN</b><br> | 66-1596TOW<br>Six (6) Compartments  | 96    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 200     | 30.8     | T\$ 2541   |
|  | 66-1590TOW<br>Six (6) Compartments  | 90    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 186     | 29.0     | T\$ 2312   |
|  | 66-1584TOW<br>Six (6) Compartments  | 84    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 173     | 27.1     | T\$ 2179   |
|  | 66-1578TOW<br>Four (4) Compartments | 78    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 161     | 25.2     | T\$ 2137   |
|  | 66-1572TOW<br>Four (4) Compartments | 72    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 147     | 23.3     | T\$ 1879   |
|  | 66-1566TOW<br>Four (4) Compartments | 66    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 135     | 21.4     | T\$ 1799   |
|  | 66-1560TOW<br>Four (4) Compartments | 60    | 14¼   | 29¾ <sup>1</sup> / <sub>16</sub> | 122     | 20.1     | T\$ 1710   |

Must Specify (in this order):


Model #

Color

Also available as 17¾" H  
Standard Wall Mount

#### Description

- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Also Available: Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Set Options](#))

|   |   |    |     |      |     |      |          |
|---|---|----|-----|------|-----|------|----------|
| <b>TALL WALL MOUNT HUTCH OPEN WITH PAPER SLOTS</b><br> | 66-1596TOWS<br>Six (6) Compartments/Six (6) Paper Slots   | 96 | 14¼ | 33 ⅝ | 220 | 30.8 | T\$ 3666 |
|   | 66-1590TOWS<br>Six (6) Compartments/Six (6) Paper Slots   | 90 | 14¼ | 33 ⅝ | 206 | 29.0 | T\$ 3388 |
|   | 66-1584TOWS<br>Six (6) Compartments/Six (6) Paper Slots   | 84 | 14¼ | 33 ⅝ | 193 | 27.1 | T\$ 3187 |
|   | 66-1578TOWS<br>Four (4) Compartments/Four (4) Paper Slots | 78 | 14¼ | 33 ⅝ | 181 | 25.2 | T\$ 3088 |
|   | 66-1572TOWS<br>Four (4) Compartments/Four (4) Paper Slots | 72 | 14¼ | 33 ⅝ | 167 | 23.2 | T\$ 2774 |
|   | 66-1566TOWS<br>Four (4) Compartments/Four (4) Paper Slots | 66 | 14¼ | 33 ⅝ | 155 | 21.4 | T\$ 2641 |
|   | 66-1560TOWS<br>Four (4) Compartments/Four (4) Paper Slots | 60 | 14¼ | 33 ⅝ | 142 | 20.1 | T\$ 2498 |

Must Specify (in this order):

Model #

Color

Paperslot Divider Material/Color

Also available as 21¼" H  
Standard Wall Mount

#### Description

- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- Component Hutch Tops with Profiles are Available; [See Top Sizes](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Also Available: Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Set Options](#))



#### Pricing Codes:

T= TFL

P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item  | Model No.       | For Use With                             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------------|--|-------|-------|--------|---------|----------|------------|
| <b>OPTIONAL PAPER SLOTS FOR SURFACE MOUNT HUTCH</b><br><br><br>Laminate<br><br>Chrome<br><br> | 01-PAPERSLOT 96 | For Use with 96" Unit<br>Six (6) Slots   | 94½   | 11⅞   | 5¼     | -       | -        | \$ 1092    |
|   | 01-PAPERSLOT 90 | For Use with 90" Unit<br>Five (5) Slots  | 88½   | 11⅞   | 5¼     | -       | -        | \$ 1043    |
|   | 01-PAPERSLOT 84 | For Use with 84" Unit<br>Five (5) Slots  | 82½   | 11⅞   | ¼      | -       | -        | \$ 986     |
|   | 01-PAPERSLOT 78 | For Use with 78" Unit<br>Four (4) Slots  | 76½   | 11⅞   | 5¼     | -       | -        | \$ 927     |
|   | 01-PAPERSLOT 72 | For Use with 72" Unit<br>Four (4) Slots  | 70½   | 11⅞   | 5¼     | -       | -        | \$ 870     |
|   | 01-PAPERSLOT 66 | For Use with 66" Unit<br>Four (4) Slots  | 64½   | 11⅞   | 5¼     | -       | -        | \$ 822     |
|   | 01-PAPERSLOT 60 | For Use with 60" Unit<br>Four (4) Slots  | 58½   | 11⅞   | 5¼     | -       | -        | \$ 766     |
|   | 01-PAPERSLOT 54 | For Use with 54" Unit<br>Three (3) Slots | 52½   | 11⅞   | 5¼     | -       | -        | \$ 717     |
|   | 01-PAPERSLOT 48 | For Use with 48" Unit<br>Three (3) Slots | 46½   | 11⅞   | 5¼     | -       | -        | \$ 663     |
|   | 01-PAPERSLOT 42 | For Use with 42" Unit<br>Two (2) Slots   | 40½   | 11⅞   | 5¼     | -       | -        | \$ 617     |
|   | 01-PAPERSLOT 36 | For Use with 36" Unit<br>Two (2) Slots   | 34½   | 11⅞   | 5¼     | -       | -        | \$ 569     |
|   | 01-PAPERSLOT 30 | For Use with 30" Unit<br>Two (2) Slots   | 28½   | 11⅞   | 5¼     | -       | -        | \$ 520     |

Must Specify (in this order):

Model #  
 Paperslot Divider Material  
 Paperslot Divider Color


#### Description

- Ships Factory Installed
- Paper Slot Divider Material and Color Must Specify: Chrome (CHRM) or Laminate (T) and Color

#### Pricing Codes:

T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
| <b>MODULAR TOP FOR 15" DEEP HUTCHES &amp; BOOKCASES</b><br><br><br><br>Must Specify (in this order):<br>Model #<br>Color<br>Edge Profile | 66-1596HT | 96    | 15    | 1      | 61      | 5.1      | T\$ 572    |
|   | 66-1590HT | 90    | 15    | 1      | 57      | 4.8      | T\$ 552    |
|   | 66-1584HT | 84    | 15    | 1      | 53      | 4.5      | T\$ 525    |
|   | 66-1578HT | 78    | 15    | 1      | 50      | 4.2      | T\$ 513    |
|   | 66-1572HT | 72    | 15    | 1      | 48      | 3.9      | T\$ 478    |
|   | 66-1566HT | 66    | 15    | 1      | 42      | 3.5      | T\$ 456    |
|   | 66-1560HT | 60    | 15    | 1      | 38      | 3.2      | T\$ 444    |
|   | 66-1554HT | 54    | 15    | 1      | 34      | 2.9      | T\$ 437    |
|   | 66-1548HT | 48    | 15    | 1      | 30      | 2.6      | T\$ 425    |
|   | 66-1542HT | 42    | 15    | 1      | 27      | 2.3      | T\$ 410    |
|   | 66-1536HT | 36    | 15    | 1      | 23      | 2.0      | T\$ 400    |
|   | 66-1530HT | 30    | 15    | 1      | 11      | 1.0      | T\$ 384    |

**Description**

- Provides an Edge Profile on Overhead Units While Giving Multiple Overhead Units a Cohesive Appearance
- Profiled on Front Edge Only

**SURFACE MOUNT PAPER SLOT TOWER**

|           |    |    |    |    |     |         |
|-----------|----|----|----|----|-----|---------|
| 66-1218HH | 18 | 12 | 21 | 45 | 4.4 | T\$ 828 |
|-----------|----|----|----|----|-----|---------|



**Description**

- Four (4) Adjustable Shelves

Must Specify (in this order):


Model #  
Color

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.   | Width        | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|---|-------------|--------------|-------|--------|------------------|----------|------------|
| SURFACE MOUNT<br>STORAGE TOWER WITH<br>DOOR AND OPEN SHELVING | Hinged Left | Hinged Right |       |        |                  |          |            |
|   | 66-1518HL1  | 66-1518HR1   | 18    | 15     | 40 $\frac{1}{2}$ | 78       | 8.6        |




Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
- Locking Doors

**Description**


- Storage Behind Door in Upper Section
- Three (3) Adjustable Shelves
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))



**Options: Specify & Add**

|       |  | Per Door |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 438   |
| 1-DEB | Dry Erase Board Doors  | \$ 28    |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 652   |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 868   |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic   | \$ 269   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 247   |

| Item   | Model No.   | Width        | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--|-------------|--------------|-------|--------|------------------|----------|------------|
| SURFACE MOUNT<br>TALL STORAGE TOWER WITH<br>DOOR AND OPEN SHELVING | Hinged Left | Hinged Right |       |        |                  |          |            |
|  | 66-1518THL1 | 66-1518THR1  | 18    | 15     | 52 $\frac{1}{2}$ | 95       | 11.0       |




Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
- Locking Doors

**Description**

- Storage Behind Door in Upper Section with One (1) Adjustable Shelf
- Three (3) Adjustable Shelves
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Set Options](#)
- Additional Options: Locking Doors ([See Locking Options](#))



**Options: Specify & Add**


|       |  | Per Door |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 621   |
| 1-DEB | Dry Erase Board Doors  | \$ 60    |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 917   |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1210  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic   | \$ 602   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 546   |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
| SURFACE MOUNT<br>STORAGE TOWER<br>OPEN BOOKCASE | 66-1518HB | 18    | 14¼   | 40⅞    | 62      | 8.6      | T\$ 810    |




**Description**

- Two (2) Adjustable Shelves

Must Specify (in this order):

Model #  
Color

|  |            |    |     |     |    |      |         |
|--|------------|----|-----|-----|----|------|---------|
| SURFACE MOUNT<br>TALL STORAGE TOWER<br>OPEN BOOKCASE | 66-1518THB | 18 | 14½ | 52⅞ | 68 | 11.0 | T\$ 961 |
|--|------------|----|-----|-----|----|------|---------|



**Description**

- Three (3) Adjustable Shelves

Must Specify (in this order):


Model #  
Color

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                       | Model No.   | Width        | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--|-------------|--------------|-------|--------|------------------|----------|------------|
| SURFACE MOUNT STORAGE TOWER WITH FULL DOOR | Hinged Left | Hinged Right |       |        |                  |          |            |
|  | 66-1518HL3  | 66-1518HR3   | 18    | 15     | 40 $\frac{1}{2}$ | 78       | 8.6        |




Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door
- Style/Color
- Grain (if applicable)
- Locking Doors

**Description**


- Touch Latch Door with One (1) Fixed Shelf/Two (2) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Door ([See Locking Options](#))



**Options: Specify & Add**

|       |   | Per Unit |
|-------|---|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 710   |
| 1-DEB | Dry Erase Board Door  | \$ 77    |
| WHGLS | Aluminum Framed Door with White Tempered Glass (Non-locking)    | \$ 1113  |
| BLGLS | Black Matte Framed Door with Black Tempered Glass (Non-locking) | \$ 1486  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic  | \$ 733   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 668   |

| Item  | Model No.   | Width        | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|---|-------------|--------------|-------|--------|------------------|----------|------------|
| SURFACE MOUNT TALL STORAGE TOWER WITH FULL DOOR | Hinged Left | Hinged Right |       |        |                  |          |            |
|   | 66-1518THL3 | 66-1518THR3  | 18    | 15     | 52 $\frac{1}{2}$ | 95       | 11.0       |




Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door
- Style/Color
- Grain (if applicable)
- Locking Doors

**Description**

- Touch Latch Door with One (1) Fixed Shelf/Three (3) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Door ([See Locking Options](#))



**Options: Specify & Add**


|       |   | Per Unit |
|-------|---|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 849   |
| 1-DEB | Dry Erase Board Door  | \$ 96    |
| WHGLS | Aluminum Framed Door with White Tempered Glass (Non-locking)    | \$ 1347  |
| BLGLS | Black Matte Framed Door with Black Tempered Glass (Non-locking) | \$ 1796  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                          |          |
|       | (GPA) Graphite Acrylic  | \$ 960   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 876   |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                           | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------|-------------|-------|-------|--------|---------|----------|------------|
| SURFACE MOUNT<br>DOOR BOOKCASE | 66-1536TUDB | 36    | 15    | 40 7/8 | 168     | 16.1     | T\$ 1528   |
|                                | 66-1530TUDB | 30    | 15    | 40 7/8 | 140     | 13.4     | T\$ 1416   |




Must Specify (in this order):

- Model #
- Color
- Door
- Style/Color
- Grain (if applicable)
- Locking Doors


**Description**

- Touch Latch Door with One (1) Fixed Shelf/Two (2) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))



| Options: Specify & Add |  |  | Per Unit |
|------------------------|--|--|----------|
| 1-AD                   | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) |  | \$ 1420  |
| 1-DEB                  | Dry Erase Board Doors  |  | \$ 148   |
| WHGLS                  | Aluminum Framed Doors with White Tempered Glass (Non-locking)    |  | \$ 2228  |
| BLGLS                  | Black Matte Framed Doors with Black Tempered Glass (Non-locking) |  | \$ 2975  |
| 1-HGA                  | High Gloss Acrylic; Must Specify Color                           |  |          |
|                        | (GPA) Graphite Acrylic   |  | \$ 1462  |
|                        | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         |  | \$ 1334  |

|                                     |              |    |    |        |     |      |          |
|-------------------------------------|--------------|----|----|--------|-----|------|----------|
| SURFACE MOUNT<br>TALL DOOR BOOKCASE | 66-1536TTUDB | 36 | 15 | 52 7/8 | 216 | 20.5 | T\$ 1792 |
|                                     | 66-1530TTUDB | 30 | 15 | 52 7/8 | 180 | 17.3 | T\$ 1627 |




Must Specify (in this order):

- Model #
- Color
- Door
- Style/Color
- Grain (if applicable)
- Locking Doors

**Description**

- Touch Latch Door with One (1) Fixed Shelf/Three (3) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))




| Options: Specify & Add |  |  | Per Unit |
|------------------------|--|--|----------|
| 1-AD                   | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) |  | \$ 1697  |
| 1-DEB                  | Dry Erase Board Doors  |  | \$ 193   |
| WHGLS                  | Aluminum Framed Doors with White Tempered Glass (Non-locking)    |  | \$ 2692  |
| BLGLS                  | Black Matte Framed Doors with Black Tempered Glass (Non-locking) |  | \$ 3589  |
| 1-HGA                  | High Gloss Acrylic; Must Specify Color                           |  |          |
|                        | (GPA) Graphite Acrylic   |  | \$ 1914  |
|                        | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         |  | \$ 1747  |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.           | Width                | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--|---------------------|----------------------|-------|--------|------------------|----------|------------|
| SURFACE MOUNT<br>DOOR BOOKCASE<br>WITH SIDE SHELVING | <b>Shelves Left</b> | <b>Shelves Right</b> |       |        |                  |          |            |
|  | 66-3615TUDBL        | 66-3615TUDBR         | 36    | 15     | 40 $\frac{1}{2}$ | 157      | T\$ 2080   |
|  | 66-3015TUDBL        | 66-3015TUDBR         | 30    | 15     | 40 $\frac{1}{2}$ | 140      | T\$ 2007   |




Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
  - Locking Doors

**Description**


- Touch Latch Door with Two (2) Adjustable Shelves Behind Doors
- Side Fixed Shelves; Top Shelf with 15" Clearance, Two (2) Remaining Shelves with 11 $\frac{1}{2}$ " Clearance
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))



**Options: Specify & Add**

|       |  | Per Unit |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1420  |
| 1-DEB | Dry Erase Board Doors  | \$ 148   |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 2228  |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 2975  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                           |          |
|       | (GPA) Graphite Acrylic   | \$ 1462  |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 1334  |

|  |                     |                      |    |    |    |     |          |
|--|---------------------|----------------------|----|----|----|-----|----------|
| SURFACE MOUNT<br>DOOR BOOKCASE<br>WITH SIDE SHELVING | <b>Shelves Left</b> | <b>Shelves Right</b> |    |    |    |     |          |
|  | 66-3615TTUDBL       | 66-3615TTUDBR        | 36 | 15 | 52 | 157 | T\$ 2368 |
|  | 66-3015TTUDBL       | 66-3015TTUDBR        | 30 | 15 | 52 | 140 | T\$ 2285 |




Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
  - Locking Doors

**Description**

- Touch Latch Door with Three (3) Adjustable Shelves Behind Doors
- Side Fixed Shelves; Top Shelf with 15" Clearance, Two (2) Remaining Shelves with 12" Clearance
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))



**Options: Specify & Add**


|       |  | Per Unit |
|-------|--|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1697  |
| 1-DEB | Dry Erase Board Doors  | \$ 193   |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 2692  |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 3589  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                           |          |
|       | (GPA) Graphite Acrylic   | \$ 1914  |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 1747  |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.   | Width        | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--|-------------|--------------|-------|--------|------------------|----------|------------|
| STORAGE CABINET WITH OPEN SHELVES AND BOX/BOX/FILE | Hinged Left | Hinged Right |       |        |                  |          |            |
|  | 66-1872DSIL | 66-1872DS1R  | 18    | 24     | 70 $\frac{1}{2}$ | 145      | 22.0       |




Shown as Left

**Description**

- One (1) Adjustable Shelf Behind Touch Latch Door; Two (2) Adjustable Shelves in Center
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Locking Drawers; File Drawer Provides Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

**Options: Specify & Add**

Per Door




|       |  |        |
|-------|--|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 621 |
| 1-DEB | Dry Erase Board Doors  | \$ 60  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic   | \$ 602 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 546 |

Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
- Locking Doors
- Drawer
  - Construction
  - Track
  - Color
  - Grain (if applicable)
- Pull

| TALL STORAGE CABINET WITH OPEN SHELVES AND BOX/BOX/FILE | Hinged Left | Hinged Right | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|---|-------------|--------------|-------|-------|------------------|---------|----------|------------|
|   | 66-1884DSIL | 66-1884DS1R  | 18    | 24    | 82 $\frac{1}{2}$ | 196     | 25.8     | T\$ 2551   |




Shown as Left

**Description**

- Two (2) Adjustable Shelf Behind Touch Latch Door; Two (2) Adjustable Shelves in Center
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Locking Drawers; File Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

**Options: Specify & Add**

Per Unit



|       |   |        |
|-------|---|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 710 |
| 1-DEB | Dry Erase Board Door  | \$ 77  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic  | \$ 733 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 668 |

Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
- Locking Doors
- Drawer
  - Construction
  - Track
  - Color
  - Grain (if applicable)
- Pull


**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item  | Model No.   | Width        | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|---|-------------|--------------|-------|--------|------------------|----------|------------|
| STORAGE CABINET WITH OPEN SHELVES AND FILE/FILE | Hinged Left | Hinged Right |       |        |                  |          |            |
|   | 66-1872DS2L | 66-1872DS2R  | 18    | 24     | 70 $\frac{1}{2}$ | 145      | 22.0       |




Shown as Left

**Description**

- One (1) Adjustable Shelf Behind Touch Latch Door; Two (2) Adjustable Shelves in Center
- Locking File Drawers Provide Legal or Letter Filing
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

Must Specify (in this order):


- Model #
- Color
- Door Style/Color
- Door/Drawer Grain (if applicable)
- Locking Doors
- Drawer Construction
- Track
- Color
- Pull



**Options: Specify & Add**

|   | Per Door |
|---|----------|
| 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 621   |
| 1-DEB Dry Erase Board Doors   | \$ 60    |
| 1-HGA High Gloss Acrylic Doors; Must Specify Color                    |          |
| (GPA) Graphite Acrylic  | \$ 602   |
| (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic              | \$ 546   |

| TALL STORAGE CABINET WITH OPEN SHELVES AND FILE/FILE | Hinged Left | Hinged Right | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-------------|--------------|-------|-------|--------|---------|----------|------------|
|  | 66-1884DS2L | 66-1884DS2R  |       |       |        |         |          |            |




Shown as Left

**Description**

- Two (2) Adjustable Shelf Behind Touch Latch Door; Two (2) Adjustable Shelves in Center
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

Must Specify (in this order):

- Model #
- Color
- Door Style/Color
- Grain (if applicable)
- Locking Doors
- Drawer Construction
- Track
- Color
- Grain (if applicable)
- Pull



**Options: Specify & Add**

|  | Per Unit |
|--|----------|
| 1-AD Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 710   |
| 1-DEB Dry Erase Board Door   | \$ 77    |
| 1-HGA High Gloss Acrylic Door; Must Specify Color                    |          |
| (GPA) Graphite Acrylic   | \$ 733   |
| (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             | \$ 668   |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                   | Model No.                                | Width               | Depth | Height | Ship Wt          | Cubic Ft | List Price |          |
|--|--|---------------------|-------|--------|------------------|----------|------------|----------|
| STORAGE CABINET<br>BOX/BOX/FILE        | <b>Hinged Left</b>                       | <b>Hinged Right</b> |       |        |                  |          |            |          |
|  | 66-1884WBL                               | 66-1884WBR          | 18    | 24     | 82 $\frac{7}{8}$ | 166      | 25.7       | T\$ 2370 |
|  | Three (3) Adjustable Shelves Behind Door |                     |       |        |                  |          |            |          |
|  | 66-1872WBL                               | 66-1872WBR          | 18    | 24     | 70 $\frac{7}{8}$ | 145      | 22.0       | T\$ 2270 |
| Two (2) Adjustable Shelves Behind Door |  |                     |       |        |                  |          |            |          |



Shown as Left

Must Specify (in this order):

- Model #
- Color
- Door/Drawer Grain (if applicable)
- Door/Drawer Color
- Locking Doors
- Drawer
  - Construction
  - Track
  - Pull

**Description**

- Touch Latch Door
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

|                                      |                              |    |    |                  |     |      |          |
|--------------------------------------|------------------------------|----|----|------------------|-----|------|----------|
| OPEN STORAGE CABINET<br>BOX/BOX/FILE | 66-1884WBO                   | 18 | 24 | 82 $\frac{7}{8}$ | 166 | 25.7 | T\$ 2181 |
|                                      | Three (3) Adjustable Shelves |    |    |                  |     |      |          |
|                                      | 66-1872WBO                   | 18 | 24 | 70 $\frac{7}{8}$ | 145 | 22.0 | T\$ 2087 |
| Two (2) Adjustable Shelves           |                              |    |    |                  |     |      |          |



Must Specify (in this order):

- Model #
- Color
- Drawer
  - Construction
  - Track
  - Color
  - Grain (if applicable)
  - Pull

**Description**


- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                         | Model No.                                | Width               | Depth | Height | Ship Wt            | Cubic Ft | List Price |          |
|------------------------------|--|---------------------|-------|--------|--------------------|----------|------------|----------|
| STORAGE CABINET<br>FILE/FILE | <b>Hinged Left</b>                       | <b>Hinged Right</b> |       |        |                    |          |            |          |
|                              | 66-1884WFL                               | 66-1884WFR          | 18    | 24     | 82 $\frac{1}{2}$ " | 166      | 25.7       | T\$ 2370 |
|                              | Three (3) Adjustable Shelves Behind Door |                     |       |        |                    |          |            |          |
|                              | 66-1872WFL                               | 66-1872WFR          | 18    | 24     | 70 $\frac{1}{2}$ " | 145      | 22.0       | T\$ 2270 |
|                              | Two (2) Adjustable Shelves Behind Door   |                     |       |        |                    |          |            |          |



Shown as Left

**Description**

- Touch Latch Door
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

Must Specify (in this order):

- Model #
- Color
- Door/Drawer Grain (if applicable)
- Door/Drawer Color
- Locking Doors
- Drawer
  - Construction
  - Track
  - Pull

|                                   |                              |    |    |                    |     |      |          |
|-----------------------------------|------------------------------|----|----|--------------------|-----|------|----------|
| OPEN STORAGE CABINET<br>FILE/FILE | 66-1884WFO                   | 18 | 24 | 82 $\frac{1}{2}$ " | 166 | 25.7 | T\$ 2181 |
|                                   | Three (3) Adjustable Shelves |    |    |                    |     |      |          |
|                                   | 66-1872WFO                   | 18 | 24 | 70 $\frac{1}{2}$ " | 145 | 22.0 | T\$ 2087 |
|                                   | Two (2) Adjustable Shelves   |    |    |                    |     |      |          |



**Description**

- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

Must Specify (in this order):


- Model #
- Color
- Drawer
  - Construction
  - Track
  - Color
  - Grain (if applicable)
  - Pull

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item         | Model No.          | Width               | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------|--------------------|---------------------|-------|--------|---------|----------|------------|
| NARROW TOWER | <b>Hinged Left</b> | <b>Hinged Right</b> |       |        |         |          |            |
|              | 66-1251WD1L        | 66-1251WD1R         | 12    | 24     | 51½     | 85       | 11.2       |



Shown as Left


Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
- Locking Doors

**Description**


- 10" Coat Rod; One (1) Adjustable Shelf
- Touch Latch Door
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Door Front Available in Contrasting Colors; Must Specify
- Additional Options: Locking Door ([See Locking Options](#))

**Options: Specify & Add**



|       |   |        |
|-------|---|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 678 |
| 1-DEB | Dry Erase Board Door  | \$ 60  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic  | \$ 614 |
|       | (BLA) Black, Wired Mercury (WMA), or White (WHA) Acrylic        | \$ 560 |

| WARDROBE/STORAGE CABINET | Hinged Left                              | Hinged Right | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------|--|--------------|-------|-------|--------|---------|----------|------------|
|                          | 66-1884WL                                | 66-1884WR    | 18    | 24    | 82¾    | 162     | 25.7     | T\$ 2143   |
|                          | Four (4) Adjustable Shelves Behind Door  |              |       |       |        |         |          |            |
|                          | 66-1872WL                                | 66-1872WR    | 18    | 24    | 70¾    | 153     | 19.2     | T\$ 2053   |
|                          | Three (3) Adjustable Shelves Behind Door |              |       |       |        |         |          |            |



Shown as Left


Must Specify (in this order):

- Model #
- Color
- Door
  - Style/Color
  - Grain (if applicable)
- Locking Doors

**Description**

- Coat Rod Under Top Fixed Shelf
- Adjustable Shelves can be Removed for Wardrobe Application
- Touch Latch Door
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- If Applicable, Door Front Available in Contrasting Colors; Must Specify
- Additional Options: Locking Door ([See Locking Options](#))

**Options: Specify & Add**




|       |  |         |
|-------|--|---------|
| 1-DEB | Dry Erase Board Door                                     | \$ 129  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color              |         |
|       | (GPA) Graphite Acrylic                                   | \$ 1275 |
|       | (BLA) Black, Wired Mercury (WMA), or White (WHA) Acrylic | \$ 1162 |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                   | Model No.                                | Width                 | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--|--|-----------------------|-------|--------|------------------|----------|------------|
| <b>TOWER WARDROBE<br/>BOX/BOX/FILE</b> | <b>Wardrobe Left</b>                     | <b>Wardrobe Right</b> |       |        |                  |          |            |
|  | 66-2484WD1L                              | 66-2484WD1R           | 24    | 24     | 82 $\frac{7}{8}$ | 252      | T\$ 3226   |
|  | Three (3) Adjustable Shelves Behind Door |                       |       |        |                  |          |            |
|  | 66-2472WD1L                              | 66-2472WD1R           | 24    | 24     | 70 $\frac{7}{8}$ | 242      | T\$ 2997   |
|  | Two (2) Adjustable Shelves Behind Door   |                       |       |        |                  |          |            |
|  | 66-2451WD1L                              | 66-2451WD1R           | 24    | 24     | 51 $\frac{1}{2}$ | 172      | T\$ 2658   |
| One (1) Adjustable Shelf Behind Door   |  |                       |       |        |                  |          |            |



Shown as Left


Must Specify (in this order):

- Model #
- Chassis Color
- 51 $\frac{1}{2}$ "H Door/Drawer Color
- Locking Doors
- Drawer
- Construction
- Track
- Pull

**Description**

- Wardrobe Door Features Coat Rod and Knob Pull; Knob Color will Coordinate with Drawer Pull
- If Black or Gold Pull is Selected, Knob will be Black; If Chrome or Aluminum Pull is Selected, Knob will be Aluminum
- Cabinet Door Features Touch Latch Door
- Locking File Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

| Item                                 | Model No.                                | Width                 | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--------------------------------------|--|-----------------------|-------|--------|------------------|----------|------------|
| <b>TOWER WARDROBE<br/>FILE/FILE</b>  | <b>Wardrobe Left</b>                     | <b>Wardrobe Right</b> |       |        |                  |          |            |
|                                      | 66-2484WD2L                              | 66-2484WD2R           | 24    | 24     | 82 $\frac{7}{8}$ | 252      | T\$ 3226   |
|                                      | Three (3) Adjustable Shelves Behind Door |                       |       |        |                  |          |            |
|                                      | 66-2472WD2L                              | 66-2472WD2R           | 24    | 24     | 70 $\frac{7}{8}$ | 242      | T\$ 2997   |
|                                      | Two (2) Adjustable Shelves Behind Door   |                       |       |        |                  |          |            |
|                                      | 66-2451WD2L                              | 66-2451WD2R           | 24    | 24     | 51 $\frac{1}{2}$ | 172      | T\$ 2658   |
| One (1) Adjustable Shelf Behind Door |  |                       |       |        |                  |          |            |



Shown as Left

Must Specify (in this order):

- Model #
- Chassis Color
- 51 $\frac{1}{2}$ "H Door/Drawer Color
- Locking Doors
- Drawer
- Construction
- Track
- Pull

**Description**


- Wardrobe Door Features Coat Rod and Knob Pull; Knob Color will Coordinate with Drawer Pull
- If Black or Gold Pull is Selected, Knob will be Black; If Chrome or Aluminum Pull is Selected, Knob will be Aluminum
- Cabinet Door Features Touch Latch Door
- Locking File Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                          | Model No.            | Width                 | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|-------------------------------|----------------------|-----------------------|-------|--------|------------------|----------|------------|
| TALL WARDROBE/STORAGE CABINET | <b>Wardrobe Left</b> | <b>Wardrobe Right</b> |       |        |                  |          |            |
|                               | 66-3684WDS2L         | 66-3684WDS2R          | 36    | 24     | 82 $\frac{1}{2}$ | 368      | 49.2       |



Shown as Left


Must Specify (in this order):

- Model #
- Chassis Color
- Door Style/Color
- Drawer Front Color
- Drawer Construction
- Locking Doors
- Pull

**Description**


- TFL Wardrobe Door Features Coat Rod and Knob Pull; Knob Color will Coordinate with Drawer Pull
- If Black or Gold Pull is Selected, Knob will be Black; If Chrome or Aluminum Pull is Selected, Knob will be Aluminum
- Hutch Doors Standard with Touch Latch; See Door Options Below
- Two (2) Adjustable Shelves
- Locking Lateral Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

**Hutch Door Options: Specify & Add**



|       |  |         |
|-------|--|---------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1243 |
| 1-DEB | Dry Erase Board Doors  | \$ 121  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color (Non-Locking)       |         |
|       | (GPA) Graphite Acrylic   | \$ 1200 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic         | \$ 1095 |

| WARDROBE/STORAGE CABINET | Wardrobe Left | Wardrobe Right | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|--------------------------|---------------|----------------|-------|-------|------------------|---------|----------|------------|
|                          | 66-3672WDS2L  | 66-3672WDS2R   | 36    | 24    | 70 $\frac{1}{2}$ | 368     | 42.0     | T\$ 3370   |



Shown as Left


Must Specify (in this order):

- Model #
- Chassis Color
- Door Style/Color
- Drawer Front Color
- Drawer Construction
- Locking Doors
- Pull

**Description**

- TFL Wardrobe Door Features Coat Rod and Knob Pull; Knob Color will Coordinate with Drawer Pull
- If Black or Gold Pull is Selected, Knob will be Black; If Chrome or Aluminum Pull is Selected, Knob will be Aluminum
- Hutch Doors Standard with Touch Latch; See Door Options Below
- Two (2) Adjustable Shelves
- Locking Lateral Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

**Hutch Door Options: Specify & Add**




|       |  |        |
|-------|--|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 877 |
| 1-DEB | Dry Erase Board Doors  | \$ 54  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color (Non-Locking)       |        |
|       | (GPA) Graphite Acrylic   | \$ 535 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic         | \$ 487 |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                              | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|--|--|-------|-------|------------------|---------|----------|------------|
| <b>STORAGE CABINET WITH LATERAL FILES</b><br> | 66-3684SU2<br>Three Adjustable Shelves | 36    | 24    | 82 $\frac{7}{8}$ | 318     | 49.2     | T\$ 3656   |
|  | 66-3084SU2<br>Three Adjustable Shelves | 30    | 24    | 82 $\frac{7}{8}$ | 271     | 42.9     | T\$ 3568   |
|  | 66-3672SU2<br>Two Adjustable Shelves   | 36    | 24    | 70 $\frac{7}{8}$ | 298     | 42.0     | T\$ 3457   |
|  | 66-3072SU2<br>Two Adjustable Shelves   | 30    | 24    | 70 $\frac{7}{8}$ | 251     | 35.7     | T\$ 3375   |

**Description**

- Top - Two (2) Doors with Adjustable Shelves
- Bottom - File/File Locking Drawers Provide Legal or Letter Filing
- Touch Latch Doors
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

Must Specify (in this order):

- Model #
- Chassis Color
- Door/Drawer Front Color
- Drawer Construction
- Locking Doors

|  |           |    |    |                  |     |      |          |
|--|-----------|----|----|------------------|-----|------|----------|
| <b>WARDROBE/STORAGE CABINET</b><br> | 66-3672WC | 36 | 24 | 70 $\frac{7}{8}$ | 320 | 42.0 | T\$ 2850 |
|  | 66-3072WC | 30 | 24 | 70 $\frac{7}{8}$ | 240 | 35.7 | T\$ 2774 |



**Description**

- Left Side: One (1) Fixed Shelf at Top and Three (3) Adjustable Shelves below
- Right Side: One (1) Fixed Shelf at Top and Coat Rod below
- Touch Latch Door
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

Must Specify (in this order):

- Model #
- Chassis Color
- Door Style/Color
- Locking Doors

**Options: Specify & Add**


|   |       |  |         |
|---|-------|--|---------|
|  | 1-DEB | Dry Erase Board Doors                                    | \$ 257  |
|  | 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|   |       | (GPA) Graphite Acrylic                                   | \$ 2551 |
|   |       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2329 |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                          | Model No. | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-------------------------------|-----------|-------|-------|------------------|---------|----------|------------|
| TALL WARDROBE/STORAGE CABINET | 66-3684WC | 36    | 24    | 82 $\frac{7}{8}$ | 340     | 49.2     | T\$ 2974   |
|                               | 66-3084WC | 30    | 24    | 82 $\frac{7}{8}$ | 320     | 41.4     | T\$ 2894   |





Must Specify (in this order):

Model #  
Color  
Door Style/Color  
Locking Doors


#### Description

- Left Side: One (1) Fixed Shelf at Top and Four (4) Adjustable Shelves below
- Right Side: One (1) Fixed Shelf at Top and Coat Rod below
- Touch Latch Doors
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

#### Options: Specify & Add

|   |       |  |         |
|---|-------|--|---------|
|  | 1-DEB | Dry Erase Board Doors                                    | \$ 257  |
|  | 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|   |       | (GPA) Graphite Acrylic                                   | \$ 2551 |
|   |       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2329 |

#### END BOOKCASE



Shown as Left

Must Specify (in this order):

Model #  
Color

| Mounts Left               | Mounts Right | Width | Depth            | Height           | Ship Wt | Cubic Ft | List Price |
|---------------------------|--------------|-------|------------------|------------------|---------|----------|------------|
| 66-0984BEL                | 66-0984BER   | 9     | 23 $\frac{1}{2}$ | 82 $\frac{7}{8}$ | 90      | 13.6     | T\$ 1480   |
| Five (5) Fixed 8" Shelves |              |       |                  |                  |         |          |            |
| 66-0972BEL                | 66-0972BER   | 9     | 23 $\frac{1}{2}$ | 70 $\frac{7}{8}$ | 75      | 11.7     | T\$ 1308   |
| Four (4) Fixed 8" Shelves |              |       |                  |                  |         |          |            |

#### Description


- Top Shelf Clearance 15"
- Remaining Shelves 12  $\frac{1}{2}$ " Clearance Between Shelves
- Not for Freestanding, Must Mount to Other Storage Component

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|---|-------|-------|--------|---------|----------|----------------------|
|  | 66-3684BC<br>Four (4) Adjustable Shelves - One (1) Fixed Shelf  | 36    | 14¼   | 82⅞    | 200     | 30.3     | T\$ 2114             |
|   | 66-3672BC<br>Three (3) Adjustable Shelves - One (1) Fixed Shelf | 36    | 14¼   | 70⅞    | 176     | 26.9     | T\$ 1822             |
|   | 66-3660BC<br>Three (3) Adjustable Shelves                       | 36    | 14¼   | 58⅞    | 147     | 23.2     | T\$ 1570             |
|   | 66-3648BC<br>Two (2) Adjustable Shelves                         | 36    | 14¼   | 46⅞    | 120     | 18.7     | T\$ 1451             |
|   | 66-3630BC<br>One (1) Adjustable Shelf - Top Front Edge Profiled | 36    | 14¼   | 30     | 75      | 11.9     | T\$ 1099<br>P\$ 1234 |
|   | 66-3084BC<br>Four (4) Adjustable Shelves - One (1) Fixed Shelf  | 30    | 14¼   | 82⅞    | 175     | 25.5     | T\$ 1730             |
|   | 66-3072BC<br>Three (3) Adjustable Shelves - One (1) Fixed Shelf | 30    | 14¼   | 70⅞    | 146     | 23.3     | T\$ 1490             |
|   | 66-3060BC<br>Three (3) Adjustable Shelves                       | 30    | 14¼   | 58⅞    | 122     | 19.5     | T\$ 1308             |
|   | 66-3048BC<br>Two (2) Adjustable Shelves                         | 30    | 14¼   | 46⅞    | 100     | 15.7     | T\$ 1127             |
|   | 66-3030BC<br>One (1) Adjustable Shelf - Top Front Edge Profiled | 30    | 14¼   | 30     | 62      | 10.1     | T\$ 927<br>P\$ 1057  |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge

#### Description

- 1" Thick Shelf

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|-------|--------|---------|----------|------------|
|  | 66-1536TTU<br>Two (2) Adjustable and One (1) Fixed Shelf | 36    | 14¼   | 52⅞    | 169     | 22.2     | T\$ 1269   |
|   | 66-1530TTU<br>Two (2) Adjustable and One (1) Fixed Shelf | 30    | 14¼   | 52⅞    | 141     | 17.3     | T\$ 1157   |
|   | 66-1536TU<br>One (1) Adjustable and One (1) Fixed Shelf  | 36    | 14¼   | 40⅞    | 127     | 16.4     | T\$ 1004   |
|   | 66-1530TU<br>One (1) Adjustable and One (1) Fixed Shelf  | 30    | 14¼   | 40⅞    | 98      | 15.9     | T\$ 927    |

Must Specify (in this order):

Model #  
Color

#### Description

- For Use on Two (2) Drawer Lateral Files
- 1" Thick Shelves

#### Pricing Codes:


T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                           | Model No.                          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price                      |
|--------------------------------|------------------------------------|-------|-------|--------|---------|----------|---------------------------------|
| WORK TABLES<br>STANDING HEIGHT | 66-4896TWT                         | 96    | 48    | 42     | 402     | 14.2     | T\$ 2401                        |
|                                |                                    |       |       |        |         |          | P\$ 2826                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 470 |
|                                | 66-4884TWT                         | 84    | 48    | 42     | 368     | 12.4     | T\$ 2240                        |
|                                |                                    |       |       |        |         |          | P\$ 2626                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 426 |
|                                | 66-4872TWT                         | 72    | 48    | 42     | 332     | 10.7     | T\$ 2085                        |
|                                |                                    |       |       |        |         |          | P\$ 2445                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 377 |
|                                | 66-4860TWT                         | 60    | 48    | 42     | 300     | 9.0      | T\$ 1926                        |
|                                |                                    |       |       |        |         |          | P\$ 2256                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 335 |
|                                | 66-4296TWT                         | 96    | 42    | 42     | 374     | 12.5     | T\$ 2166                        |
|                                |                                    |       |       |        |         |          | P\$ 2551                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 470 |
|                                | 66-4284TWT                         | 84    | 42    | 42     | 342     | 10.9     | T\$ 2031                        |
|                                |                                    |       |       |        |         |          | P\$ 2375                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 426 |
|                                | 66-4272TWT                         | 72    | 42    | 42     | 308     | 9.4      | T\$ 1895                        |
|                                |                                    |       |       |        |         |          | P\$ 2223                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 377 |
|                                | 66-4260TWT                         | 60    | 42    | 42     | 278     | 7.9      | T\$ 1763                        |
|                                |                                    |       |       |        |         |          | P\$ 2060                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 335 |
|                                | 66-3696TWT                         | 96    | 36    | 42     | 346     | 10.8     | T\$ 2043                        |
|                                |                                    |       |       |        |         |          | P\$ 2386                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 470 |
|                                | 66-3684TWT                         | 84    | 36    | 42     | 315     | 9.5      | T\$ 1920                        |
|                                |                                    |       |       |        |         |          | P\$ 2224                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 426 |
|                                | 66-3672TWT                         | 72    | 36    | 42     | 283     | 8.1      | T\$ 1794                        |
|                                |                                    |       |       |        |         |          | P\$ 2081                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 377 |
|                                | 66-3660TWT                         | 60    | 36    | 42     | 255     | 6.8      | T\$ 1669                        |
|                                |                                    |       |       |        |         |          | P\$ 1933                        |
|                                |                                    |       |       |        |         |          | Wire Management Upcharge \$ 335 |
|                                | 66-2496TWT<br>Modesty Recessed 5¼" | 96    | 24    | 42     | 211     | 64.9     | T\$ 1828                        |
|                                |                                    |       |       |        |         |          | P\$ 2111                        |
|                                | 66-2484TWT<br>Modesty Recessed 5¼" | 84    | 24    | 42     | 193     | 57.0     | T\$ 1722                        |
|                                |                                    |       |       |        |         |          | P\$ 1976                        |
|                                | 66-2472TWT<br>Modesty Recessed 5¼" | 72    | 24    | 42     | 176     | 49.0     | T\$ 1614                        |
|                                |                                    |       |       |        |         |          | P\$ 1851                        |
|                                | 66-2460TWT<br>Modesty Recessed 5¼" | 60    | 24    | 42     | 158     | 41.1     | T\$ 1505                        |
|                                |                                    |       |       |        |         |          | P\$ 1727                        |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Modesty/Color  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options




**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Centered Modesty Available in Contrasting Colors
- Double Modesty/Wire Management Upcharge Included when Grommet, Dock 950, Dock 150 or Power is Ordered
- Add a Purse Hook to Hold Personal Items; [See Hook Details](#)
- Duo/Trio ([See Duo/Trio Power Units](#)) and DPORT4 Units (01-DPORT4A/B); [See PDC Locations](#)
- 24"D Units Ship Assembled; Other Sizes Require Some Assembly
- 24"D Units Are Meant to be Used Against a Wall; Modesty Panel is Recessed 5¼"
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price  |
|--|------------------------------------|-------|-------|--------|---------|----------|---|
| <b>WORK TABLES</b><br><b>COUNTER HEIGHT</b><br><br> | 66-4896CWT                         | 96    | 48    | 36     | 326     | 14.2     | T\$ 2291<br>P\$ 2719<br>Wire Management Upcharge \$ 437 |
|  | 66-4884CWT                         | 84    | 48    | 36     | 298     | 12.4     | T\$ 2141<br>P\$ 2525<br>Wire Management Upcharge \$ 391 |
|  | 66-4872CWT                         | 72    | 48    | 36     | 268     | 10.7     | T\$ 1989<br>P\$ 2352<br>Wire Management Upcharge \$ 350 |
|  | 66-4860CWT                         | 60    | 48    | 36     | 242     | 9.0      | T\$ 1837<br>P\$ 2169<br>Wire Management Upcharge \$ 306 |
|  | 66-4296CWT                         | 96    | 42    | 36     | 338     | 12.5     | T\$ 2067<br>P\$ 2448<br>Wire Management Upcharge \$ 437 |
|  | 66-4284CWT                         | 84    | 42    | 36     | 309     | 10.9     | T\$ 1939<br>P\$ 2283<br>Wire Management Upcharge \$ 391 |
|  | 66-4272CWT                         | 72    | 42    | 36     | 278     | 9.4      | T\$ 1811<br>P\$ 2135<br>Wire Management Upcharge \$ 350 |
|  | 66-4260CWT                         | 60    | 42    | 36     | 251     | 7.9      | T\$ 1681<br>P\$ 1979<br>Wire Management Upcharge \$ 306 |
|  | 66-3696CWT                         | 96    | 36    | 36     | 312     | 10.8     | T\$ 1934<br>P\$ 2278<br>Wire Management Upcharge \$ 437 |
|  | 66-3684CWT                         | 84    | 36    | 36     | 285     | 9.5      | T\$ 1819<br>P\$ 2122<br>Wire Management Upcharge \$ 391 |
|  | 66-3672CWT                         | 72    | 36    | 36     | 256     | 8.1      | T\$ 1698<br>P\$ 1988<br>Wire Management Upcharge \$ 350 |
|  | 66-3660CWT                         | 60    | 36    | 36     | 231     | 6.8      | T\$ 1580<br>P\$ 1846<br>Wire Management Upcharge \$ 306 |
|  | 66-2496CWT<br>Modesty Recessed 5¼" | 96    | 24    | 36     | 192     | 56.0     | T\$ 1675<br>P\$ 1956                                    |
|  | 66-2484CWT<br>Modesty Recessed 5¼" | 84    | 24    | 36     | 176     | 49.2     | T\$ 1575<br>P\$ 1829                                    |
|  | 66-2472CWT<br>Modesty Recessed 5¼" | 72    | 24    | 36     | 160     | 42.3     | T\$ 1476<br>P\$ 1714                                    |
|  | 66-2460CWT<br>Modesty Recessed 5¼" | 60    | 24    | 36     | 143     | 35.5     | T\$ 1379<br>P\$ 1601                                    |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Modesty/Color
- Grommet Location
- Wire Management
- Grommet Style/Color
- Power/Data Options

**Description**


- Available with TFL (T) or HPL (P) Top; Must Specify
- Centered Modesty Available in Contrasting Colors
- Double Modesty/Wire Management Upcharge will be Included when Grommet, Dock 950, Dock 150 or Power is Ordered
- Add a Purse Hook to Hold Personal Items; [See Hook Details](#)
- Duo/Trio ([See Duo/Trio Power Units](#)) and DPORT4 Units (01-DPORT4A/B); [See PDC Locations](#)
- 24"D Units Ship Assembled; Other Sizes Require Some Assembly
- 24"D Units Are Meant to be Used Against a Wall; Modesty Panel is Recessed 5¼"
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                         | Model No.            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price                      |
|------------------------------|----------------------|-------|-------|--------|---------|----------|---------------------------------|
| WORK TABLES<br>SEATED HEIGHT | 66-4896WT            | 96    | 48    | 30     | 326     | 14.2     | T\$ 2217                        |
|                              |                      |       |       |        |         |          | P\$ 2641                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 391 |
|                              | 66-4884WT            | 84    | 48    | 30     | 298     | 12.4     | T\$ 2069                        |
|                              |                      |       |       |        |         |          | P\$ 2449                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 357 |
|                              | 66-4872WT            | 72    | 48    | 30     | 268     | 10.7     | T\$ 1923                        |
|                              |                      |       |       |        |         |          | P\$ 2285                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 318 |
|                              | 66-4860WT            | 60    | 48    | 30     | 242     | 9.0      | T\$ 1776                        |
|                              |                      |       |       |        |         |          | P\$ 2106                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 279 |
|                              | 66-4296WT            | 96    | 42    | 30     | 374     | 12.5     | T\$ 1962                        |
|                              |                      |       |       |        |         |          | P\$ 2345                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 391 |
|                              | 66-4284WT            | 84    | 42    | 30     | 342     | 10.9     | T\$ 1843                        |
|                              |                      |       |       |        |         |          | P\$ 2186                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 357 |
|                              | 66-4272WT            | 72    | 42    | 30     | 308     | 9.4      | T\$ 1718                        |
|                              |                      |       |       |        |         |          | P\$ 2043                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 318 |
|                              | 66-4260WT            | 60    | 42    | 30     | 278     | 7.9      | T\$ 1598                        |
|                              |                      |       |       |        |         |          | P\$ 1894                        |
|                              |                      |       |       |        |         |          | Wire Management Upcharge \$ 279 |
|                              | 66-2496WT            | 96    | 24    | 30     | 173     | 47.2     | T\$ 1543                        |
|                              | Modesty Recessed 5¼" |       |       |        |         |          | P\$ 1827                        |
|                              | 66-2484WT            | 84    | 24    | 30     | 158     | 41.4     | T\$ 1457                        |
|                              | Modesty Recessed 5¼" |       |       |        |         |          | P\$ 1708                        |
|                              | 66-2472WT            | 72    | 24    | 30     | 143     | 35.6     | T\$ 1364                        |
|                              | Modesty Recessed 5¼" |       |       |        |         |          | P\$ 1603                        |
|                              | 66-2460WT            | 60    | 24    | 30     | 129     | 29.8     | T\$ 1275                        |
|                              | Modesty Recessed 5¼" |       |       |        |         |          | P\$ 1495                        |



Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Modesty/Color  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options

**Description**


- Available with TFL (T) or HPL (P) Top; Must Specify
- Centered Modesty Available in Contrasting Colors
- Double Modesty/Wire Management Upcharge will be Included when Grommet, Dock 950, Dock 150 or Power is Ordered
- Add a Purse Hook to Hold Personal Items; [See Hook Details](#)
- Duo/Trio ([See Duo/Trio Power Units](#)) and DPORT4 Units (01-DPORT4A/B); [See PDC Locations](#)
- 24"D Units Ship Assembled; Other Sizes Require Some Assembly
- 24"D Units Are Meant to be Used Against a Wall; Modesty Panel is Recessed 5¼"
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---------------------|-----------|-------|-------|--------|---------|----------|----------------------|
| COMPUTER WORK TABLE | 66-2442CW | 42    | 24    | 27     | 115     | 19.2     | T\$ 1168<br>P\$ 1336 |
|                     | 66-2436CW | 36    | 24    | 27     | 99      | 16.6     | T\$ 1150<br>P\$ 1296 |



Must Specify (in this order):


- Model #
- Top Material
- Top Color
- Edge Profile
- Grommet Color
- Casters

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Fixed Shelf
- Grommet Standard; Must Specify: Black (BLK), Silver (SLV)


**Options: Specify & Add**

|  |        |
|--|--------|
| CS-66BL Optional Black Casters (Increases Height to 29") | \$ 239 |
|--|--------|



*Braking Casters on User Side/Non-Braking Casters on Approach*

|                |           |    |    |    |    |      |                     |
|----------------|-----------|----|----|----|----|------|---------------------|
| MAGAZINE TABLE | 66-2442MT | 42 | 24 | 16 | 70 | 11.9 | T\$ 970<br>P\$ 1136 |
|----------------|-----------|----|----|----|----|------|---------------------|




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Slab Ends
- Apron Rail

|           |           |    |    |    |    |     |                     |
|-----------|-----------|----|----|----|----|-----|---------------------|
| END TABLE | 66-2424ET | 24 | 24 | 22 | 65 | 9.4 | T\$ 921<br>P\$ 1057 |
|-----------|-----------|----|----|----|----|-----|---------------------|



Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile


**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Slab Ends
- Apron Rail

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price          |
|---|---|-------|-------|--------|---------|----------|---------------------|
|  | 66-4848CT<br><i>Accommodates Five (5) Chairs</i>  | 48    | 48    | 1      | 95      | 4.3      | T\$ 732<br>P\$ 1026 |
|   | 66-4242CT<br><i>Accommodates Four (4) Chairs</i>  | 42    | 42    | 1      | 70      | 3.4      | T\$ 709<br>P\$ 989  |
|   | 66-3636CT<br><i>Accommodates Three (3) Chairs</i> | 36    | 36    | 1      | 37      | 2.5      | T\$ 620<br>P\$ 869  |


Must Specify (in this order):

- Model #
- Top Material
- Color
- Edge Profile

**Description**

- Single Base or Four (4) Strut Legs (on 48" Top Only) Required; Ordered Separately, See Next Page
- Power Options not Available

**METAL X-BASE**




| For Use With                   |                 |          |     |     |    |    |      |         |
|--------------------------------|-----------------|----------|-----|-----|----|----|------|---------|
| Round Tops: 42" + 48"          |                 |          |     |     |    |    |      |         |
| Top Surfaces: 42"x96"          |                 |          |     |     |    |    |      |         |
| 08-2642LXBB                    | For 42"H Tables | Black    | 35% | 35% | 40 | 33 | 20.0 | \$ 1322 |
| 08-2642LXBA                    |                 | Aluminum |     |     |    |    |      |         |
| 08-2636LXBB                    | For 36"H Tables | Black    | 35% | 35% | 34 | 30 | 17.2 | \$ 1275 |
| 08-2636LXBA                    |                 | Aluminum |     |     |    |    |      |         |
| 08-2630LXBB                    | For 30"H Tables | Black    | 35% | 35% | 28 | 27 | 14.5 | \$ 1219 |
| 08-2630LXBA                    |                 | Aluminum |     |     |    |    |      |         |
| For Use With                   |                 |          |     |     |    |    |      |         |
| Round Tops: 30" + 36"          |                 |          |     |     |    |    |      |         |
| Top Surfaces: 36"x84", 36"x72" |                 |          |     |     |    |    |      |         |
| 08-2042SXBB                    | For 42"H Tables | Black    | 29  | 29  | 40 | 27 | 15.9 | \$ 1235 |
| 08-2042SXBA                    |                 | Aluminum |     |     |    |    |      |         |
| 08-2036SXBB                    | For 36"H Tables | Black    | 29  | 29  | 34 | 24 | 13.7 | \$ 1185 |
| 08-2036SXBA                    |                 | Aluminum |     |     |    |    |      |         |
| 08-2030SXBB                    | For 30"H Tables | Black    | 29  | 29  | 28 | 21 | 11.6 | \$ 1139 |
| 08-2030SXBA                    |                 | Aluminum |     |     |    |    |      |         |

**Description**

- See Number of Bases Required Per Top Width Below
- Power Units Available On Center When Using Two or More Metal X-Bases
- Not Available to be Sold Separately
- Some Assembly Required

| Table Widths             | Round | 72" | 84" | 96" |
|--------------------------|-------|-----|-----|-----|
| Number of Bases Required | 1     | 2   | 2   | 2   |

**HEIGHT ADJUSTABLE PNEUMATIC X-BASE**



| Maximum Round 42", Maximum Square 36" |          |    |    |    |   |     |         |
|---------------------------------------|----------|----|----|----|---|-----|---------|
| 01-3232HAXBB                          | Black    | 32 | 32 | 26 | 1 | 0.2 | \$ 1721 |
| 01-3232HAXBA                          | Aluminum |    |    |    |   |     |         |
| Maximum Round 36", Maximum Square 30" |          |    |    |    |   |     |         |
| 01-2626HAXBB                          | Black    | 22 | 22 | 26 | 1 | 0.2 | \$ 1687 |
| 01-2626HAXBA                          | Aluminum |    |    |    |   |     |         |

**Description**

- Pre-Drilled Boring Pattern May Not Match Underside of Table Top
- Steel Mounting Plate: 8"x 8"x 1/4"
- Eight (8) Bolts Included for Assembly
- Some Assembly Required; Hardware Included


**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------|-----------|-------|-------|--------|---------|----------|------------|
|------|-----------|-------|-------|--------|---------|----------|------------|

**TUBULAR X-BASE**



|                     |  |  |  |  |  |  |  |
|---------------------|--|--|--|--|--|--|--|
| <b>For Use With</b> |  |  |  |  |  |  |  |
| Round Tops: 48"     |  |  |  |  |  |  |  |
| Square Tops: 42"    |  |  |  |  |  |  |  |

|            |          |    |    |     |    |     |        |
|------------|----------|----|----|-----|----|-----|--------|
| 01-3830TXB | Black    | 38 | 38 | 27¾ | 40 | 4.2 | \$ 699 |
| 01-3830TXA | Aluminum |    |    |     |    |     |        |

|                                |  |  |  |  |  |  |  |
|--------------------------------|--|--|--|--|--|--|--|
| <b>For Use With</b>            |  |  |  |  |  |  |  |
| Round Tops: 30", 36", 42"      |  |  |  |  |  |  |  |
| Square Tops: 36"               |  |  |  |  |  |  |  |
| Top Surfaces: 36"x84", 36"x72" |  |  |  |  |  |  |  |

|            |          |    |    |     |    |     |        |
|------------|----------|----|----|-----|----|-----|--------|
| 01-3230TXB | Black    | 32 | 32 | 27¾ | 32 | 3.2 | \$ 633 |
| 01-3230TXA | Aluminum |    |    |     |    |     |        |

**Description**

- 3" Diameter Column
- See Number of Bases Required Per Top Width Below
- Power Units Available On Center When Using Two or More Tubular X-Bases
- Some Assembly Required

| Table Widths                    | Round | 72" | 84" | 96" |
|---------------------------------|-------|-----|-----|-----|
| <b>Number of Bases Required</b> | 1     | 2   | 2   | 2   |

**DISC BASE**



|                           |  |  |  |  |  |  |  |
|---------------------------|--|--|--|--|--|--|--|
| <b>For 48" Round Tops</b> |  |  |  |  |  |  |  |
|---------------------------|--|--|--|--|--|--|--|

|            |          |    |    |     |    |     |         |
|------------|----------|----|----|-----|----|-----|---------|
| 01-3230DBB | Black    | 30 | 30 | 27¾ | 42 | 4.1 | \$ 1842 |
| 01-3230DBA | Aluminum | 30 | 30 | 27¾ | 42 | 4.1 |         |

|                                   |  |  |  |  |  |  |  |
|-----------------------------------|--|--|--|--|--|--|--|
| <b>For 36" and 42" Round Tops</b> |  |  |  |  |  |  |  |
|-----------------------------------|--|--|--|--|--|--|--|

|            |          |    |    |     |    |     |         |
|------------|----------|----|----|-----|----|-----|---------|
| 01-2430DBB | Black    | 24 | 24 | 27¾ | 32 | 3.2 | \$ 1535 |
| 01-2430DBA | Aluminum | 24 | 24 | 27¾ | 32 | 3.2 |         |

**Description**

- 4" Diameter 14 Gauge Steel Column with 12"x12" Mounting Plate at Top of Column
- ¼" Thick Disc Plate with 5 Levelers
- Stiffener Bar Not Included; Must Order Separately (See Stiffener Bars)
- Some Assembly Required

| Table Widths                    | Round | 72" | 84" | 96" |
|---------------------------------|-------|-----|-----|-----|
| <b>Number of Bases Required</b> | 1     | 2   | 2   | 2   |

**STRUT TABLE LEGS**



|             |                 |    |     |     |    |     |         |
|-------------|-----------------|----|-----|-----|----|-----|---------|
| 01-2228STR2 | 1 Pair (2 Legs) | 1½ | 22½ | 28⅝ | 32 | 4.5 | \$ 1278 |
|-------------|-----------------|----|-----|-----|----|-----|---------|

|             |                 |    |     |     |    |     |         |
|-------------|-----------------|----|-----|-----|----|-----|---------|
| 01-2228STR4 | 2 Pair (4 Legs) | 1½ | 22½ | 28⅝ | 64 | 9.0 | \$ 2556 |
|-------------|-----------------|----|-----|-----|----|-----|---------|

**Description**

- Available in Aluminum (ALUM) or Black (BLK); Must Specify Color
- Built-In Wire Management Cover on Inside of Legs
- Each Leg has Adjustable Glides
- Legs not Available To Be Sold Separately
- For Use with Indiana Furniture 48" Round Tops Only

**Must Specify (in this order):**

- Model # and Quantity
- Color
- Optional Stiffener Bar and Quantity

**Options: Specify & Add**

|            |               |  |  |  |  |  |        |
|------------|---------------|--|--|--|--|--|--------|
| 01-00048SB | Stiffener Bar |  |  |  |  |  | \$ 121 |
|------------|---------------|--|--|--|--|--|--------|


See Individual Tops for Recommended Number of Stiffener Bars

| Table Widths                    | 48" CT | 72" | 84" | 120" |
|---------------------------------|--------|-----|-----|------|
| <b>Number of Bases Required</b> | 4      | 4   | 4   | 6    |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.   |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|----------|-------|-------|--------|---------|----------|------------|
| <b>SQUARE BASE</b><br> | For Use With<br>Round Tops: 48"<br>Square Tops: 42"                                   |          |       |       |        |         |          |            |
|   | 01-2630SBB  | Black    | 26    | 26    | 27¾    | 32      | 3.2      | \$ 1163    |
|   | 01-2630SBA  | Aluminum |       |       |        |         |          |            |
|   | For Use With<br>Round Tops: 42"<br>Square Tops: 36"<br>Top Surfaces: 36"x84", 36"x72" |          |       |       |        |         |          |            |
|   | 01-2030SBB  | Black    | 20    | 20    | 27¾    | 32      | 3.2      | \$ 956     |
|   | 01-2030SBA  | Aluminum |       |       |        |         |          |            |
|   | For Use With<br>Round Tops: 36"<br>Square Tops: 30"                                   |          |       |       |        |         |          |            |
|   | 01-1630SBB  | Black    | 16    | 16    | 27¾    | 32      | 3.2      | \$ 898     |
|   | 01-1630SBA  | Aluminum |       |       |        |         |          |            |

**Description**

- 2¾" Diameter Column
- 12"x12" Mounting Plate at Top of Column
- Stiffener Bar Not Included; Must Order Separately (See Stiffener Bars)
- See Number of Bases Required Per Top Width Below
- Power Units Available On Center When Using Two or More Square Bases
- Some Assembly Required

| Table Widths                    | Round | 72" | 84" | 96" |
|---------------------------------|-------|-----|-----|-----|
| <b>Number of Bases Required</b> | 1     | 2   | 2   | 2   |

**CYLINDER BASE**



|                         |  |  |    |    |     |     |      |          |
|-------------------------|--|--|----|----|-----|-----|------|----------|
| For Tables 42"D to 48"D |  |  |    |    |     |     |      |          |
| 01-2020CB               |  |  | 20 | 20 | 28½ | 136 | 10.9 | W\$ 1553 |
| For Tables 36"D         |  |  |    |    |     |     |      |          |
| 01-1616CB               |  |  | 16 | 16 | 28½ | 101 | 7.2  | W\$ 1419 |

**Description**

- Veneer Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Weighted for Stability
- Two (2) Wire Management Black Grommets Standard at Top Edge; 8" Opening Standard at Bottom
- See Number of Bases Required Per Table Width Below

**Additional Grommet Options: Specify & Add**

|       |                                  |    |     |
|-------|----------------------------------|----|-----|
| GCB1S | Only One (1) Grommet At Top Edge | \$ | N/C |
| NOGC  | No Grommets At Top Edge          | \$ | N/C |

| Table Widths                    | Round | 72" | 96" | 120" |
|---------------------------------|-------|-----|-----|------|
| <b>Number of Bases Required</b> | 1     | 2   | 2   | 3    |

Must Specify (in this order):

Model # and Quantity

Finish

Grommet Options


**Pricing Codes:**

T= TFL

P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|-----------|-------|-------|--------|---------|----------|----------------------|
| <br>Recessed Front | 66-3672SH | 72    | 36    | 30     | 154     | 50.0     | T\$ 1720<br>P\$ 2007 |
|   | 66-3666SH | 66    | 36    | 30     | 148     | 48.0     | T\$ 1668<br>P\$ 1944 |
|   | 66-3660SH | 60    | 36    | 30     | 139     | 43.7     | T\$ 1624<br>P\$ 1890 |
|   | 66-3072SH | 72    | 30    | 30     | 145     | 43.8     | T\$ 1643<br>P\$ 1914 |
|   | 66-3066SH | 66    | 30    | 30     | 141     | 39.0     | T\$ 1606<br>P\$ 1862 |
|   | 66-3060SH | 60    | 30    | 30     | 136     | 35.3     | T\$ 1540<br>P\$ 1780 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Grommet Location
- Grommet Color

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater When Surface is Not Supported by a Pedestal
- 10" Recessed Front on 36" Deep Units; 4" Recessed Front on 30" Deep Units
- If Using with Pedestal, Surface Grommet Only Available Opposite Pedestal
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#))


|  |   |    |    |    |     |      |                      |
|--|---|----|----|----|-----|------|----------------------|
|  | 66-2472SH<br><i>Kneespace 70"</i>                               | 72 | 24 | 30 | 125 | 34.6 | T\$ 1489<br>P\$ 1725 |
|  | 66-2466SH<br><i>Kneespace 64"</i>                               | 66 | 24 | 30 | 118 | 32.7 | T\$ 1446<br>P\$ 1671 |
|  | 66-2460SH<br><i>Kneespace 58"; No Additional Support Needed</i> | 60 | 24 | 30 | 111 | 29.8 | T\$ 1411<br>P\$ 1632 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Grommet Location
- Grommet Color

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater When Surface is Not Supported by a Pedestal
- [Height Adjustable Units Available](#)
- If Using with Pedestal, Surface Grommet Only Available Opposite Pedestal
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Modesty Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Modesty Panel Grommet (NONE)
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

| Item  | Left Shell  | Right Shell | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|-------------|-------------|-------|-------|--------|---------|----------|----------------------|
|  | 66-2448RSHL | 66-2448RSHR | 48    | 24    | 30     | 70      | 24.2     | T\$ 1004<br>P\$ 1187 |
|   | 66-2442RSHL | 66-2442RSHR | 42    | 24    | 30     | 60      | 20.4     | T\$ 942<br>P\$ 1108  |

Shown as Right

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Grommet Location
- Grommet Color


**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals
- Optional Surface Grommet; Must Specify Black or Silver.
- Modesty Panel Grommet is Standard; Must Specify: Black (BLK), Silver (SLV) or No Modesty Panel Grommet (NONE)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.       | Width            | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|-----------------|------------------|-------|--------|---------|----------|----------------------|
| <b>P-TOP PENINSULA WITH CYLINDER BASE</b><br> | <b>Left Top</b> | <b>Right Top</b> |       |        |         |          |                      |
|  | 66-4284TL       | 66-4284TR        | 84    | 42-36  | 30      | 120      | T\$ 2044<br>P\$ 2718 |
|  | 66-4272TL       | 66-4272TR        | 72    | 42-36  | 30      | 115      | T\$ 1678<br>P\$ 2200 |


Shown as Left

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Leg Color
- Grommet
- Grommet Color

**Description**

- Metal Cylinder Base Standard - 4" Diameter; Must Specify: Black or Aluminum
- 48" Stiffener Bar Required on 84" Units if Used as Runoff; [See Stiffener Bar Sizes](#)
- Some Assembly Required


|  |           |    |    |    |     |      |                      |
|--|-----------|----|----|----|-----|------|----------------------|
| <b>D-TOP PENINSULA WITH CYLINDER BASE</b><br> | 66-3684DR | 84 | 36 | 30 | 134 | 13.2 | T\$ 2004<br>P\$ 2662 |
|  | 66-3672DR | 72 | 36 | 30 | 115 | 9.8  | T\$ 1692<br>P\$ 2224 |
|  | 66-3066DR | 66 | 30 | 30 | 120 | 7.5  | T\$ 1626<br>P\$ 2133 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Leg Color
- Grommet
- Grommet Color


**Description**

- Metal Cylinder Base Standard - 4" Diameter; Must Specify: Black or Aluminum
- 48" Stiffener Bar Required on 84" Units if Used as Runoff; [See Stiffener Bar Sizes](#)
- Some Assembly Required

|  |           |    |    |    |    |      |                      |
|--|-----------|----|----|----|----|------|----------------------|
| <b>MEDIA PENINSULA WITH RECTANGLE LEG</b><br> | 66-3672MP | 36 | 72 | 30 | 90 | 52.1 | T\$ 2166<br>P\$ 2918 |
|  | 66-3066MP | 30 | 66 | 30 | 77 | 40.3 | T\$ 1996<br>P\$ 2684 |
|  | 66-3060MP | 30 | 60 | 30 | 70 | 36.7 | T\$ 1909<br>P\$ 2560 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Leg Option
- Power Option
- Grommet Color



**Description**

- Aluminum Rectangular Post Standard
- Standard with Aluminum Rectangle Leg to be Installed 17¾" from Front to Allow for Kneespace Area
- Wire Management Trough Included; 4¼" W x 46⅜" L x 3½" H
- Some Assembly Required


**Leg Options: Specify & Add**

|       |                       |        |
|-------|-----------------------|--------|
| OLEGA | 12" Aluminum Tube Leg | \$ 112 |
| OLEGB | 12" Black Tube Leg    | \$ 112 |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|--|-------|-------|--------|---------|----------|----------------------|
| MODULAR DESK TOPS<br> | 66-6072TP<br>For Use as a Desk Top With Benching Units | 72    | 60    | 1      | 120     | 10.6     | T\$ 1108<br>P\$ 1550 |
|  | 66-6066TP<br>For Use as a Desk Top With Benching Units | 66    | 60    | 1      | 110     | 9.8      | T\$ 1056<br>P\$ 1476 |
|  | 66-6060TP<br>For Use as a Desk Top With Benching Units | 60    | 60    | 1      | 100     | 9.0      | T\$ 1008<br>P\$ 1411 |
|  | 66-4872TP<br>For Use as a Desk Top With Benching Units | 72    | 48    | 1      | 102     | 8.6      | T\$ 905<br>P\$ 1270  |
|  | 66-4866TP<br>For Use as a Desk Top With Benching Units | 66    | 48    | 1      | 94      | 7.8      | T\$ 867<br>P\$ 1213  |
|  | 66-4860TP<br>For Use as a Desk Top With Benching Units | 60    | 48    | 1      | 86      | 7.0      | T\$ 825<br>P\$ 1159  |
|  | 66-3684TP  | 84    | 36    | 1      | 85      | 6.6      | T\$ 761<br>P\$ 1066  |
|  | 66-3678TP  | 78    | 36    | 1      | 80      | 6.2      | T\$ 745<br>P\$ 1040  |
|  | 66-3672TP  | 72    | 36    | 1      | 74      | 5.7      | T\$ 726<br>P\$ 1015  |
|  | 66-3666TP  | 66    | 36    | 1      | 68      | 5.2      | T\$ 692<br>P\$ 967   |
|  | 66-3660TP  | 60    | 36    | 1      | 63      | 4.8      | T\$ 661<br>P\$ 925   |
|  | 66-3654TP  | 54    | 36    | 1      | 57      | 4.3      | T\$ 606<br>P\$ 851   |
|  | 66-3648TP  | 48    | 36    | 1      | 51      | 3.8      | T\$ 565<br>P\$ 788   |
|  | 66-3642TP  | 42    | 36    | 1      | 45      | 3.4      | T\$ 512<br>P\$ 718   |
|  | 66-3084TP  | 84    | 30    | 1      | 72      | 5.6      | T\$ 713<br>P\$ 1000  |
|  | 66-3078TP  | 78    | 30    | 1      | 67      | 5.2      | T\$ 696<br>P\$ 975   |
|  | 66-3072TP  | 72    | 30    | 1      | 62      | 4.8      | T\$ 677<br>P\$ 947   |
|  | 66-3066TP  | 66    | 30    | 1      | 58      | 4.4      | T\$ 654<br>P\$ 911   |
|  | 66-3060TP  | 60    | 30    | 1      | 75      | 3.8      | T\$ 601<br>P\$ 842   |
|  | 66-3054TP  | 54    | 30    | 1      | 48      | 3.6      | T\$ 568<br>P\$ 794   |
|  | 66-3048TP  | 48    | 30    | 1      | 43      | 3.2      | T\$ 525<br>P\$ 734   |
|  | 66-3042TP  | 42    | 30    | 1      | 38      | 2.9      | T\$ 478<br>P\$ 670   |


### Description

- Left to Right Grain Direction on Top; For Front to Back Grain Direction See Next Page
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on Approach and User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|--|-----------|-------|-------|--------|---------|----------|--------------------|
| MODULAR DESK TOPS<br><br> | 66-6036TP | 60    | 36    | 1      | 63      | 4.8      | T\$ 661<br>P\$ 925 |
|  | 66-5436TP | 54    | 36    | 1      | 57      | 4.3      | T\$ 606<br>P\$ 851 |
|  | 66-4836TP | 48    | 36    | 1      | 51      | 3.8      | T\$ 565<br>P\$ 788 |
|  | 66-4236TP | 42    | 36    | 1      | 45      | 3.4      | T\$ 512<br>P\$ 718 |
|  | 66-6030TP | 60    | 30    | 1      | 75      | 3.8      | T\$ 601<br>P\$ 842 |
|  | 66-5430TP | 54    | 30    | 1      | 48      | 3.6      | T\$ 568<br>P\$ 794 |
|  | 66-4830TP | 48    | 30    | 1      | 43      | 3.2      | T\$ 525<br>P\$ 734 |
|  | 66-4230TP | 42    | 30    | 1      | 38      | 2.9      | T\$ 478<br>P\$ 670 |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile  
Grommet Location  
Grommet Color


#### Description

- Front to Back Grain Direction on Top
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on Approach and User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|---|-----------|-------|-------|--------|---------|----------|--------------------|
| 24"D MODULAR BRIDGE, RETURN AND CREDENZA TOPS   | 66-2496TP | 96    | 24    | 1      | 100     | 4.9      | T\$ 698<br>P\$ 979 |
|   | 66-2490TP | 90    | 24    | 1      | 95      | 4.6      | T\$ 680<br>P\$ 955 |
| LEFT TO RIGHT GRAIN DIRECTION   | 66-2484TP | 84    | 24    | 1      | 90      | 4.3      | T\$ 624<br>P\$ 876 |
|   | 66-2478TP | 78    | 24    | 1      | 85      | 4.0      | T\$ 611<br>P\$ 856 |
|  <p>Must Specify (in this order):<br/>           Model #<br/>           Top Material<br/>           Color<br/>           Edge Profile<br/>           Grommet Location<br/>           Grommet Color</p> | 66-2472TP | 72    | 24    | 1      | 80      | 3.7      | T\$ 595<br>P\$ 830 |
|   | 66-2466TP | 66    | 24    | 1      | 75      | 3.4      | T\$ 568<br>P\$ 792 |
|   | 66-2460TP | 60    | 24    | 1      | 70      | 3.0      | T\$ 540<br>P\$ 760 |
|   | 66-2454TP | 54    | 24    | 1      | 65      | 2.8      | T\$ 497<br>P\$ 695 |
|   | 66-2448TP | 48    | 24    | 1      | 44      | 2.5      | T\$ 460<br>P\$ 645 |
|   | 66-2442TP | 42    | 24    | 1      | 50      | 2.2      | T\$ 419<br>P\$ 587 |
|   | 66-2436TP | 36    | 24    | 1      | 45      | 2.0      | T\$ 371<br>P\$ 519 |
|   | 66-2430TP | 30    | 24    | 1      | 36      | 1.6      | T\$ 358<br>P\$ 501 |
|   | 66-2418TP | 18    | 24    | 1      | 28      | 1.0      | T\$ 329<br>P\$ 461 |


### Description

- Left to Right Grain Direction on Top; [See Tops with Front to Back Grain Direction](#)
- For 24"D Bridge, Return and Credenza Modular Tops
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|--|-----------|-------|-------|--------|---------|----------|--------------------|
| 20"D MODULAR BRIDGE,<br>RETURN AND CREDENZA TOPS   | 66-2096TP | 96    | 20    | 1      | 65      | 4.3      | T\$ 621<br>P\$ 870 |
|  | 66-2090TP | 90    | 20    | 1      | 61      | 4.1      | T\$ 609<br>P\$ 854 |
| LEFT TO RIGHT GRAIN DIRECTION<br> | 66-2084TP | 84    | 20    | 1      | 57      | 3.8      | T\$ 556<br>P\$ 780 |
|  | 66-2078TP | 78    | 20    | 1      | 53      | 3.6      | T\$ 543<br>P\$ 760 |
|  | 66-2072TP | 72    | 20    | 1      | 49      | 3.3      | T\$ 528<br>P\$ 740 |
|  | 66-2066TP | 66    | 20    | 1      | 45      | 2.7      | T\$ 505<br>P\$ 708 |
|  | 66-2060TP | 60    | 20    | 1      | 41      | 2.7      | T\$ 482<br>P\$ 673 |
|  | 66-2054TP | 54    | 20    | 1      | 37      | 2.5      | T\$ 441<br>P\$ 618 |
|  | 66-2048TP | 48    | 20    | 1      | 33      | 2.3      | T\$ 410<br>P\$ 573 |
|  | 66-2042TP | 42    | 20    | 1      | 29      | 1.9      | T\$ 373<br>P\$ 523 |
|  | 66-2036TP | 36    | 20    | 1      | 25      | 1.7      | T\$ 328<br>P\$ 459 |
|  | 66-2030TP | 30    | 20    | 1      | 21      | 1.4      | T\$ 318<br>P\$ 444 |
|  | 66-2018TP | 18    | 20    | 1      | 15      | 0.9      | T\$ 295<br>P\$ 411 |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile  
Grommet Location  
Grommet Color


**Description**

- Left to Right Grain Direction on Top; [See Tops with Front to Back Grain Direction](#)
- For 20"D Bridge, Return and Credenza Modular Tops
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|---|-----------|-------|-------|--------|---------|----------|--------------------|
| 24"D AND 20"D MODULAR BRIDGE, RETURN AND CREENZA TOPS   | 66-6024TP | 60    | 24    | 1      | 70      | 3.0      | T\$ 540<br>P\$ 760 |
|   | 66-5424TP | 54    | 24    | 1      | 65      | 2.8      | T\$ 497<br>P\$ 695 |
| FRONT AND BACK GRAIN DIRECTION<br> | 66-4824TP | 48    | 24    | 1      | 44      | 2.5      | T\$ 460<br>P\$ 645 |
|   | 66-4224TP | 42    | 24    | 1      | 50      | 2.2      | T\$ 419<br>P\$ 587 |
|   | 66-3624TP | 36    | 24    | 1      | 45      | 2.0      | T\$ 371<br>P\$ 519 |
|   | 66-3024TP | 30    | 24    | 1      | 36      | 1.6      | T\$ 358<br>P\$ 501 |
|   | 66-6020TP | 60    | 20    | 1      | 41      | 2.7      | T\$ 482<br>P\$ 673 |
|   | 66-5420TP | 54    | 20    | 1      | 37      | 2.5      | T\$ 441<br>P\$ 618 |
|   | 66-4820TP | 48    | 20    | 1      | 33      | 2.3      | T\$ 410<br>P\$ 573 |
|   | 66-4220TP | 42    | 20    | 1      | 29      | 1.9      | T\$ 373<br>P\$ 523 |
|   | 66-3620TP | 36    | 20    | 1      | 25      | 1.7      | T\$ 328<br>P\$ 459 |
|   | 66-3020TP | 30    | 20    | 1      | 21      | 1.4      | T\$ 318<br>P\$ 444 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Grommet Location  
Grommet Color

#### Description

- Front to Back Grain Direction on Top
- For 24" Bridge, Return and Credenza Modular Tops
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar (See Below) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

| Item   | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|-------|-------|--------|---------|----------|------------|
| STIFFENER BAR<br> | 01-00060SB | 60    | 1¾    | ¾      | 8       | 0.3      | \$ 129     |
|  | 01-00048SB | 48    | 1¾    | ¾      | 5       | 0.3      | \$ 121     |


#### Description

- Reinforces Worksurfaces with Large Kneespace Widths
- Includes End Caps to Cover Sharp Edges
- Recommended in Kneespaces 60" or Greater
- Field Installed

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|---|------------|-------|-------|--------|---------|----------|--------------------|
|  | 66-1560DTP | 60    | 15    | 1      | 21      | 1.7      | T\$ 386<br>P\$ 539 |
|   | 66-1548DTP | 48    | 15    | 1      | 21      | 1.7      | T\$ 361<br>P\$ 505 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile

#### Description

- Use as Extension of Top
- Profiled on Three Sides


| Item  | Model No.                       | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|---------------------------------|-------|-------|--------|---------|----------|----------------------|
|  | 66-1560OBEA<br>Two Compartments | 60    | 15    | 15     | 75      | 9.8      | T\$ 1171<br>P\$ 1326 |
|   | 66-1548OBEA<br>Two Compartments | 48    | 15    | 15     | 63      | 7.9      | T\$ 1043<br>P\$ 1189 |
|   | 66-1530OBEA<br>One Compartments | 30    | 15    | 15     | 40      | 4.8      | T\$ 854<br>P\$ 962   |
|   | 66-1524OBEA<br>One Compartments | 24    | 15    | 15     | 35      | 4.1      | T\$ 788<br>P\$ 895   |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile

#### Description

- Profiled on Two Short Sides Edges
- Attached with 11 Gauge Undermount Brackets
- Only Compatible with the O Modular Peninsula Support Seated Height; [See Supports](#)


| Item  | Model No.                       | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|---------------------------------|-------|-------|--------|---------|----------|----------------------|
|  | 66-1560OBEB<br>Two Compartments | 60    | 15    | 15     | 75      | 9.8      | T\$ 1171<br>P\$ 1326 |
|   | 66-1548OBEB<br>Two Compartments | 48    | 15    | 15     | 63      | 7.9      | T\$ 1043<br>P\$ 1189 |
|   | 66-1530OBEB<br>One Compartments | 30    | 15    | 15     | 40      | 4.8      | T\$ 854<br>P\$ 962   |
|   | 66-1524OBEB<br>One Compartments | 24    | 15    | 15     | 35      | 4.1      | T\$ 788<br>P\$ 895   |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile

#### Description

- Profiled on Three Edges
- Only Compatible with the O Modular Peninsula Support Seated Height; [See Supports](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
|  | 66-1560OBE | 60    | 15    | 28¼    | 115     | 19.5     | T\$ 1377   |
|   | 66-1548OBE | 48    | 15    | 28¼    | 95      | 15.7     | T\$ 1234   |
|   | 66-1530OBE | 30    | 15    | 28¼    | 60      | 10.1     | T\$ 1019   |
|   | 66-1524OBE | 24    | 15    | 28¼    | 55      | 8.2      | T\$ 946    |

Must Specify (in this order):

Model #  
Color

#### Description


- Adjustable Shelf
- To Be Used with Modular Benching Desk Top ([See Desk Tops](#)) or Can Be Used as Freestanding Unit with or without Hutch or Bookcase Modular Top ([See Bookcase Tops](#))

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------|-------|--------|---------|----------|------------|
| <b>MODULAR PEDESTAL BOX/BOX/FILE</b><br> | 66-3618PD1<br>Use with 36"D Modular Desk Tops               | 18    | 35¼   | 28¼    | 125     | 13.6     | T\$ 1443   |
|   | 66-3018PD1<br>Use with 30"D Modular Desk Tops               | 18    | 29¼   | 28¼    | 105     | 11.6     | T\$ 1336   |
|   | 66-2418PD1<br>Use with 24"D Modular Cabinet Tops and Shells | 18    | 23¼   | 28¼    | 98      | 8.9      | T\$ 1247   |
|   | 66-2515SHPD1<br>Use with Desk Shells Only                   | 15¾   | 25    | 28¼    | 96      | 8.4      | T\$ 1139   |
|   | 66-2415PD1<br>Use with 24"D Modular Cabinet Tops and Shells | 15¾   | 23¼   | 28¼    | 93      | 7.8      | T\$ 1181   |

Must Specify (in this order):

- Model #
- Chassis Color
- Drawer Color
- Grain (if applicable)
- Construction
- Track
- Pull
- Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- Top is Required; [See Top Sizes](#)
- Letter Width Locking Pedestal
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

|   |   |     |     |     |     |      |          |
|---|---|-----|-----|-----|-----|------|----------|
| <b>MODULAR PEDESTAL FILE/FILE</b><br> | 66-3618PD2<br>Use with 36"D Modular Desk Tops               | 18  | 35¼ | 28¼ | 125 | 13.6 | T\$ 1443 |
|   | 66-3018PD2<br>Use with 30"D Modular Desk Tops               | 18  | 29¼ | 28¼ | 105 | 11.6 | T\$ 1336 |
|   | 66-2418PD2<br>Use with 24"D Modular Cabinet Tops and Shells | 18  | 23¼ | 28¼ | 98  | 8.9  | T\$ 1247 |
|   | 66-2515SHPD2<br>Use with Desk Shells Only                   | 15¾ | 25  | 28¼ | 96  | 8.4  | T\$ 1139 |
|   | 66-2415PD2<br>Use with 24"D Modular Cabinet Tops and Shells | 15¾ | 23¼ | 28¼ | 93  | 7.8  | T\$ 1181 |

Must Specify (in this order):

- Model #
- Chassis Color
- Drawer Color
- Grain (if applicable)
- Construction
- Track
- Pull
- Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- Top is Required; [See Top Sizes](#)
- Letter Width Locking Pedestal
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

| MODULAR PEDESTAL DOOR BOOKCASE  | Left Shell  | Right Shell | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------------|-------|-------|--------|---------|----------|------------|
|  | 66-2418PD4L | 66-2418PD4R | 18    | 23¼   | 28¼    | 90      | 8.9      | T\$ 1004   |

Must Specify (in this order):

- Model #
- Chassis Color
- Door Color
- Grain (if applicable)
- Pull
- Wire Management

**Description**


- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- Adjustable Shelf
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Locking Door ([See Locking Options](#)) and Wire Management ([See Option Details](#))

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                           | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------|------------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL<br>MULTI-FILE | 66-2436LF2 | 36    | 23¼   | 28¼    | 153     | 18.5     | T\$ 1710   |
|                                | 66-2430LF2 | 30    | 23¼   | 28¼    | 128     | 14.9     | T\$ 1643   |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain (if applicable)  
Construction  
Box and File Drawer Track  
Pull  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- Locking File Drawers; File and Lateral Drawer Provides Legal or Letter Filing Front to Back or Side to Side
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Soft Close Box and File Drawers ([See Soft Close Options](#)), Wire Management ([See Option Details](#))

|                                     |            |    |     |     |     |      |          |
|-------------------------------------|------------|----|-----|-----|-----|------|----------|
| MODULAR PEDESTAL<br>OPEN MULTI-FILE | 66-2436OMF | 36 | 23¼ | 28¼ | 118 | 14.9 | T\$ 1641 |
|                                     | 66-2430OMF | 30 | 23¼ | 28¼ | 128 | 18.5 | T\$ 1575 |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain (if applicable)  
Construction  
Box Drawer Track  
Pull  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- Upper Section Provides Open Storage and Two Locking Box Drawers
- 13½" Open Storage Clearance for 66-2430OMF and 12¼" Open Storage Clearance for 66-2436OMF
- Locking Lateral Drawers Provide Legal or Letter Filing Front to Back or Side to Side
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Soft Close Box and File Drawers ([See Soft Close Options](#)), Wire Management ([See Option Details](#))

|                                   |           |    |     |     |     |      |          |
|-----------------------------------|-----------|----|-----|-----|-----|------|----------|
| MODULAR PEDESTAL<br>DOOR BOOKCASE | 66-2436DB | 36 | 23¼ | 28¼ | 105 | 18.5 | T\$ 1412 |
|                                   | 66-2430DB | 30 | 23¼ | 28¼ | 87  | 14.9 | T\$ 1116 |



Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain (if applicable)  
Pull  
Locking Doors  
Wire Management

**Description**


- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- 12" Deep Adjustable Shelf Behind Doors
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Locking Door ([See Locking Options](#)) and Wire Management ([See Option Details](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL DOOR BOOKCASE W/OPEN COMPARTMENT | 66-2436ODB | 36    | 23¼   | 28¼    | 118     | 18.5     | T\$ 1334   |
|   | 66-2430ODB | 30    | 23¼   | 28¼    | 108     | 14.9     | T\$ 1032   |




Must Specify (in this order):

Model #  
Chassis Color  
Door Color  
Grain (if applicable)  
Pull  
Locking Doors  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 24" D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- Upper Section Provides 12¾" Clearance for Open Storage
- Lower Section Provides Storage Behind Two Doors
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Additional Options: Locking Door and Wire Management ([See Option Details](#))

|                               |            |    |                                  |     |     |      |          |
|-------------------------------|------------|----|----------------------------------|-----|-----|------|----------|
| MODULAR PEDESTAL OPEN STORAGE | 66-2436MBC | 36 | 22 <sup>15</sup> / <sub>32</sub> | 28¼ | 118 | 18.5 | T\$ 1154 |
|                               | 66-2430MBC | 30 | 22 <sup>15</sup> / <sub>32</sub> | 28¼ | 108 | 14.9 | T\$ 979  |




Must Specify (in this order):

Model #  
Chassis Color  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 24" D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- One Adjustable Shelf
- Optional Wire Management ([See Option Details](#))

|                               |            |    |     |     |     |      |          |
|-------------------------------|------------|----|-----|-----|-----|------|----------|
| MODULAR PEDESTAL LATERAL FILE | 66-2436LF1 | 36 | 23¼ | 28¼ | 154 | 18.5 | T\$ 1489 |
|                               | 66-2430LF1 | 30 | 23¼ | 28¼ | 128 | 14.9 | T\$ 1384 |



Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front Color  
Grain (if applicable)  
Drawer Construction  
Pull  
Wire Management

**Description**


- Open Back; [See Back Panel Options](#)
- For Use with 24" D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- Locking Lateral Drawers Provide Legal or Letter Filing Front to Back or Side to Side
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Wire Management ([See Option Details](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                              | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|------------|-------|-------|--------|---------|----------|------------|
| MODULAR THREE DRAWER LATERAL FILE | 66-2436LF3 | 36    | 24    | 42¾    | 130     | 24.2     | T\$ 2257   |
|                                   | 66-2430LF3 | 30    | 24    | 42¾    | 120     | 20.4     | T\$ 2141   |



Must Specify (in this order):

Model #  
 Chassis Color  
 Drawer Front  
 Color  
 Grain (if applicable)  
 Construction  
 Pull  
 Wire Management

**Description**

- Finished Back Panel Included
- For Use with 24"D Tops; Top is Required; [See 24"/Left-to-Right Grain Tops](#) and [See 24"/Front-to-Back Grain Tops](#)
- Locking Lateral Drawers Provide Legal or Letter Filing Front to Back or Side to Side
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#))

|                          |              |    |     |     |    |      |          |
|--------------------------|--------------|----|-----|-----|----|------|----------|
| 21" LOW MODULAR BOX/FILE | 66-2436L21BF | 36 | 23¼ | 20¾ | 84 | 13.2 | T\$ 1344 |
|                          | 66-2430L21BF | 30 | 23¼ | 20¾ | 76 | 11.1 | T\$ 1290 |
|                          | 66-2418L21BF | 18 | 23¼ | 20¾ | 42 | 6.6  | T\$ 1095 |
|                          | 66-2036L21BF | 36 | 19¼ | 20¾ | 80 | 11.2 | T\$ 1277 |
|                          | 66-2030L21BF | 30 | 19¼ | 20¾ | 72 | 9.4  | T\$ 1227 |
|                          | 66-2018L21BF | 18 | 19¼ | 20¾ | 40 | 5.6  | T\$ 1038 |

Must Specify (in this order):

Model #  
 Chassis Color  
 Drawer Front  
 Color  
 Grain (if applicable)  
 Construction  
 Box Drawer Track  
 Pull  
 Wire Management


**Description**

- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Locking Tray/File Drawers; File Provides Legal or Letter Filing
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Soft Close Box and File Drawers ([See Soft Close Options](#)), Wire Management ([See Option Details](#))

**Pricing Codes:**

T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item   | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|--------------|-------|-------|--------|---------|----------|------------|
| <b>21" LOW MODULAR OPEN STORAGE</b><br><br> | 66-2436L21BC | 36    | 22½   | 20¾    | 78      | 13.2     | T\$ 1105   |
|  | 66-2430L21BC | 30    | 22½   | 20¾    | 74      | 11.1     | T\$ 1065   |
|  | 66-2418L21BC | 18    | 22½   | 20¾    | 54      | 6.9      | T\$ 970    |
|  | 66-2036L21BC | 36    | 18 ½  | 20¾    | 74      | 11.2     | T\$ 1051   |
|  | 66-2030L21BC | 30    | 18 ½  | 20¾    | 70      | 9.4      | T\$ 1010   |
|  | 66-2018L21BC | 18    | 18 ½  | 20¾    | 50      | 5.9      | T\$ 921    |

Must Specify (in this order):

- Model #
- Color
- Wire Management

**Description**

- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Removable Wire Management Panel
- One Adjustable Shelf
- Optional Wire Management ([See Option Details](#))

|  |              |    |     |     |    |      |          |
|--|--------------|----|-----|-----|----|------|----------|
| <b>21" LOW MODULAR DOOR BOOKCASE</b><br><br> | 66-2436L21DB | 36 | 23¼ | 20¾ | 93 | 13.2 | T\$ 1259 |
|  | 66-2430L21DB | 30 | 23¼ | 20¾ | 86 | 11.1 | T\$ 1122 |
|  | 66-2036L21DB | 36 | 19¼ | 20¾ | 89 | 11.2 | T\$ 1197 |
|  | 66-2030L21DB | 30 | 19¼ | 20¾ | 82 | 9.4  | T\$ 1066 |

Must Specify (in this order):

- Model #
- Chassis Color
- Door Color
- Grain (if applicable)
- Pull
- Locking Doors
- Wire Management

**Description**

- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Removable Wire Management Panel
- One Adjustable Shelf Behind Doors
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Locking Doors ([See Locking Options](#)), Wire Management ([See Option Details](#))

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--------------|-------|-------|--------|---------|----------|------------|
| <b>21" LOW MODULAR SLIDING DOOR BOOKCASE</b><br> | 66-2436L21SD | 36    | 23¼   | 20¾    | 93      | 13.2     | T\$ 1439   |
|   | 66-2430L21SD | 30    | 23¼   | 20¾    | 86      | 11.1     | T\$ 1264   |
|   | 66-2036L21SD | 36    | 19¼   | 20¾    | 89      | 11.2     | T\$ 1367   |
|   | 66-2030L21SD | 30    | 19¼   | 20¾    | 82      | 9.4      | T\$ 1200   |

**Description**

- One Non-Locking Sliding Door
- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Removable Wire Management Panel
- Storage Behind Sliding Door
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Front Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Wire Management ([See Option Details](#))

Must Specify (in this order):

Model #  
 Chassis Color  
 Door  
 Color  
 Grain (if applicable)  
 Wire Management


|  |           |    |   |     |    |     |         |
|--|-----------|----|---|-----|----|-----|---------|
| <b>MODULAR PENINSULA SUPPORT SEATED HEIGHT</b><br> | 66-3630EP | 36 | 1 | 28¼ | 40 | 2.0 | T\$ 401 |
|  | 66-3030EP | 30 | 1 | 28¼ | 34 | 1.6 | T\$ 375 |
|  | 66-2812SP | 12 | 1 | 28¼ | 12 | 0.8 | T\$ 245 |

**Description**

- To Be Used with Modular Desk Tops at 30" High
- Required to Be Used with T Support or the Support Panel Perpendicular to 36" and 30" Unit

Must Specify (in this order):

Model #  
 Color

|   |                                   |    |   |     |    |     |         |
|---|-----------------------------------|----|---|-----|----|-----|---------|
| <b>H MODULAR PENINSULA SUPPORT SEATED HEIGHT</b><br> | 01-3628HL<br>Single Mounted Plate | 36 | 1 | 28¼ | 30 | 2.0 | \$ 1145 |
|   | 01-3028HL<br>Single Mounted Plate | 30 | 1 | 28¼ | 25 | 1.7 | \$ 1126 |
|   | 01-2428HL<br>Single Mounted Plate | 24 | 1 | 28¼ | 20 | 1.4 | \$ 847  |
|   | 01-3628TL<br>Double Mounted Plate | 36 | 1 | 28¼ | 30 | 2.0 | \$ 1182 |
|   | 01-3028TL<br>Double Mounted Plate | 30 | 1 | 28¼ | 25 | 1.7 | \$ 1163 |
|   | 01-2428TL<br>Double Mounted Plate | 24 | 1 | 28¼ | 20 | 1.4 | \$ 876  |

Must Specify (in this order):

Model #  
 Laminate Insert  
 Support Color

**Description**

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately
- Double Mount Plate Required for Freestanding Table/Desk

**Leg Options: Specify & Add**

|     |            |        |
|-----|------------|--------|
| HIM | TFL Insert | T\$ 62 |
|-----|------------|--------|

**Pricing Codes:**

T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
| <b>O MODULAR PENINSULA SUPPORT SEATED HEIGHT</b><br> | 01-6028OL | 60    | 2     | 28¼    | 60      | 6.0      | \$ 917     |
|   | 01-4828OL | 48    | 2     | 28¼    | 55      | 4.7      | \$ 790     |
|   | 01-3628OL | 36    | 2     | 28¼    | 30      | 2.7      | \$ 661     |
|   | 01-3028OL | 30    | 2     | 28¼    | 25      | 2.3      | \$ 552     |
|   | 01-2428OL | 24    | 2     | 28¼    | 20      | 1.8      | \$ 486     |


Must Specify (in this order):

Model #

Support Color

#### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately

|  |           |    |     |     |    |     |                               |
|--|-----------|----|-----|-----|----|-----|-------------------------------|
| <b>BAR MODULAR PENINSULA SUPPORT SEATED HEIGHT</b><br> | 01-3628BL | 36 | 2 ½ | 28¼ | 30 | 2.7 | ALUM/BLK\$ 715<br>CHRM\$ 1239 |
|  | 01-3028BL | 30 | 2 ½ | 28¼ | 25 | 2.3 | ALUM/BLK\$ 644<br>CHRM\$ 1039 |
|  | 01-2428BL | 24 | 2 ½ | 28¼ | 20 | 1.8 | ALUM/BLK\$ 601<br>CHRM\$ 998  |


Must Specify (in this order):

Model #

Support Color

#### Description

- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM)
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately

|  |            |    |   |     |    |     |        |
|--|------------|----|---|-----|----|-----|--------|
| <b>O SHARED METAL LEG SEATED HEIGHT</b><br> | 01-3028OLS | 30 | 2 | 28¼ | 50 | 3.1 | \$ 629 |
|  | 01-2428OLS | 24 | 2 | 28¼ | 45 | 2.5 | \$ 554 |

Must Specify (in this order):

Model #

Support Color

#### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately


#### Pricing Codes:

T= TFL

P= HPL


[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|--------|-------|-------|--------|---------|----------|------------|
| 28"D ELECTRIC HEIGHT<br>ADJUSTABLE TABLE LIFT | 01-2854ELB | Black  | 54-78 | 28    | 22-48  | 30      | 2.4      | \$ 1832    |
|   | 01-2854ELA | Silver |       |       |        |         |          |            |

**Description**


- Standard with Up/Down Control Switch, 10' Power Cord, Integrated Anti-Collision Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 54-78"W and 30"-36"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

|   |            |        |       |    |       |    |     |         |
|---|------------|--------|-------|----|-------|----|-----|---------|
| 22"D ELECTRIC HEIGHT<br>ADJUSTABLE TABLE LIFT | 01-2254ELB | Black  | 54-78 | 22 | 22-48 | 58 | 2.4 | \$ 1832 |
|   | 01-2254ELA | Silver |       |    |       |    |     |         |

**Description**

- Standard with Up/Down Control Switch, 10' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 54-78"W and 24"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

|   |            |        |       |    |       |    |     |         |
|---|------------|--------|-------|----|-------|----|-----|---------|
| 22"D ELECTRIC HEIGHT<br>ADJUSTABLE TABLE LIFT | 01-2242ELB | Black  | 42-48 | 22 | 22-48 | 55 | 2.4 | \$ 1832 |
|   | 01-2242ELA | Silver |       |    |       |    |     |         |

**Description**

- Standard with Up/Down Control Switch, 10' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 42-48"W and 24"-30"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

|   |          |  |    |    |    |   |     |        |
|---|----------|--|----|----|----|---|-----|--------|
| ELECTRIC HEIGHT ADJUSTABLE<br>ADVANCED SWITCH WITH MEMORY | 01-MSWCH |  | 3% | 4% | 1% | ½ | 0.8 | \$ 223 |
|---|----------|--|----|----|----|---|-----|--------|


**Description**

- Black Unit with Black Cord
- Bluetooth Capabilities
- Three Stand-Up Reminders
- Four Height Memory Positions

OPEN MARKET ONLY

**Pricing Codes:**T= TFL  
P= HPL[See Canvas Intro Section for Ordering Options](#)



| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-----------|-------|-------|--------|---------|----------|------------|
| LAYER SUPPORT FOR<br>21" LOW CREDENZA<br> | 01-3607OL | 36    | 2     | 7      | 25      | 1.1      | \$ 576     |
|  | 01-3007OL | 30    | 2     | 7      | 20      | 0.9      | \$ 557     |
|  | 01-2407OL | 24    | 2     | 7      | 15      | 0.7      | \$ 523     |

**Description**

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Supports 30" High Worksurfaces Over Low Height Components - Not Available to be Sold Separately

Must Specify (in this order):

Model #  
Support Color


|  |              |    |    |   |    |     |         |
|--|--------------|----|----|---|----|-----|---------|
| LAYER SUPPORT OVER<br>LOW HEIGHT CABINETS<br> | 66-1807USP21 | 18 | 5¾ | 7 | 20 | 1.2 | T\$ 260 |
|--|--------------|----|----|---|----|-----|---------|

**Description**

- Supports 30"H Worksurfaces Over Low Height Components - Not Available to be Sold Separately
- Open Throughout and On Back Side to Manage Cables
- Rectangle Grommet Cover Included; Must Specify: Black (BLK) or Silver (SLV)

Must Specify (in this order):

Model #  
Color  
Grommet Color

|   |   |   |   |     |   |     |         |
|---|---|---|---|-----|---|-----|---------|
| FILLER PANEL<br> | 66-2803FP   | 3 | ¾ | 28¼ | 6 | 0.5 | T\$ 199 |
|   | For Standard Height Modular Pedestals and Credenzas |   |   |     |   |     |         |
|   | 66-2003FP   | 3 | ¾ | 20¾ | 4 | 0.9 | T\$ 184 |
|   | For Low Height Credenzas or Benching Applications   |   |   |     |   |     |         |

**Description**

- Used to Fill Gap Behind Modular Pedestals with a Modular Top


Must Specify (in this order):

Model #  
Color

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--------------------------------------|-------|-------|--------|---------|----------|------------|
|  | MODULAR MODESTY/BACK PANEL 66-9628BP | 96    | ¾     | 28¼    | 115     | 5.0      | T\$ 555    |
|   | 66-9028BP                            | 90    | ¾     | 28¼    | 108     | 4.6      | T\$ 539    |
|   | 66-8428BP                            | 84    | ¾     | 28¼    | 101     | 4.3      | T\$ 522    |
|   | 66-7828BP                            | 78    | ¾     | 28¼    | 94      | 4.0      | T\$ 508    |
|   | 66-7228BP                            | 72    | ¾     | 28¼    | 86      | 3.7      | T\$ 492    |
|   | 66-6628BP                            | 66    | ¾     | 28¼    | 79      | 3.4      | T\$ 478    |
|   | 66-6028BP                            | 60    | ¾     | 28¼    | 65      | 3.7      | T\$ 469    |
|   | 66-5428BP                            | 54    | ¾     | 28¼    | 60      | 2.8      | T\$ 447    |
|   | 66-4828BP                            | 48    | ¾     | 28¼    | 55      | 2.5      | T\$ 427    |
|   | 66-4228BP                            | 42    | ¾     | 28¼    | 50      | 2.2      | T\$ 372    |
|   | 66-3628BP                            | 36    | ¾     | 28¼    | 45      | 2.0      | T\$ 320    |
|   | 66-3028BP                            | 30    | ¾     | 28¼    | 30      | 1.6      | T\$ 295    |
|   | 66-1828BP                            | 18    | ¾     | 28¼    | 19      | 1.0      | T\$ 252    |
| 66-1528BP   | 15¾                                  | ¾     | 28¼   | 18     | 1.0     | T\$ 232  |            |

Must Specify (in this order):

Model #  
Color  
Grommet  
Grommet Color

#### Description

- For Use as a Modesty Panel to Create Bridges, Returns, or Credenzas, or as a Back Panel on Modular Units
- Grain Runs Vertically Up to 60" - All Larger Sizes are Horizontal Grain Patterns

#### Leg Options: Specify & Add

|        |  |       |
|--------|--|-------|
| 1-GRMT | Optional Top-Center Grommet, Must Specify: Black (BLK) or Silver (SLV) | \$ 52 |
|--------|--|-------|

|   |                                   |    |    |     |    |     |         |
|---|-----------------------------------|----|----|-----|----|-----|---------|
|  | FLIPDOWN MODESTY PANEL 66-2836FDM | 36 | 3½ | 28¼ | 35 | 3.3 | T\$ 904 |
|   | 66-2830FDM                        | 30 | 3½ | 28¼ | 30 | 2.7 | T\$ 799 |

#### Description

- Modesty Panel with 3" Deep Case Allows Room for Plugs
- Does Not Feature Soft Close Hinges
- Upper Panel: Open at Top, Hinged and Opens Fully for Easy Access to Ports and Cord Management


Must Specify (in this order):

Model #  
Color

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
|  | 66-3530EP | 35¼   | 1     | 28¼    | 41      | 2.6      | T\$ 396    |
|   | 66-2930EP | 29¼   | 1     | 28¼    | 34      | 2.2      | T\$ 373    |
|   | 66-2330EP | 23¼   | 1     | 28¼    | 27      | 1.6      | T\$ 355    |

Must Specify (in this order):  
Model #  
Color

- Description**
- Must Be Used with a Back Panel

|                      |           |    |   |     |    |     |         |
|----------------------|-----------|----|---|-----|----|-----|---------|
| <b>SUPPORT PANEL</b> | 66-2812SP | 12 | 1 | 28¼ | 12 | 0.8 | T\$ 245 |
|----------------------|-----------|----|---|-----|----|-----|---------|



Must Specify (in this order):  
Model #  
Color

- Description**
- Required to be Used Perpendicular to Full Back Panels to Support Kneespace Areas of 60" or Longer


|                  |  |    |    |     |    |     |         |
|------------------|--|----|----|-----|----|-----|---------|
| <b>SUPPORT T</b> | 66-1010SP                                    | 10 | 10 | 28¼ | 20 | 0.8 | T\$ 358 |
|                  | 66-1010SPW<br>Support T with Wire Management | 10 | 10 | 28¼ | 20 | 0.8 | T\$ 358 |




Must Specify (in this order):  
Model #  
Color

- Description**
- Supports Worksurfaces
  - Required on Kneespace Areas of 60" or More Where Back Panels are Not Used

|                      |           |    |   |     |    |     |        |
|----------------------|-----------|----|---|-----|----|-----|--------|
| <b>O LEG SUPPORT</b> | 01-1228OL | 12 | 2 | 28¼ | 20 | 1.2 | \$ 442 |
|----------------------|-----------|----|---|-----|----|-----|--------|




Must Specify (in this order):  
Model #  
Color  
Wire Management Cover




- Leg Options: Specify & Add**
- |             |  |        |
|-------------|--|--------|
| 01-1228OLWM | Wire Management Cover - Available in Aluminum or Black; Must Specify Color | \$ 291 |
|-------------|--|--------|

**Pricing Codes:**  
T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.                            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--------------------------------------|-------|-------|--------|---------|----------|------------|
|                                | 01-0401MLA Aluminum Leg with Leveler | 2     | 2     | 28¾    | 10      | 0.5      | \$ 320     |
|   | 01-0401MLB Black Leg with Leveler    |       |       |        |         |          |            |
|   | 01-0400MLA Aluminum Leg with Caster  | 2     | 2     | 28¾    | 10      | 0.5      | \$ 272     |
|   | 01-0400MLB Black Leg with Caster     |       |       |        |         |          |            |
| <b>Description</b>  |                                      |       |       |        |         |          |            |
| <ul style="list-style-type: none"> <li>Available in Adjustable Black Leveler or Locking Black Caster</li> </ul> |                                      |       |       |        |         |          |            |

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
|  | 66-9620BP | 96    | ¾     | 20¾    | 40      | 3.4      | T\$ 490    |
|   | 66-9020BP | 90    | ¾     | 20¾    | 38      | 3.3      | T\$ 476    |
|   | 66-8420BP | 84    | ¾     | 20¾    | 36      | 3.2      | T\$ 464    |
|   | 66-7820BP | 78    | ¾     | 20¾    | 34      | 3.1      | T\$ 443    |
|   | 66-7220BP | 72    | ¾     | 20¾    | 31      | 3.0      | T\$ 427    |
|   | 66-6620BP | 66    | ¾     | 20¾    | 29      | 2.9      | T\$ 417    |
|   | 66-6020BP | 60    | ¾     | 20¾    | 27      | 2.8      | T\$ 371    |
|   | 66-5420BP | 54    | ¾     | 20¾    | 24      | 2.7      | T\$ 348    |
|   | 66-4820BP | 48    | ¾     | 20¾    | 22      | 2.6      | T\$ 339    |
|   | 66-4220BP | 42    | ¾     | 20¾    | 20      | 2.5      | T\$ 307    |
|   | 66-3620BP | 36    | ¾     | 20¾    | 17      | 2.4      | T\$ 287    |
|   | 66-3020BP | 30    | ¾     | 20¾    | 15      | 2.3      | T\$ 267    |
|   | 66-2420BP | 24    | ¾     | 20¾    | 15      | 2.3      | T\$ 243    |
|   | 66-1820BP | 18    | ¾     | 20¾    | 15      | 2.3      | T\$ 237    |

Must Specify (in this order):  
 Model #  
 Color  
 Grommet  
 Grommet Color

**Description**


- For Use as a Back Panels to Create Low Height Returns, Credenzas, or Benches
- Grain Runs Vertically Up to 60" - All Larger Sizes are Horizontal Grain Patterns

| <b>Leg Options: Specify &amp; Add</b>   |   |       |
|---|---|-------|
|  | 1-GRMT Optional Top-Center Grommet, Must Specify: Black or Silver | \$ 52 |

**Pricing Codes:**  
 T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                 | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------|-----------|-------|-------|--------|---------|----------|------------|
| LOW HEIGHT END PANEL | 66-2420EP | 23¾   | 1     | 20¾    | 15      | 0.8      | T\$ 310    |
|                      | 66-2020EP | 19¾   | 1     | 20¾    | 15      | 0.8      | T\$ 254    |



**Description**

- Must Be Used with a Back Panel

Must Specify (in this order):

Model #  
Color

|                          |           |    |   |     |   |     |         |
|--------------------------|-----------|----|---|-----|---|-----|---------|
| LOW HEIGHT SUPPORT PANEL | 66-2012SP | 12 | 1 | 20¾ | 7 | 0.4 | T\$ 222 |
|--------------------------|-----------|----|---|-----|---|-----|---------|



**Description**

- Required to be Used Perpendicular to Full Back Panels to Support Kneespace Areas of 60" or Longer

Must Specify (in this order):

Model #  
Color

|                      |  |    |    |     |    |     |         |
|----------------------|--|----|----|-----|----|-----|---------|
| LOW HEIGHT SUPPORT T | 66-2010SP                                    | 10 | 10 | 20¾ | 11 | 2.3 | T\$ 317 |
|                      | 66-2010SPW<br>Support T with Wire Management | 10 | 10 | 20¾ | 11 | 2.3 | T\$ 319 |


**Description**

- Supports Worksurfaces
- Required on Kneespace Areas of 60" or More Where Back Panels are Not Used


Must Specify (in this order):

Model #  
Color

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------|-------|--------|---------|----------|------------|
| <br>DUAL ACCESS SLIDING DOOR HUTCH | 66-1572DAHS | 72    | 16½   | 15     | 117     | 14.5     | T\$ 2378   |
|   | 66-1566DAHS | 66    | 16½   | 15     | 111     | 13.4     | T\$ 2285   |
|   | 66-1560DAHS | 60    | 16½   | 15     | 104     | 12.2     | T\$ 2203   |


Must Specify (in this order):


Model #  
Color  
Door Style  
Door Color  
Dry Erase Back Panel

**Description**

- One Non-Locking Sliding Door
- Used with Shared Office Application
- Metal Stanchion Leg Sold Separately; [See Stanchion Sizes](#)
- Safely Write on Dry Erase Door and Dry Erase Back Panel with Our Dry Erase Marker Set; [See Set Options](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Door Front Available in Contrasting Colors; Must Specify

**Options: Specify & Add**

|   |       |  |         |
|---|-------|--|---------|
|  | 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1490 |
|   | 1-DEB | Dry Erase Board Door (Non-Locking)                               | \$ 154  |
|   | 1-HGA | High Gloss Acrylic Door (Non-Locking); Must Specify Color        |         |
|   | (GPA) | Graphite Acrylic   | \$ 1542 |
|   | (BLA) | Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 1411 |
|   | DEF   | Dry Erase Fixed Back Panel                                       | \$ 646  |

|   |             |    |    |    |    |      |          |
|---|-------------|----|----|----|----|------|----------|
| <br>DUAL ACCESS OPEN HUTCH | 66-1572DAOH | 72 | 15 | 15 | 95 | 14.5 | T\$ 1326 |
|   | 66-1566DAOH | 66 | 15 | 15 | 90 | 13.4 | T\$ 1278 |
|   | 66-1560DAOH | 60 | 15 | 15 | 85 | 12.2 | T\$ 1261 |

Must Specify (in this order):

Model #  
Color  
Dry Erase Back Panel  
Tackboard  
Tackboard Fabric

**Description**

- Right Side - Fixed/Left Side - Open
- Used with Shared Office Application
- Safely Write on Dry Erase Back Panel with Our Dry Erase Marker Set; [See Set Options](#)
- Metal Stanchion Leg Sold Separately; [See Stanchion Sizes](#)
- Optional Dry Erase Fixed Backs, See Below or Tackboard Fixed Backs; [See Tackboards](#)


**Options: Specify & Add**

|  |     |                            |        |
|--|-----|----------------------------|--------|
|  | DEF | Dry Erase Fixed Back Panel | \$ 646 |
|--|-----|----------------------------|--------|

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-------------|-------|-------|--------|---------|----------|------------|
| <b>SINGLE SIDED FOUR DOOR HUTCH</b><br><br> | 66-1572SSHU | 72    | 15¾   | 15     | 98      | 12.4     | T\$ 1632   |
|  | 66-1566SSHU | 66    | 15¾   | 15     | 93      | 11.4     | T\$ 1574   |
|  | 66-1560SSHU | 60    | 15¾   | 15     | 88      | 10.4     | T\$ 1542   |

**Description**

- Storage Behind Doors
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Single or Shared Stanchions Must be Ordered Separately; See Next Page
- Optional Locking Doors Available; [See Locking Door Options](#) and Specify Lock Color


Must Specify (in this order):

- Model #
- Color
- Door Style
- Door Color
- Dry Erase Back Panel
- Locking Doors



**Options: Specify & Add**

|  | Per Door |
|--|----------|
| 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking)  | \$ 438   |
| 1-DEB Dry Erase Board Doors  | \$ 28    |
| WHGLS Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 652   |
| BLGLS Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 868   |
| 1-HGA High Gloss Acrylic Doors; Must Specify Color                     |          |
| (GPA) Graphite Acrylic   | \$ 269   |
| (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 247   |


| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------|-------|--------|---------|----------|------------|
| <b>SINGLE SIDED SLIDING DOOR HUTCH</b><br><br> | 66-1572SSHS | 72    | 15¾   | 15     | 89      | 12.4     | T\$ 1765   |
|   | 66-1566SSHS | 66    | 15¾   | 15     | 84      | 11.4     | T\$ 1720   |
|   | 66-1560SSHS | 60    | 15¾   | 15     | 79      | 10.4     | T\$ 1656   |

**Description**

- One Non-Locking Sliding Door
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- Storage Behind Sliding Door
- Single or Shared Stanchions Must be Ordered Separately; See Next Page

Must Specify (in this order):

- Model #
- Color
- Door Style
- Door Color



**Options: Specify & Add**


|   | Per Door |
|---|----------|
| 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 745   |
| 1-DEB Dry Erase Board Door (Non-Locking)                              | \$ 77    |
| 1-HGA High Gloss Acrylic Door (Non-Locking); Must Specify Color       |          |
| (GPA) Graphite Acrylic  | \$ 773   |
| (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic              | \$ 705   |

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                                     | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------|-------|--------|---------|----------|------------|
| METAL STANCHION<br>FOR USE WITH LOW STORAGE<br>AND SINGLE OR DUAL HUTCHES | 01-1515OS<br>For Use Over 21" Low Modular Ped | 15    | 2     | 15     | 25      | 0.5      | \$ 331     |
|   | 01-1507OS<br>For Use Over 30" Low Modular Ped | 15    | 2     | 7      | 15      | 0.3      | \$ 305     |




Must Specify (in this order):

Model #  
Support Color

#### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- For Use With Single Sided and Dual Access Hutches - Not Available to be Sold Separately

|  |  |    |   |    |    |     |        |
|--|--|----|---|----|----|-----|--------|
| SHARED METAL STANCHION FOR<br>USE WITH LOW STORAGE AND<br>SINGLE OR DUAL HUTCHES | 01-1515OSS<br>For Use Over 21" Low Modular Ped | 15 | 2 | 15 | 25 | 0.5 | \$ 339 |
|  | 01-1507OSS<br>For Use Over 30" Low Modular Ped | 15 | 2 | 7  | 15 | 0.3 | \$ 327 |




Must Specify (in this order):

Model #  
Support Color

#### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- For Use With Single Sided and Dual Access Hutches - Not Available to be Sold Separately
- Connects Two Dual Access Hutches

|                                   |           |    |   |    |    |     |         |
|-----------------------------------|-----------|----|---|----|----|-----|---------|
| 21" ABOVE AND BELOW SCREEN<br>TFL | 66-6821AB | 68 | ¾ | 21 | 41 | 3.3 | T\$ 471 |
|                                   | 66-6221AB | 62 | ¾ | 21 | 39 | 3.0 | T\$ 459 |
|                                   | 66-5621AB | 56 | ¾ | 21 | 36 | 2.7 | T\$ 441 |
|                                   | 66-5021AB | 50 | ¾ | 21 | 34 | 2.4 | T\$ 425 |
|                                   | 66-4421AB | 44 | ¾ | 21 | 31 | 2.2 | T\$ 408 |



Must Specify (in this order):

Model #  
Color

#### Description


- Mounts to Worksurface
- Provides Privacy 12" Above and 10¾" Modesty Below

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
|  <p>21" ABOVE AND BELOW SCREEN<br/>FROSTED ACRYLIC</p> | 66-6821ABA | 68    | ¼     | 21     | 14      | 3.3      | \$ 1352    |
|   | 66-6221ABA | 62    | ¼     | 21     | 12      | 2.8      | \$ 1265    |
|   | 66-5621ABA | 56    | ¼     | 21     | 10      | 2.8      | \$ 1177    |
|   | 66-5021ABA | 50    | ¼     | 21     | 9       | 2.2      | \$ 1088    |
|   | 66-4421ABA | 44    | ¼     | 21     | 8       | 1.2      | \$ 998     |

Must Specify (in this order):  
Model #  
Decorative Hardware Color

#### Description


- Mounts to Worksurface
- Provides Privacy 12" Above and 10 ¾" Modesty Below
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|   |             |    |   |    |    |     |                       |
|---|-------------|----|---|----|----|-----|-----------------------|
|  <p>21" ABOVE AND BELOW SCREEN<br/>HIGH GLOSS ACRYLIC</p> | 66-6821ABGA | 68 | ¾ | 21 | 44 | 3.3 | \$ 1447<br>GPA\$ 1886 |
|   | 66-6221ABGA | 62 | ¾ | 21 | 41 | 3.0 | \$ 1344<br>GPA\$ 1747 |
|   | 66-5621ABGA | 56 | ¾ | 21 | 38 | 2.7 | \$ 1246<br>GPA\$ 1606 |
|   | 66-5021ABGA | 50 | ¾ | 21 | 36 | 2.4 | \$ 1147<br>GPA\$ 1470 |
|   | 66-4421ABGA | 44 | ¾ | 21 | 33 | 2.2 | \$ 1051<br>GPA\$ 1333 |

Must Specify (in this order):  
Model #  
Color

#### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 10 ¾" Modesty Below
- Available in Black (BLA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

|  |           |    |   |    |    |     |         |
|--|-----------|----|---|----|----|-----|---------|
|  <p>12" PRIVACY PANEL<br/>TFL</p> | 66-2812PP | 28 | ¾ | 12 | 12 | 0.9 | T\$ 355 |
|  | 66-2212PP | 22 | ¾ | 12 | 10 | 0.7 | T\$ 345 |

#### Description

- Mounts to Surface to Create Division Between Workstations
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)


Must Specify (in this order):  
Model #  
Finish  
Decorative Hardware Color

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                 | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| 12" PRIVACY PANEL<br>FROSTED ACRYLIC | 66-2812PPA | 28    | ¼     | 12     | 8       | 0.7      | \$ 580     |
|                                      | 66-2212PPA | 22    | ¼     | 12     | 7       | 0.6      | \$ 523     |




Must Specify (in this order):  
Model #  
Decorative Hardware Color

#### Description

- Mounts to Surface to Create Division Between Workstations
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|   |             |    |   |    |    |     |                     |
|---|-------------|----|---|----|----|-----|---------------------|
| 12" PRIVACY PANEL<br>HIGH GLOSS ACRYLIC | 66-2812PPGA | 28 | ¾ | 12 | 13 | 0.9 | \$ 609<br>GPA\$ 686 |
|   | 66-2212PPGA | 22 | ¾ | 12 | 11 | 0.7 | \$ 546<br>GPA\$ 605 |




Must Specify (in this order):  
Model #  
Color  
Decorative Hardware Color

#### Description

- Mounts to Surface to Create Division Between Workstations
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)
- Available in Black (BLA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

|                                       |           |    |   |    |    |     |         |
|---------------------------------------|-----------|----|---|----|----|-----|---------|
| 12" FREESTANDING PRIVACY PANEL<br>TFL | 66-6812PP | 68 | ¾ | 12 | 26 | 2.2 | T\$ 430 |
|                                       | 66-6212PP | 62 | ¾ | 12 | 25 | 2.0 | T\$ 419 |
|                                       | 66-5612PP | 56 | ¾ | 12 | 23 | 1.8 | T\$ 408 |



Must Specify (in this order):  
Model #  
Color  
Decorative Hardware Color

#### Description


- Freestanding on Surface to Create Division Between Workstations
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
| <b>12" FREESTANDING PRIVACY PANEL</b><br><b>FROSTED ACRYLIC</b> | 66-6812PPA | 68    | ¼     | 12     | 8       | 2.2      | \$ 982     |
|   | 66-6212PPA | 62    | ¼     | 12     | 7       | 2.0      | \$ 925     |
|   | 66-5612PPA | 56    | ¼     | 12     | 6       | 1.8      | \$ 854     |




Must Specify (in this order):  
 Model #  
 Decorative Hardware Color

**Description**

- Freestanding on Surface to Create Division Between Workstations
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|  |             |    |   |    |    |     |                       |
|--|-------------|----|---|----|----|-----|-----------------------|
| <b>12" FREESTANDING PRIVACY PANEL</b><br><b>HIGH GLOSS ACRYLIC</b> | 66-6812PPGA | 68 | ¾ | 12 | 25 | 3.3 | \$ 1051<br>GPA\$ 1233 |
|  | 66-6212PPGA | 62 | ¾ | 12 | 23 | 3.0 | \$ 979<br>GPA\$ 1154  |
|  | 66-5612PPGA | 56 | ¾ | 12 | 22 | 2.7 | \$ 886<br>GPA\$ 1073  |




Must Specify (in this order):  
 Model #  
 Color  
 Decorative Hardware Color

**Description**

- Freestanding on Surface to Create Division Between Workstations
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)
- Available in Black (BLA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

|                                       |            |    |   |   |    |     |         |
|---------------------------------------|------------|----|---|---|----|-----|---------|
| <b>7" MODESTY PANEL</b><br><b>TFL</b> | 66-6807MOD | 68 | ¾ | 7 | 17 | 1.3 | T\$ 406 |
|                                       | 66-6207MOD | 62 | ¾ | 7 | 16 | 1.2 | T\$ 401 |
|                                       | 66-5607MOD | 56 | ¾ | 7 | 16 | 1.1 | T\$ 390 |




Must Specify (in this order):  
 Model #  
 Color

**Description**

- Works With Low Storage; [See Low Credenzas](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets

**Pricing Codes:**  
 T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-------------|-------|-------|--------|---------|----------|------------|
| <b>7" MODESTY PANEL<br/>FROSTED ACRYLIC</b><br><br> | 66-6807MODA | 68    | ¼     | 7      | 12      | 1.3      | \$ 705     |
|  | 66-6207MODA | 62    | ¼     | 7      | 11      | 1.2      | \$ 652     |
|  | 66-5607MODA | 56    | ¼     | 7      | 10      | 1.1      | \$ 620     |


**Description**

- Works With Low Storage; [See Low Credenzas](#) and Modular Units; [See Modular Units](#)
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

Must Specify (in this order):

Model #

Decorative Hardware Color

|   |                     |    |   |   |    |     |                     |
|---|---------------------|----|---|---|----|-----|---------------------|
| <b>7" MODESTY PANEL<br/>HIGH GLOSS ACRYLIC</b><br><br> | <b>66-6807MODGA</b> | 68 | ¾ | 7 | 17 | 1.3 | \$ 725<br>GPA\$ 826 |
|   | <b>66-6207MODGA</b> | 62 | ¾ | 7 | 16 | 1.2 | \$ 707<br>GPA\$ 780 |
|   | <b>66-5607MODGA</b> | 56 | ¾ | 7 | 16 | 1.1 | \$ 690<br>GPA\$ 738 |

**Description**

- Works With Low Storage; [See Low Credenzas](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

Must Specify (in this order):

Model #


Color

**Pricing Codes:**

T= TFL

P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
| <b>51" GALLERY SCREEN<br/>STRAIGHT FLOORSTANDING</b><br><br> | 66-5173GS | 73    | 1     | 51¼    | 110     | 7.9      | T\$ 1147   |
|   | 66-5172GS | 72    | 1     | 51¼    | 110     | 7.9      | T\$ 1139   |
|   | 66-5167GS | 67    | 1     | 51¼    | 104     | 7.3      | T\$ 1103   |
|   | 66-5166GS | 66    | 1     | 51¼    | 104     | 7.3      | T\$ 1096   |
|   | 66-5161GS | 61    | 1     | 51¼    | 98      | 6.7      | T\$ 1057   |
|   | 66-5160GS | 60    | 1     | 51¼    | 98      | 6.7      | T\$ 1051   |
|   | 66-5155GS | 55    | 1     | 51¼    | 92      | 6.1      | T\$ 1010   |
|   | 66-5154GS | 54    | 1     | 51¼    | 92      | 6.1      | T\$ 1003   |
|   | 66-5149GS | 49    | 1     | 51¼    | 86      | 5.4      | T\$ 964    |
|   | 66-5148GS | 48    | 1     | 51¼    | 86      | 5.4      | T\$ 957    |
|   | 66-5143GS | 43    | 1     | 51¼    | 80      | 4.7      | T\$ 920    |
|   | 66-5142GS | 42    | 1     | 51¼    | 80      | 4.7      | T\$ 913    |
|   | 66-5137GS | 37    | 1     | 51¼    | 60      | 4.1      | T\$ 795    |
|   | 66-5136GS | 36    | 1     | 51¼    | 60      | 4.1      | T\$ 772    |
|   | 66-5131GS | 31    | 1     | 51¼    | 54      | 3.5      | T\$ 724    |
|   | 66-5130GS | 30    | 1     | 51¼    | 54      | 3.5      | T\$ 713    |
|   | 66-5125GS | 25    | 1     | 51¼    | 48      | 2.8      | T\$ 662    |
|   | 66-5124GS | 24    | 1     | 51¼    | 48      | 2.8      | T\$ 652    |
|   | 66-5119GS | 19    | 1     | 51¼    | 42      | 2.2      | T\$ 613    |
|   | 66-5118GS | 18    | 1     | 51¼    | 42      | 2.2      | T\$ 603    |

Must Specify (in this order):

Model #

Color

Grommet

Grommet Color

#### Description

- Horizontal Woodgrain
- Mounts to Back of Modular Credenza for Space Division
- Extend up to 24" Beyond Workstation without Additional Support
- Six (6) Wire Management Grommet Location Options: [See Locations](#) and Specify Location Selections

#### Pricing Codes:


T= TFL

P= HPL

[See Canvas Intro Section for Ordering Options](#)

## Studio Components

Boutique-inspired options to give all your working environments a fresh look with a subtle touch of home. Integrated into our ever-popular Canvas and Gesso Caseload lines, Studio models build upon simplicity and flexibility while allowing you to create eye-catching spaces. Whether you're looking to outfit an executive's office, team space, collaborative area, or anything in between, our Studio desk and storage components have the look and feel you desire.



Studio components work with existing Canvas Tops, Peninsula Tops, and accessories such as Tackboards, Work Walls, Marker Boards, and Cushions to build the perfect workspace. The slim leg design provides an upscale feel for all of the Studio components. Storage units such as standard height pedestals offer the flexibility to build single or double pedestal desks or credenzas and low height pedestals allow you to create bench style credenzas.

The Studio pull features a clean application.



### How to Use Studio


Start with a Modular Top to build a Desk, Peninsula Desk, Benching or Credenza ([See Modular Tops](#))




Next, choose from a number of Studio Pedestals options in Standard or Low Height. ([See Studio Peds](#))




Kneespace Modesty Panels are available in standard height in TFL or High Gloss Acrylic or low height in TFL ([See Modesty Panels](#))



Add additional storage with Studio Storage Cabinets and the full door storage cabinet features high gloss acrylic and dry erase door options ([See Storage Cabinets](#))



Single and Shared Stanchions offer a layer of support for workstations and single or dual sided hutches ([See Stanchions](#))



Studio Single and Shared Legs images below provide a simple and clean aesthetic. See below for a guide to the aesthetics of single, double, and shared legs ([See Leg Options](#))



Single Standard Leg



Shared Leg (used between two models)



Double Standard Leg (standard legs used on each model)


| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------|-------|--------|---------|----------|------------|
| <b>STUDIO COMPONENT, MODULAR PEDESTAL BOX/BOX/FILE</b><br> | 66-3618SPD1 | 18    | 36    | 24¼    | 68      | 11.4     | T\$ 1491   |
|   | 66-3018SPD1 | 18    | 30    | 24¼    | 61      | 10.4     | T\$ 1368   |
|   | 66-2418SPD1 | 18    | 24    | 24¼    | 54      | 8.4      | T\$ 1263   |

**Description**


- For Use With Other Studio Components
- Standard Locking Pedestal; File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Finished Back Panel Included
- Height of Unit with Legs: 28¼; **Legs Must be Ordered Separately**; [See Leg Options](#)
- Worksurface Required; [See Worksurface Sizes](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

Must Specify (in this order):

- Model #
- Chassis Color
- Drawer Front Color
- Grain (if applicable)
- Pull
- Drawer Construction
- Drawer Track
- Wire Management



Legs Must be Ordered Separately; [See Leg Options](#)


|  |            |    |    |     |    |      |          |
|--|------------|----|----|-----|----|------|----------|
| <b>STUDIO COMPONENT, LOW MODULAR PEDESTAL TRAY/FILE</b><br> | 66-2436STF | 36 | 24 | 16¾ | 59 | 10.6 | T\$ 1257 |
|  | 66-2430STF | 30 | 24 | 16¾ | 51 | 8.9  | T\$ 1213 |
|  | 66-2418STF | 18 | 24 | 16¾ | 37 | 5.6  | T\$ 1015 |

**Description**

- For Use With Other Studio Components
- Standard Locking Pedestal; File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Finished Back Panel Included
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately**; [See Leg Options](#)
- Worksurface Required; [See Worksurface Sizes](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

Must Specify (in this order):

- Model #
- Chassis Color
- Drawer Front Color
- Grain (if applicable)
- Pull
- Drawer Construction
- Drawer Track
- Wire Management




Legs Must be Ordered Separately; [See Leg Options](#)

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>OPEN BOOKCASE | 66-2436SBC | 36    | 24    | 16¾    | 67      | 10.6     | T\$ 1095   |
|  | 66-2430SBC | 30    | 24    | 16¾    | 59      | 8.9      | T\$ 1051   |
|  | 66-2418SBC | 18    | 24    | 16¾    | 45      | 5.6      | T\$ 960    |




Must Specify (in this order):

Model #  
Chassis Color  
Wire Management


**Description**

- For Use With Other Studio Components
- One Adjustable Shelf
- Finished Back Panel Included
- Removable Wire Management Panel
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately;** [See Leg Options](#)
- Worksurface Required; [See Worksurface Sizes](#)
- Optional Wire Management ([See Option Details](#))



Legs Must be Ordered Separately; [See Leg Options](#)

|   |            |    |    |     |    |      |          |
|---|------------|----|----|-----|----|------|----------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>DOUBLE DOOR BOOKCASE | 66-2436SDB | 36 | 24 | 16¾ | 77 | 10.6 | T\$ 1047 |
|   | 66-2430SDB | 30 | 24 | 16¾ | 67 | 8.9  | T\$ 918  |




Must Specify (in this order):

Model #  
Chassis Color  
Door Color  
Grain (if applicable)  
Pull  
Locking Doors  
Wire Management

**Description**

- For Use With Other Studio Components
- 16" Deep Adjustable Shelf Behind Touch Latch Doors
- Finished Back Panel Included
- Removable Wire Management Panel
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately;** [See Leg Options](#)
- Worksurface Required; [See Worksurface Sizes](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Optional Wire Management ([See Option Details](#))



Legs Must be Ordered Separately; [See Leg Options](#)


**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item  | Model No.   |             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>SINGLE DOOR BOOKCASE | Left        | Right       |       |       |        |         |          |            |
|   | 66-2418SDBL | 66-2418SDBR | 18    | 24    | 16¾    | 51      | 5.6      | T\$ 825    |




Must Specify (in this order):

- Model #
- Chassis Color
- Door Color
- Grain (if applicable)
- Pull
- Wire Management


**Description**

- For Use With Other Studio Components
- 16" Deep Adjustable Shelf Behind Touch Latch Door
- Finished Back Panel Included
- Removable Wire Management Panel
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately**; [See Leg Options](#)
- Worksurface Required; [See Worksurface Sizes](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Optional Wire Management ([See Option Details](#))



Legs Must be Ordered Separately; [See Leg Options](#)

| Item   | Model No.   |             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-------------|-------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>STORAGE CABINET<br>DOOR/TRAY/FILE | Left        | Right       |       |       |        |         |          |            |
|  | 66-1851SWBL | 66-1851SWBR | 18    | 24    | 47½    | 120     | 15.9     | T\$ 1588   |




Must Specify (in this order):

- Model #
- Chassis Color
- Drawer Front/Door Color
- Grain (if applicable)
- Door Locking
- Pull

**Description**

- For Use With Other Studio Components
- One Adjustable Shelf Behind Touch Latch Door
- Locking File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- Drawer/Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Height of Unit with Legs: 51½; **Legs Must be Ordered Separately**; [See Leg Options](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))




Legs Must be Ordered Separately; [See Leg Options](#)

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT, OPEN STORAGE CABINET TRAY/FILE | 66-1851SWBO | 18    | 24    | 47½    | 109     | 15.9     | T\$ 1517   |




**Description**

- For Use With Other Studio Components
- One Adjustable Shelf
- Locking File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Height of Unit with Legs: 51½; **Legs Must be Ordered Separately**; [See Leg Options](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))


Must Specify (in this order):

- Model #
- Chassis Color
- Drawer Front Color
- Grain (if applicable)
- Pull



Legs Must be Ordered Separately; [See Leg Options](#)

| STUDIO COMPONENT, WARDROBE | Left       | Right      | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------|------------|------------|-------|-------|--------|---------|----------|------------|
|                            | 66-1851SWL | 66-1851SWR | 18    | 24    | 47½    | 108     | 15.9     | T\$ 1387   |



**Description**

- For Use With Other Studio Components
- Includes Coat Rod and (2) Adjustable Shelves Behind Touch Latch Door
- TFL Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- Height of Unit with Legs: 51½; **Legs Must be Ordered Separately**; [See Leg Options](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Optional Wire Management ([See Option Details](#))




**Options: Specify & Add**

|       |  |        |
|-------|--|--------|
| 1-DEB | Dry Erase Board  | \$ 96  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                   |        |
|       | (GPA) Graphite Acrylic                                   | \$ 960 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic | \$ 876 |



Must Specify (in this order):

- Model #
- Chassis Color
- Door Color
- Grain (if applicable)
- Door Locking Pull



Legs Must be Ordered Separately; [See Leg Options](#)

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>KNEESPACE MODESTY PANEL,<br>TFL<br><br> | 66-6024MD | 60    | ¾     | 24½    | 37      | 2.9      | T\$ 419    |
|   | 66-5424MD | 54    | ¾     | 24½    | 33      | 2.6      | T\$ 401    |
|   | 66-4824MD | 48    | ¾     | 24½    | 30      | 2.3      | T\$ 385    |
|   | 66-4224MD | 42    | ¾     | 24½    | 26      | 2.0      | T\$ 341    |
|   | 66-3624MD | 36    | ¾     | 24½    | 22      | 1.7      | T\$ 304    |
|   | 66-3024MD | 30    | ¾     | 24½    | 19      | 1.4      | T\$ 280    |

Must Specify (in this order):

Model #  
Color  
Grommet

#### Description

- For Use Between Two Studio Pedestals
- Attaches with L Bracket (Included)
- Optional Center Panel Grommet; Must Specify


|   |              |    |   |     |    |     |                     |
|---|--------------|----|---|-----|----|-----|---------------------|
| STUDIO COMPONENT,<br>KNEESPACE MODESTY PANEL,<br>HIGH GLOSS ACRYLIC<br><br> | 66-4824MDHGA | 48 | ¾ | 24½ | 30 | 2.3 | \$ 774<br>GPA\$ 893 |
|   | 66-4224MDHGA | 42 | ¾ | 24½ | 30 | 2.1 | \$ 700<br>GPA\$ 805 |
|   | 66-3624MDHGA | 36 | ¾ | 24½ | 26 | 2.0 | \$ 589<br>GPA\$ 676 |
|   | 66-3024MDHGA | 30 | ¾ | 24½ | 19 | 1.4 | \$ 513<br>GPA\$ 589 |

Must Specify (in this order):

Model #  
Color  
Grommet

#### Description

- For Use Between Two Studio Pedestals
- Attaches with L Bracket (Included)
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

|  |           |    |   |     |    |     |         |
|--|-----------|----|---|-----|----|-----|---------|
| STUDIO COMPONENT,<br>KNEESPACE MODESTY PANEL,<br>FOR LOW STORAGE, TFL<br><br> | 66-6016MD | 60 | ¾ | 16¼ | 25 | 2.0 | T\$ 319 |
|  | 66-5416MD | 54 | ¾ | 16¼ | 23 | 1.8 | T\$ 300 |
|  | 66-4816MD | 48 | ¾ | 16¼ | 20 | 1.6 | T\$ 295 |
|  | 66-4216MD | 42 | ¾ | 16¼ | 18 | 1.4 | T\$ 275 |
|  | 66-3616MD | 36 | ¾ | 16¼ | 15 | 1.2 | T\$ 267 |
|  | 66-3016MD | 30 | ¾ | 16¼ | 13 | 1.0 | T\$ 255 |

Must Specify (in this order):

Model #  
Color  
Grommet

#### Description


- For Use Between Two Studio Pedestals
- Attaches with L Bracket (Included)
- Optional Center Panel Grommet; Must Specify

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                      | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price  |
|---------------------------|------------|-------|-------|--------|---------|----------|-------------|
| METAL STANCHION<br>SINGLE | 01-1515SOS | 15    | 1     | 15     | 25      | 0.5      | ALUM \$ 219 |
|                           |            |       |       |        |         |          | BLK \$ 219  |
|                           |            |       |       |        |         |          | CHRM \$ 271 |




Must Specify (in this order):

Model #  
Color

#### Description

- For Use With Single Sided Hutches ([See Hutches](#)) on Low Studio Components
- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM); Must Specify

|                           |             |     |   |     |    |     |             |
|---------------------------|-------------|-----|---|-----|----|-----|-------------|
| METAL STANCHION<br>SHARED | 01-1515SOSS | 35¼ | 1 | 28¼ | 41 | 2.6 | ALUM \$ 273 |
|                           |             |     |   |     |    |     | BLK \$ 273  |
|                           |             |     |   |     |    |     | CHRM \$ 338 |




Must Specify (in this order):

Model #  
Color

#### Description

- Connects Two Single Sided Hutches ([See Hutches](#)) on Low Studio Components
- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM); Must Specify

|                                 |            |        |   |   |   |    |     |             |
|---------------------------------|------------|--------|---|---|---|----|-----|-------------|
| STUDIO COMPONENT,<br>SINGLE LEG | 01-0404SL4 | 4-pack | 1 | 1 | 4 | 10 | 1   | ALUM \$ 247 |
|                                 |            |        |   |   |   |    |     | BLK \$ 247  |
|                                 |            |        |   |   |   |    |     | CHRM \$ 303 |
|                                 | 01-0404SL2 | 2-pack | 1 | 1 | 4 | 5  | 0.5 | ALUM \$ 143 |
|                                 |            |        |   |   |   |    |     | BLK \$ 143  |
|                                 |            |        |   |   |   |    |     | CHRM \$ 176 |




Must Specify (in this order):

Model #  
Color

#### Description

- For Use With Studio Components
- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM); Must Specify

|                                 |             |        |   |   |   |    |     |             |
|---------------------------------|-------------|--------|---|---|---|----|-----|-------------|
| STUDIO COMPONENT,<br>SHARED LEG | 01-0404SSL4 | 4-pack | 1 | 1 | 4 | 10 | 1   | ALUM \$ 247 |
|                                 |             |        |   |   |   |    |     | BLK \$ 247  |
|                                 |             |        |   |   |   |    |     | CHRM \$ 303 |
|                                 | 01-0404SSL2 | 2-pack | 1 | 1 | 4 | 5  | 0.5 | ALUM \$ 143 |
|                                 |             |        |   |   |   |    |     | BLK \$ 143  |
|                                 |             |        |   |   |   |    |     | CHRM \$ 176 |



Must Specify (in this order):

Model #  
Color

#### Description

- For Use With Studio Components
- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM); Must Specify
- Connects Two Storage or Pedestal Units Together

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

## Height Adjustable Components


We've enhanced our height adjustable options to include a better integrated and easier to specify solution. These new models coupled with our existing modular height adjustable, and all of our standard models and storage options, provide you with the ultimate flexibility to meet the needs of your space and, more importantly, the needs of the user. And, we've made these new models more cost effective for you and more functional and spacious for the user.

### Some Highlights of Our Integrated Solutions:


- Adjustable from 30"H to 45"H, with a load capacity up to 180lbs
- Gently adjust one worksurface or multiple worksurfaces with a 1 second stop at each memory position
- Two leg configuration options include the standard 2-channel for Desks, Desk Shells, D-top and P-Top units for one height adjustable worksurface or a 3-channel option for two height adjustable worksurfaces to raise simultaneously
- Two height adjustable control switches available. Standard up/down switch (SWCH) and advanced switch features Bluetooth capabilities, three stand-up reminder intervals and four height memory positions (MSWCH)
- Moving Modesty (MOVMOD) option creates a clean aesthetic when seated or standing
- Height adjust control switch is factory installed on all units except Desk Shells, Bridges or 3-Channel units
- Bridges, returns, and credenzas have an optional grommet on the back panel
- New black wire management mesh wrap included when worksurface grommet is selected
- Grommets and one Latch Duct wire management channel provided within kneespace to manage wires from switch and control box. Two Latch Duct wire management channels will be shipped with Desk Shells



Black wire management mesh sleeve included with worksurface grommet



Standard 2-Channel Height Adjustable



2-Channel Height Adjustable with Box



Standard (SWCH) and Advanced Switch (MSWCH)






### Bring the Open Plan and Shared Spaces to Life!

Modular Height Adjustable components make it easy to create the perfect work environment for any space. Select from an array of sizes of worksurfaces, pedestals, filing units and more to connect teams together so collaborating can be easy and productive.

*If you prefer our original solution or have specified it previously, and would like to do so again, simply contact our Customer Service team for assistance. We can make that happen for you!*

| Item   | Model No.                       | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price           |
|--|---------------------------------|-------|-------|--------|-----|----|---------|----------|----------------------|
| HEIGHT ADJUSTABLE<br>DOUBLE PED BOW TOP DESK | 68-3672BDPSSTS<br>Stepped Front | 72    | 36-42 | 30-45  | 40½ | -  | 510     | 50.0     | T\$ 6952<br>P\$ 7247 |
|  | 68-3672BDPSTS<br>Recessed Front | 72    | 36-42 | 30-45  | 40½ | 10 | 510     | 50.0     | T\$ 6823<br>P\$ 7115 |
|  | 68-3666BDPSTS<br>Recessed Front | 66    | 36-42 | 30-45  | 34½ | 4  | 480     | 48.0     | T\$ 6707<br>P\$ 7042 |



Shown with  
Rectangle Top,  
Stepped Front,  
Moving Modesty  
and Top Up

Shown with  
Bow Top,  
Recessed Front,  
Moving Modesty  
and Top Up

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Drawer Pull  
Drawer Construction  
Drawer Track  
Moving Modesty  
Height Adjust Switch  
Grommet Location  
Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking Box/Box/File on Left and File/File on Right, Bow Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below or [TFL Color Options](#)
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**High Gloss Acrylic Modesty Options for Stepped Front Desks (68-3672BDPSSTS Only): Specify & Add**

|         |  |         |
|---------|--|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic   | \$ 1914 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)   | \$ 1748 |




**Moving Modesty Options: Specify & Add**

|        |  |        |
|--------|--|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 219 |
|--------|--|--------|

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                      | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price           |
|---|--------------------------------|-------|-------|--------|-----|----|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE DOUBLE PED DESK</b><br><br> <p>Shown with Wire Management Box and Top Up</p>  <p>Shown with Rectangle Top, Stepped Front, Moving Modesty and Top Up</p>  <p>Shown with Rectangle Top, Recessed Front, Moving Modesty and Top Up</p> | 68-3672DPSSTS<br>Stepped Front | 72    | 36    | 30-45  | 40½ | -  | 525     | 50.0     | T\$ 7218<br>P\$ 7506 |
|   | 68-3672DPSTS<br>Recessed Front | 72    | 36    | 30-45  | 40½ | 10 | 525     | 50.0     | T\$ 6418<br>P\$ 6705 |
|   | 68-3072DPSTS<br>Recessed Front | 72    | 30    | 30-45  | 40½ | 4  | 510     | 43.9     | T\$ 6320<br>P\$ 6590 |
|   | 68-3066DPSTS<br>Recessed Front | 66    | 30    | 30-45  | 34½ | 4  | 490     | 38.7     | T\$ 6223<br>P\$ 6480 |
|   | 68-3060DPSTS<br>Recessed Front | 60    | 30    | 30-45  | 28½ | 4  | 458     | 35.3     | T\$ 6109<br>P\$ 6350 |

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking Box/Box/File on Left and File/File on Right, Rectangle Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below or [TFL Color Options](#)
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**High Gloss Acrylic Modesty Options for Stepped Front Desks (68-3672DPSSTS Only): Specify & Add**

|         |  |         |
|---------|--|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic   | \$ 1914 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)   | \$ 1748 |

**Moving Modesty Options: Specify & Add**

|        |  |        |
|--------|--|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 219 |
|--------|--|--------|

Must Specify (in this order):



- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Drawer Track
- Moving Modesty
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management

**Pricing Codes:**


- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.      |                | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price           |
|---|----------------|----------------|-------|-------|--------|-----|----|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE SINGLE PED, BOW TOP DESK WITH BOX/BOX/FILE</b> | <b>Left</b>    | <b>Right</b>   |       |       |        |     |    |         |          |                      |
|   | 68-3672BLPSSTS | 68-3672BRPSSTS | 72    | 30-36 | 30-45  | 32¼ | 10 | 420     | 50.0     | T\$ 6614<br>P\$ 6906 |
|   | 68-3672BLPSTS  | 68-3672BRPSTS  | 72    | 30-36 | 30-45  | 32¼ | 10 | 420     | 50.0     | T\$ 6446<br>P\$ 6738 |
|   |                |                |       |       |        |     |    |         |          |                      |



Shown with Rectangle Top, Stepped Front, Moving Modesty and Top Up



Shown with Bow Top, Recessed Front, Moving Modesty and Top Up



Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Track
- Moving Modesty
- Modesty Color
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking Box/Box/File in Pedestal, Bow Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns and Bridges; [See Option Details and 3-Channel Units](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below or [TFL Color Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**High Gloss Acrylic Modesty Options for Stepped Front Desks (68-3672BDPSSTS Only): Specify & Add**

|         |  |         |
|---------|--|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic   | \$ 1914 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)   | \$ 1748 |

**Moving Modesty Options: Specify & Add**





|        |  |        |
|--------|--|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 219 |
|--------|--|--------|

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item   | Model No.                      | Width         | Depth | Height | K     | R   | Ship Wt | Cubic Ft | List Price |                      |
|--|--------------------------------|---------------|-------|--------|-------|-----|---------|----------|------------|----------------------|
| <b>HEIGHT ADJUSTABLE SINGLE PED DESK WITH BOX/BOX/FILE</b><br><br><br><br><br><br><br> | <b>Left</b>                    | <b>Right</b>  |       |        |       |     |         |          |            |                      |
|  | 68-3672LPSSTS<br>Stepped Front | 68-3672RPSSTS | 72    | 36     | 30-45 | 32¼ | 10      | 420      | 50.0       | T\$ 6218<br>P\$ 6507 |
|  | 68-3672LPSTS<br>Recessed Front | 68-3672RPSTS  | 72    | 36     | 30-45 | 32¼ | 10      | 430      | 50.0       | T\$ 5998<br>P\$ 6288 |
|  | 68-3072LPSTS<br>Recessed Front | 68-3072RPSTS  | 72    | 30     | 30-45 | 32¼ | 4       | 310      | 43.0       | T\$ 5965<br>P\$ 6236 |
|  | 68-3066LPSTS<br>Recessed Front | 68-3066RPSTS  | 66    | 30     | 30-45 | 26¼ | 4       | 280      | 38.7       | T\$ 5870<br>P\$ 6127 |
|  | 68-3060LPSTS<br>Recessed Front | 68-3060RPSTS  | 60    | 30     | 30-45 | 20¼ | 4       | 250      | 35.0       | T\$ 5782<br>P\$ 6022 |

Shown with Rectangle Top, Stepped Front, Moving Modesty and Top Up

Shown with Rectangle Top, Recessed Front, Moving Modesty and Top Up

Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Track
- Moving Modesty
- Modesty Color
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking Box/Box/File in Pedestal, Rectangle Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns and Bridges; [See Option Details and 3-Channel Units](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below and TFL Colors ([See Color Options](#))
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**High Gloss Acrylic Modesty Options for Stepped Front Desks: Specify & Add**

|         |  |         |
|---------|--|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic   | \$ 1914 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)   | \$ 1748 |

**Moving Modesty Options: Specify & Add**

|        |  |        |
|--------|--|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 219 |
|--------|--|--------|

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|--------------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE DESK SHELL</b><br><br>Shown with Rectangle Top, Recessed Front, Moving Modesty and Top Up | 66-3672SHSTS | 72    | 36    | 30-45  | 274     | 50.0     | T\$ 5361<br>P\$ 5652 |
|   | 66-3666SHSTS | 66    | 36    | 30-45  | 268     | 48.0     | T\$ 5311<br>P\$ 5586 |
|   | 66-3660SHSTS | 60    | 36    | 30-45  | 259     | 43.7     | T\$ 5266<br>P\$ 5530 |
|   | 66-3072SHSTS | 72    | 30    | 30-45  | 265     | 43.0     | T\$ 5286<br>P\$ 5557 |
|   | 66-3066SHSTS | 66    | 30    | 30-45  | 261     | 39.0     | T\$ 5250<br>P\$ 5506 |
|   | 66-3060SHSTS | 60    | 30    | 30-45  | 256     | 35.3     | T\$ 5182<br>P\$ 5421 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Moving Modesty
- Leg Configuration
- Height Adjust Switch
- Grommet Color
- Power/Data/Wire Management




Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Recessed Front, Left to Right Grain Direction on Worksurface, Profiled on Approach and User Side
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Modular Pedestals not Applicable
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns and Bridges; [See Option Details](#) and [3-Channel Units](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)


**Moving Modesty Options: Specify & Add**

|                       |        |
|-----------------------|--------|
| MOVMOD Moving Modesty | \$ 219 |
|-----------------------|--------|

| HEIGHT ADJUSTABLE D-TOP  |               |               | Left | Right | Width | Depth | Height | Ship Wt              | Cubic Ft | List Price |
|--|---------------|---------------|------|-------|-------|-------|--------|----------------------|----------|------------|
|  | Left          | Right         |      |       |       |       |        |                      |          |            |
| <br>Shown as Left | 66-3684DULSTS | 66-3684DURSTS | 84   | 36    | 30-45 | 287   | 60.5   | T\$ 6033<br>P\$ 6692 |          |            |
|  | 66-3672DULSTS | 66-3672DURSTS | 72   | 36    | 30-45 | 260   | 50.0   | T\$ 5677<br>P\$ 6209 |          |            |
|  | 66-3084DULSTS | 66-3084DURSTS | 84   | 30    | 30-45 | 290   | 51.0   | T\$ 5959<br>P\$ 6548 |          |            |
|  | 66-3072DULSTS | 66-3072DURSTS | 72   | 30    | 30-45 | 260   | 50.0   | T\$ 5614<br>P\$ 6132 |          |            |
|  | 66-3066DULSTS | 66-3066DURSTS | 66   | 30    | 30-45 | 246   | 40.0   | T\$ 5526<br>P\$ 6032 |          |            |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Moving Modesty
- Leg Configuration
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management



Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Left to Right Grain Direction on Worksurface
- Must be Used with Stationary or Height Adjustable Return or Bridge with Credenza
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns and Bridges; [See Option Details](#) and [3-Channel Units](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)


**Moving Modesty Options: Specify & Add**

|                       |        |
|-----------------------|--------|
| MOVMOD Moving Modesty | \$ 219 |
|-----------------------|--------|


**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.    | Width        | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|--------------|--------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE P-TOP</b><br> | <b>Left</b>  | <b>Right</b> |       |        |         |          |                      |
|   | 66-4284PLSTS | 66-4284PRSTS | 84    | 42-36  | 30-45   | 270      | T\$ 6304<br>P\$ 6974 |
|   | 66-4272PLSTS | 66-4272PRSTS | 72    | 42-36  | 30-45   | 261      | T\$ 6086<br>P\$ 6608 |

Shown as Left



Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

Shown as Left with Moving Modesty

Must Specify (in this order):


- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Moving Modesty
- Leg Configuration
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Left to Right Grain Direction on Worksurface
- Must be Used with Stationary or Height Adjustable Return, Bridge or Credenza
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Optional Worksurface Center Grommet Only; Must Specify: Black (BLK), Silver (SLV) or None (NONE)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns and Bridges; [See Option Details and 3-Channel Units](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- For Additional Information Including Worksurface Materials, Worksurface Center Grommet and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Moving Modesty Options: Specify & Add**

|        |                |    |     |
|--------|----------------|----|-----|
| MOVMOD | Moving Modesty | \$ | 219 |
|--------|----------------|----|-----|

| Item   | Model No.                                    | Width         | Depth | Height | Ship Wt | Cubic Ft             | List Price           |  |
|--|--|---------------|-------|--------|---------|----------------------|----------------------|--|
| <b>HEIGHT ADJUSTABLE RETURN WITH FILE/FILE</b><br><br><b>2-CHANNEL, FOR ONE WORKSURFACE</b><br> | <b>Left</b>                                  | <b>Right</b>  |       |        |         |                      |                      |  |
|  | 68-2448LF2STS                                | 68-2448RF2STS | 48    | 24     | 30-45   | 251                  | T\$ 5173<br>P\$ 5359 |  |
|  | Front to Back Grain Direction on Worksurface |               |       |        |         |                      |                      |  |
|  | 68-2442LF2STS                                | 68-2442RF2STS | 42    | 24     | 30-45   | 233                  | T\$ 5110<br>P\$ 5278 |  |
|  | Front to Back Grain Direction on Worksurface |               |       |        |         |                      |                      |  |
|  | 68-4824LF2STS                                | 68-4824RF2STS | 48    | 24     | 30-45   | 251                  | T\$ 5173<br>P\$ 5359 |  |
| Left to Right Grain Direction on Worksurface   |  |               |       |        |         |                      |                      |  |
| 68-4224LF2STS  | 68-4224RF2STS                                | 42            | 24    | 30-45  | 233     | T\$ 5110<br>P\$ 5278 |                      |  |
| Left to Right Grain Direction on Worksurface   |  |               |       |        |         |                      |                      |  |

Shown as Right

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull Construction
- Track
- Moving Modesty
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management
- Modesty Grommet
- Grommet Color

**Description**


- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking File/File in Pedestal, Top Profiled on User Side, Wire Management from Pedestal to Kneespace
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Worksurface Grommet with Mesh Wire Management Sleeve or Wire Management Boxes Available Centered Between Height Adjustable Legs (CKS) and Over Peds and 6" from End (GL or GR); Must Specify Location and Color: GL or GL-MESH for Left or GR or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                                    | Width         | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|--|---------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE RETURN WITH BOX/BOX/FILE</b> | <b>Left</b>                                  |               |       |        |         |          |                      |
|   | <b>Right</b>                                 |               |       |        |         |          |                      |
| <b>2-CHANNEL, FOR ONE WORKSURFACE</b>             | 68-2448LF1STS                                | 68-2448RF1STS | 48    | 24     | 30-45   | 251      | T\$ 5173<br>P\$ 5359 |
|   | Front to Back Grain Direction on Worksurface |               |       |        |         |          |                      |
|   | 68-2442LF1STS                                | 68-2442RF1STS | 42    | 24     | 30-45   | 233      | T\$ 5110<br>P\$ 5278 |
|   | Front to Back Grain Direction on Worksurface |               |       |        |         |          |                      |
|   | 68-4824LF1STS                                | 68-4824RF1STS | 48    | 24     | 30-45   | 251      | T\$ 5173<br>P\$ 5359 |
|   | Left to Right Grain Direction on Worksurface |               |       |        |         |          |                      |
|   | 68-4224LF1STS                                | 68-4224RF1STS | 42    | 24     | 30-45   | 233      | T\$ 5110<br>P\$ 5278 |
|   | Left to Right Grain Direction on Worksurface |               |       |        |         |          |                      |



Shown as Right


Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction Track
- Height Adjust Switch
- Grommet Location
- Power/Data/Wire Management
- Modesty Grommet
- Grommet Color

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking Box/Box/File in Pedestal, Top Profiled on User Side, Wire Management from Pedestal to Kneespace
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Worksurface Grommet with Mesh Wire Management Sleeve or Wire Management Boxes Available Centered Between Height Adjustable Legs (CKS) and Over Peds and 6" from End (GL or GR); Must Specify Location and Color: GL or GL-MESH for Left or GR or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

| Item  | Model No.                                    | Width          | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|--|----------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE RETURN WITH FILE/FILE</b>      | <b>Left</b>                                  |                |       |        |         |          |                      |
|   | <b>Right</b>                                 |                |       |        |         |          |                      |
| <b>3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES</b> | 68-2448LF2STS3                               | 68-2448RF2STS3 | 48    | 24     | 30-45   | 201      | T\$ 3436<br>P\$ 3623 |
|   | Front to Back Grain Direction on Worksurface |                |       |        |         |          |                      |
|   | 68-2442LF2STS3                               | 68-2442RF2STS3 | 42    | 24     | 30-45   | 183      | T\$ 3373<br>P\$ 3540 |
|   | Front to Back Grain Direction on Worksurface |                |       |        |         |          |                      |



Shown as Left

Shown as Left  
Top Up

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction Track
- Height Adjust Switch
- Grommet
- Power/Data/Wire Management
- Modesty Grommet
- Grommet Color

**Description**


- Standard with: 3-Channel Leg Configuration for Multiple Worksurface Height Adjustment, Letter Width Locking File/File in Pedestal, Top Profiled on User Side, Wire Management from Pedestal to Kneespace
- Must be Used with Height Adjustable Single Ped Desk, Height Adjustable D-Top or P-Top
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Worksurface Grommet with Mesh Wire Management Sleeve Available Over Ped Only; 6" from Ends and 20" from User; Must Specify Location and Color: GL or GL-MESH for Left or GR or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Monitor Arms not Available on this Unit
- Optional Modesty/Pedestal Grommet for Wire Management to Wall **Centered on Pedestal Only**; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                                    | Width          | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|----------------|-------|--------|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE RETURN WITH BOX/BOX/FILE</b>   | <b>Left</b>                                  |                |       |        |         |          |            |
|   | <b>Right</b>                                 |                |       |        |         |          |            |
| <b>3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES</b> | 68-2448LF1STS3                               | 68-2448RF1STS3 | 48    | 24     | 30-45   | 201      | T\$ 3436   |
|   | Front to Back Grain Direction on Worksurface |                |       |        |         |          |            |
|   | 68-2442LF1STS3                               | 68-2442RF1STS3 | 42    | 24     | 30-45   | 183      | T\$ 3373   |
|   | Front to Back Grain Direction on Worksurface |                |       |        |         |          |            |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Track
- Height Adjust Switch
- Grommet
- Power/Data/Wire Management
- Modesty Grommet
- Grommet Colors.

**Description**

- Standard with: 3-Channel Leg Configuration for Multiple Worksurface Height Adjustment, Letter Width Locking Box/Box/File in Pedestal, Top Profiled on User Side
- Must be Used with Height Adjustable Single Ped Desk, Height Adjustable D-Top or P-Top
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty/Pedestal Grommet for Wire Management to Wall **Centered on Pedestal Only**; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Worksurface Grommet with Mesh Wire Management Sleeve Available Over Ped Only; 6" from Ends and 20" from User; Must Specify Location and Color: GL or GL-MESH for Left or GR or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Monitor Arms not Available on this Unit
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Pulls, Grommets, Power Locations, and More can be Found in the [Intro Section](#)

| HEIGHT ADJUSTABLE RETURN SHELL | End Panel Left | End Panel Right | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------|----------------|-----------------|-------|-------|--------|---------|----------|------------|
|                                | 66-2448RSHLSTS | 66-2448RSHRSTS  | 48    | 24    | 30-45  | 280     | 24.0     | T\$ 4649   |
|                                |                |                 |       |       |        |         |          | P\$ 4833   |
|                                | 66-2442RSHLSTS | 66-2442RSHRSTS  | 42    | 24    | 30-45  | 250     | 24.0     | T\$ 4585   |
|                                |                |                 |       |       |        |         |          | P\$ 4753   |



Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Height Adjust Switch
- Grommet
- Power/Data/Wire Management
- Modesty Grommet
- Grommet Color

**Description**


- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Top Profiled on User Side
- Optional Worksurface Center Grommet Only; Must Specify: Black (BLK), Silver (SLV) or None (NONE); [See Grommet Options](#)
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|--------------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE BRIDGE</b><br><br><b>2-CHANNEL, FOR ONE WORKSURFACE</b> | 66-2448UFSTS | 48    | 24    | 30-45  | 182     | 24.0     | T\$ 4340<br>P\$ 4526 |
|  | 66-2442UFSTS | 42    | 24    | 30-45  | 168     | 21.0     | T\$ 4317<br>P\$ 4484 |
|  | 66-2436UFSTS | 36    | 24    | 30-45  | 146     | 18.0     | T\$ 4281<br>P\$ 4430 |
|  | 66-2048UFSTS | 48    | 20    | 30-45  | 177     | 20.0     | T\$ 4292<br>P\$ 4456 |
|  | 66-2042UFSTS | 42    | 20    | 30-45  | 167     | 18.0     | T\$ 4271<br>P\$ 4420 |
|  | 66-2036UFSTS | 36    | 20    | 30-45  | 143     | 15.0     | T\$ 4240<br>P\$ 4371 |




Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Height Adjust Switch  
 Grommet  
 Power/Data/Wire Management  
 Modesty Grommet  
 Grommet Color

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Optional Worksurface Grommet and Power Units Available on Center Only; [See Options](#)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

| HEIGHT ADJUSTABLE BRIDGE FOR MULTIPLE SURFACES      |                |                |       |       |        |         |          |                      |  |
|---|----------------|----------------|-------|-------|--------|---------|----------|----------------------|--|
|   | Left           | Right          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |  |
| <b>3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES</b> | 66-2448UFSTSL3 | 66-2448UFSTSR3 | 48    | 24    | 30-45  | 172     | 24.0     | T\$ 3190<br>P\$ 3376 |  |
|   | 66-2442UFSTSL3 | 66-2442UFSTSR3 | 42    | 24    | 30-45  | 158     | 21.0     | T\$ 3167<br>P\$ 3334 |  |
|   | 66-2436UFSTSL3 | 66-2436UFSTSR3 | 36    | 24    | 30-45  | 136     | 18.0     | T\$ 3131<br>P\$ 3280 |  |
|   | 66-2048UFSTSL3 | 66-2048UFSTSR3 | 48    | 20    | 30-45  | 167     | 20.0     | T\$ 3142<br>P\$ 3306 |  |
|   | 66-2042UFSTSL3 | 66-2042UFSTSR3 | 42    | 20    | 30-45  | 154     | 18.0     | T\$ 3121<br>P\$ 3270 |  |
|   | 66-2036UFSTSL3 | 66-2036UFSTSR3 | 36    | 20    | 30-45  | 133     | 15.0     | T\$ 3090<br>P\$ 3221 |  |



SIN PENDING

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Grommet  
 Power/Data/Wire Management  
 Modesty Grommet  
 Grommet Color

**Description**


- Standard with: 3-Channel Leg Configuration for Multiple Surface Height Adjustment, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Optional Worksurface Grommet and Power Units Available on Center Only; [See Options](#)
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

**Pricing Codes:**


T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.             | Width                  | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|-----------------------|------------------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE SINGLE PED CREDENZA WITH BOX/BOX/FILE</b> | <b>End Panel Left</b> | <b>End Panel Right</b> |       |        |         |          |                      |
|  | 68-2472LC1STS         | 68-2472RC1STS          | 72    | 24     | 30-45   | 300      | T\$ 5571<br>P\$ 5806 |
|  | 68-2466LC1STS         | 68-2466RC1STS          | 66    | 24     | 30-45   | 282      | T\$ 5553<br>P\$ 5775 |



Shown as Left



Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge


Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Track
- Height Adjust Switch
- Grommet Color
- Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking Box/Box/File in Pedestal, Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns; [See Option Details](#) and [3-Channel Units](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet on Approach for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Grommet and Wire Management Box Locations, Pulls, Power Availability, and More can be Found in the [Intro Section](#)

|   |                       |                        |    |    |       |     |                      |
|---|-----------------------|------------------------|----|----|-------|-----|----------------------|
| <b>HEIGHT ADJUSTABLE SINGLE PED CREDENZA WITH FILE/FILE</b> | <b>End Panel Left</b> | <b>End Panel Right</b> |    |    |       |     |                      |
|   | 68-2472LC2STS         | 68-2472RC2STS          | 72 | 24 | 30-45 | 300 | T\$ 5571<br>P\$ 5806 |
|   | 68-2466LC2STS         | 68-2466RC2STS          | 66 | 24 | 30-45 | 282 | T\$ 5553<br>P\$ 5775 |



Shown as Left

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Track
- Height Adjust Switch
- Grommet Color
- Power/Data/Wire Management



Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Letter Width Locking File/File in Pedestal, Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns; [See Option Details](#) and [3-Channel Units](#)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets, Power Locations, and More can be Found in the [Intro Section](#)


**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item   | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|--------------|-------|-------|--------|---------|----------|----------------------|
| HEIGHT ADJUSTABLE KNEESPACE CREDENZA WITH FILE/FILE PEDS | 68-2472KCSTS | 72    | 24    | 30-45  | 340     | 35.6     | T\$ 6338<br>P\$ 6576 |
|  | 68-2466KCSTS | 66    | 24    | 30-45  | 320     | 32.7     | T\$ 6152<br>P\$ 6375 |




Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Drawer Front Color
- Grain Direction (if applicable)
- Drawer Pull
- Drawer Construction
- Track
- Height Adjust Switch
- Grommet Color
- Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking File/File in Pedestals, Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Grommet and Wire Management Box Locations, Pulls, Power Availability, and More can be Found in the [Intro Section](#)

|                                  |              |    |    |       |     |      |                      |
|----------------------------------|--------------|----|----|-------|-----|------|----------------------|
| HEIGHT ADJUSTABLE CREDENZA SHELL | 66-2472SHSTS | 72 | 24 | 30-45 | 294 | 36.0 | T\$ 5132<br>P\$ 5367 |
|                                  | 66-2466SHSTS | 66 | 24 | 30-45 | 287 | 33.0 | T\$ 5090<br>P\$ 5316 |
|                                  | 66-2460SHSTS | 60 | 24 | 30-45 | 280 | 30.0 | T\$ 5055<br>P\$ 5273 |



Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Profiled on User Side, and Modesty Grommet
- Modular Pedestals not Applicable
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Optional Worksurface Grommet; Must Specify: Black (BLK), Silver (SLV) or None (NONE); [See Grommet Options](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns; [See Option Details](#) and [3-Channel Units](#)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed
- For Additional Information Including Worksurface Grommet and Wire Management Box Locations, Power Availability, and More can be Found in the [Intro Section](#)

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Leg Configuration
- Height Adjust Switch
- Grommet Color
- Power/Data/Wire Management

|               |            |    |   |        |    |     |         |
|---------------|------------|----|---|--------|----|-----|---------|
| SUPPORT PANEL | 66-2812RSP | 12 | 1 | 28 1/4 | 12 | 0.8 | T\$ 245 |
|---------------|------------|----|---|--------|----|-----|---------|



**Description**

- To be Used to Support Stationary Returns and Bridges Worksurfaces with Height Adjustable Units
- Required to be Used Perpendicular to Full Back Panels for Support of Kneespace Areas 60" or Longer

Must Specify (in this order):


- Model #
- Color

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)




| Item  | Model No.                       | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|---|---------------------------------|-------|-------|--------|---------|----------|--------------------|
| <b>HEIGHT ADJUSTABLE WORK SURFACE FOR OVERHEAD STORAGE</b><br><br> | 66-3462HTP<br>For 72" Footprint | 62    | 34    | 1      | 84      | 5.3      | T\$ 650<br>P\$ 906 |
|   | 66-3456HTP<br>For 66" Footprint | 56    | 34    | 1      | 78      | 4.8      | T\$ 620<br>P\$ 867 |
|   | 66-2862HTP<br>For 72" Footprint | 62    | 28    | 1      | 79      | 4.2      | T\$ 613<br>P\$ 858 |
|   | 66-2856HTP<br>For 66" Footprint | 56    | 28    | 1      | 75      | 3.8      | T\$ 565<br>P\$ 791 |
|   | 66-2850HTP<br>For 60" Footprint | 50    | 28    | 1      | 71      | 3.4      | T\$ 534<br>P\$ 746 |
|   | 66-2262HTP<br>For 72" Footprint | 62    | 22    | 1      | 42      | 3.3      | T\$ 531<br>P\$ 745 |
|   | 66-2256HTP<br>For 66" Footprint | 56    | 22    | 1      | 36      | 3.0      | T\$ 506<br>P\$ 709 |
|   | 66-2250HTP<br>For 60" Footprint | 50    | 22    | 1      | 33      | 2.7      | T\$ 465<br>P\$ 651 |

Must Specify (in this order):

- Model #
- Top Material
- Color
- Edge Profile
- Grommet Location
- Grommet Color
- Power/Data/Wire Management

**Description**

- Profiled on Approach and User Side
- 10" Width Offset to Provide Clearance for Overhead Storage and Access to Optional Power in Credenza
- Depth Allows for Use With Gallery Screens
- Not Available for Use with Height Adjustable Open Bookcase with Controls
- [See Height Adjustable Legs and Cabinets](#)
- Additional Options: Power, Monitor Arm and Grommet Options ([See Options](#))

|  |                                      |    |    |   |     |     |                     |
|--|--------------------------------------|----|----|---|-----|-----|---------------------|
| <b>HEIGHT ADJUSTABLE WORK SURFACE FOR INDIVIDUAL WORKSTATIONS</b><br><br> | 66-3470HTP<br>Stiffener Bar Included | 70 | 34 | 1 | 115 | 6.2 | T\$ 902<br>P\$ 1263 |
|  | 66-3464HTP                           | 64 | 34 | 1 | 68  | 5.2 | T\$ 692<br>P\$ 967  |
|  | 66-3458HTP                           | 58 | 34 | 1 | 62  | 4.8 | T\$ 659<br>P\$ 922  |
|  | 66-2870HTP<br>Stiffener Bar Included | 70 | 28 | 1 | 85  | 4.6 | T\$ 779<br>P\$ 1089 |
|  | 66-2864HTP                           | 64 | 28 | 1 | 81  | 4.3 | T\$ 597<br>P\$ 835  |
|  | 66-2858HTP                           | 58 | 28 | 1 | 77  | 3.9 | T\$ 569<br>P\$ 795  |
|  | 66-2852HTP                           | 52 | 28 | 1 | 73  | 3.5 | T\$ 522<br>P\$ 730  |
|  | 66-2846HTP                           | 46 | 28 | 1 | 69  | 3.1 | T\$ 486<br>P\$ 678  |

Must Specify (in this order):

- Model #
- Top Material
- Color
- Edge Profile
- Grommet Location
- Grommet Color
- Power/Data/Wire Management

**Description**

- Profiled on Approach and User Side
- [See Height Adjustable Legs and Cabinets](#)
- Additional Options: Power, Monitor Arm and Grommet Options ([See Options](#))

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.                            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|---|--------------------------------------|-------|-------|--------|---------|----------|--------------------|
| <b>HEIGHT ADJUSTABLE WORK SURFACE FOR MULTIPLE AND INDIVIDUAL WORKSTATIONS</b><br><br> | 66-2270HTP<br>Stiffener Bar Included | 70    | 22    | 1      | 50      | 3.8      | T\$ 702<br>P\$ 985 |
|   | 66-2264HTP                           | 64    | 22    | 1      | 44      | 3.4      | T\$ 538<br>P\$ 752 |
|   | 66-2258HTP                           | 58    | 22    | 1      | 38      | 3.1      | T\$ 512<br>P\$ 718 |
|   | 66-2252HTP                           | 52    | 22    | 1      | 35      | 2.8      | T\$ 469<br>P\$ 658 |
|   | 66-2246HTP                           | 46    | 22    | 1      | 31      | 2.5      | T\$ 438<br>P\$ 613 |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile  
Grommet Location  
Grommet Color  
Power/Data/Wire Management

**Description**

- Profiled on Approach and User Side
- Can Also be Used in Individual Workstations Applications
- [See Height Adjustable Legs and Cabinets](#)
- Additional Options: Power, Monitor Arm and Grommet Options ([See Options](#))


| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|---|-------|-------|--------|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE T-LEG</b><br><br> | 01-2245HTLC<br>Includes Control, Motor Cable and Keypad                     | 22    | 2     | 28¼    | 40      | 0.5      | \$ 2077    |
|  | 01-2245HTL<br><b>Does Not</b> Include Control, Requires a Unit with Control | 22    | 2     | 28¼    | 40      | 0.5      | \$ 1442    |

**Description**

- Available in Black or Silver; Must Specify
- 16" Adjustable Range

Must Specify (in this order):

Model #  
Color

| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------|-------|--------|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE PANEL LEG</b><br><br> | 66-0536HPC<br>For Use With 34"D Top<br>Includes Control, Motor Cable and Keypad                     | 36    | 5%    | 28¼    | 50      | 4.5      | T\$ 2394   |
|   | 66-0530HPC<br>For Use With 28"D Top<br>Includes Control, Motor Cable and Keypad                     | 30    | 5%    | 28¼    | 49      | 4.5      | T\$ 2356   |
|   | 66-0524HPC<br>For Use With 22"D Top<br>Includes Control, Motor Cable and Keypad                     | 24    | 5%    | 28¼    | 48      | 4.5      | T\$ 2252   |
|   | 66-0536HP<br>For Use With 34"D Top<br><b>Does Not</b> Include Control, Requires a Unit with Control | 36    | 5%    | 28¼    | 50      | 4.5      | T\$ 1834   |
|   | 66-0530HP<br>For Use With 28"D Top<br><b>Does Not</b> Include Control, Requires a Unit with Control | 30    | 5%    | 28¼    | 49      | 4.5      | T\$ 1799   |
|   | 66-0524HP<br>For Use With 22"D Top<br><b>Does Not</b> Include Control, Requires a Unit with Control | 24    | 5%    | 28¼    | 48      | 4.5      | T\$ 1696   |

Must Specify (in this order):

Model #  
Color


**Description**

- Available in Black or Silver; Must Specify
- 16" Adjustable Range

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|-------|--------|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE PANEL LEG WITH SLEEVE</b><br> | 66-0536HPSC<br>For Use With 34"D Top<br>Includes Control, Motor Cable and Keypad                     | 34    | 5%    | 28¼    | 50      | 4.5      | T\$ 2928   |
|   | 66-0530HPSC<br>For Use With 28"D Top<br>Includes Control, Motor Cable and Keypad                     | 28    | 5%    | 28¼    | 49      | 4.5      | T\$ 2857   |
|   | 66-0524HPSC<br>For Use With 22"D Top<br>Includes Control, Motor Cable and Keypad                     | 22    | 5%    | 28¼    | 48      | 4.5      | T\$ 2717   |
|   | 66-0536HPS<br>For Use With 34"D Top<br><b>Does Not</b> Include Control, Requires a Unit with Control | 34    | 5%    | 28¼    | 50      | 4.5      | T\$ 2371   |
|   | 66-0530HPS<br>For Use With 28"D Top<br><b>Does Not</b> Include Control, Requires a Unit with Control | 28    | 5%    | 28¼    | 49      | 4.5      | T\$ 2302   |
|   | 66-0524HPS<br>For Use With 22"D Top<br><b>Does Not</b> Include Control, Requires a Unit with Control | 22    | 5%    | 28¼    | 48      | 4.5      | T\$ 2158   |

Must Specify (in this order):

Model #  
Color

#### Description

- For Use in Place of Cabinet
- 16" Adjustable Range
- Not Compatible with 4" Modesty Panels

|  |           |    |      |     |    |     |          |
|--|-----------|----|------|-----|----|-----|----------|
| <b>HEIGHT ADJUSTABLE PANEL LEG FOR SHARED WORKSTATION</b><br> | 66-1124HP | 24 | 10 ¼ | 28¼ | 50 | 4.5 | T\$ 2686 |
|--|-----------|----|------|-----|----|-----|----------|

#### Description

- Available in Black or Silver; Must Specify
- 16" Adjustable Range
- Shared Cabinet with Dual Legs For Multi-Workstation Footprints
- Required to be Used with a Unit Including Controls
- For Use with 24"D Worksurfaces


Must Specify (in this order):

Model #  
Color

#### Pricing Codes:

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|------------|-------|-------|--------|---------|----------|----------------------|
|  <p>HEIGHT ADJUSTABLE OPEN BOOKCASE WITH CONTROL</p> | 66-2436HBM | 36    | 24    | 21¾    | 99      | 18.3     | T\$ 3223<br>P\$ 3373 |
|   | 66-2430HBM | 30    | 24    | 21¾    | 89      | 15.4     | T\$ 3176<br>P\$ 3318 |
|   | 66-2424HBM | 24    | 24    | 21¾    | 79      | 12.5     | T\$ 3119<br>P\$ 3259 |
|   | 66-2036HBM | 36    | 20    | 21¾    | 89      | 15.5     | T\$ 3164<br>P\$ 3296 |
|   | 66-2030HBM | 30    | 20    | 21¾    | 79      | 13.1     | T\$ 3122<br>P\$ 3251 |
|   | 66-2024HBM | 24    | 20    | 21¾    | 69      | 10.6     | T\$ 3065<br>P\$ 3190 |

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Leg Color
- Wire Management Sleeve
- Wire Management Kneespace Access

**Description**

- Open Back; [See Back Panel Options](#)
- Open Book Case with Controls; Profiled on User Side
- One Adjustable Shelf; 13" Deep Shelf on 24" Units/9" Deep Shelf on 20" Units
- Not Available for Use with Overhead Storage
- When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; [See Panel Legs](#) 01-2245HTL, 66-0536HP, 66-0530HP, 66-0524HP, 66-0536HPS, 66-0530HPS, or 66-0524HPS
- Leg Available in Black or Silver; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Worksurface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)
- Optional Wire Management Sleeve Available (See Below); Wire Management Sleeve Replaces Standard Work Surface Grommet
- Wire Management Access from Pedestal to Kneespace; Specify Left (WML), Right (WMR) or Left and Right (WMLR)



**Options: Specify & Add**

|           |                        |         |
|-----------|------------------------|---------|
| WM Sleeve | Wire Management Sleeve | T\$ 405 |
|-----------|------------------------|---------|

**Pricing Codes:**

- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|-----------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE CABINET WITH CONTROL</b><br> | 66-2436HM | 36    | 24    | 21¾    | 99      | 18.3     | T\$ 2922<br>P\$ 3072 |
|  | 66-2430HM | 30    | 24    | 21¾    | 89      | 15.4     | T\$ 2879<br>P\$ 3020 |
|  | 66-2424HM | 24    | 24    | 21¾    | 79      | 12.5     | T\$ 2830<br>P\$ 2968 |
|  | 66-2036HM | 36    | 20    | 21¾    | 89      | 15.5     | T\$ 2867<br>P\$ 3000 |
|  | 66-2030HM | 30    | 20    | 21¾    | 79      | 13.1     | T\$ 2831<br>P\$ 2959 |
|  | 66-2024HM | 24    | 20    | 21¾    | 69      | 10.6     | T\$ 2779<br>P\$ 2902 |

Must Specify (in this order):


- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Leg Color
- Wire Management Sleeve
- Wire Management Kneespace Access


**Description**

- Open Back; [See Back Panel Options](#)
- Cabinet with Controls; Profiled on User Side
- Open Bottom Allows for Wire Management
- Removable Access Front Panel Available in Contrasting Color; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; [See Panel Legs](#) for Panel Legs 01-2245HTL, 66-0536HP, 66-0530HP, 66-0524HP, 66-0536HPS, 66-0530HPS, or 66-0524HPS
- Leg Available in Black or Silver; Must Specify
- Work Surface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)
- Optional Wire Management Sleeve Available (See Below); Wire Management Sleeve Replaces Standard Work Surface Grommet
- Wire Management Access from Pedestal to Kneespace; Specify Left (WML), Right (WMR) or Left and Right (WMLR)

**Options: Specify & Add**

|           |                        |         |
|-----------|------------------------|---------|
| WM Sleeve | Wire Management Sleeve | T\$ 405 |
|-----------|------------------------|---------|



| Item  | Leg Left of Door |            | Leg Right of Door |           | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|------------------|------------|-------------------|-----------|-------|-------|--------|---------|----------|----------------------|
|   | Model No.        | Model No.  | Model No.         | Model No. |       |       |        |         |          |                      |
| <b>HEIGHT ADJUSTABLE CABINET WITH DOOR AND CONTROL</b><br> | 66-2436HDL       | 66-2436HDR | 30                | 24        | 21¾   | 95    | 18.3   | 95      | 18.3     | T\$ 3254<br>P\$ 3402 |
|   | 66-2430HDL       | 66-2430HDR | 24                | 24        | 21¾   | 75    | 15.4   | 75      | 15.4     | T\$ 3200<br>P\$ 3345 |
|   | 66-2036HDL       | 66-2036HDR | 36                | 20        | 21¾   | 85    | 15.5   | 85      | 15.5     | T\$ 3193<br>P\$ 3324 |
|   | 66-2030HDL       | 66-2030HDR | 30                | 20        | 21¾   | 65    | 13.1   | 65      | 13.1     | T\$ 3149<br>P\$ 3273 |

Shown as Left  
(Leg is Left of Door)

Must Specify (in this order):

- Model #
- Top Material
- Top Color
- Edge Profile
- Chassis Color
- Leg Color
- Wire Management Sleeve
- Wire Management Kneespace Access


**Description**

- Open Back; [See Back Panel Options](#)
- Handed Based on Facing the Unit
- Cabinet with Controls; Profiled on User Side
- Open Bottom Allows for Wire Management
- 9" Door Opening With Touch Latch and Includes Bottom Panel, Storage Behind Door
- When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; [See Panel Legs](#) for Panel Legs 01-2245HTL, 66-0536HP, 66-0530HP, 66-0524HP, 66-0536HPS, 66-0530HPS, or 66-0524HPS
- Door and Removable Access Front Panel Available in Contrasting Color; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Leg Available in Black or Silver; Must Specify
- Worksurface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)
- Wire Management Access from Pedestal to Kneespace; Specify Left (WML), Right (WMR) or Left and Right (WMLR)

**Pricing Codes:**


- T= TFL
- P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.   |                             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |  |
|--|---|-----------------------------|-------|-------|--------|---------|----------|----------------------|--|
| <b>HEIGHT ADJUSTABLE CREDENZA WITH OPEN BOOKCASE AND CONTROL</b><br><br><br>Shown as Left | <b>Leg in Left Cabinet</b>  | <b>Leg in Right Cabinet</b> |       |       |        |         |          |                      |  |
|  | 66-2472HMOL   | 66-2472HMOR                 | 72    | 24    | 21¾    | 240     | 35.6     | T\$ 3875<br>P\$ 4114 |  |
|  | 66-2466HMOL   | 66-2466HMOR                 | 66    | 24    | 21¾    | 220     | 32.7     | T\$ 3806<br>P\$ 4029 |  |
|  | 66-2460HMOL   | 66-2460HMOR                 | 60    | 24    | 21¾    | 220     | 29.9     | T\$ 3734<br>P\$ 3956 |  |
|  | 66-2072HMOL   | 66-2072HMOR                 | 72    | 20    | 21¾    | 220     | 30.2     | T\$ 3757<br>P\$ 3968 |  |
|  | 66-2066HMOL   | 66-2066HMOR                 | 66    | 20    | 21¾    | 210     | 27.7     | T\$ 3691<br>P\$ 3891 |  |
|  | 66-2060HMOL   | 66-2060HMOR                 | 60    | 20    | 21¾    | 210     | 25.3     | T\$ 3618<br>P\$ 3809 |  |
|  | <b>Description</b>  |                             |       |       |        |         |          |                      |  |
|  | <ul style="list-style-type: none"> <li>• Standard with: Controls, Back Panel, One Adjustable Shelf in Bookcase End, Profiled on User Side</li> <li>• Bottom Panel Not Included Behind Removable Access Front Panel for Wire Management</li> <li>• Designed for 28" Deep Worksurfaces Only (<a href="#">See Worksurfaces</a>)</li> <li>• Handed Based on Height Adjust Cabinet and Facing the Unit</li> <li>• Removable Access Front Panel Available in Contrasting Color; Must Specify</li> <li>• Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component</li> <li>• When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; <a href="#">See Panel Legs</a> for Panel Legs 01-2245HTL, 66-0536HPS, 66-0530HPS, or 66-0524HPS</li> <li>• Leg Available in Black or Silver; Must Specify</li> <li>• Worksurface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)</li> <li>• Optional Back Panel Grommet, Must Specify: Black (GMBBL), Silver (GMBSV); Color Must Match Worksurface Grommet</li> <li>• Optional Wire Management Sleeve Available (See Below); Wire Management Sleeve Replaces Standard Work Surface Grommet</li> <li>• Optional Power Locations (<a href="#">See Power Options</a>)</li> </ul> |                             |       |       |        |         |          |                      |  |
| <b>Options: Specify &amp; Add</b>  |   |                             |       |       |        |         |          |                      |  |
|  | WM Sleeve   | Wire Management Sleeve      |       |       |        |         |          | T\$ 405              |  |

Must Specify (in this order):


- Model #
- Top Material
- Top Color
- Edge Profile
- Wire Management Sleeve
- Chassis Color
- Front Panel Color
- Grain Direction (if applicable)
- Leg Color
- Worksurface Grommet
- Grommet Color
- Power/Data/Wire Management
- Back Panel Grommet



**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.                  | Width                       | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|----------------------------|-----------------------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE CREDENZA WITH DOOR, OPEN BOOKCASE AND CONTROL</b><br><br><br><br>Shown as Left | <b>Leg in Left Cabinet</b> | <b>Leg in Right Cabinet</b> |       |        |         |          |                      |
|  | 66-2472HDOL                | 66-2472HDOR                 | 72    | 24     | 21¾     | 240      | T\$ 4251<br>P\$ 4488 |
|  | 66-2466HDOL                | 66-2466HDOR                 | 66    | 24     | 21¾     | 230      | T\$ 4171<br>P\$ 4394 |
|  | 66-2460HDOL                | 66-2460HDOR                 | 60    | 24     | 21¾     | 220      | T\$ 4095<br>P\$ 4317 |
|  | 66-2072HDOL                | 66-2072HDOR                 | 72    | 20     | 21¾     | 240      | T\$ 4118<br>P\$ 4330 |
|  | 66-2066HDOL                | 66-2066HDOR                 | 66    | 20     | 21¾     | 230      | T\$ 4045<br>P\$ 4247 |
|  | 66-2060HDOL                | 66-2060HDOR                 | 60    | 20     | 21¾     | 220      | T\$ 3968<br>P\$ 4159 |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Wire Management Sleeve  
 Chassis Color  
 Front Panel  
 Color  
 Grain Direction (if applicable)  
 Leg Color  
 Worksurface Grommet  
 Grommet Color  
 Power/Data/Wire Management  
 Back Panel Grommet


**Description**

- Credenza with Controls; Profiled on User Side; Back Panel Included, One Adjustable Shelf in Bookcase End
- Bottom Panel Not Included Behind Removable Access Front Panel for Wire Management
- 9" Door Opening With Touch Latch and Includes Bottom Panel, Storage Behind Door
- Designed for 28" Deep Worksurfaces Only ([See Worksurfaces](#))
- Handed Based on Height Adjust Cabinet and Facing the Unit
- Door and Removable Access Front Panel Available in Contrasting Color; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; [See Panel Legs](#) 01-2245HTL, 66-0536HPS, or 66-0530HPS
- Leg Available in Black or Silver; Must Specify
- Worksurface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)
- Optional Back Panel Grommet, Must Specify: Black (GMBBL), Silver (GMSV); Color Must Match Worksurface Grommet
- Optional Power Locations ([See Power Options](#))

**Pricing Codes:**

T= TFL  
 P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item  | Model No.   |                             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |  |  |
|---|---|-----------------------------|-------|-------|--------|---------|----------|----------------------|--|--|
| <b>HEIGHT ADJUSTABLE CREDENZA WITH BOX/FILE AND CONTROL</b><br><br><br><br>Shown as Left<br><br>Must Specify (in this order):<br>Model #<br>Top Material<br>Top Color<br>Edge Profile<br>Wire Management Sleeve<br>Chassis Color<br>Drawer Front/Front Panel Color<br>Grain Direction (if applicable)<br>Leg Color<br>Worksurface Grommet<br>Grommet Color<br>Power/Data/Wire Management<br>Back Panel Grommet | <b>Leg in Left Cabinet</b>  | <b>Leg in Right Cabinet</b> |       |       |        |         |          |                      |  |  |
|   | 66-2472HMFL   | 66-2472HMFR                 | 72    | 24    | 21¾    | 260     | 35.6     | T\$ 4228<br>P\$ 4468 |  |  |
|   | 66-2466HMFL   | 66-2466HMFR                 | 66    | 24    | 21¾    | 240     | 32.7     | T\$ 4153<br>P\$ 4377 |  |  |
|   | 66-2460HMFL   | 66-2460HMFR                 | 60    | 24    | 21¾    | 240     | 29.9     | T\$ 4078<br>P\$ 4295 |  |  |
|   | 66-2072HMFL   | 66-2072HMFR                 | 72    | 20    | 21¾    | 220     | 30.2     | T\$ 4098<br>P\$ 4309 |  |  |
|   | 66-2066HMFL   | 66-2066HMFR                 | 66    | 20    | 21¾    | 210     | 27.7     | T\$ 4024<br>P\$ 4226 |  |  |
|   | 66-2060HMFL   | 66-2060HMFR                 | 60    | 20    | 21¾    | 210     | 25.3     | T\$ 3949<br>P\$ 4139 |  |  |
|   | <b>Description</b> <ul style="list-style-type: none"> <li>• Cabinet with Controls; Profiled on User Side; Back Panel Included</li> <li>• Bottom Panel Not Included Behind Removable Access Front Panel for Wire Management</li> <li>• Locking Box/File; File Drawers Provide Legal or Letter Filing</li> <li>• Designed for 28" Deep Worksurfaces Only (<a href="#">See Worksurfaces</a>)</li> <li>• Handed Based on Height Adjust Cabinet and Facing the Unit</li> <li>• When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; <a href="#">See Panel Legs</a> 01-2245HTL, 66-0536HPS, or 66-0530HPS</li> <li>• Drawer Fronts and Removable Access Front Panel Available in Contrasting Color; Must Specify</li> <li>• Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component</li> <li>• If Black or Gold Pull is Selected, Leg and Lock Core will be Black; If Chrome or Aluminum Pull is Selected, Leg and Lock Core will be Silver</li> <li>• Worksurface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)</li> <li>• Optional Back Panel Grommet, Must Specify: Black (GMBBL), Silver (GMBSV); Color Must Match Worksurface Grommet</li> <li>• Optional Wire Management Sleeve Available (<a href="#">See Below</a>); Wire Management Sleeve Replaces Standard Work Surface Grommet</li> <li>• Additional Options: Dove Tail Drawer Construction and Soft Close Drawers (<a href="#">See Drawer Options</a>), Power Locations (<a href="#">See Power Options</a>)</li> </ul> |                             |       |       |        |         |          |                      |  |  |
|   | <b>Options: Specify &amp; Add</b>   |                             |       |       |        |         |          |                      |  |  |
| WM Sleeve    Wire Management Sleeve   |   |                             |       |       |        |         |          | T\$ 405              |  |  |


**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item   | Model No.                  | Width                       | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--|----------------------------|-----------------------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE CREDENZA WITH DOOR, WITH BOX/FILE AND CONTROL</b><br><br><br><br>Shown as Left | <b>Leg in Left Cabinet</b> | <b>Leg in Right Cabinet</b> |       |        |         |          |                      |
|  | 66-2472HDFL                | 66-2472HDFR                 | 72    | 24     | 21¾     | 260      | T\$ 4515<br>P\$ 4752 |
|  | 66-2466HDFL                | 66-2466HDFR                 | 66    | 24     | 21¾     | 250      | T\$ 4429<br>P\$ 4655 |
|  | 66-2460HDFL                | 66-2460HDFR                 | 60    | 24     | 21¾     | 240      | T\$ 4350<br>P\$ 4570 |
|  | 66-2072HDFL                | 66-2072HDFR                 | 72    | 20     | 21¾     | 240      | T\$ 4375<br>P\$ 4585 |
|  | 66-2066HDFL                | 66-2066HDFR                 | 66    | 20     | 21¾     | 230      | T\$ 4293<br>P\$ 4496 |
|  | 66-2060HDFL                | 66-2060HDFR                 | 60    | 20     | 21¾     | 220      | T\$ 4215<br>P\$ 4406 |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Wire Management Sleeve  
 Chassis Color  
 Drawer Front/Front Panel  
   Color  
   Grain Direction (if applicable)  
 Leg Color  
 Worksurface Grommet  
 Grommet Color  
 Power/Data/Wire Management  
 Back Panel Grommet


**Description**

- Credenza with Controls; Profiled on User Side; Back Panel Included
- Bottom Panel Not Included Behind Removable Access Front Panel for Wire Management
- 9" Door Opening With Touch Latch and Includes Bottom Panel, Storage Behind Door
- Locking Box/File; File Drawers Provide Legal or Letter Filing
- Designed for 28" Deep Worksurfaces Only ([See Worksurfaces](#))
- Handed Based on Height Adjust Cabinet and Facing the Unit
- When Used as Peninsula Desk, Additional Height Adjustable Panel Leg (Without Control) Must be Used on Opposite Side for Support; [See Panel Legs](#) 01-2245HTL, 66-0536HPS, or 66-0530HPS
- Door, Drawers and Removable Access Front Panel Available in Contrasting Color; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- If Black or Gold Pull is Selected, Leg and Lock Core will be Black; If Chrome or Aluminum Pull is Selected, Leg and Lock Core will be Silver
- Worksurface Grommet Standard; Must Specify: Black (BLK), Silver (SLV)
- Optional Back Panel Grommet, Must Specify: Black (GMBBL), Silver (GMBSV); Color Must Match Worksurface Grommet
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Power Locations ([See Power Options](#))

**Pricing Codes:**


T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|-------|--------|---------|----------|------------|
|  <p><b>7" MODESTY PANEL, TFL</b></p> <p><u>Must Specify (in this order):</u><br/>Model #<br/>Modesty Color</p> | 66-5707MOD<br>For Use with 70" Surface with Panel Leg    | 57    | ¾     | 7      | 16      | 1.1      | T\$ 396    |
|   | 66-5107MOD<br>For Use with 64" Surface with Panel Leg    | 51    | ¾     | 7      | 16      | 1.1      | T\$ 388    |
|   | 66-4507MOD<br>For Use with 70" Surface with 20" Credenza | 45    | ¾     | 7      | 15      | 1        | T\$ 378    |
|   | 66-4107MOD<br>For Use with 70" Surface with 24" Credenza | 41    | ¾     | 7      | 15      | 1        | T\$ 376    |
|   | 66-3907MOD<br>For Use with 64" Surface with 20" Credenza | 39    | ¾     | 7      | 15      | 0.9      | T\$ 373    |
|   | 66-3507MOD<br>For Use with 64" Surface with 24" Credenza | 35    | ¾     | 7      | 15      | 0.9      | T\$ 370    |
|   | 66-3307MOD<br>For Use with 58" Surface with 20" Credenza | 33    | ¾     | 7      | 15      | 0.8      | T\$ 363    |
|   | 66-2907MOD<br>For Use with 58" Surface with 24" Credenza | 29    | ¾     | 7      | 15      | 0.8      | T\$ 358    |

**Description**

- Works With Low Storage; [See Low Storage](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets

|   |   |    |   |   |    |     |        |
|---|---|----|---|---|----|-----|--------|
|  <p><b>7" MODESTY PANEL, FROSTED ACRYLIC</b></p> <p><u>Must Specify (in this order):</u><br/>Model #<br/>Decorative Hardware Color</p> | MD-5707FA<br>For Use with 70" Surface with Panel Leg    | 57 | ¾ | 7 | 10 | 1.1 | \$ 623 |
|   | MD-5107FA<br>For Use with 64" Surface with Panel Leg    | 51 | ¾ | 7 | 9  | 1   | \$ 612 |
|   | MD-4507FA<br>For Use with 70" Surface with 20" Credenza | 45 | ¾ | 7 | 9  | 1   | \$ 602 |
|   | MD-4107FA<br>For Use with 70" Surface with 24" Credenza | 41 | ¾ | 7 | 8  | 0.9 | \$ 597 |
|   | MD-3907FA<br>For Use with 64" Surface with 20" Credenza | 39 | ¾ | 7 | 8  | 0.8 | \$ 590 |
|   | MD-3507FA<br>For Use with 64" Surface with 24" Credenza | 35 | ¾ | 7 | 7  | 0.7 | \$ 581 |
|   | MD-3307FA<br>For Use with 58" Surface with 20" Credenza | 33 | ¾ | 7 | 7  | 0.6 | \$ 574 |
|   | MD-2907FA<br>For Use with 58" Surface with 24" Credenza | 29 | ¾ | 7 | 6  | 0.5 | \$ 564 |


**Description**

- Works With Low Storage; [See Low Storage](#) and Modular Units; [See Modular Units](#)
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

**Pricing Codes:**

T= TFL  
P= HPL


[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.  |  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price          |
|--|------------|--|-------|-------|--------|---------|----------|---------------------|
| <b>7" MODESTY PANEL, HIGH GLOSS ACRYLIC</b><br> | MD-5707HGA | For Use with 70" Surface with Panel Leg    | 57    | ¾     | 7      | 16      | 1.1      | \$ 693<br>GPA\$ 741 |
|  | MD-5107HGA | For Use with 64" Surface with Panel Leg    | 51    | ¾     | 7      | 15      | 1        | \$ 680<br>GPA\$ 730 |
|  | MD-4507HGA | For Use with 70" Surface with 20" Credenza | 45    | ¾     | 7      | 15      | 1        | \$ 668<br>GPA\$ 714 |
|  | MD-4107HGA | For Use with 70" Surface with 24" Credenza | 41    | ¾     | 7      | 14      | 0.9      | \$ 661<br>GPA\$ 707 |
|  | MD-3907HGA | For Use with 64" Surface with 20" Credenza | 39    | ¾     | 7      | 14      | 0.8      | \$ 655<br>GPA\$ 702 |
|  | MD-3507HGA | For Use with 64" Surface with 24" Credenza | 35    | ¾     | 7      | 13      | 0.7      | \$ 644<br>GPA\$ 690 |
|  | MD-3307HGA | For Use with 58" Surface with 20" Credenza | 33    | ¾     | 7      | 13      | 0.6      | \$ 637<br>GPA\$ 680 |
|  | MD-2907HGA | For Use with 58" Surface with 24" Credenza | 29    | ¾     | 7      | 12      | 0.5      | \$ 627<br>GPA\$ 670 |

Must Specify (in this order):  
 Model #  
 Modesty Color  
 Decorative Hardware Color

### Description

- Works With Low Storage; [See Low Storage](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite (GPA); Graphite Acrylic Pricing (GPA\$)

|  |            |  |    |   |   |    |     |         |
|--|------------|--|----|---|---|----|-----|---------|
| <b>4" MODESTY PANEL, TFL</b><br> | 66-6804MOD |  | 68 | ¾ | 4 | 17 | 1.3 | T\$ 388 |
|  | 66-6204MOD |  | 62 | ¾ | 4 | 16 | 1.2 | T\$ 377 |
|  | 66-5604MOD |  | 56 | ¾ | 4 | 16 | 1.1 | T\$ 373 |

Must Specify (in this order):  
 Model #  
 Modesty Color

### Description


- Attaches with Aluminum Mounting Brackets
- Not Compatible with Height Adjustable Panel Leg with Sleeve

|   |           |  |    |   |   |    |     |        |
|---|-----------|--|----|---|---|----|-----|--------|
| <b>4" MODESTY PANEL, FROSTED ACRYLIC</b><br> | MD-6804FA |  | 68 | ¼ | 4 | 12 | 1.3 | \$ 669 |
|   | MD-6204FA |  | 62 | ¼ | 4 | 11 | 1.2 | \$ 619 |
|   | MD-5604FA |  | 56 | ¼ | 4 | 10 | 1.1 | \$ 589 |

Must Specify (in this order):  
 Model #  
 Modesty Color  
 Decorative Hardware Color

### Description

- Attaches with Aluminum Mounting Brackets
- Exposed Decorative Hardware; Must Specify (ALUM) Aluminum or (CHRM) Chrome
- Not Compatible with Height Adjustable Panel Leg with Sleeve

|  |            |  |    |   |   |    |     |                     |
|--|------------|--|----|---|---|----|-----|---------------------|
| <b>4" MODESTY PANEL, HIGH GLOSS ACRYLIC</b><br> | MD-6804HGA |  | 68 | ¾ | 4 | 17 | 1.3 | \$ 730<br>GPA\$ 781 |
|  | MD-6204HGA |  | 62 | ¾ | 4 | 16 | 1.2 | \$ 693<br>GPA\$ 742 |
|  | MD-5604HGA |  | 56 | ¾ | 4 | 16 | 1.1 | \$ 654<br>GPA\$ 699 |

Must Specify (in this order):  
 Model #  
 Modesty Color


### Description

- Attaches with Aluminum Mounting Brackets
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite (GPA); Graphite Acrylic Pricing (GPA\$)
- Not Compatible with Height Adjustable Panel Leg with Sleeve

### Pricing Codes:

T= TFL  
 P= HPL


[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------|-------|--------|---------|----------|------------|
| <b>20" H ABOVE/BELOW PRIVACY SCREEN, TFL</b><br> | 66-5720PS<br>For Use with 70" Surface with Panel Leg    | 57    | ¾     | 20     | 36      | 2.7      | \$ 438     |
|   | 66-5120PS<br>For Use with 64" Surface with Panel Leg    | 51    | ¾     | 20     | 34      | 2.5      | \$ 420     |
|   | 66-4520PS<br>For Use with 70" Surface with 20" Credenza | 45    | ¾     | 20     | 32      | 2.3      | \$ 405     |
|   | 66-4120PS<br>For Use with 70" Surface with 24" Credenza | 41    | ¾     | 20     | 30      | 2.2      | \$ 389     |
|   | 66-3920PS<br>For Use with 64" Surface with 20" Credenza | 39    | ¾     | 20     | 29      | 2.2      | \$ 375     |
|   | 66-3520PS<br>For Use with 64" Surface with 24" Credenza | 35    | ¾     | 20     | 28      | 2.1      | \$ 362     |
|   | 66-3320PS<br>For Use with 58" Surface with 20" Credenza | 33    | ¾     | 20     | 27      | 2.1      | \$ 348     |
|   | 66-2920PS<br>For Use with 58" Surface with 24" Credenza | 29    | ¾     | 20     | 26      | 1.9      | \$ 335     |

Must Specify (in this order):  
Model #  
Modesty Color

**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below

| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price   |
|--|---|-------|-------|--------|---------|----------|--------------|
| <b>20" H ABOVE/BELOW PRIVACY SCREEN, TACKBOARD</b><br> | PS-5720TB<br>For Use with 70" Surface with Panel Leg    | 57    | ⅝     | 20     | 14      | 2.2      | \$ See Below |
|  | PS-5120TB<br>For Use with 64" Surface with Panel Leg    | 51    | ⅝     | 20     | 13      | 2.2      | \$ See Below |
|  | PS-4520TB<br>For Use with 70" Surface with 20" Credenza | 45    | ⅝     | 20     | 12      | 2        | \$ See Below |
|  | PS-4120TB<br>For Use with 70" Surface with 24" Credenza | 41    | ⅝     | 20     | 12      | 1.8      | \$ See Below |
|  | PS-3920TB<br>For Use with 64" Surface with 20" Credenza | 39    | ⅝     | 20     | 11      | 1.8      | \$ See Below |
|  | PS-3520TB<br>For Use with 64" Surface with 24" Credenza | 35    | ⅝     | 20     | 11      | 1.5      | \$ See Below |
|  | PS-3320TB<br>For Use with 58" Surface with 20" Credenza | 33    | ⅝     | 20     | 10      | 1.5      | \$ See Below |
|  | PS-2920TB<br>For Use with 58" Surface with 24" Credenza | 29    | ⅝     | 20     | 10      | 1.5      | \$ See Below |

Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color


**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below

| Model     | Ydg  | Grades 1,2,3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Grade 9 | Grade 10 |
|-----------|------|--------------|---------|---------|---------|---------|---------|---------|----------|
| PS-5720TB | 2.00 | \$ 623       | 901     | 1031    | 1163    | 1351    | 1547    | 1775    | 2039     |
| PS-5120TB | 2.00 | \$ 578       | 856     | 986     | 1118    | 1306    | 1502    | 1730    | 1994     |
| PS-4520TB | 1.75 | \$ 513       | 756     | 870     | 986     | 1150    | 1322    | 1521    | 1752     |
| PS-4120TB | 1.50 | \$ 473       | 682     | 779     | 878     | 1019    | 1166    | 1337    | 1535     |
| PS-3920TB | 1.50 | \$ 459       | 668     | 765     | 864     | 1005    | 1152    | 1323    | 1521     |
| PS-3520TB | 1.50 | \$ 443       | 652     | 749     | 848     | 989     | 1136    | 1307    | 1505     |
| PS-3320TB | 1.25 | \$ 404       | 578     | 659     | 742     | 859     | 982     | 1124    | 1289     |
| PS-2920TB | 1.25 | \$ 383       | 557     | 638     | 721     | 838     | 961     | 1103    | 1268     |

**Pricing Codes:**  
T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)


| Item   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|---|-------|-------|--------|---------|----------|------------|
| <b>20"H ABOVE/BELOW PRIVACY SCREEN, FROSTED ACRYLIC</b><br> | PS-5720FA<br>For Use with 70" Surface with Panel Leg    | 57    | ¼     | 20     | 20      | 2.2      | \$ 1163    |
|  | PS-5120FA<br>For Use with 64" Surface with Panel Leg    | 51    | ¼     | 20     | 19      | 2.1      | \$ 1075    |
|  | PS-5120FA<br>For Use with 64" Surface with Panel Leg    | 51    | ¼     | 20     | 19      | 2.1      | \$ 1075    |
|  | PS-4520FA<br>For Use with 70" Surface with 20" Credenza | 45    | ¼     | 20     | 19      | 2        | \$ 988     |
|  | PS-4120FA<br>For Use with 70" Surface with 24" Credenza | 41    | ¼     | 20     | 18      | 1.9      | \$ 951     |
|  | PS-3920FA<br>For Use with 64" Surface with 20" Credenza | 39    | ¼     | 20     | 18      | 1.8      | \$ 918     |
|  | PS-3520FA<br>For Use with 64" Surface with 24" Credenza | 35    | ¼     | 20     | 17      | 1.7      | \$ 881     |
|  | PS-3320FA<br>For Use with 58" Surface with 20" Credenza | 33    | ¼     | 20     | 17      | 1.6      | \$ 849     |
|  | PS-2920FA<br>For Use with 58" Surface with 24" Credenza | 29    | ¼     | 20     | 16      | 1.5      | \$ 814     |

Must Specify (in this order):

Model #

#### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below

|   |  |    |   |    |    |     |                       |
|---|--|----|---|----|----|-----|-----------------------|
| <b>20"H ABOVE/BELOW PRIVACY SCREEN, HIGH GLOSS ACRYLIC</b><br> | PS-5720HGA<br>For Use with 70" Surface with Panel Leg    | 57 | ¾ | 20 | 36 | 2.7 | \$ 1230<br>GPA\$ 1586 |
|   | PS-5120HGA<br>For Use with 64" Surface with Panel Leg    | 51 | ¾ | 20 | 34 | 2.5 | \$ 1131<br>GPA\$ 1451 |
|   | PS-4520HGA<br>For Use with 70" Surface with 20" Credenza | 45 | ¾ | 20 | 32 | 2.3 | \$ 1032<br>GPA\$ 1313 |
|   | PS-4120HGA<br>For Use with 70" Surface with 24" Credenza | 41 | ¾ | 20 | 30 | 2.2 | \$ 990<br>GPA\$ 1261  |
|   | PS-3920HGA<br>For Use with 64" Surface with 20" Credenza | 39 | ¾ | 20 | 29 | 2.2 | \$ 960<br>GPA\$ 1219  |
|   | PS-3520HGA<br>For Use with 64" Surface with 24" Credenza | 35 | ¾ | 20 | 29 | 2.2 | \$ 922<br>GPA\$ 1174  |
|   | PS-3320HGA<br>For Use with 58" Surface with 20" Credenza | 33 | ¾ | 20 | 27 | 2.1 | \$ 889<br>GPA\$ 1133  |
|   | PS-2920HGA<br>For Use with 58" Surface with 24" Credenza | 29 | ¾ | 20 | 26 | 1.9 | \$ 851<br>GPA\$ 1087  |

#### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below
- Available in Available in Black (BLA), White (WHA) or Graphite (GPA); Graphite Acrylic Pricing (GPA\$)

#### Pricing Codes:

T= TFL

P= HPL


[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-----------|-------|-------|--------|---------|----------|------------|
| <b>17"H ABOVE/BELOW PRIVACY SCREEN, TFL</b><br> | 66-6817PS | 68    | ¾     | 17     | 24      | 3.3      | \$ 450     |
|  | 66-6217PS | 62    | ¾     | 17     | 22      | 3.1      | \$ 437     |
|  | 66-5617PS | 56    | ¾     | 17     | 20      | 2.7      | \$ 419     |
|  | 66-5017PS | 50    | ¾     | 17     | 18      | 2.5      | \$ 405     |
|  | 66-4417PS | 44    | ¾     | 17     | 16      | 2.3      | \$ 390     |

Must Specify (in this order):  
Model #  
Modesty Color

**Description**

- Aluminum Hardware Used to Mount Screen to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below


|  |           |    |   |    |    |     |              |
|--|-----------|----|---|----|----|-----|--------------|
| <b>17"H ABOVE/BELOW PRIVACY SCREEN, TACKBOARD</b><br> | PS-6817TB | 68 | ⅝ | 17 | 15 | 2.5 | \$ See Below |
|  | PS-6217TB | 62 | ⅝ | 17 | 14 | 2.5 | \$ See Below |
|  | PS-5617TB | 56 | ⅝ | 17 | 13 | 2.2 | \$ See Below |
|  | PS-5017TB | 50 | ⅝ | 17 | 12 | 2   | \$ See Below |
|  | PS-4417TB | 44 | ⅝ | 17 | 11 | 1.8 | \$ See Below |

Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color

**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

| Model     | Ydg     | Grades 1,2,3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Grade 9 | Grade 10 |
|-----------|---------|--------------|---------|---------|---------|---------|---------|---------|----------|
| PS-6817TB | 2.00 \$ | 642          | 920     | 1050    | 1182    | 1370    | 1566    | 1794    | 2058     |
| PS-6217TB | 2.00 \$ | 602          | 880     | 1010    | 1142    | 1330    | 1526    | 1754    | 2018     |
| PS-5617TB | 2.00 \$ | 549          | 827     | 957     | 1089    | 1277    | 1473    | 1701    | 1965     |
| PS-5017TB | 2.00 \$ | 520          | 798     | 928     | 1060    | 1248    | 1444    | 1672    | 1936     |
| PS-4417TB | 1.75 \$ | 468          | 711     | 825     | 941     | 1105    | 1277    | 1476    | 1707     |

|  |           |    |   |    |    |     |         |
|--|-----------|----|---|----|----|-----|---------|
| <b>17"H ABOVE/BELOW PRIVACY SCREEN, FROSTED ACRYLIC</b><br> | PS-6817FA | 68 | ¼ | 17 | 14 | 3.3 | \$ 1196 |
|  | PS-6217FA | 62 | ¼ | 17 | 14 | 3.1 | \$ 1160 |
|  | PS-5617FA | 56 | ¼ | 17 | 13 | 2.9 | \$ 1121 |
|  | PS-5017FA | 50 | ¼ | 17 | 13 | 2.7 | \$ 1036 |
|  | PS-4417FA | 44 | ¼ | 17 | 12 | 2.5 | \$ 954  |

Must Specify (in this order):  
Model #


**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
| <b>17"H ABOVE/BELOW PRIVACY SCREEN, HIGH GLOSS ACRYLIC</b><br> | PS-6817HGA | 68    | ¾     | 17     | 24      | 3.3      | \$ 1260    |
|   |            |       |       |        |         |          | GPA\$ 1627 |
|   | PS-6217HGA | 62    | ¾     | 17     | 22      | 3.1      | \$ 1223    |
|   |            |       |       |        |         |          | GPA\$ 1579 |
|   | PS-5617HGA | 56    | ¾     | 17     | 20      | 2.7      | \$ 1180    |
|   |            |       |       |        |         |          | GPA\$ 1521 |
|   | PS-5017HGA | 50    | ¾     | 17     | 18      | 2.5      | \$ 1088    |
|   |            |       |       |        |         |          | GPA\$ 1395 |
|   | PS-4417HGA | 44    | ¾     | 17     | 16      | 2.3      | \$ 995     |
|   |            |       |       |        |         |          | GPA\$ 1267 |

Must Specify (in this order):


Model #

Modesty Color

#### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below
- Available in Available in Black (BLA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

#### GALLERY SCREEN, TFL



Gallery Screen is Positioned Between Height Adjustable Legs

|           |    |   |    |    |     |         |
|-----------|----|---|----|----|-----|---------|
| 66-2272GS | 72 | 1 | 22 | 31 | 3   | T\$ 489 |
| 66-2266GS | 66 | 1 | 22 | 29 | 2.9 | T\$ 469 |
| 66-2260GS | 60 | 1 | 22 | 27 | 2.8 | T\$ 450 |
| 66-2254GS | 54 | 1 | 22 | 24 | 2.7 | T\$ 430 |

#### Description

- Not Compatible with Optional Wire Management Sleeve
- Gallery Screens are Visible and Can Provide an Accent Between Users in Multi-Station Settings by Selecting a Contrasting Color
- When Used with Height Adjustable Legs, Gallery Screen is Positioned Between Height Adjustable Legs

Must Specify (in this order):

Model #

Modesty Color


#### Pricing Codes:

T= TFL

P= HPL

[See Canvas Intro Section for Ordering Options](#)

| Item            | Model No.               | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-----------------|-------------------------|-------|-------|------------------|---------|----------|------------|
| RECTANGULAR TOP | 72" or 6' - 1 Piece Top |       |       |                  |         |          |            |
|                 | 94-3672RT               | 72    | 36    | 1 $\frac{3}{16}$ | 100     | 6.2      | P\$ 1570   |



Must Specify (in this order):

Model #  
Color  
Edge Profile  
Grommet/Power/Data Location

**Description**

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Rectangle Box Base and Number Required For Each Top Size Below; Must Order Bases/Legs Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W; Must Order Separately, [See Strut Details](#)
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

|          |                            |     |    |                  |     |      |          |
|----------|----------------------------|-----|----|------------------|-----|------|----------|
| BOAT TOP | 120" or 10' - 2 Piece Tops |     |    |                  |     |      |          |
|          | 94-48120BT                 | 120 | 48 | 1 $\frac{3}{16}$ | 225 | 10.3 | P\$ 3823 |
|          | 96" or 8' - 1 Piece Top    |     |    |                  |     |      |          |
|          | 94-4296BT                  | 96  | 42 | 1 $\frac{3}{16}$ | 180 | 9.4  | P\$ 2476 |




Must Specify (in this order):

Model #  
Color  
Edge Profile  
Grommet/Power/Data Location

**Description**

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Rectangle Box Base and Number Required For Each Top Size Below; Must Order Bases/Legs Separately
- When Using with Strut Legs, We Recommend Using Two (2) Stiffener Bars on Tops 96"W; Must Order Separately, [See Strut Details](#)
- Tops 120"W Do Not Need Stretcher Rails When Used with Strut Legs, the Location and Number of Strut Legs Required Offer Sufficient Support
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

|                                |            |    |    |                  |    |     |         |
|--------------------------------|------------|----|----|------------------|----|-----|---------|
| RECTANGULAR BOX BASE WITH DOOR | 01-1220RBD | 20 | 12 | 28 $\frac{1}{2}$ | 50 | 5.4 | T\$ 617 |
|--------------------------------|------------|----|----|------------------|----|-----|---------|



Must Specify (in this order):

Model # and Quantity  
Primary Color  
Accent Color

**Description**

- Rectangular Base with Lift-Off Removable Panel
- Available in Single or Contrasting Colors; Must Indicate Accent Selection and Primary Selection on Order ([See Color Options](#))
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom





| Table Widths                    | 72" | 96" | 120" |
|---------------------------------|-----|-----|------|
| <b>Number of Bases Required</b> | 2   | 2   | 3    |

**Pricing Codes:**

T= TFL  
P= HPL

[See Canvas Intro Section for Ordering Options](#)



| Item  | Model No.  |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|--------|-------|-------|--------|---------|----------|------------|
| ROUND GROMMET COVER<br>FIELD INSTALLED  | 01-GRMTBK  | Black  | -     | -     | -      | -       | -        | \$ 11      |
|   | 01-GRMTSL  | Silver |       |       |        |         |          |            |
| <br>OPEN MARKET ONLY<br>(SILVER) | <b>Description</b> <ul style="list-style-type: none"> <li>• 60mm Round Grommet Cover</li> <li>• Field Installed</li> </ul>   |        |       |       |        |         |          |            |
|   |  |        |       |       |        |         |          |            |
| RECTANGULAR GROMMET   | 01-HUGRMTSL  | Silver | -     | -     | -      | 1       | .1       | \$ 11      |
| <br>OPEN MARKET ONLY             | <b>Description</b> <ul style="list-style-type: none"> <li>• For Use with Surface Mount Hatches Only</li> <li>• 70mm x 30mm Silver Rectangular Grommet with Cover</li> <li>• Field Installed</li> </ul> |        |       |       |        |         |          |            |
|   |  |        |       |       |        |         |          |            |
| SINGLE POWER SAND DOLLAR  | 01-SAND60PW  | White  | 3     | 3     | 4      | 1       | 0.2      | \$ 98      |
|   | 01-SAND60PB  | Black  |       |       |        |         |          |            |
|   | 01-SAND60PS  | Silver |       |       |        |         |          |            |
|                                | <b>Description</b> <ul style="list-style-type: none"> <li>• Unit is 2" Diameter; Mounts in 60mm Round Grommet</li> <li>• 6' Cord</li> <li>• Single Power Outlet</li> </ul>                             |        |       |       |        |         |          |            |
|   |  |        |       |       |        |         |          |            |
| DOUBLE USB SAND DOLLAR  | 01-SAND60UW  | White  | 3     | 3     | 4      | 1       | 0.2      | \$ 277     |
|   | 01-SAND60UB  | Black  |       |       |        |         |          |            |
|   | 01-SAND60US  | Silver |       |       |        |         |          |            |
|                                | <b>Description</b> <ul style="list-style-type: none"> <li>• Unit is 2" Diameter; Mounts in 60mm Round Grommet</li> <li>• 6' Cord</li> <li>• Dual USB Outlets</li> </ul>                                |        |       |       |        |         |          |            |
|   |  |        |       |       |        |         |          |            |

[See Canvas Intro Section for Ordering Options](#)


| Item                                 | Model No.   |          | Width              | Depth              | Height          | Ship Wt | Cubic Ft | List Price |
|--------------------------------------|-------------|----------|--------------------|--------------------|-----------------|---------|----------|------------|
| DOCK 950<br>WIRELESS CHARGER         | 01-DOCK950W | White    | 3 $\frac{3}{16}$ " | 3 $\frac{3}{16}$ " | -               | 1       | 0.2      | \$ 265     |
|                                      | 01-DOCK950B | Black    |                    |                    |                 |         |          |            |
| DOCK 150<br>WIRELESS AND USB CHARGER | 01-DOCK150W | White    | 3                  | 3                  | $\frac{3}{4}$ " | 1       | 0.2      | \$ 405     |
|                                      | 01-DOCK150B | Black    |                    |                    |                 |         |          |            |
| POWER DATA PORT                      | 01-DPORT4A  | Aluminum | 8                  | 4                  | -               | 7       | 0.2      | \$ 1093    |
|                                      | 01-DPORT4B  | Black    | 8                  | 4                  | -               | 7       | 0.2      | \$ 1093    |
| USB PORT                             | 01-USBPORT  |          | -                  | -                  | -               | -       | -        | \$ 161     |
| VOICE COUPLER                        | 01-VOICE1   |          | -                  | -                  | -               | -       | -        | \$ 73      |



OPEN MARKET ONLY

**Description**


- For Use with Wireless Charging Enabled Devices
- 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0
- Mounts in 76mm Round Cut-Out
- LED will Confirm Pairing with Device and Begin Wireless Charging




OPEN MARKET ONLY

**Description**


- For Use with Wireless Charging Enabled Devices and USB Charging Devices
- 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge)
- Mounts in 76mm Round Cut-Out
- Pop-Up is  $\frac{3}{4}$ "H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge)
- LED Light will Confirm Pairing with Device and Begin Wireless Charging
- UL and cUL Certified

**Description**

- Retracts into Worksurface to Regain Productive Space
- One-Touch Access to Power and Data
- Two Power Outlets and Two Open Ports for Data
- Water-Proof Simplex (Outlets)
- Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required 6' Power Cord
- Available on Work Tables ([See Work Tables](#)) and Modular Desktops ([See Modular Tops](#)) Centered, One End

**Description**

- For Use with 01-DPORT4A and 01-DPORT4B
- Passive USB-A Port with Increased Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability
- Idle Device Power Saving State
- 6' Cord
- See Voice Coupler and Data Port on Next Page

**Description**

- For Use with 01-DPORT4A and 01-DPORT4B
- 6-Pin Modular Plug
- Molded Black
- Cord Not included

[See Canvas Intro Section for Ordering Options](#)

| Item      | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------|------------|-------|-------|--------|---------|----------|------------|
| DATA PORT | 01-RJ4DATA | -     | -     | -      | -       | -        | \$ 167     |




OPEN MARKET ONLY

**Description**

- For Use with 01-DPORT4A and 01-DPORT4B
- 8-Pin Modular Plug; Cat6 Ethernet Cable; Pre-terminated Cable
- 10' Cord


|                         |           |   |   |   |   |     |        |
|-------------------------|-----------|---|---|---|---|-----|--------|
| VGA CONNECTOR ACCESSORY | 01-VGACON | - | - | - | 1 | 0.2 | \$ 149 |
|-------------------------|-----------|---|---|---|---|-----|--------|



**Description**

- VGA Port for 01-DPORT4A and 01-DPORT4B
- Enables Devices to Remote Display on Monitors
- 10' Cord
- Male/Female Connector

|                          |            |   |   |   |   |     |        |
|--------------------------|------------|---|---|---|---|-----|--------|
| HDMI CONNECTOR ACCESSORY | 01-HDMICON | - | - | - | 1 | 0.2 | \$ 124 |
|--------------------------|------------|---|---|---|---|-----|--------|



**Description**

- HDMI Port for 01-DPORT4A and 01-DPORT4B
- Connects to High Definition Displays
- Female/Female Connector
- 18" Cord

|                       |                |          |   |    |    |   |     |        |
|-----------------------|----------------|----------|---|----|----|---|-----|--------|
| INTERACT POWER & DATA | 01-INTERACTG2A | Aluminum | 9 | 5% | 2¾ | 5 | 0.2 | \$ 891 |
|                       | 01-INTERACTG2B | Black    |   |    |    |   |     |        |



**Description**


- Includes: Two (2) Power Outlets, Two (2) USB-A Charging Ports, One (1) Telecom Plate Opening; Two (2) Keystone Openings for Voice/Data Jacks, 6' Power Cord on Bottom
- One (1) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack)
- UL and CSA Recognized
- See Optional Telecom Plates in the Table and Space Division Price List
- For Use with Rectangle and Boat Table Tops

[See Canvas Intro Section for Ordering Options](#)

| Item                    | Model No.  |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|------------|----------|-------|-------|--------|---------|----------|------------|
| OASIS MINI POWER & DATA | 01-OASISMA | Aluminum | 14¼   | 6⅝    | 2⅞     | 11      | 0.3      | \$ 3191    |
|                         | 01-OASISMB | Black    |       |       |        |         |          |            |




Top View



### Description

- For Use with Conference Tables
- Plate Includes: Two (2) Data, One (1) Voice Telecom Plates, Four (4) Power Outlets, 9' Power Cord
- Opening for One (1) Additional Plate Sold Separately
- Soft Touch Hinged Lid
- 9' Cord with Nema Plug; Fits 15A/120V AC Receptacles
- UL Listed
- See Optional Telecom Plates in the Table and Space Division Price List


|                          |               |        |    |   |   |   |     |        |
|--------------------------|---------------|--------|----|---|---|---|-----|--------|
| DUO CLAMP WITH NEMA PLUG | 01-DUOCLAMPW  | White  | 6½ | 3 | 7 | 1 | 0.2 | \$ 572 |
|                          | 01-DUOCLAMPB  | Black  |    |   |   |   |     |        |
|                          | 01-DUOCLAMP S | Silver |    |   |   |   |     |        |



### Description

- Standard with: Two (2) Power Outlet, **One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord**
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|                           |                |        |   |   |   |   |     |        |
|---------------------------|----------------|--------|---|---|---|---|-----|--------|
| TRIO CLAMP WITH NEMA PLUG | 01-TRIOCLAMPW  | White  | 9 | 3 | 7 | 1 | 0.2 | \$ 671 |
|                           | 01-TRIOCLAMPB  | Black  |   |   |   |   |     |        |
|                           | 01-TRIOCLAMP S | Silver |   |   |   |   |     |        |



### Description

- Standard with: Three (3) Power Outlets, **One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' Cord**
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|                          |              |        |    |    |   |   |     |        |
|--------------------------|--------------|--------|----|----|---|---|-----|--------|
| DUO BEZEL WITH NEMA PLUG | 01-DUOBEZELW | White  | 6½ | 2⅝ | 3 | 1 | 0.2 | \$ 675 |
|                          | 01-DUOBEZELB | Black  |    |    |   |   |     |        |
|                          | 01-DUOBEZELS | Silver |    |    |   |   |     |        |



### Description

- Sits On Top of the Worksurface and Includes: Two (2) Power, **One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord**
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

[See Canvas Intro Section for Ordering Options](#)


| Item                         | Model No.     |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------|---------------|--------|-------|-------|--------|---------|----------|------------|
| TRIO BEZEL<br>WITH NEMA PLUG | 01-TRIOBEZELW | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 725     |
|                              | 01-TRIOBEZELB | Black  |       |       |        |         |          |            |
|                              | 01-TRIOBEZELS | Silver |       |       |        |         |          |            |



**Description**

- Sits On Top of the Worksurface and Includes: Three (3) Power, **One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology**, One (1) Open Data, and 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

**DUO BEZEL  
WITH HARD WIRE CONNECTION**



**Circuit 1**

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW1 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 730 |
| 01-HWDUOBEZELB1 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS1 | Silver |    |    |   |   |     |        |

**Circuit 2**

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW2 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 730 |
| 01-HWDUOBEZELB2 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS2 | Silver |    |    |   |   |     |        |

**Circuit 3**

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW3 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 730 |
| 01-HWDUOBEZELB3 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS3 | Silver |    |    |   |   |     |        |


**Circuit 4**

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW4 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 730 |
| 01-HWDUOBEZELB4 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS4 | Silver |    |    |   |   |     |        |

**Description**

- Must Specify Color and Circuit
- Sits on worksurface and Includes: Two (2) Power, **One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology**, and All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Maximum 10 Duo Units per Circuit
- Eight (8) Wire/Four (4) Circuit Hard Wire Power Unit
- See Power Entry, Jumper Cable, and Quad Block on Next Page


[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.        |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |  |
|--|------------------|--------|-------|-------|--------|---------|----------|------------|--|
| <b>TRIO BEZEL WITH HARD WIRE CONNECTION</b><br><br> | <b>Circuit 1</b> |        |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELW1 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 749     |  |
|  | 01-HWTRIOBEZELB1 | Black  |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELS1 | Silver |       |       |        |         |          |            |  |
|  | <b>Circuit 2</b> |        |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELW2 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 749     |  |
|  | 01-HWTRIOBEZELB2 | Black  |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELS2 | Silver |       |       |        |         |          |            |  |
|  | <b>Circuit 3</b> |        |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELW3 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 749     |  |
|  | 01-HWTRIOBEZELB3 | Black  |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELS3 | Silver |       |       |        |         |          |            |  |
|  | <b>Circuit 4</b> |        |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELW4 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 749     |  |
|  | 01-HWTRIOBEZELB4 | Black  |       |       |        |         |          |            |  |
|  | 01-HWTRIOBEZELS4 | Silver |       |       |        |         |          |            |  |

#### Description

- Must Specify Color and Circuit
- Sits on Worksurface and Includes: Three (3) Power, **One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology**, and All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Maximum 6 Trio Units per Circuit
- Eight (8) Wire/Four (4) Circuit Hard Wire Power Unit
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- See Power Entry, Jumper Cable, and Quad Block Below and on Next Page


|                              |                |  |   |   |   |   |     |       |
|------------------------------|----------------|--|---|---|---|---|-----|-------|
| <b>QUAD BLOCK HARD WIRED</b> | 01-HWQUADBLOCK |  | - | - | - | 1 | 0.2 | \$ 62 |
|------------------------------|----------------|--|---|---|---|---|-----|-------|



#### Description

- Eight (8) Wire/Four (4) Circuit Hard Wire Connector
- UL183 Compliant
- For Connecting Jumpers and Power Units
- Quantity of Four (4) Female Inputs

|                               |                 |  |    |   |   |   |     |        |
|-------------------------------|-----------------|--|----|---|---|---|-----|--------|
| <b>POWER ENTRY HARD WIRED</b> | 01-HWPOWERENTRY |  | 72 | - | - | 1 | 0.2 | \$ 322 |
|-------------------------------|-----------------|--|----|---|---|---|-----|--------|



#### Description


- Eight (8) Wire/Four (4) Circuit Hard Wire Infeed
- UL183 Compliant

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
|  | 01-HW2JUMP | 24    | -     | -      | 1       | 0.2      | \$ 193     |
|   | 01-HW3JUMP | 36    | -     | -      | 1       | 0.2      | \$ 206     |
|   | 01-HW4JUMP | 48    | -     | -      | 1       | 0.2      | \$ 212     |
|   | 01-HW5JUMP | 60    | -     | -      | 1       | 0.2      | \$ 255     |
|   | 01-HW6JUMP | 72    | -     | -      | 1       | 0.2      | \$ 270     |

#### Description

- Eight (8) Wire/Four (4) Circuit Hard Wire Jumper
- UL183 Compliant

| Item  | Model No.     | Color  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---------------|--------|-------|-------|--------|---------|----------|------------|
|  | 01-PDUOBEZELW | White  | 6½    | 2½    | 3      | 1       | 0.2      | \$ 668     |
|   | 01-PDUOBEZELB | Black  |       |       |        |         |          |            |
|   | 01-PDUOBEZELS | Silver |       |       |        |         |          |            |

#### Description


- Sits On Top of the Worksurface and Includes: Two (2) Power, **One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology** with 12" Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications
- Non Sequential System Allows Up to Eight (8) Modules To Be Connected With Jumper Cord
- Requires Power Box, See Below; See Jumper Cable on Next Page

| Item  | Model No.      | Color  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|----------------|--------|-------|-------|--------|---------|----------|------------|
|  | 01-PTRIOBEZELW | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 715     |
|   | 01-PTRIOBEZELB | Black  |       |       |        |         |          |            |
|   | 01-PTRIOBEZELS | Silver |       |       |        |         |          |            |

#### Description


- Sits On Top of the Worksurface and Includes: Three (3) Power, **One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology**, and One (1) Open Data with 12" Cord
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications
- Non Sequential System Allows Up to Eight (8) Modules To Be Connected With Jumper Cord
- Requires Power Box, See Below; See Jumper Cable on Next Page

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.                                    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|-------|--------|---------|----------|------------|
|  DAISY CHAIN POWER BOX | 01-PPOWER<br>76" Perimeter, 36" Power Cord   | -     | -     | -      | 1       | 0.2      | \$ 775     |
|   | 01-PPOWER2<br>24" Perimeter, 144" Power Cord | -     | -     | -      | 1       | 0.2      | \$ 796     |

**Description**

- Powers up to Eight (8) Duo and Trio Daisy Chain Units
- One (1) Nema Plug and One (1) Daisy Chain Plug
- 12 Amp System Rating
- 15 Amp Over-Current Protection

|   |                      |   |   |   |   |     |        |
|---|----------------------|---|---|---|---|-----|--------|
|  DAISY CHAIN JUMPER CORD | 01-6JUMP<br>72" Long | - | - | - | 1 | 0.2 | \$ 299 |
|   | 01-5JUMP<br>60" Long | - | - | - | 1 | 0.2 | \$ 284 |
|   | 01-4JUMP<br>48" Long | - | - | - | 1 | 0.2 | \$ 240 |
|   | 01-2JUMP<br>24" Long | - | - | - | 1 | 0.2 | \$ 220 |

**Description**

- Connects Duo and Trio Daisy Chain Units
- Non Sequential System Allows up to Eight (8) Modules to be Connected

|  |             |   |   |   |   |     |        |
|--|-------------|---|---|---|---|-----|--------|
|  HDMI DATA PORT ACCESSORY | 01-LCOMHDMI | - | - | - | 1 | 0.2 | \$ 166 |
|--|-------------|---|---|---|---|-----|--------|

**Description**

- HDMI Port for Trio Bezel and Trio Clamp Units

OPEN MARKET ONLY

|   |            |   |   |   |   |     |        |
|---|------------|---|---|---|---|-----|--------|
|  VGA DATA PORT ACCESSORY | 01-LCOMVGA | - | - | - | 1 | 0.2 | \$ 121 |
|---|------------|---|---|---|---|-----|--------|

**Description**

- VGA Port for Trio Bezel and Trio Clamp Units

|  |             |   |   |   |   |     |       |
|--|-------------|---|---|---|---|-----|-------|
|  RJ45 DATA PORT ACCESSORY | 01-LCOMRJ45 | - | - | - | 1 | 0.2 | \$ 79 |
|--|-------------|---|---|---|---|-----|-------|


**Description**

- RJ45 Port for Trio Bezel and Trio Clamp Units

[See Canvas Intro Section for Ordering Options](#)




| Item                    | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|-----------|-------|-------|--------|---------|----------|------------|
| WIRE MANAGEMENT CHANNEL | 01-WMGR4  | 16    | 1½    | ¾      | 1       | -        | \$ 116     |



#### Description

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- Ships via UPS Only


|              |          |    |    |   |     |     |        |
|--------------|----------|----|----|---|-----|-----|--------|
| WIRE CHANNEL | 01-32125 | 24 | 1½ | 1 | .25 | 0.3 | \$ 106 |
|--------------|----------|----|----|---|-----|-----|--------|



#### Description

- Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Open J Channel for Easy Storage of Cables


|            |           |     |     |   |   |   |       |
|------------|-----------|-----|-----|---|---|---|-------|
| CABLE GRIP | 01-WMGRCB | 5 ¾ | 2 ¾ | - | - | - | \$ 17 |
|------------|-----------|-----|-----|---|---|---|-------|



#### Description

- Under Surface Wire Management
- Black





|                        |                |        |     |     |       |   |     |        |
|------------------------|----------------|--------|-----|-----|-------|---|-----|--------|
| LINK 360 CABLE MANAGER | 01-0251LINKSLV | Silver | 5 ¾ | 3 ¾ | 30-51 | 4 | 3.0 | \$ 390 |
|                        | 01-0251LINKBLK | Black  | 5 ¾ | 3 ¾ | 30-51 | 4 | 3.0 | \$ 353 |



#### Description


- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No.   |                   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------------------|-------|-------|--------|---------|----------|------------|
| DUAL ARTICULATING MONITOR ARM   | 01-MLEDGE2A   | Aluminum          | -     | -     | 6½-19½ | 15      | 1.4      | \$ 1313    |
|   | 01-MLEDGE2B   | Black             |       |       |        |         |          |            |
|    | <b>Description</b>  |                   |       |       |        |         |          |            |
|   | <ul style="list-style-type: none"> <li>• Dual Mount with Independent Adjustment Includes Desk Clamp, Grommet Mount, and Enclosed Cable Management</li> <li>• 180° Lockout Feature</li> <li>• 21" Monitor Extension; 3.5" Monitor Retraction</li> <li>• +30/-25° Monitor Tilt; 360° Swivel at Two Points with 17.6lb Weight Capacity per Arm</li> <li>• VESA 75mm and VESA 100mm Compatible with Quick Monitor Release</li> </ul>  |                   |       |       |        |         |          |            |
| SINGLE MONITOR ARM  | 01-MLEDGE1A   | Aluminum          | -     | -     | 6½-19½ | 13      | 2.2      | \$ 773     |
|   | 01-MLEDGE1B   | Black             |       |       |        |         |          |            |
|    | <b>Description</b>  |                   |       |       |        |         |          |            |
|   | <ul style="list-style-type: none"> <li>• Includes Desk Clamp, Grommet Mount, and Enclosed Cable Management</li> <li>• 180° Lockout Feature</li> <li>• 21" Monitor Extension; 3.5" Monitor Retraction</li> <li>• +30/-25° Monitor Tilt; 17.6lb Weight Capacity</li> <li>• VESA 75mm and VESA 100mm Compatible with Quick Monitor Release</li> </ul>  |                   |       |       |        |         |          |            |
| ARTICULATING KEYBOARD CORNER PLATFORM   | 01-KB2CC  |                   | 25    | 10½   | 4½     | 16      | 1.4      | \$ 832     |
|   | <b>Description</b>  |                   |       |       |        |         |          |            |
|  | <ul style="list-style-type: none"> <li>• Standard With: +/- 15° Tilt Adjustment , 360° Rotation, Independent Tilt Adjustment, 7" Lift and Lock Height Adjustment, 25" Cut Corner Platform</li> <li>• Keyboard and Mouse on same level; Single Palm Rest for both Left &amp; Right Hands</li> <li>• Works with 17"+ Diagonal Work Surface</li> <li>• Cannot Be Used on 20" or 21" Deep Unit</li> <li>• Not Available with Optional Center Grommet</li> <li>• Track Measures 21"</li> </ul> |                   |       |       |        |         |          |            |
|   | <b>Options: Specify &amp; Add</b>   |                   |       |       |        |         |          |            |
|   | KB2CC   | Factory Installed |       |       |        |         |          | \$ 208     |
| KEYBOARD MECHANISM WITH KEYBOARD CLAMP  | 01-KB3  |                   | 26½   | 14    | 4.5    | 16      | 1.4      | \$ 914     |
|   | <b>Description</b>  |                   |       |       |        |         |          |            |
|  | <ul style="list-style-type: none"> <li>• Standard With: 18.75" Platform with Swivel-Below Mouse Platform, +/- 15° Tilt Adjustment, 360° Rotation, 7" Lift and Lock Height Adjustment, Independent Tilt Adjustment, Palm Rest for Mousing Surface</li> <li>• Left or Right Handed Mouse Platform</li> <li>• Cannot Be Used on 20" or 21" Deep Unit</li> <li>• Not Available with Optional Center Grommet</li> <li>• Track Measures 21"</li> </ul>  |                   |       |       |        |         |          |            |
|   | <b>Options: Specify &amp; Add</b>   |                   |       |       |        |         |          |            |
|   | KB3   | Factory Installed |       |       |        |         |          | \$ 208     |

[See Canvas Intro Section for Ordering Options](#)

| Item          | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------|-----------|-------|-------|--------|---------|----------|------------|
| CENTER DRAWER | 66-1622CD | 22    | 16    | 2      | 7       | 1.4      | T\$ 401    |

**Description**

- Fits Desks, P-Top Units, and D-Top Units
- Will Not Work in Conjunction with Height Adjustable Mechanisms or Modesty Panels on 30" D-Top Units


Must Specify (in this order):

Model #  
Color  
Drawer Front Grain  
Factory Installed

**Options: Specify & Add**


|      |                   |        |
|------|-------------------|--------|
| CD16 | Factory Installed | \$ 208 |
|------|-------------------|--------|

| Item          | Model No.                | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------|--------------------------|-------|-------|--------|---------|----------|------------|
| LED TASKLIGHT | TL-0848                  | 47½   | 7⅞    | 1⅝     | -       | -        | \$ 445     |
|               | <i>240-LED, 18 Watts</i> |       |       |        |         |          |            |
| LED TASKLIGHT | TL-0824                  | 22½   | 7⅞    | 1⅝     | -       | -        | \$ 368     |
|               | <i>84-LED, 7 Watts</i>   |       |       |        |         |          |            |

**Description**

- Includes the Power Supply and Three Upper Wire Management Grommets
- Rocker Style On/Off Switch with a 10' Power Cord
- Grommet Color will Match Lower Grommet Color

| Item                      | Model No.                 | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------------------|---------------------------|-------|-------|--------|---------|----------|------------|
| LED TASKLIGHT             | 01-188LED58               | 57¾   | 2     | ¾      | -       | -        | \$ 1648    |
|                           | <i>96-LED, 33.7 Watts</i> |       |       |        |         |          |            |
|                           | 01-94LED31                | 30¾   | 2     | ¾      | -       | -        | \$ 1195    |
| <i>48-LED, 17.6 Watts</i> |                           |       |       |        |         |          |            |
| LED TASKLIGHT             | 01-47LED17                | 16¾   | 2     | ¾      | -       | -        | \$ 690     |
|                           | <i>24-LED, 9.1 Watts</i>  |       |       |        |         |          |            |


**Description**

- Includes the Power Supply and Three Upper Wire Management Grommets
- 12' Power Cord
- Grommet Color will Match Lower Grommet Color
- Optional Occupancy Sensor Shuts Off After 30 Minutes of Inactivity and Turns On Immediately When Reentering the Detection Area

**Options: Specify & Add**


|         |                  |        |
|---------|------------------|--------|
| 01-OSRP | Occupancy Sensor | \$ 366 |
|---------|------------------|--------|

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No. |                      | Width                | Depth | Height | Ship Wt | Cubic Ft | List Price |          |
|--|-----------|----------------------|----------------------|-------|--------|---------|----------|------------|----------|
|  <p>Must Specify (in this order):<br/>Model #<br/>Color</p> | L SHELF   | 66-1596LS            | 192 lbs Weight Limit | 96    | 15     | 17      | 85       | 18.3       | T\$ 1147 |
|  | 66-1590LS | 192 lbs Weight Limit | 90                   | 15    | 17     | 80      | 17.2     | T\$ 1090   |          |
|  | 66-1584LS | 154 lbs Weight Limit | 84                   | 15    | 17     | 75      | 16.0     | T\$ 1034   |          |
|  | 66-1578LS | 154 lbs Weight Limit | 78                   | 15    | 17     | 70      | 14.9     | T\$ 979    |          |
|  | 66-1572LS | 154 lbs Weight Limit | 72                   | 15    | 17     | 65      | 13.8     | T\$ 922    |          |
|  | 66-1566LS | 128lbs Weight Limit  | 66                   | 15    | 17     | 60      | 12.7     | T\$ 869    |          |
|  | 66-1560LS | 128 lbs Weight Limit | 60                   | 15    | 17     | 55      | 11.6     | T\$ 815    |          |
|  | 66-1554LS | 90 lbs Weight Limit  | 54                   | 15    | 17     | 50      | 10.5     | T\$ 761    |          |
|  | 66-1548LS | 90 lbs Weight Limit  | 48                   | 15    | 17     | 45      | 9.3      | T\$ 709    |          |
|  | 66-1542LS | 90 lbs Weight Limit  | 42                   | 15    | 17     | 40      | 8.2      | T\$ 656    |          |
|  | 66-1536LS | 64 lbs Weight Limit  | 36                   | 15    | 17     | 35      | 7.1      | T\$ 601    |          |
|  | 66-1530LS | 64 lbs Weight Limit  | 30                   | 15    | 17     | 30      | 6.0      | T\$ 546    |          |

#### Description

- Weight Capacity is a Distributed Load
- Not Liable for Wall Mount Units that are not Properly Installed


| Item   | Model No.      |                      | Width                | Depth | Height | Ship Wt | Cubic Ft | List Price |         |
|--|----------------|----------------------|----------------------|-------|--------|---------|----------|------------|---------|
|  <p>Must Specify (in this order):<br/>Model #<br/>Color</p> | FLOATING SHELF | 66-0996FS            | 123 lbs Weight Limit | 96    | 9      | 1       | 20       | 2.2        | T\$ 785 |
|  | 66-0990FS      | 123 lbs Weight Limit | 90                   | 9     | 1      | 19      | 2.1      | T\$ 753    |         |
|  | 66-0984FS      | 99 lbs Weight Limit  | 84                   | 9     | 1      | 18      | 1.9      | T\$ 719    |         |
|  | 66-0978FS      | 99 lbs Weight Limit  | 78                   | 9     | 1      | 16      | 1.8      | T\$ 687    |         |
|  | 66-0972FS      | 99 lbs Weight Limit  | 72                   | 9     | 1      | 16      | 1.6      | T\$ 655    |         |
|  | 66-0966FS      | 82 lbs Weight Limit  | 66                   | 9     | 1      | 14      | 1.5      | T\$ 614    |         |
|  | 66-0960FS      | 82 lbs Weight Limit  | 60                   | 9     | 1      | 13      | 1.4      | T\$ 572    |         |
|  | 66-0954FS      | 57 lbs Weight Limit  | 54                   | 9     | 1      | 12      | 1.3      | T\$ 534    |         |
|  | 66-0948FS      | 57 lbs Weight Limit  | 48                   | 9     | 1      | 10      | 1.1      | T\$ 494    |         |
|  | 66-0942FS      | 57 lbs Weight Limit  | 42                   | 9     | 1      | 9       | 0.9      | T\$ 454    |         |
|  | 66-0936FS      | 40 lbs Weight Limit  | 36                   | 9     | 1      | 8       | 0.8      | T\$ 411    |         |
|  | 66-0930FS      | 40 lbs Weight Limit  | 30                   | 9     | 1      | 6       | 0.7      | T\$ 372    |         |

#### Description

- Weight Capacity is a Distributed Load
- Not Liable for Wall Mount Units that are not Properly Installed

[See Canvas Intro Section for Ordering Options](#)

| Item         | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------|-----------|-------|-------|--------|---------|----------|------------|
| VISUAL BOARD | 66-4848VB | 48    | 5     | 48     | 150     | 11.0     | T\$ 2770   |



**Description**

- Standard with: Flipchart, Set of Four Dry Erase Markers, Eraser, Mounting Hardware, Tackboard on Each Door in Black Fabric, Display Rail with Adjustable Hooks for Flipchart
- Price Valid for Fabric Grades 1, 2, and 3
- Does Not Feature Soft Close Hinges
- Magnetic Porcelain Non-Glare Writing Surface


Must Specify (in this order):

- Model #
- Color
- Door Grain Direction
- Tackboard Fabric Vendor, Pattern, and Color
- Pull
- Projection Screen Installation

**Options: Specify & Add**

|   | GRADE | 4      | 5   | 6   | 7   | 8   | 9    | 10      |
|---|-------|--------|-----|-----|-----|-----|------|---------|
| TB-4214 Tackboard                                 |       | \$ 278 | 408 | 540 | 728 | 924 | 1152 | 1416    |
| 1-PS Optional Factory Installed Projection Screen |       |        |     |     |     |     |      | \$ 1062 |

**CUSHIONS**



| Model #         | Size | COM Ydg | COM, 1, 2 or 3 | Grades |      |      |      |      |      |      |      |      |  |
|-----------------|------|---------|----------------|--------|------|------|------|------|------|------|------|------|--|
|                 |      |         |                | 4      | 5    | 6    | 7    | 8    | 9    | 10   | L1   | L2   |  |
| 66-24108CUSHION | 108" | 3.25    | \$ 790         | 1242   | 1453 | 1668 | 1973 | 2292 | 2662 | 3091 | 1863 | 2321 |  |
| 66-2490CUSHION  | 90"  | 2.75    | \$ 715         | 1097   | 1276 | 1458 | 1716 | 1986 | 2299 | 2662 | 1623 | 2010 |  |
| 66-2472CUSHION  | 72"  | 2.25    | \$ 604         | 917    | 1063 | 1212 | 1423 | 1644 | 1900 | 2197 | 1347 | 1664 |  |
| 66-2460CUSHION  | 60"  | 2.00    | \$ 523         | 801    | 931  | 1063 | 1251 | 1447 | 1675 | 1939 | 1183 | 1465 |  |
| 66-2436CUSHION  | 36"  | 1.25    | \$ 445         | 619    | 700  | 783  | 900  | 1023 | 1165 | 1330 | 858  | 1034 |  |
| 66-2430CUSHION  | 30"  | 1.25    | \$ 385         | 559    | 640  | 723  | 840  | 963  | 1105 | 1270 | 798  | 974  |  |
| 66-20108CUSHION | 108" | 3.25    | \$ 746         | 1198   | 1409 | 1624 | 1929 | 2248 | 2618 | 3047 | 1819 | 2277 |  |
| 66-2090CUSHION  | 90"  | 2.75    | \$ 675         | 1057   | 1236 | 1418 | 1676 | 1946 | 2259 | 2622 | 1583 | 1970 |  |
| 66-2072CUSHION  | 72"  | 2.25    | \$ 569         | 882    | 1028 | 1177 | 1388 | 1609 | 1865 | 2162 | 1312 | 1629 |  |
| 66-2060CUSHION  | 60"  | 2.00    | \$ 495         | 773    | 903  | 1035 | 1223 | 1419 | 1647 | 1911 | 1155 | 1437 |  |
| 66-2036CUSHION  | 36"  | 1.25    | \$ 416         | 590    | 671  | 754  | 871  | 994  | 1136 | 1301 | 829  | 1005 |  |
| 66-2030CUSHION  | 30"  | 1.25    | \$ 361         | 535    | 616  | 699  | 816  | 939  | 1081 | 1246 | 774  | 950  |  |
| 66-1519CUSHION  | 15"  | 0.75    | \$ 331         | 435    | 484  | 534  | 604  | 678  | 763  | 862  | 579  | 684  |  |

**Description**



- 66-1519CUSHION Is For Use with Mobile Pedestals; [See Mobile Peds](#)
- Increases Height of Mobile Pedestal 2¼"

Must Specify (in this order):

- Model #
- Fabric Vendor, Pattern, and Color

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|-------|-------|--------|---------|----------|------------|
| MAGNETIC GLASS MARKER BOARD  | GMB-23108H | 106½  | ½     | 23     | 83      | 14.3     | \$ 3834    |
| FOR USE WITH 30"H DESKS AND CREENZA AND SURFACE MOUNT HUTCHES WITHOUT PAPERSLOTS | GMB-23102H | 100½  | ½     | 23     | 78      | 13.6     | \$ 3558    |
|  | GMB-2396H  | 94½   | ½     | 23     | 74      | 12.9     | \$ 3351    |
|  | GMB-2390H  | 88½   | ½     | 23     | 69      | 12.2     | \$ 3145    |
|  | GMB-2384H  | 82½   | ½     | 23     | 64      | 11.4     | \$ 3009    |
|  | GMB-2378H  | 76½   | ½     | 23     | 59      | 10.7     | \$ 2802    |
|  | GMB-2372H  | 70½   | ½     | 23     | 55      | 10.0     | \$ 2526    |
|  | GMB-2366H  | 64½   | ½     | 23     | 50      | 9.2      | \$ 2318    |
|  | GMB-2360H  | 58½   | ½     | 23     | 45      | 8.5      | \$ 2182    |
|  | GMB-2354H  | 52½   | ½     | 23     | 41      | 7.8      | \$ 1908    |
|  | GMB-2348H  | 46½   | ½     | 23     | 36      | 7.0      | \$ 1770    |
|  | GMB-2342H  | 40½   | ½     | 23     | 31      | 6.3      | \$ 1494    |
|  | GMB-2336H  | 34½   | ½     | 23     | 27      | 5.6      | \$ 1287    |
| GMB-2330H  | 28½        | ½     | 23    | 22     | 4.9     | \$ 1151  |            |



Must Specify (in this order):

Model #  
Color





Rare Earth Magnets, Marker and Eraser set available; [See Set Options](#)

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use with 30"H Desks and Credenzas with Surface Mount Hutches Without Paperslots
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

| Item  | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|------------|-------|-------|--------|---------|----------|------------|
| MAGNETIC GLASS MARKER BOARD   | GMB-23108W | 108   | ½     | 23     | 85      | 14.6     | \$ 3834    |
| FOR USE WITH 30"H DESKS AND CREENZA AND WALL MOUNT HUTCHES WITHOUT PAPERSLOTS | GMB-23102W | 102   | ½     | 23     | 80      | 13.9     | \$ 3696    |
|   | GMB-2396W  | 96    | ½     | 23     | 75      | 13.1     | \$ 3489    |
|   | GMB-2390W  | 90    | ½     | 23     | 70      | 12.4     | \$ 3215    |
|   | GMB-2384W  | 84    | ½     | 23     | 66      | 11.7     | \$ 3009    |
|   | GMB-2378W  | 78    | ½     | 23     | 61      | 10.9     | \$ 2802    |
|   | GMB-2372W  | 72    | ½     | 23     | 56      | 10.2     | \$ 2595    |
|   | GMB-2366W  | 66    | ½     | 23     | 52      | 9.5      | \$ 2458    |
|   | GMB-2360W  | 60    | ½     | 23     | 47      | 8.8      | \$ 2182    |
|   | GMB-2354W  | 54    | ½     | 23     | 42      | 8.0      | \$ 1976    |
|   | GMB-2348W  | 48    | ½     | 23     | 38      | 7.3      | \$ 1838    |
|   | GMB-2342W  | 42    | ½     | 23     | 33      | 6.6      | \$ 1563    |
|   | GMB-2336W  | 36    | ½     | 23     | 28      | 5.8      | \$ 1357    |
| GMB-2330W   | 30         | ½     | 23    | 23     | 5.1     | \$ 1151  |            |



Must Specify (in this order):

Model #  
Color





Rare Earth Magnets, Marker and Eraser set available; [See Set Options](#)

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches Without Paperslots
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

[See Canvas Intro Section for Ordering Options](#)

| Item   | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|-------|-------|--------|---------|----------|------------|
| MAGNETIC GLASS MARKER BOARD<br><br>FOR USE WITH 21" LOW CREDENZA<br>AND WALL MOUNT HUTCHES | GMB-31108W | 108   | ½     | 31     | 114     | 17.9     | \$ 5073    |
|  | GMB-31102W | 102   | ½     | 31     | 108     | 17.0     | \$ 4889    |
|  | GMB-3196W  | 96    | ½     | 31     | 101     | 16.1     | \$ 4613    |
|  | GMB-3190W  | 90    | ½     | 31     | 95      | 15.2     | \$ 4246    |
|  | GMB-3184W  | 84    | ½     | 31     | 89      | 14.3     | \$ 3972    |
|  | GMB-3178W  | 78    | ½     | 31     | 82      | 13.4     | \$ 3696    |
|  | GMB-3172W  | 72    | ½     | 31     | 76      | 12.5     | \$ 3421    |
|  | GMB-3166W  | 66    | ½     | 31     | 70      | 11.6     | \$ 3235    |
|  | GMB-3160W  | 60    | ½     | 31     | 63      | 10.8     | \$ 2870    |
|  | GMB-3154W  | 54    | ½     | 31     | 57      | 9.9      | \$ 2595    |
|  | GMB-3148W  | 48    | ½     | 31     | 51      | 9.0      | \$ 2414    |
|  | GMB-3142W  | 42    | ½     | 31     | 44      | 8.1      | \$ 2045    |
|  | GMB-3136W  | 36    | ½     | 31     | 38      | 7.2      | \$ 1770    |
|  | GMB-3130W  | 30    | ½     | 31     | 32      | 6.3      | \$ 1494    |



Must Specify (in this order):

Model #  
Color




Rare Earth Magnets, Marker and Eraser set available; [See Set Options](#)

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 21"H Desks and Credenzas with Wall Mount Hutches
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

|  |           |    |   |     |    |      |         |
|--|-----------|----|---|-----|----|------|---------|
| MAGNETIC GLASS MARKER BOARD<br><br>FOR USE WITH 30"H DESKS<br>AND CREDENZA AND WALL<br>MOUNT HUTCHES OR SHELVING | GMB-4048W | 48 | ½ | 40% | 67 | 11.0 | \$ 3128 |
|  | GMB-4042W | 42 | ½ | 40% | 58 | 9.9  | \$ 2644 |
|  | GMB-4036W | 36 | ½ | 40% | 50 | 8.8  | \$ 2285 |
|  | GMB-4030W | 30 | ½ | 40% | 42 | 7.7  | \$ 1924 |



Must Specify (in this order):

Model #  
Color




Rare Earth Magnets, Marker and Eraser set available; [See Set Options](#)

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Include Mounting Brackets
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches or Shelving
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

[See Canvas Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|------------|
| MAGNETIC GLASS MARKER BOARD<br><br>FOR USE WITH 30"H DESKS<br>AND CREDENZA AND TALL WALL<br>MOUNT HUTCHES OR SHELVING | GMB-5248W | 48    | ½     | 52⅞    | 86      | 13.5     | \$ 3988    |
|   | GMB-5242W | 42    | ½     | 52⅞    | 76      | 12.2     | \$ 3369    |
|   | GMB-5236W | 36    | ½     | 52⅞    | 65      | 10.8     | \$ 2904    |
|   | GMB-5230W | 30    | ½     | 52⅞    | 54      | 9.5      | \$ 2441    |



Must Specify (in this order):

Model #  
Color




Rare Earth Magnets, Marker and Eraser set available; [See Set Options](#)

### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Include Mounting Brackets
- For Use Next to Tall Surface or Wall Mount Hutches
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

|   |           |    |   |     |     |      |         |
|---|-----------|----|---|-----|-----|------|---------|
| MAGNETIC GLASS MARKER BOARD<br><br>FOR USE FROM FLOOR<br>TO TOP OF UNIT | GMB-8236W | 36 | ½ | 82⅞ | 102 | 15.8 | \$ 4453 |
|   | GMB-7036W | 36 | ½ | 70⅞ | 87  | 13.8 | \$ 3834 |
|   | GMB-5136W | 36 | ½ | 51⅞ | 63  | 10.6 | \$ 2802 |
|   | GMB-8230W | 30 | ½ | 82⅞ | 85  | 13.8 | \$ 3730 |
|   | GMB-7030W | 30 | ½ | 70⅞ | 72  | 12.1 | \$ 3215 |
|   | GMB-5130W | 30 | ½ | 51⅞ | 53  | 9.3  | \$ 2354 |



Must Specify (in this order):

Model #  
Color



Rare Earth Magnets, Marker and Eraser set available; [See Set Options](#)

### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use From Floor to Top of Unit
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

|                       |              |  |        |
|-----------------------|--------------|--|--------|
| MARKER AND ERASER SET | 01-MRKRSETBL | For Use with Black Marker Boards and Black Glass Doors | \$ 123 |
|                       | 01-MRKRSETWH | For Use with White Marker Boards and White Glass Doors |        |



### Description

- 01-MRKRSETWH May Also be Used with Dry Erase Doors and Boards
- Includes 4 Markers and an Eraser

|                       |          |       |        |
|-----------------------|----------|-------|--------|
| RARE EARTH MAGNET SET | 01-MAGBL | Black | \$ 114 |
|                       | 01-MAGWH | White |        |



### Description


- Includes Set of Five (5) Rare Earth Magnets
- To be Used with Tempered Glass Magnetic Marker Boards
- Comfort Grip with Stylish Protective Plastic Coating

[See Canvas Intro Section for Ordering Options](#)



**TALL TOOL RAIL WORK WALL  
FOR SURFACE MOUNT HUTCHES**

**USE OVER 30" H CREDENZA  
23" TALL**



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)


| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-23108TRH | 108" | 3.50    | \$ 1715           | 2202   | 2429 | 2660 | 2989 | 3332 | 3731 | 4193 |
| WW-23102TRH | 102" | 3.25    | \$ 1635           | 2087   | 2298 | 2513 | 2818 | 3137 | 3507 | 3936 |
| WW-2396TRH  | 96"  | 3.00    | \$ 1565           | 1982   | 2177 | 2375 | 2657 | 2951 | 3293 | 3689 |
| WW-2390TRH  | 90"  | 2.75    | \$ 1471           | 1853   | 2032 | 2214 | 2472 | 2742 | 3055 | 3418 |
| WW-2384TRH  | 84"  | 2.50    | \$ 1334           | 1682   | 1844 | 2009 | 2244 | 2489 | 2774 | 3104 |
| WW-2378TRH  | 78"  | 2.50    | \$ 1285           | 1633   | 1795 | 1960 | 2195 | 2440 | 2725 | 3055 |
| WW-2372TRH  | 72"  | 2.25    | \$ 1023           | 1336   | 1482 | 1631 | 1842 | 2063 | 2319 | 2616 |
| WW-2366TRH  | 66"  | 2.00    | \$ 967            | 1245   | 1375 | 1507 | 1695 | 1891 | 2119 | 2383 |
| WW-2360TRH  | 60"  | 2.00    | \$ 910            | 1188   | 1318 | 1450 | 1638 | 1834 | 2062 | 2326 |
| WW-2354TRH  | 54"  | 1.75    | \$ 887            | 1130   | 1244 | 1360 | 1524 | 1696 | 1895 | 2126 |
| WW-2348TRH  | 48"  | 1.50    | \$ 806            | 1015   | 1112 | 1211 | 1352 | 1499 | 1670 | 1868 |
| WW-2342TRH  | 42"  | 1.25    | \$ 745            | 919    | 1000 | 1083 | 1200 | 1323 | 1465 | 1630 |
| WW-2336TRH  | 36"  | 1.25    | \$ 727            | 901    | 982  | 1065 | 1182 | 1305 | 1447 | 1612 |
| WW-2330TRH  | 30"  | 1.00    | \$ 671            | 810    | 875  | 941  | 1035 | 1133 | 1247 | 1379 |

**Description**

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

**TALL TOOL RAIL WORK WALL  
FOR SURFACE MOUNT HUTCHES  
WITH PAPER SLOTS**

**USE OVER 30" H CREDENZA  
19" TALL**



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)

| Model #       | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|---------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|               |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-19108TRHPS | 108" | 3.50    | \$ 1579           | 2066   | 2293 | 2524 | 2853 | 3196 | 3595 | 4057 |
| WW-19102TRHPS | 102" | 3.25    | \$ 1505           | 1957   | 2168 | 2383 | 2688 | 3007 | 3377 | 3806 |
| WW-1996TRHPS  | 96"  | 3.00    | \$ 1440           | 1857   | 2052 | 2250 | 2532 | 2826 | 3168 | 3564 |
| WW-1990TRHPS  | 90"  | 2.75    | \$ 1349           | 1731   | 1910 | 2092 | 2350 | 2620 | 2933 | 3296 |
| WW-1984TRHPS  | 84"  | 2.50    | \$ 1215           | 1563   | 1725 | 1890 | 2125 | 2370 | 2655 | 2985 |
| WW-1978TRHPS  | 78"  | 2.50    | \$ 1173           | 1521   | 1683 | 1848 | 2083 | 2328 | 2613 | 2943 |
| WW-1972TRHPS  | 72"  | 2.25    | \$ 935            | 1248   | 1394 | 1543 | 1754 | 1975 | 2231 | 2528 |
| WW-1966TRHPS  | 66"  | 2.00    | \$ 887            | 1165   | 1295 | 1427 | 1615 | 1811 | 2039 | 2303 |
| WW-1960TRHPS  | 60"  | 2.00    | \$ 845            | 1123   | 1253 | 1385 | 1573 | 1769 | 1997 | 2261 |
| WW-1954TRHPS  | 54"  | 1.75    | \$ 830            | 1073   | 1187 | 1303 | 1467 | 1639 | 1838 | 2069 |
| WW-1948TRHPS  | 48"  | 1.50    | \$ 771            | 980    | 1077 | 1176 | 1317 | 1464 | 1635 | 1833 |
| WW-1942TRHPS  | 42"  | 1.25    | \$ 709            | 883    | 964  | 1047 | 1164 | 1287 | 1429 | 1594 |
| WW-1936TRHPS  | 36"  | 1.25    | \$ 698            | 872    | 953  | 1036 | 1153 | 1276 | 1418 | 1583 |
| WW-1930TRHPS  | 30"  | 1.00    | \$ 643            | 782    | 847  | 913  | 1007 | 1105 | 1219 | 1351 |


**Description**

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

[See Canvas Intro Section for Ordering Options](#)

### TALL TOOL RAIL WORK WALL FOR WALL MOUNT HUTCHES

#### USE OVER 21" H CREDENZA 31" TALL



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

#### Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)


| Model #      | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|--------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|              |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-31108TTRW | 108" | 3.50    | \$ 2159           | 2646   | 2873 | 3104 | 3433 | 3776 | 4175 | 4637 |
| WW-31102TTRW | 102" | 3.25    | \$ 2044           | 2496   | 2707 | 2922 | 3227 | 3546 | 3916 | 4345 |
| WW-3196TTRW  | 96"  | 3.00    | \$ 1969           | 2386   | 2581 | 2779 | 3061 | 3355 | 3697 | 4093 |
| WW-3190TTRW  | 90"  | 2.75    | \$ 1854           | 2236   | 2415 | 2597 | 2855 | 3125 | 3438 | 3801 |
| WW-3184TTRW  | 84"  | 2.50    | \$ 1658           | 2006   | 2168 | 2333 | 2568 | 2813 | 3098 | 3428 |
| WW-3178TTRW  | 78"  | 2.50    | \$ 1585           | 1933   | 2095 | 2260 | 2495 | 2740 | 3025 | 3355 |
| WW-3172TTRW  | 72"  | 2.25    | \$ 1318           | 1631   | 1777 | 1926 | 2137 | 2358 | 2614 | 2911 |
| WW-3166TTRW  | 66"  | 2.00    | \$ 1265           | 1543   | 1673 | 1805 | 1993 | 2189 | 2417 | 2681 |
| WW-3160TTRW  | 60"  | 2.00    | \$ 1191           | 1469   | 1599 | 1731 | 1919 | 2115 | 2343 | 2607 |
| WW-3154TTRW  | 54"  | 1.75    | \$ 1137           | 1380   | 1494 | 1610 | 1774 | 1946 | 2145 | 2376 |
| WW-3148TTRW  | 48"  | 1.50    | \$ 1044           | 1253   | 1350 | 1449 | 1590 | 1737 | 1908 | 2106 |
| WW-3142TTRW  | 42"  | 1.25    | \$ 960            | 1134   | 1215 | 1298 | 1415 | 1538 | 1680 | 1845 |
| WW-3136TTRW  | 36"  | 1.25    | \$ 940            | 1114   | 1195 | 1278 | 1395 | 1518 | 1660 | 1825 |
| WW-3130TTRW  | 30"  | 1.00    | \$ 865            | 1004   | 1069 | 1135 | 1229 | 1327 | 1441 | 1573 |

#### Description

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

### TALL TOOL RAIL WORK WALL FOR WALL MOUNT HUTCHES WITH PAPER SLOTS

#### USE OVER 21" H CREDENZA 27" TALL



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

#### Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)

| Model #        | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|----------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|                |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-27108TTRWPS | 108" | 3.50    | \$ 1978           | 2465   | 2692 | 2923 | 3252 | 3595 | 3994 | 4456 |
| WW-27102TTRWPS | 102" | 3.25    | \$ 1867           | 2319   | 2530 | 2745 | 3050 | 3369 | 3739 | 4168 |
| WW-2796TTRWPS  | 96"  | 3.00    | \$ 1805           | 2222   | 2417 | 2615 | 2897 | 3191 | 3533 | 3929 |
| WW-2790TTRWPS  | 90"  | 2.75    | \$ 1699           | 2081   | 2260 | 2442 | 2700 | 2970 | 3283 | 3646 |
| WW-2784TTRWPS  | 84"  | 2.50    | \$ 1518           | 1866   | 2028 | 2193 | 2428 | 2673 | 2958 | 3288 |
| WW-2778TTRWPS  | 78"  | 2.50    | \$ 1454           | 1802   | 1964 | 2129 | 2364 | 2609 | 2894 | 3224 |
| WW-2772TTRWPS  | 72"  | 2.25    | \$ 1204           | 1517   | 1663 | 1812 | 2023 | 2244 | 2500 | 2797 |
| WW-2766TTRWPS  | 66"  | 2.00    | \$ 1153           | 1431   | 1561 | 1693 | 1881 | 2077 | 2305 | 2569 |
| WW-2760TTRWPS  | 60"  | 2.00    | \$ 1085           | 1363   | 1493 | 1625 | 1813 | 2009 | 2237 | 2501 |
| WW-2754TTRWPS  | 54"  | 1.75    | \$ 1035           | 1278   | 1392 | 1508 | 1672 | 1844 | 2043 | 2274 |
| WW-2748TTRWPS  | 48"  | 1.50    | \$ 954            | 1163   | 1260 | 1359 | 1500 | 1647 | 1818 | 2016 |
| WW-2742TTRWPS  | 42"  | 1.25    | \$ 879            | 1053   | 1134 | 1217 | 1334 | 1457 | 1599 | 1764 |
| WW-2736TTRWPS  | 36"  | 1.25    | \$ 859            | 1033   | 1114 | 1197 | 1314 | 1437 | 1579 | 1744 |
| WW-2730TTRWPS  | 30"  | 1.00    | \$ 791            | 930    | 995  | 1061 | 1155 | 1253 | 1367 | 1499 |

#### Description

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

[See Canvas Intro Section for Ordering Options](#)

**TOOL RAIL WORK WALL  
FOR WALL MOUNT HUTCHES**

**USE OVER 30”H CREDENZA  
23” TALL**



Must Specify (in this order):  
Model #  
Tackboard on Top or Bottom  
Dry Erase on Top or Bottom  
Tackboard Fabric Vendor, Pattern,  
and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)

| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-23108TRW | 108" | 3.50    | \$ 1797           | 2284   | 2511 | 2742 | 3071 | 3414 | 3813 | 4275 |
| WW-23102TRW | 102" | 3.25    | \$ 1693           | 2145   | 2356 | 2571 | 2876 | 3195 | 3565 | 3994 |
| WW-2396TRW  | 96"  | 3.00    | \$ 1643           | 2060   | 2255 | 2453 | 2735 | 3029 | 3371 | 3767 |
| WW-2390TRW  | 90"  | 2.75    | \$ 1548           | 1930   | 2109 | 2291 | 2549 | 2819 | 3132 | 3495 |
| WW-2384TRW  | 84"  | 2.50    | \$ 1379           | 1727   | 1889 | 2054 | 2289 | 2534 | 2819 | 3149 |
| WW-2378TRW  | 78"  | 2.50    | \$ 1319           | 1667   | 1829 | 1994 | 2229 | 2474 | 2759 | 3089 |
| WW-2372TRW  | 72"  | 2.25    | \$ 1099           | 1412   | 1558 | 1707 | 1918 | 2139 | 2395 | 2692 |
| WW-2366TRW  | 66"  | 2.00    | \$ 1040           | 1318   | 1448 | 1580 | 1768 | 1964 | 2192 | 2456 |
| WW-2360TRW  | 60"  | 2.00    | \$ 976            | 1254   | 1384 | 1516 | 1704 | 1900 | 2128 | 2392 |
| WW-2354TRW  | 54"  | 1.75    | \$ 934            | 1177   | 1291 | 1407 | 1571 | 1743 | 1942 | 2173 |
| WW-2348TRW  | 48"  | 1.50    | \$ 863            | 1072   | 1169 | 1268 | 1409 | 1556 | 1727 | 1925 |
| WW-2342TRW  | 42"  | 1.25    | \$ 795            | 969    | 1050 | 1133 | 1250 | 1373 | 1515 | 1680 |
| WW-2336TRW  | 36"  | 1.25    | \$ 780            | 954    | 1035 | 1118 | 1235 | 1358 | 1500 | 1665 |
| WW-2330TRW  | 30"  | 1.00    | \$ 716            | 855    | 920  | 986  | 1080 | 1178 | 1292 | 1424 |

**Description**

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- See Accessories on Next Page

**TALL TOOL RAIL WORK WALL  
FOR WALL MOUNT HUTCHES  
WITH PAPER SLOTS**

**USE OVER 30”H CREDENZA  
19” TALL**



Must Specify (in this order):  
Model #  
Tackboard on Top or Bottom  
Dry Erase on Top or Bottom  
Tackboard Fabric Vendor, Pattern,  
and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)


| Model #       | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|---------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|               |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-19108TRWPS | 108" | 3.50    | \$ 1654           | 2141   | 2368 | 2599 | 2928 | 3271 | 3670 | 4132 |
| WW-19102TRWPS | 102" | 3.25    | \$ 1555           | 2007   | 2218 | 2433 | 2738 | 3057 | 3427 | 3856 |
| WW-1996TRWPS  | 96"  | 3.00    | \$ 1507           | 1924   | 2119 | 2317 | 2599 | 2893 | 3235 | 3631 |
| WW-1990TRWPS  | 90"  | 2.75    | \$ 1419           | 1801   | 1980 | 2162 | 2420 | 2690 | 3003 | 3366 |
| WW-1984TRWPS  | 84"  | 2.50    | \$ 1258           | 1606   | 1768 | 1933 | 2168 | 2413 | 2698 | 3028 |
| WW-1978TRWPS  | 78"  | 2.50    | \$ 1203           | 1551   | 1713 | 1878 | 2113 | 2358 | 2643 | 2973 |
| WW-1972TRWPS  | 72"  | 2.25    | \$ 1004           | 1317   | 1463 | 1612 | 1823 | 2044 | 2300 | 2597 |
| WW-1966TRWPS  | 66"  | 2.00    | \$ 953            | 1231   | 1361 | 1493 | 1681 | 1877 | 2105 | 2369 |
| WW-1960TRWPS  | 60"  | 2.00    | \$ 901            | 1179   | 1309 | 1441 | 1629 | 1825 | 2053 | 2317 |
| WW-1954TRWPS  | 54"  | 1.75    | \$ 871            | 1114   | 1228 | 1344 | 1508 | 1680 | 1879 | 2110 |
| WW-1948TRWPS  | 48"  | 1.50    | \$ 818            | 1027   | 1124 | 1223 | 1364 | 1511 | 1682 | 1880 |
| WW-1942TRWPS  | 42"  | 1.25    | \$ 756            | 930    | 1011 | 1094 | 1211 | 1334 | 1476 | 1641 |
| WW-1936TRWPS  | 36"  | 1.25    | \$ 741            | 915    | 996  | 1079 | 1196 | 1319 | 1461 | 1626 |
| WW-1930TRWPS  | 30"  | 1.00    | \$ 684            | 823    | 888  | 954  | 1048 | 1146 | 1260 | 1392 |

**Description**


- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- See Accessories on Next Page

[See Canvas Intro Section for Ordering Options](#)


| Item       | Model No.   |       | Width            | Depth            | Height          | Ship Wt | Cubic Ft | List Price |
|------------|-------------|-------|------------------|------------------|-----------------|---------|----------|------------|
| LEGAL TRAY | 01-LGLTRAYC | Clear | 14 $\frac{7}{8}$ | 10 $\frac{1}{2}$ | 1 $\frac{1}{8}$ |         |          | \$ 115     |



|               |              |       |                 |                  |                 |  |  |        |
|---------------|--------------|-------|-----------------|------------------|-----------------|--|--|--------|
| FOLDER SORTER | 01-FLDRSRTRC | Clear | 7 $\frac{1}{4}$ | 12 $\frac{3}{8}$ | 7 $\frac{1}{8}$ |  |  | \$ 129 |
|---------------|--------------|-------|-----------------|------------------|-----------------|--|--|--------|




|                  |             |       |                 |                  |                 |  |  |        |
|------------------|-------------|-------|-----------------|------------------|-----------------|--|--|--------|
| ACCESSORIES TRAY | 01-ACCTRAYC | Clear | 9 $\frac{1}{4}$ | 10 $\frac{1}{8}$ | 1 $\frac{1}{8}$ |  |  | \$ 125 |
|------------------|-------------|-------|-----------------|------------------|-----------------|--|--|--------|



[See Canvas Intro Section for Ordering Options](#)

**TACKBOARDS  
FOR SURFACE MOUNT HUTCHES**

**23" TALL**




Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color

| Model #  | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|          |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-6696H | 96"  | 3.00    | \$ 707            | 1124   | 1319 | 1517 | 1799 | 2093 | 2435 | 2831 |
| TB-6690H | 90"  | 2.75    | \$ 673            | 1055   | 1234 | 1416 | 1674 | 1944 | 2257 | 2620 |
| TB-6684H | 84"  | 2.50    | \$ 639            | 987    | 1149 | 1314 | 1549 | 1794 | 2079 | 2409 |
| TB-6678H | 78"  | 2.50    | \$ 628            | 976    | 1138 | 1303 | 1538 | 1783 | 2068 | 2398 |
| TB-6672H | 72"  | 2.25    | \$ 566            | 879    | 1025 | 1174 | 1385 | 1606 | 1862 | 2159 |
| TB-6666H | 66"  | 2.00    | \$ 533            | 811    | 941  | 1073 | 1261 | 1457 | 1685 | 1949 |
| TB-6660H | 60"  | 2.00    | \$ 498            | 776    | 906  | 1038 | 1226 | 1422 | 1650 | 1914 |
| TB-6654H | 54"  | 1.75    | \$ 485            | 728    | 842  | 958  | 1122 | 1294 | 1493 | 1724 |
| TB-6648H | 48"  | 1.50    | \$ 436            | 645    | 742  | 841  | 982  | 1129 | 1300 | 1498 |
| TB-6642H | 42"  | 1.25    | \$ 396            | 570    | 651  | 734  | 851  | 974  | 1116 | 1281 |
| TB-6636H | 36"  | 1.25    | \$ 385            | 559    | 640  | 723  | 840  | 963  | 1105 | 1270 |
| TB-6630H | 30"  | 1.00    | \$ 346            | 485    | 550  | 616  | 710  | 808  | 922  | 1054 |

**Description**  
• All Tackboards 78" and Longer will Ship in 2 Pieces

**TACKBOARDS  
FOR SURFACE MOUNT HUTCHES  
WITH PAPER SLOTS**

**19" TALL**



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color


| Model #    | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|            |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-1996HPS | 96"  | 3.00    | \$ 635            | 1052   | 1247 | 1445 | 1727 | 2021 | 2363 | 2759 |
| TB-1990HPS | 90"  | 2.75    | \$ 609            | 991    | 1170 | 1352 | 1610 | 1880 | 2193 | 2556 |
| TB-1984HPS | 84"  | 2.50    | \$ 575            | 923    | 1085 | 1250 | 1485 | 1730 | 2015 | 2345 |
| TB-1978HPS | 78"  | 2.50    | \$ 566            | 914    | 1076 | 1241 | 1476 | 1721 | 2006 | 2336 |
| TB-1972HPS | 72"  | 2.25    | \$ 510            | 823    | 969  | 1118 | 1329 | 1550 | 1806 | 2103 |
| TB-1966HPS | 66"  | 2.00    | \$ 476            | 754    | 884  | 1016 | 1204 | 1400 | 1628 | 1892 |
| TB-1960HPS | 60"  | 2.00    | \$ 445            | 723    | 853  | 985  | 1173 | 1369 | 1597 | 1861 |
| TB-1954HPS | 54"  | 1.75    | \$ 433            | 676    | 790  | 906  | 1070 | 1242 | 1441 | 1672 |
| TB-1948HPS | 48"  | 1.50    | \$ 390            | 599    | 696  | 795  | 936  | 1083 | 1254 | 1452 |
| TB-1942HPS | 42"  | 1.25    | \$ 352            | 526    | 607  | 690  | 807  | 930  | 1072 | 1237 |
| TB-1936HPS | 36"  | 1.25    | \$ 343            | 517    | 598  | 681  | 798  | 921  | 1063 | 1228 |
| TB-1930HPS | 30"  | 1.00    | \$ 311            | 450    | 515  | 581  | 675  | 773  | 887  | 1019 |

**Description**  
• All Tackboards 78" and Longer will Ship in 2 Pieces

[See Canvas Intro Section for Ordering Options](#)

### TACKBOARDS FOR WALL MOUNT HUTCHES

USE OVER 21" H CREDENZA  
31" TALL



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color


| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-31108W | 108" | 3.50    | \$ 1014           | 1501   | 1728 | 1959 | 2288 | 2631 | 3030 | 3492 |
| TB-31102W | 102" | 3.25    | \$ 969            | 1421   | 1632 | 1847 | 2152 | 2471 | 2841 | 3270 |
| TB-3196W  | 96"  | 3.00    | \$ 943            | 1360   | 1555 | 1753 | 2035 | 2329 | 2671 | 3067 |
| TB-3190W  | 90"  | 2.75    | \$ 899            | 1281   | 1460 | 1642 | 1900 | 2170 | 2483 | 2846 |
| TB-3184W  | 84"  | 2.50    | \$ 851            | 1199   | 1361 | 1526 | 1761 | 2006 | 2291 | 2621 |
| TB-3178W  | 78"  | 2.50    | \$ 836            | 1184   | 1346 | 1511 | 1746 | 1991 | 2276 | 2606 |
| TB-3172W  | 72"  | 2.25    | \$ 772            | 1085   | 1231 | 1380 | 1591 | 1812 | 2068 | 2365 |
| TB-3166W  | 66"  | 2.00    | \$ 738            | 1016   | 1146 | 1278 | 1466 | 1662 | 1890 | 2154 |
| TB-3160W  | 60"  | 2.00    | \$ 691            | 969    | 1099 | 1231 | 1419 | 1615 | 1843 | 2107 |
| TB-3154W  | 54"  | 1.75    | \$ 656            | 899    | 1013 | 1129 | 1293 | 1465 | 1664 | 1895 |
| TB-3148W  | 48"  | 1.50    | \$ 598            | 807    | 904  | 1003 | 1144 | 1291 | 1462 | 1660 |
| TB-3142W  | 42"  | 1.25    | \$ 539            | 713    | 794  | 877  | 994  | 1117 | 1259 | 1424 |
| TB-3136W  | 36"  | 1.25    | \$ 525            | 699    | 780  | 863  | 980  | 1103 | 1245 | 1410 |
| TB-3130W  | 30"  | 1.00    | \$ 473            | 612    | 677  | 743  | 837  | 935  | 1049 | 1181 |

#### Description

- All Tackboards 78" and Longer will Ship in 2 Pieces

### TACKBOARDS FOR WALL MOUNT HUTCHES WITH PAPER SLOTS

USE OVER 21" H CREDENZA  
27" TALL



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color

| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-27108WPS | 108" | 3.50    | \$ 929            | 1416   | 1643 | 1874 | 2203 | 2546 | 2945 | 3407 |
| TB-27102WPS | 102" | 3.25    | \$ 887            | 1339   | 1550 | 1765 | 2070 | 2389 | 2759 | 3188 |
| TB-2796WPS  | 96"  | 3.00    | \$ 864            | 1281   | 1476 | 1674 | 1956 | 2250 | 2592 | 2988 |
| TB-2790WPS  | 90"  | 2.75    | \$ 829            | 1211   | 1390 | 1572 | 1830 | 2100 | 2413 | 2776 |
| TB-2784WPS  | 84"  | 2.50    | \$ 783            | 1131   | 1293 | 1458 | 1693 | 1938 | 2223 | 2553 |
| TB-2778WPS  | 78"  | 2.50    | \$ 767            | 1115   | 1277 | 1442 | 1677 | 1922 | 2207 | 2537 |
| TB-2772WPS  | 72"  | 2.25    | \$ 707            | 1020   | 1166 | 1315 | 1526 | 1747 | 2003 | 2300 |
| TB-2766WPS  | 66"  | 2.00    | \$ 671            | 949    | 1079 | 1211 | 1399 | 1595 | 1823 | 2087 |
| TB-2760WPS  | 60"  | 2.00    | \$ 627            | 905    | 1035 | 1167 | 1355 | 1551 | 1779 | 2043 |
| TB-2754WPS  | 54"  | 1.75    | \$ 598            | 841    | 955  | 1071 | 1235 | 1407 | 1606 | 1837 |
| TB-2748WPS  | 48"  | 1.50    | \$ 545            | 754    | 851  | 950  | 1091 | 1238 | 1409 | 1607 |
| TB-2742WPS  | 42"  | 1.25    | \$ 492            | 666    | 747  | 830  | 947  | 1070 | 1212 | 1377 |
| TB-2736WPS  | 36"  | 1.25    | \$ 481            | 655    | 736  | 819  | 936  | 1059 | 1201 | 1366 |
| TB-2730WPS  | 30"  | 1.00    | \$ 433            | 572    | 637  | 703  | 797  | 895  | 1009 | 1141 |


#### Description

- All Tackboards 78" and Longer will Ship in 2 Pieces

[See Canvas Intro Section for Ordering Options](#)

**TACKBOARDS  
FOR WALL MOUNT HUTCHES**

**23" TALL**



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color


| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |  |  |  |  |  |  |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|--|--|--|--|--|--|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |  |  |  |  |  |  |
| TB-66108W | 108" | 3.50    | \$ 845            | 1332   | 1559 | 1790 | 2119 | 2462 | 2861 | 3323 |  |  |  |  |  |  |
| TB-66102W | 102" | 3.25    | \$ 805            | 1257   | 1468 | 1683 | 1988 | 2307 | 2677 | 3106 |  |  |  |  |  |  |
| TB-6696W  | 96"  | 3.00    | \$ 788            | 1205   | 1400 | 1598 | 1880 | 2174 | 2516 | 2912 |  |  |  |  |  |  |
| TB-6690W  | 90"  | 2.75    | \$ 751            | 1133   | 1312 | 1494 | 1752 | 2022 | 2335 | 2698 |  |  |  |  |  |  |
| TB-6684W  | 84"  | 2.50    | \$ 711            | 1059   | 1221 | 1386 | 1621 | 1866 | 2151 | 2481 |  |  |  |  |  |  |
| TB-6678W  | 78"  | 2.50    | \$ 698            | 1046   | 1208 | 1373 | 1608 | 1853 | 2138 | 2468 |  |  |  |  |  |  |
| TB-6672W  | 72"  | 2.25    | \$ 642            | 955    | 1101 | 1250 | 1461 | 1682 | 1938 | 2235 |  |  |  |  |  |  |
| TB-6666W  | 66"  | 2.00    | \$ 609            | 887    | 1017 | 1149 | 1337 | 1533 | 1761 | 2025 |  |  |  |  |  |  |
| TB-6660W  | 60"  | 2.00    | \$ 566            | 844    | 974  | 1106 | 1294 | 1490 | 1718 | 1982 |  |  |  |  |  |  |
| TB-6654W  | 54"  | 1.75    | \$ 539            | 782    | 896  | 1012 | 1176 | 1348 | 1547 | 1778 |  |  |  |  |  |  |
| TB-6648W  | 48"  | 1.50    | \$ 492            | 701    | 798  | 897  | 1038 | 1185 | 1356 | 1554 |  |  |  |  |  |  |
| TB-6642W  | 42"  | 1.25    | \$ 446            | 620    | 701  | 784  | 901  | 1024 | 1166 | 1331 |  |  |  |  |  |  |
| TB-6636W  | 36"  | 1.25    | \$ 434            | 608    | 689  | 772  | 889  | 1012 | 1154 | 1319 |  |  |  |  |  |  |
| TB-6630W  | 30"  | 1.00    | \$ 394            | 533    | 598  | 664  | 758  | 856  | 970  | 1102 |  |  |  |  |  |  |

**Description**

- All Tackboards 78" and Longer will Ship in 2 Pieces
- Not Compatible with Gallery Screens; Consider Work Wall Applications

**TACKBOARDS  
FOR WALL MOUNT HUTCHES  
WITH PAPER SLOTS**

**19" TALL**



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color


| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |  |  |  |  |  |  |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|--|--|--|--|--|--|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |  |  |  |  |  |  |
| TB-19108WPS | 108" | 3.50    | \$ 758            | 1245   | 1472 | 1703 | 2032 | 2375 | 2774 | 3236 |  |  |  |  |  |  |
| TB-19102WPS | 102" | 3.25    | \$ 723            | 1175   | 1386 | 1601 | 1906 | 2225 | 2595 | 3024 |  |  |  |  |  |  |
| TB-1996WPS  | 96"  | 3.00    | \$ 708            | 1125   | 1320 | 1518 | 1800 | 2094 | 2436 | 2832 |  |  |  |  |  |  |
| TB-1990WPS  | 90"  | 2.75    | \$ 676            | 1058   | 1237 | 1419 | 1677 | 1947 | 2260 | 2623 |  |  |  |  |  |  |
| TB-1984WPS  | 84"  | 2.50    | \$ 638            | 986    | 1148 | 1313 | 1548 | 1793 | 2078 | 2408 |  |  |  |  |  |  |
| TB-1978WPS  | 78"  | 2.50    | \$ 626            | 974    | 1136 | 1301 | 1536 | 1781 | 2066 | 2396 |  |  |  |  |  |  |
| TB-1972WPS  | 72"  | 2.25    | \$ 578            | 891    | 1037 | 1186 | 1397 | 1618 | 1874 | 2171 |  |  |  |  |  |  |
| TB-1966WPS  | 66"  | 2.00    | \$ 542            | 820    | 950  | 1082 | 1270 | 1466 | 1694 | 1958 |  |  |  |  |  |  |
| TB-1960WPS  | 60"  | 2.00    | \$ 502            | 780    | 910  | 1042 | 1230 | 1426 | 1654 | 1918 |  |  |  |  |  |  |
| TB-1954WPS  | 54"  | 1.75    | \$ 481            | 724    | 838  | 954  | 1118 | 1290 | 1489 | 1720 |  |  |  |  |  |  |
| TB-1948WPS  | 48"  | 1.50    | \$ 442            | 651    | 748  | 847  | 988  | 1135 | 1306 | 1504 |  |  |  |  |  |  |
| TB-1942WPS  | 42"  | 1.25    | \$ 398            | 572    | 653  | 736  | 853  | 976  | 1118 | 1283 |  |  |  |  |  |  |
| TB-1936WPS  | 36"  | 1.25    | \$ 388            | 562    | 643  | 726  | 843  | 966  | 1108 | 1273 |  |  |  |  |  |  |
| TB-1930WPS  | 30"  | 1.00    | \$ 351            | 490    | 555  | 621  | 715  | 813  | 927  | 1059 |  |  |  |  |  |  |

**Description**

- All Tackboards 78" and Longer will Ship in 2 Pieces
- Not Compatible with Gallery Screens; Consider Work Wall Applications

[See Canvas Intro Section for Ordering Options](#)

**TACKBOARDS  
FOR DUAL ACCESS OPEN HUTCHES**



| Model # | Coordinating Unit | COM ydg | COM, 1, 2 or 3 | Grades |     |     |     |      |      |      |
|---------|-------------------|---------|----------------|--------|-----|-----|-----|------|------|------|
|         |                   |         |                | 4      | 5   | 6   | 7   | 8    | 9    | 10   |
| TB-1334 | 66-1572DAOH       | 1.25    | \$ 446         | 620    | 701 | 784 | 901 | 1024 | 1166 | 1331 |
| TB-1331 | 66-1566DAOH       | 1.00    | \$ 377         | 516    | 581 | 647 | 741 | 839  | 953  | 1085 |
| TB-1328 | 66-1560DAOH       | 1.00    | \$ 351         | 490    | 555 | 621 | 715 | 813  | 927  | 1059 |

**Description**

- Includes 2 Tackboards

Must Specify (in this order):

Model #  
Fabric Vendor, Pattern, and Color

| Item                      | Model No. | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|---------------------------|-----------|-------|-------|------------------|---------|----------|------------|
| PURSE HOOK FOR WORK TABLE | 01-HOOK   | 2     | 1¼    | 2½ <sub>25</sub> |         |          | \$ 79      |



**Description**

- Black Hook Includes Mounting Hardware
- For Use with Work Tables, [See Work Tables](#)
- Field Installed

|                    |          |     |    |     |    |     |         |
|--------------------|----------|-----|----|-----|----|-----|---------|
| VESTA POWER CENTER | 01-PDCTR | 10¾ | 12 | 28¼ | 14 | 2.5 | \$ 1776 |
|--------------------|----------|-----|----|-----|----|-----|---------|



**Description**

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall

















































See next page for Accessories, Power, Data, Communication

[See Canvas Intro Section for Ordering Options](#)






# Surface Materials

## Wood Finishes and Woodgrain, Solid, and 3D Laminates

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|    |    |    |    |    |    |
| <b>Aspen White (AWH)</b><br>SQ1   | <b>White Nebbia (WNB)</b><br>TFL, HPL, Seating                                      | <b>Beigewood (BW)</b><br>TFL, HPL, Seating*   | <b>Natural Beech (NB)</b><br>SQ1   | <b>Sugar Maple (SM)</b><br>Veneer, TFL, HPL, Seating                                  | <b>Oak Riftwood (ORW)</b><br>Veneer*, TFL, HPL, Seating*                              |
|    |    |    |    |    |    |
| <b>Kirsche (KHE)</b><br>TFL, HPL, Seating   | <b>Fawn Oak (FO)</b><br>Veneer*, Seating*   | <b>Truffle Rain (TR)</b><br>SQ1   | <b>River Cherry (RC)</b><br>TFL, HPL, Seating*                                       | <b>Mesa Sunset (MAS)</b><br>Veneer*, Seating*   | <b>Natural Marrone (NTM)</b><br>TFL, HPL, Seating*                                    |
|    |    |    |    |    |    |
| <b>Studio Teak (TK)</b><br>TFL, HPL, Seating  | <b>Pinnacle Walnut (PNW)</b><br>Veneer, TFL, HPL, Seating                           | <b>Harvest Maple (HVM)</b><br>TFL, HPL, Seating*                                    | <b>Golden Cherry (GC)</b><br>Veneer, TFL, HPL, Seating                               | <b>Legacy Walnut (LW)</b><br>Veneer, Seating  | <b>Artisan Walnut (AW)</b><br>Veneer, Seating   |
|    |    |    |    |    |    |
| <b>Orchard (OR)</b><br>SQ1  | <b>Shaker Cherry (SKC)</b><br>Veneer, TFL, HPL, Seating                             | <b>Select Cherry (SCH)</b><br>Veneer, TFL, HPL, Seating                             | <b>Williamsburg Cherry (WC)</b><br>Veneer, TFL, HPL, Seating                         | <b>Harvest Walnut (HW)</b><br>Veneer, Seating   | <b>Dark Cherry (DC)</b><br>Veneer, Seating  |
|    |    |    |    |    |    |
| <b>Mahogany Walnut (MW)</b><br>Veneer, TFL, HPL, Seating                            | <b>Henna Walnut (HNW)</b><br>Veneer, Seating  | <b>Columbian Walnut (CO)</b><br>Veneer, TFL, HPL, Seating                           | <b>Sepia Walnut (SPW)</b><br>TFL, HPL, Seating*                                      | <b>Florence Walnut (FLW)</b><br>TFL, HPL, Seating*                                    | <b>Dark Forest Walnut (DFW)</b><br>Veneer, Seating*                                   |
|   |   |   |   |   |   |
| <b>Ember Gray (EG)</b><br>SQ1   | <b>Espresso (EW/EF)</b><br>Veneer, TFL, HPL, Seating                                | <b>Portico Teak (PTK)</b><br>TFL, HPL, Seating*                                     | <b>Weathered Ash (WTA)</b><br>Veneer*, TFL, HPL, Seating*                            | <b>Smoky Brown Pear (SBP)</b><br>TFL, HPL, Seating*                                   | <b>Asian Night (AS)</b><br>Veneer, TFL, HPL, Seating                                  |
|  |  |  |  |  |  |
| <b>Midnight Run (MNR)</b><br>TFL, HPL, Seating                                      | <b>Metropolis Sky (MTS)</b><br>Veneer, Seating                                      | <b>Designer White (WH)</b><br>TFL, HPL, Seating                                     | <b>Fashion Grey (FHG)</b><br>TFL, HPL  | <b>Slate Grey (SG)</b><br>TFL, HPL  | <b>Black (BL)</b><br>TFL, HPL, Seating  |
|  |  |  |  |  |  |
| <b>Matte White (WH3)</b><br>3D Laminate<br>(Iconic Only)                            | <b>Concrete (CR3)</b><br>3D Laminate<br>(Iconic Only)                               | <b>Matte Black (BL3)</b><br>3D Laminate<br>(Iconic Only)                            | <b>Blush (BSH)</b><br>HPL Accent<br>(Iconic+Plush Only)                              | <b>First Kiss (FK)</b><br>HPL Accent<br>(Iconic+Plush Only)                           | <b>Surfin USA (SUS)</b><br>HPL Accent<br>(Iconic+Plush Only)                          |

\* Finish is Low Sheen










## Frosted & High Gloss Acrylics

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| <b>Frosted (FSTA)</b>   | <b>White (WHA)</b>  | <b>Wired Mercury (WMA)</b>  | <b>Graphite (GPA)</b>  | <b>Black (BLA)</b>  |





## Solid Surfaces

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|  |  |  |  |  |  |
| <b>Snow White (SNW)</b>   | <b>Pebble Beach (PE)</b>  | <b>Sedona (SE)</b>  | <b>Arroyo (AR)</b>   | <b>Tundra (TN)</b>  | <b>Starry Night (SN)</b>  |

## Metal Options

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| <b>Snow (SNOW)</b>  | <b>Oyster White (OYST)</b>  | <b>Sugar Cookie (SUGC)</b>  | <b>Aluminum (ALUM)</b>   | <b>Chrome (CHRM)</b>  |
|  |  |  |  |   |
| <b>Gold (GOLD)</b>  | <b>Platinum (PLAT)</b>  | <b>Mist (MIST)</b>  | <b>Black (BLK)</b>   |   |

## Glass Options

|   |   |
|---|---|
|  |  |
| <b>Gloss White (GWHG)</b><br>(Catalyst + Strut)                                       | <b>Acid Etched White (GWAH)</b><br>(Catalyst + Strut)                                 |
|  |  |
| <b>Gloss Black (GBLG)</b><br>(Catalyst + Strut)                                       | <b>Acid Etched Black (GBLA)</b><br>(Catalyst + Strut)                                 |

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at [www.indianafurniture.com](http://www.indianafurniture.com). Graining and finish colors may vary, yet will continue to complement, across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.

# Indiana<sup>®</sup> FURNITURE

1919 Hospitality Drive, Suite A  
PO Box 270  
Jasper, Indiana 47547-0270

Tel 812.482.5727

Toll 800.422.5727

Fax 812.482.9035

[sales@indianafurniture.com](mailto:sales@indianafurniture.com)

[www.indianafurniture.com](http://www.indianafurniture.com)

Federal Classification: Small Business

©2024 Indiana Furniture 5/24

