

CANVAS RECEPTION

PRICING EFFECTIVE JUNE 2, 2025



Indiana
FURNITURE

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards*,
- Meet or exceed BIFMA level® Sustainability standards and certification*,
- Conform to the BIFMA Compliance standards*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



* Recently launched or new products may still be in testing; Cush Pillows is currently not BIFMA Compliant due to no available compliance test.

Explore Canvas Reception models, sizes, and premium details to heighten function and luxury for the user, the environment, and all of your visitors. Choose from waterfall transaction counters with paper slots, conventional transaction counters available in a variety of materials, matching or contrasting overlays, backlighting, extended gallery returns with storage, ADA returns, and more!

CONSTRUCTION

Canvas Reception features a TFL chassis with your choice of TFL or HPL Top and TFL, HPL, or Solid Surface transaction counters. Units ship assembled unless otherwise noted.

LAMINATES

- Exposed surfaces are woodgrain and solid color laminates
- Works surfaces are bonded to the core with a PVA adhesive in a cold press to prevent separation of the laminate from the core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

TOPS

- Works surfaces are 1" thick thermally-fused laminate (TFL) or High Pressure Laminate (HPL) with 1mm matching PVC rims in a square profile; Designer White, Sugar Maple, Williamsburg Cherry feature ABS edge bands
- Works surfaces are shaped on all four sides and fit flush with adjoining works surfaces for a clean aesthetic
- Transaction tops in TFL or HPL are edge-banded and have a self-edge on all sides
- Accent tops of 3/8" glass with 1/4" silver standoffs are available
- Transaction tops in Solid Surface materials are 1/2" thick and available in 6 standard colors

CHASSIS/COMPONENTS

- TFL chassis and storage components
- Works surfaces, storage components and end panels are securely fastened using high quality European fastening systems, 16-gauge joining brackets and wooden dowels to assure maximum strength
- Exposed edges have matching PVC edge band
- All units are equipped with heavy-duty glides featuring 1 1/4" adjustment to ensure proper leveling and compensation for uneven floors
- All modular components have standard wire openings from inside the pedestal to the kneespace allowing quick access to technology below

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Drawer fronts are 3-ply, 3/4" thick thermally fused laminate on both faces with matching PVC banded edges
- All drawer sides are 1/2" thick woodgrain vinyl-wrapped construction with mitered corners
- Box and file drawers have 1/8" thick hardboard bottoms and tested for 100lb capacity
- Lateral files feature 1/4" thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- All suspensions have a limited lifetime warranty

FILING

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Letter width file drawers provide letter filing front to back and legal filing side to side
- Lateral file drawers provide legal or letter filing front to back or side to side

LOCKING

- All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date, if required
- Units are shipped randomly keyed as standard
- Keyed alike units available upon request at no additional charge
- Lock core will match pull color (if applicable, otherwise specify)

INTERIOR DRAWER DIMENSIONS

Model

66-2415PD1

Drawers

| | W | L | D |
|------|---------|----------|---------|
| Box | 12 1/8" | 16 3/16" | 3 1/2" |
| File | 12 1/8" | 16 3/16" | 9 5/16" |

Model

66-2418PD1

Drawers

| | W | L | D |
|------|----------|---------|---------|
| Box | 14 7/32" | 15 1/8" | 3 1/2" |
| File | 14 7/32" | 15 1/8" | 9 5/16" |

Model

66-2436LF1

Drawers

| | W | L | D |
|----------|----------|----------|---------|
| Lat File | 32 7/32" | 15 1/16" | 9 7/32" |

Model

66-2430LF1

Drawers

| | W | L | D |
|----------|----------|----------|---------|
| Lat File | 26 7/32" | 15 1/16" | 9 7/32" |

Model

66-2430LF2

Drawers

| | W | L | D |
|----------|----------|----------|---------|
| Box | 11 1/16" | 16 3/16" | 3 1/2" |
| File | 12 1/8" | 16 3/16" | 9 5/16" |
| Lat File | 26 7/32" | 15 1/16" | 9 1/4" |

Model

66-2436LF2

Drawers

| | W | L | D |
|----------|----------|----------|---------|
| Box | 14 7/32" | 15 1/8" | 3 1/2" |
| File | 14 7/32" | 15 1/8" | 9 5/16" |
| Lat File | 32 7/32" | 15 1/16" | 9 7/32" |

Model

66-2415PD2

Drawers

| | W | L | D |
|------|---------|----------|---------|
| File | 12 1/8" | 16 3/16" | 9 5/16" |

Model

66-2418PD2

Drawers

| | W | L | D |
|------|----------|---------|---------|
| File | 14 7/32" | 15 1/8" | 9 5/16" |

INTERIOR DRAWER DIMENSIONS (CONTINUED)

Model

66-2436OMF

| Drawers | W | L | D |
|----------|---------------------|---------------------|--------------------|
| File | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 3 $\frac{1}{2}$ " |
| Lat File | 32 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

Model

66-2430OMF

| Drawers | W | L | D |
|----------|---------------------|---------------------|-------------------|
| Box | 11 $\frac{1}{16}$ " | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ " |
| Lat File | 26 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{1}{4}$ " |

Model


64-2595ERSWD2L46 64-2595ERSWD2L41 64-2583ERSWD2L23

64-2595ERSWD2L35 64-2583ERSWD2L34 64-2583ERSWD2L29

| Drawers | W | L | D |
|---------|---------------------|--------------------|--------------------|
| Box | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 3 $\frac{1}{2}$ " |
| File | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

FILING CAPABILITIES

Drawers with Dimensions: 11 $\frac{1}{16}$ "W x 16 $\frac{3}{16}$ "L




Letter or Legal Side to Side

Drawers with Dimensions: 12 $\frac{1}{8}$ "W x 16 $\frac{5}{32}$ "L



Letter Front to Back




Letter or Legal Side to Side

Drawers with Dimensions: 12 $\frac{1}{8}$ "W x 16 $\frac{3}{16}$ "L




Letter Front to Back




Legal Side to Side

Drawers with Dimensions: 14 $\frac{9}{32}$ "W x 15 $\frac{1}{8}$ "L




Letter Front to Back




Legal Side to Side

Drawers with Dimensions: 26 $\frac{9}{32}$ "W x 15 $\frac{1}{16}$ "L




2 Rows Letter Front to Back




1 Row Legal Side to Side

Drawers with Dimensions: 32 $\frac{9}{32}$ "W x 15 $\frac{1}{16}$ "L



2 Rows Letter Front to Back



1 Row Legal Side to Side

HOW TO ORDER EXAMPLES

| | QTY | MODEL NO. | DESCRIPTION | EXAMPLE |
|---------------------|-----|------------------|--------------------|-------------|
| DESK SHELL | 1 | 64-3066RSRL | Color | AS |
| | | | Overlay | HGA |
| | | | Overlay Color | WHA |
| | | | Back Lighting | YES |
| | | | Grommet | GL |
| | | | Grommet Color | BLK |
| | | | PDC Type | CHGSP |
| | | | PDC Location | C |
| | | | PDC Color | N/A |
| | | | | |
| RETURN SHELL | 1 | 64-2583ERSWD1R41 | Color | AS |
| | | | Overlay | NO |
| | | | Grommet | GL |
| | | | Grommet Color | BLK |
| | | | PDC Type | HWDUO-BEZEL |
| | | | PDC Location | C |
| | | | PDC Color/Circuits | S3 |
| | | | Door Style | DEB |
| | | | Grain Direction | N/A |
| | | | Door Lock | YES |
| PED | 2 | 66-2418PD2 | Lock Color | BLK |
| | | | Color | AS |
| | | | Drawer Color | AS |
| | | | Grain Direction | VERTICAL |
| | | | Pull/Color | AAV |
| | | | Wire Management | WMLR |

TFL (T) AND HPL (P) LAMINATE OPTIONS

WOODGRAIN

| | | | |
|--------------|------------------|-----|---------------------|
| AS | Asian Night | PNW | Pinnacle Walnut |
| BW | Beigewood | PTK | Portico Teak |
| CO | Columbian Walnut | RC | River Cherry |
| EF | Espresso | SCH | Select Cherry |
| FLW | Florence Walnut | SPW | Sepia Walnut |
| GC | Golden Cherry | SKC | Shaker Cherry |
| HVM | Harvest Maple | SBP | Smoky Brown Pear |
| KHE | Kirsche | TK | Studio Teak |
| MW | Mahogany Walnut | SM | Sugar Maple |
| MNR | Midnight Run | WTA | Weathered Ash |
| NTM | Natural Marrone | WNB | White Nebbia |
| ORW | Oak Riftwood | WC | Williamsburg Cherry |
| SOLID | | | |
| BL | Black | FHG | Fashion Grey |
| WH | Designer White | SG | Slate Grey |

SOLID SURFACE (S) TRANSACTION COUNTER OPTIONS

| | | | |
|----|--------------|-----|--------------|
| AR | Arroyo | SNW | Snow White |
| PE | Pebble Beach | SN | Starry Night |
| SE | Sedona | TN | Tundra |

ACRYLIC OVERLAY OPTIONS

| | | | |
|-----|----------|-----|---------------|
| FST | Frosted | WHA | White |
| BLA | Black | WMA | Wired Mercury |
| GPA | Graphite | | |

EDGE PROFILES

CHASSIS/WORKSURFACES/TRANSACTION COUNTERS


| | |
|---|--------|
| H | Square |
|---|--------|

SOLID SURFACE TRANSACTION COUNTERS

| | |
|----|----------|
| S1 | Straight |
|----|----------|



Square



Straight

PULL OPTIONS

Note: Lock Core will match Pull Color

| | | | |
|------|------------------|-----|------------------|
| AACE | Ace, Aluminum | BBT | Bow Tie, Black |
| BACE | Ace, Black | NBT | Bow Tie, Nickel |
| GACE | Ace, Gold | AFL | Flair, Aluminum |
| AAV | Alcove, Aluminum | CFL | Flair, Chrome |
| BAV | Alcove, Black | AQD | Quadra, Aluminum |
| CAV | Alcove, Chrome | BQD | Quadra, Black |
| AAC | Arc, Aluminum | AST | Studio, Aluminum |
| BAC | Arc, Black | BST | Studio, Black |
| ABM | Beam, Aluminum | CST | Studio, Chrome |
| BBM | Beam, Black | GST | Studio, Gold |



GROMMET OPTIONS & POWER UNIT LOCATIONS

Desk grommets are available in standard locations. Please specify using table below. Multiple unit locations may be selected. Only one unit per location.

Grommets are available on hutches in standard locations for task light management at no additional charge. Please specify HUGRMT.

Multiple locations may be selected. Only one unit per location.

GROMMET LOCATIONS (Black = BLK and Silver = SLV)

| | | | |
|----|--------------------------------------|----|----|
| GC | Grommet, Center - Specify BLK or SLV | \$ | 54 |
| GL | Grommet, Left - Specify BLK or SLV | \$ | 54 |
| GR | Grommet, Right - Specify BLK or SLV | \$ | 54 |

DUO/TRIO BEZEL LOCATIONS

| | |
|-------|---------------|
| PDC-C | Bezel, Center |
| PDC-L | Bezel, Left |
| PDC-R | Bezel, Right |

DOCK 950 and DOCK 150 LOCATIONS (See Dock Units)


| | | | |
|-----------|---------------------------------------|----|-----|
| DOCK950-L | D950 Wireless Charger, Left | \$ | 274 |
| DOCK950-C | D950 Wireless Charger, Center | \$ | 274 |
| DOCK950-R | D950 Wireless Charger, Right | \$ | 274 |
| DOCK150-L | D150 Wireless and USB Charger, Left | \$ | 418 |
| DOCK150-C | D150 Wireless and USB Charger, Center | \$ | 418 |
| DOCK150-R | D150 Wireless and USB Charger, Right | \$ | 418 |

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets, Power Units, Dock 950 and Dock 150 may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

Power Units, Dock 950 and Dock 150 must be specified separately with surface mount location.

Models

| | | |
|-------------|--------------|--------------|
| 64-3696RSRL | 64-3672RSRL | 64-3660ARSRR |
| 64-3696RSRR | 64-3672RSRR | 64-3654ARSRL |
| 64-3696RS | 64-3672RS | 64-3654ARSRR |
| 64-3694B46 | 64-3672ARSRL | 64-3648ARSRL |
| 64-3690RSRL | 64-3672ARSRR | 64-3648ARSRR |
| 64-3690RSRR | 64-3666RSRL | 64-3642ARSRL |
| 64-3690RS | 64-3666RSRR | 64-3642ARSRR |
| 64-3688B40 | 64-3666RS | 64-3636ARSRL |
| 64-3684RSRL | 64-3666ARSRL | 64-3636ARSRR |
| 64-3684RSRR | 64-3666ARSRR | 64-3630ARSRL |
| 64-3684RS | 64-3660RSRL | 64-3630ARSRR |
| 64-3678RSRL | 64-3660RSRR | |
| 64-3678RSRR | 64-3660RS | |
| 64-3678RS | 64-3660ARSRL | |



GL/GR/PDC-L/PDC-R/DOCK950-L/
DOCK950-R/DOCK150-L/DOCK150-R:
Located 6" from ends and 32" from
user side


GC/PDC-C/DOCK950-C/DOCK150-C:
Located 32" from user side

See additional units and locations on the next page.

GROMMET OPTIONS & POWER UNIT LOCATIONS (CONTINUED)

Models

| | | |
|-------------|-------------|--------------|
| 64-3096RSRL | 64-3084RSRL | 64-3066RSRL |
| 64-3096RSRR | 64-3084RSRR | 64-3066RSRR |
| 64-3096RS | 64-3084RS | 64-3066RS |
| 64-3094B46 | 64-3078RSRL | 64-3060RSRL |
| 64-3090RSRL | 64-3078RSRR | 64-3060RSRR |
| 64-3090RSRR | 64-3078RS | 64-3060RSPDC |
| 64-3090RS | 64-3072RSRL | 64-3060RS |
| 64-3090RS | 64-3072RSRR | |
| 64-3088B40 | 64-3072RS | |




GL/GR/PDC-L/PDC-R/CHGSP-L/
CHGSP-R: Located 6" from ends
and 26" from user side

GC/PDC-C/CHGSP-C: Located 26"
from user side

Models

| | | |
|------------------|------------------|---------------|
| 64-2596RSRL | 64-2584RSRR | 64-2566RS |
| 64-2596RSRR | 64-2583ERSL58 | 64-2560RSRL |
| 64-2596RS | 64-2583ERSR58 | 64-2560RSRR |
| 64-2595ERSWD2L46 | 64-2583ERSL53 | 64-2560RS |
| 64-2595ERSWD2R46 | 64-2583ERSR53 | 64-2559ERSL34 |
| 64-2595ERSWD2L41 | 64-2583ERSL47 | 64-2559ERSR34 |
| 64-2595ERSWD2R41 | 64-2583ERSR47 | 64-2559ERSL29 |
| 64-2595ERSWD2L35 | 64-2578RSRL | 64-2559ERSR29 |
| 64-2595ERSWD2R35 | 64-2578RSRR | 64-2559ERSL23 |
| 64-2595ERSWD1L58 | 64-2578RS | 64-2559ERSR23 |
| 64-2595ERSWD1R58 | 64-2572RSRL | 64-3072ARSRL |
| 64-2595ERSWD1L53 | 64-2572RSRR | 64-3072ARSRR |
| 64-2595ERSWD1R53 | 64-2572RS | 64-3066ARSRL |
| 64-2595ERSWD1L47 | 64-2571ERSWD1L34 | 64-3066ARSRR |
| 64-2595ERSWD1R47 | 64-2571ERSWD1R34 | 64-3060ARSRL |
| 64-2595ERSL70 | 64-2571ERSWD1L29 | 64-3060ARSRR |
| 64-2595ERSR70 | 64-2571ERSWD1R29 | 64-3054ARSRL |
| 64-2595ERSL65 | 64-2571ERSWD1L23 | 64-3054ARSRR |
| 64-2595ERSR65 | 64-2571ERSWD1R23 | 64-3048ARSRL |
| 64-2595ERSL59 | 64-2571ERSL46 | 64-3048ARSRR |
| 64-2595ERSR59 | 64-2571ERSR46 | 64-3042ARSRL |
| 64-2594B46 | 64-2571ERSL41 | 64-3042ARSRR |
| 64-2590RSRL | 64-2571ERSR41 | 64-3036ARSRL |
| 64-2590RSRR | 64-2571ERSL35 | 64-3036ARSRR |
| 64-2590RS | 64-2571ERSR35 | 64-3030ARSRL |
| 64-2588B40 | 64-2566RSRL | 64-3030ARSRR |
| 64-2584RSRL | 64-2566RSRR | |



GL/GR/PDC-L/PDC-R/CHGSP-L/
CHGSP-R: Located 6" from ends
and 20" from user side

GC/PDC-C/CHGSP-C: Located 20"
from user side


LOCKING DOORS


Locking doors are available. You must specify WITH LOCKING when ordering and add upcharge.

| | | | |
|-----|--------------------|----|----|
| LKT | 18"W to 12"W Units | \$ | 71 |
| LKT | 42"W to 24"W Units | \$ | 94 |


CERTIFICATIONS & COMPLIANCE

- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant Certified
- TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED®, Green Globes®, and WELL® Sustainable Programs







Reception Desk Shell
with Gallery Screen
([See Details](#))




Single Reception Desk Shell
with Gallery Screen
([See Details](#))




ADA Reception
Return Shell
([See Details](#))




Return Shell with
Extended Gallery Screen
([See Details](#))




Narrow Tower Storage Return
with Extended Gallery Screen
([See Details](#))




Tower Storage Return
with Gallery Screen
([See Details](#))




Reception Bridge with
Gallery Screen
([See Details](#))




Waterfall Transaction Kits
with Paper Slots
([See Details](#))




Corner Waterfall Transaction
Kits with Paper Slots
([See Details](#))




Overlay Panels
TFL ([See Details](#))
High Gloss Acrylic ([See Details](#))
Frosted Acrylic ([See Details](#))



Transaction Top
TFL, HPL, and Solid Surface
([See Multiple Unit Details](#))



Optional Glass Transaction Top
([See Multiple Unit Details](#))




Tackboards for use under
Transaction Counters
([See Details](#))


Modular Component Pedestals




Box/Box/File
Pedestal
([See Details](#))




File/File Pedestal
([See Details](#))




Door Bookcase
Pedestal
([See Details](#))




Lateral File Pedestal
([See Details](#))




Multi-File Pedestal
([See Details](#))




Open Multi-File Pedestal
([See Details](#))



Pedestal with Doors
([See Details](#))








Pedestal with
Doors and Open
Compartment
([See Details](#))





Pedestal Open Storage
([See Details](#))

Accessories + Power Options




| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|-------|--|--------|---------|----------|-----------------------|
|  | 64-1 | 106 | 97 | 42 | 813 | 199.2 | T\$ 9598 P\$ 10424 |
| | CONSIST OF: | | QTY | | | | |
| | 64-3096RS | 1 | Reception Desk Shell with Gallery Screen | | | | T\$ 2337 P\$ 2665 |
| | 64-1284TKS | 1 | Waterfall Transaction Kit with Paper Slots | | | | T\$ 2016 |
| | 64-3060ARSRL | 1 | ADA Reception Return Shell - Left | | | | T\$ 1059 P\$ 1308 |
| | 66-2430LF1 | 1 | Modular Pedestal with Lateral File | | | | T\$ 1430 |
| | 64-3060ARSRR | 1 | ADA Reception Return Shell - Right | | | | T\$ 1059 P\$ 1308 |
| | 66-2430LF2L | 1 | Modular Pedestal with Multi-File | | | | T\$ 1697 |
| | Products are available as left or right, where applicable | | | | | | |





Optional Overlay

| | | | | | | |
|---|-----|---|----|-----|-------|----------------------|
| 64-2 | 102 | 87 | 42 | 596 | 154.6 | T\$ 6715 P\$ 7669 |
| Add Optional Glass Top to TFL or HPL Pricing +Glass \$ 3513 | | | | | | |
| CONSIST OF: | | QTY | | | | |
| 64-3090RSRL | 1 | Single Reception Desk Shell with Gallery Screen | | | | T\$ 2026 P\$ 2348 |
| 64-2583ERSR53 | 1 | Return Shell with Extended Gallery Screen | | | | T\$ 1269 P\$ 1473 |
| 66-2430LF2L | 1 | Modular Pedestal with Multi-File | | | | T\$ 1697 |
| 64-1296TP | 1 | Transaction Top - 99" Wide | | | | T\$ 563 P\$ 788 |
| Add Optional Glass Top to TFL or HPL Pricing +Glass \$ 1968 | | | | | | |
| 64-1275TP | 1 | Transaction Top - 75" Wide | | | | T\$ 507 P\$ 710 |
| Add Optional Glass Top to TFL or HPL Pricing +Glass \$ 1545 | | | | | | |
| 64-OT90 | 1 | Overlay Panel - For Use With 90" Desks | | | | \$ 653 |
| Optional Back Lighting Not Included | | | | | | |
| Products are available as left or right, where applicable | | | | | | |



| | | | | | | |
|--|-----|---|----|-----|-------|----------------------|
| 64-3 | 96¾ | 96¾ | 42 | 664 | 161.9 | T\$ 8533 P\$ 9036 |
| CONSIST OF: | | QTY | | | | |
| 64-3096RSRL | 1 | Single Reception Desk Shell with Gallery Screen | | | | T\$ 2079 P\$ 2409 |
| 64-1284CTKSL | 1 | Corner Waterfall Transaction Kit with Paper Slots | | | | T\$ 2141 |
| 64-2595ERSWD2R41 | 1 | Tower Storage Return with Gallery Screen | | | | T\$ 3025 P\$ 3198 |
| 66-2418PD2 | 1 | Modular Pedestal with File/File | | | | T\$ 1288 |
| <i>Products are available as left or right, where applicable</i> | | | | | | |

Pricing Codes:


T= TFL


P= HPL

[See Canvas Reception Overview for Ordering Options](#)

CANVAS™

LAMINATE RECEPTION + COMPONENTS (6400 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|---|--------|---------|----------|----------------------|
|  | 64-4 | 89 | 96 | 42 | 604 | 139.6 | T\$ 7932 P\$ 8477 |
| | CONSIST OF: | | QTY | | | | |
| | 64-3084RS | 1 | Single Reception Desk Shell with Gallery Screen | | | | T\$ 2222 P\$ 2518 |
| | 64-3060ARSRL | 1 | ADA Reception Return Shell - Left | | | | T\$ 1059 P\$ 1308 |
| | 64-1272TKS | 1 | Waterfall Transaction Kit with Paper Slots | | | | T\$ 1666 |
| | 66-2430LF2R | 1 | Modular Pedestal with Multi-File | | | | T\$ 1697 |
| | 66-2418PD2 | 1 | Modular Pedestal with File/File | | | | T\$ 1288 |
| | <i>Products are available as left or right, where applicable</i> | | | | | | |




| | | | | | | |
|---|----|---|----|-----|-------|---|
| 64-5 | 78 | 87 | 42 | 559 | 135.9 | T\$ 6715 P\$ 7605 Add Optional Glass Top to TFL or HPL Pricing Glass \$ 3090 |
| CONSIST OF: | | QTY | | | | |
| 64-3072RSRL | 1 | Single Reception Desk Shell with Gallery Screen | | | | T\$ 1529 P\$ 1809 |
| 64-2583ERSR53 | 1 | Return Shell with Extended Gallery Screen | | | | T\$ 1269 P\$ 1473 |
| 64-1275TP | 2 | Transaction Top - 75" Wide | | | | T\$ 1014 P\$ 1420 Add Optional Glass Top to TFL or HPL Pricing +Glass \$ 3090 |
| 66-2418PD1 | 1 | Modular Pedestal with Box/Box/File | | | | T\$ 1288 |
| 66-2418PD2 | 1 | Modular Pedestal with File/File | | | | T\$ 1288 |
| TB-6284 | 1 | Tackboard (Optional) | | | | G1\$ 327 |
| Products are available as left or right, where applicable | | | | | | |

Pricing Codes:

T= TFL

P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|---|-------|-------|--------|---------|----------|------------|
| RECEPTION DESK SHELL WITH GALLERY SCREEN | 64-2560RS | 58" Worksurface | 60 | 25 | 41 | 156 | 40.0 | T\$ 1322 |
| | | Kneespace 58"; No Additional Support Needed | | | | | | P\$ 1551 |
|  | 64-2566RS | 64" Worksurface | 66 | 25 | 41 | 167 | 44.6 | T\$ 1429 |
| | | | | | | | | P\$ 1659 |
| | 64-2572RS | 70" Worksurface | 72 | 25 | 41 | 177 | 49.2 | T\$ 1486 |
| | | | | | | | | P\$ 1730 |
| | 64-2578RS | 76" Worksurface | 78 | 25 | 41 | 188 | 53.8 | T\$ 1552 |
| | | | | | | | | P\$ 1803 |
| | 64-2584RS | 82" Worksurface | 84 | 25 | 41 | 198 | 58.4 | T\$ 1619 |
| | | | | | | | | P\$ 1880 |
| | 64-2590RS | 88" Worksurface | 90 | 25 | 41 | 234 | 75.8 | T\$ 1679 |
| | | | | | | | | P\$ 1962 |
| | 64-2596RS | 94" Worksurface | 96 | 25 | 41 | 245 | 80.3 | T\$ 1741 |
| | | | | | | | | P\$ 2030 |
| | 64-3060RS | 58" Worksurface | 60 | 30 | 41 | 181 | 48.2 | T\$ 1649 |
| | | | | | | | | P\$ 1897 |
| | 64-3066RS | 64" Worksurface | 66 | 30 | 41 | 192 | 57.5 | T\$ 1718 |
| | | | | | | | | P\$ 1984 |
| | 64-3072RS | 70" Worksurface | 72 | 30 | 41 | 202 | 62.1 | T\$ 1784 |
| | | | | | | | | P\$ 2062 |
| | 64-3078RS | 76" Worksurface | 78 | 30 | 41 | 213 | 66.7 | T\$ 2145 |
| | | | | | | | | P\$ 2433 |
| | 64-3084RS | 82" Worksurface | 84 | 30 | 41 | 223 | 71.3 | T\$ 2222 |
| | | | | | | | | P\$ 2518 |
| | 64-3090RS | 88" Worksurface | 90 | 30 | 41 | 234 | 75.8 | T\$ 2278 |
| | | | | | | | | P\$ 2600 |
| | 64-3096RS | 94" Worksurface | 96 | 30 | 41 | 245 | 80.3 | T\$ 2337 |
| | | | | | | | | P\$ 2665 |
| | 64-3660RS | 58" Worksurface | 60 | 36 | 41 | 203 | 57.3 | T\$ 1851 |
| | | | | | | | | P\$ 2124 |
| | 64-3666RS | 64" Worksurface | 66 | 36 | 41 | 214 | 62.8 | T\$ 1922 |
| | | | | | | | | P\$ 2208 |
| | 64-3672RS | 70" Worksurface | 72 | 36 | 41 | 226 | 68.3 | T\$ 1997 |
| | | | | | | | | P\$ 2296 |
| | 64-3678RS | 76" Worksurface | 78 | 36 | 41 | 237 | 73.8 | T\$ 2344 |
| | | | | | | | | P\$ 2649 |
| | 64-3684RS | 82" Worksurface | 84 | 36 | 41 | 249 | 79.3 | T\$ 2415 |
| | | | | | | | | P\$ 2729 |
| | 64-3690RS | 88" Worksurface | 90 | 36 | 41 | 261 | 84.8 | T\$ 2473 |
| | | | | | | | | P\$ 2816 |
| | 64-3696RS | 94" Worksurface | 96 | 36 | 41 | 272 | 90.3 | T\$ 2545 |
| | | | | | | | | P\$ 2894 |

Description

- Horizontal Woodgrain on Chassis; Side-to-Side Woodgrain on Top
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Unsupported By Pedestal, [See Stiffener Bar](#)
- Optional Overlay Panel for Approach Side of Gallery Screen, [See Overlay Options](#)
- Additional Options: Waterfall Transaction Kit ([See Kit Options](#)), TFL, HPL, or Solid Surface Transaction Tops ([See Multiple Unit Details](#)), Power Options (Sold Separately, [See Accessories](#))

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|--------------|-------|--------|---------|----------|------------|
| SINGLE RECEPTION DESK SHELL WITH GALLERY SCREEN | Left | Right | | | | | |
| | 64-2560RSRL | 64-2560RSRR | 60 | 25 | 41 | 123 | T\$ 1097 |
| | 58" Worksurface, Kneespace 58"; No Additional Support Needed | | | | | | P\$ 1323 |
| | 64-2566RSRL | 64-2566RSRR | 66 | 25 | 41 | 133 | T\$ 1200 |
| | 64" Worksurface | | | | | | P\$ 1432 |
| | 64-2572RSRL | 64-2572RSRR | 72 | 25 | 41 | 143 | T\$ 1256 |
| | 70" Worksurface | | | | | | P\$ 1500 |
| | 64-2578RSRL | 64-2578RSRR | 78 | 25 | 41 | 153 | T\$ 1319 |
| | 76" Worksurface | | | | | | P\$ 1571 |
| | 64-2584RSRL | 64-2584RSRR | 84 | 25 | 41 | 163 | T\$ 1382 |
| | 82" Worksurface | | | | | | P\$ 1644 |
| | 64-2590RSRL | 64-2590RSRR | 90 | 25 | 41 | 174 | T\$ 1446 |
| | 88" Worksurface | | | | | | P\$ 1729 |
| | 64-2596RSRL | 64-2596RSRR | 96 | 25 | 41 | 184 | T\$ 1509 |
| | 94" Worksurface | | | | | | P\$ 1798 |
| | 64-3060RSRL | 64-3060RSRR | 60 | 30 | 41 | 144 | T\$ 1398 |
| | 58" Worksurface | | | | | | P\$ 1647 |
| | 64-3066RSRL | 64-3066RSRR | 66 | 30 | 41 | 155 | T\$ 1466 |
| | 64" Worksurface | | | | | | P\$ 1731 |
| | 64-3072RSRL | 64-3072RSRR | 72 | 30 | 41 | 165 | T\$ 1529 |
| | 70" Worksurface | | | | | | P\$ 1809 |
| | 64-3078RSRL | 64-3078RSRR | 78 | 30 | 41 | 176 | T\$ 1890 |
| | 76" Worksurface | | | | | | P\$ 2179 |
| | 64-3084RSRL | 64-3084RSRR | 84 | 30 | 41 | 186 | T\$ 1965 |
| | 82" Worksurface | | | | | | P\$ 2261 |
| | 64-3090RSRL | 64-3090RSRR | 90 | 30 | 41 | 196 | T\$ 2026 |
| | 88" Worksurface | | | | | | P\$ 2348 |
| | 64-3096RSRL | 64-3096RSRR | 96 | 30 | 41 | 206 | T\$ 2079 |
| | 94" Worksurface | | | | | | P\$ 2409 |
| | 64-3660RSRL | 64-3660RSRR | 60 | 36 | 41 | 179 | T\$ 1574 |
| | 58" Worksurface | | | | | | P\$ 1848 |
| | 64-3666RSRL | 64-3666RSRR | 66 | 36 | 41 | 190 | T\$ 1642 |
| | 64" Worksurface | | | | | | P\$ 1927 |
| | 64-3672RSRL | 64-3672RSRR | 72 | 36 | 41 | 201 | T\$ 1720 |
| | 70" Worksurface | | | | | | P\$ 2020 |
| | 64-3678RSRL | 64-3678RSRR | 78 | 36 | 41 | 291 | T\$ 2063 |
| | 76" Worksurface | | | | | | P\$ 2368 |
| | 64-3684RSRL | 64-3684RSRR | 84 | 36 | 41 | 303 | T\$ 2135 |
| | 82" Worksurface | | | | | | P\$ 2450 |
| | 64-3690RSRL | 64-3690RSRR | 90 | 36 | 41 | 315 | T\$ 2190 |
| | 88" Worksurface | | | | | | P\$ 2533 |
| | 64-3696RSRL | 64-3696RSRR | 96 | 36 | 41 | 326 | T\$ 2243 |
| | 94" Worksurface | | | | | | P\$ 2592 |

Desk Shell Shaded
(Shown as Left)

Must Specify (in this order):

Model #
Top Material
Top Color
Chassis Color
Overlay
Overlay Color
Back Lighting
Grommet Location
Grommet Color
PDC Type
PDC Location
PDC Color



Description

- Horizontal Woodgrain on Chassis; Side-to-Side Woodgrain on Top
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Surface is Not Supported By Pedestal, [See Stiffener Bar](#)
- Not for Freestanding, Must Attach to Return or Bridge Components
- Optional Overlay Panel for Approach Side of Gallery Screen, [See Overlay Options](#)
- Additional Options: Waterfall Transaction Kit ([See Kit Options](#)), TFL, HPL, or Solid Surface Transaction Tops ([See Multiple Unit Details](#)), Power Options (Sold Separately, [See Accessories](#))

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price | |
|---|--------------|--------------|-------|-------|--------|---------|----------|------------|----------|
| ADA RECEPTION RETURN SHELL | Left | Right | | | | | | | |
| | 64-3030ARSRL | 64-3030ARSRR | 30 | 30 | 30 | 62 | 19.0 | T\$ 780 | P\$ 948 |
|  | 64-3036ARSRL | 64-3036ARSRR | 36 | 30 | 30 | 71 | 22.5 | T\$ 823 | P\$ 998 |
| | 64-3042ARSRL | 64-3042ARSRR | 42 | 30 | 30 | 80 | 26.0 | T\$ 885 | P\$ 1083 |
| Shown as Right | 64-3048ARSRL | 64-3048ARSRR | 48 | 30 | 30 | 89 | 29.5 | T\$ 943 | P\$ 1160 |
| | 64-3054ARSRL | 64-3054ARSRR | 54 | 30 | 30 | 98 | 33.0 | T\$ 1001 | P\$ 1234 |
|  | 64-3060ARSRL | 64-3060ARSRR | 60 | 30 | 30 | 107 | 36.5 | T\$ 1059 | P\$ 1308 |
| | 64-3066ARSRL | 64-3066ARSRR | 66 | 30 | 30 | 116 | 40.0 | T\$ 1122 | P\$ 1387 |
| Return Shell Shaded (Shown as Left) | 64-3072ARSRL | 64-3072ARSRR | 72 | 30 | 30 | 125 | 43.6 | T\$ 1220 | P\$ 1500 |
| | 64-3630ARSRL | 64-3630ARSRR | 30 | 36 | 30 | 71 | 22.5 | T\$ 844 | P\$ 1019 |
| <u>Must Specify (in this order):</u> Model # Top Material Top Color Chassis Color Grommet Location Grommet Color PDC Type PDC Location PDC Color | 64-3636ARSRL | 64-3636ARSRR | 36 | 36 | 30 | 81 | 26.7 | T\$ 905 | P\$ 1098 |
| | 64-3642ARSRL | 64-3642ARSRR | 42 | 36 | 30 | 92 | 30.9 | T\$ 966 | P\$ 1178 |
| | 64-3648ARSRL | 64-3648ARSRR | 48 | 36 | 30 | 92 | 30.9 | T\$ 1032 | P\$ 1262 |
| | 64-3654ARSRL | 64-3654ARSRR | 54 | 36 | 30 | 113 | 39.5 | T\$ 1091 | P\$ 1343 |
| | 64-3660ARSRL | 64-3660ARSRR | 60 | 36 | 30 | 123 | 43.5 | T\$ 1161 | P\$ 1435 |
| | 64-3666ARSRL | 64-3666ARSRR | 66 | 36 | 30 | 134 | 47.7 | T\$ 1215 | P\$ 1500 |
| | 64-3672ARSRL | 64-3672ARSRR | 72 | 36 | 30 | 144 | 51.9 | T\$ 1269 | P\$ 1568 |



Description

- Horizontal Woodgrain on Chassis; Side-to-Side Woodgrain on Top
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Unsupported By Pedestal, [See Stiffener Bar](#)
- 5" Overhang on Approach Side
- Must Attach to Reception Desk Shell or Panel End of Single Reception Desk Shell

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---------------|---|-------|--------|---------|----------|----------------------|
| RETURN SHELL WITH EXTENDED GALLERY SCREEN  Shown as Left  Return Shell Shaded (Shown as Right) | Left | Right | | | | | |
| | 64-2559ERSL23 | 64-2559ERSR23 | 59 | 25 | 41 | 107 | 40.0 |
| | | 23" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | T\$ 1018 P\$ 1159 |
| | 64-2559ERSL29 | 64-2559ERSR29 | 59 | 25 | 41 | 109 | 40.0 |
| | | 29" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | T\$ 1036 P\$ 1184 |
| | 64-2559ERSL34 | 64-2559ERSR34 | 59 | 25 | 41 | 112 | 40.0 |
| | | 34" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | T\$ 1053 P\$ 1206 |
| | 64-2571ERSL35 | 64-2571ERSR35 | 71 | 25 | 41 | 127 | 47.9 |
| | | 35" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | T\$ 1154 P\$ 1307 |
| | 64-2571ERSL41 | 64-2571ERSR41 | 71 | 25 | 41 | 129 | 47.9 |
| | | 41" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | T\$ 1176 P\$ 1349 |
| | 64-2571ERSL46 | 64-2571ERSR46 | 71 | 25 | 41 | 131 | 47.9 |
| | | 46" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | T\$ 1192 P\$ 1384 |
| | 64-2583ERSL47 | 64-2583ERSR47 | 83 | 25 | 41 | 148 | 55.8 |
| | | 47" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | T\$ 1249 P\$ 1441 |
| | 64-2583ERSL53 | 64-2583ERSR53 | 83 | 25 | 41 | 151 | 55.8 |
| | | 53" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | T\$ 1269 P\$ 1473 |
| | 64-2583ERSL58 | 64-2583ERSR58 | 83 | 25 | 41 | 154 | 55.8 |
| | | 58" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | T\$ 1286 P\$ 1513 |
| | 64-2595ERSL59 | 64-2595ERSR59 | 95 | 25 | 41 | 172 | 63.7 |
| | | 59" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | T\$ 1344 P\$ 1571 |
| | 64-2595ERSL65 | 64-2595ERSR65 | 95 | 25 | 41 | 174 | 63.7 |
| | | 65" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | T\$ 1359 P\$ 1590 |
| | 64-2595ERSL70 | 64-2595ERSR70 | 95 | 25 | 41 | 176 | 63.7 |
| | | 70" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | T\$ 1376 P\$ 1620 |

Must Specify (in this order):

Model #
 Top Material
 Top Color
 Chassis Color
 Overlay
 Overlay Color
 Overlay Back Lighting
 Grommet Location
 Grommet Color
 PDC Type
 PDC Location
 PDC Color


Description

- Horizontal Woodgrain on Chassis; Front to Back Woodgrain on Top
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Available with TFL (T) or HPL (P) Top; Must Specify
- 24" Deep Worksurfaces
- Side-to-Side Woodgrain on Top over 60"
- Stiffener Bar Recommended in Kneespaces 60" or Greater When Unsupported By Pedestal, [See Stiffener Bar](#)
- Optional Overlay Panel for Approach Side of Gallery Screen, [See Overlay Options](#)
- Additional Options: Waterfall Transaction Kit ([See Kit Options](#)), TFL, HPL, or Solid Surface Transaction Tops ([See Multiple Unit Details](#)), Power Options (Sold Separately, [See Accessories](#))

Pricing Codes:

T= TFL
 P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|------------------|-------|--------|---------|----------|------------|
| NARROW TOWER STORAGE RETURN WITH EXTENDED GALLERY SCREEN  | Left | Right | | | | | |
| | 64-2571ERSWD1L23 | 64-2571ERSWD1R23 | 71 | 25 | 41 | 161 | T\$ 1777 |
| | 23" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | | P\$ 1919 |
| | 64-2571ERSWD1L29 | 64-2571ERSWD1R29 | 71 | 25 | 41 | 164 | T\$ 1796 |
| | 29" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | | P\$ 1945 |
| | 64-2571ERSWD1L34 | 64-2571ERSWD1R34 | 71 | 25 | 41 | 167 | T\$ 1815 |
| | 34" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | | P\$ 1967 |
| | 64-2583ERSWD1L35 | 64-2583ERSWD1R35 | 83 | 25 | 41 | 181 | T\$ 1874 |
| | 35" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | | P\$ 2027 |
| | 64-2583ERSWD1L41 | 64-2583ERSWD1R41 | 83 | 25 | 41 | 184 | T\$ 1892 |
| | 41" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | | P\$ 2066 |
| | 64-2583ERSWD1L46 | 64-2583ERSWD1R46 | 83 | 25 | 41 | 188 | T\$ 1911 |
| | 46" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | | P\$ 2102 |
| | 64-2595ERSWD1L47 | 64-2595ERSWD1R47 | 95 | 25 | 41 | 201 | T\$ 1969 |
| | 47" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | | P\$ 2161 |
| | 64-2595ERSWD1L53 | 64-2595ERSWD1R53 | 95 | 25 | 41 | 204 | T\$ 1990 |
| | 53" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | | P\$ 2194 |
| | 64-2595ERSWD1L58 | 64-2595ERSWD1R58 | 95 | 25 | 41 | 208 | T\$ 2006 |
| | 58" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | | P\$ 2233 |

Shown as Left

Must Specify (in this order):

Model #
 Top Material
 Top Color
 Chassis Color
 Overlay
 Overlay Color
 Overlay Back Lighting
 Grommet Location
 Grommet Color
 PDC Type
 PDC Location
 PDC Color
 Door Style/Color
 Door Grain Direction
 Locking Door
 Lock Core Color

Description

- Standard with Horizontal Woodgrain on Chassis; Front to Back Woodgrain on Worksurface Top; Vertical Woodgrain on Door Fronts
- Worksurface Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Available with TFL (T) or HPL (P) Worksurface Top; Must Specify
- Worksurface Top Flush with Storage Cabinet Door Front
- 12" Wide Tower Features Touch Latch Door, Coat Rod, and Two (2) Adjustable Shelves Behind Door
- For Use with Single Reception Desk Shell
- Door Options: Dry Erase (See below), High Gloss Acrylic (See Below), Panel Door with Horizontal Grain Direction on Door Front ([See Color Options](#)); Must Specify
- Optional Locking Door ([See Options](#)); Must Specify and Add
- Optional Overlay Panel for Approach Side of Gallery Screen, [See Overlay Options](#)
- Additional Options: Waterfall Transaction Kit ([See Kit Options](#)), TFL, HPL, or Solid Surface Transaction Tops ([See Multiple Unit Details](#)), Power Options (Sold Separately, [See Accessories](#))


Door Options: Specify & Add

| | | |
|-------|---|--------|
| 1-DEB | Dry Erase Board | \$ 126 |
| 1-HGA | High Gloss Acrylic; Must Specify Color | |
| | GPA Graphite Acrylic | \$ 477 |
| | BLA Black, Wired Mercury or White Acrylic | \$ 432 |

Pricing Codes:

T= TFL
 P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|------------------|-------|--------|---------|----------|------------|
| TOWER STORAGE RETURN WITH GALLERY SCREEN  Shown as Left | Left | Right | | | | | |
| | 64-2583ERSWD2L23 | 64-2583ERSWD2R23 | 83 | 25 | 41 | 230 | 55.8 |
| | 23" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | | T\$ 2912 |
| | | | | | | | P\$ 3055 |
| | 64-2583ERSWD2L29 | 64-2583ERSWD2R29 | 83 | 25 | 41 | 234 | 55.8 |
| | 29" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | | T\$ 2931 |
| | | | | | | | P\$ 3078 |
| | 64-2583ERSWD2L34 | 64-2583ERSWD2R34 | 83 | 25 | 41 | 238 | 55.8 |
| | 34" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | | T\$ 2948 |
| | | | | | | | P\$ 3100 |
| | 64-2595ERSWD2L35 | 64-2595ERSWD2R35 | 95 | 25 | 41 | 251 | 63.7 |
| | 35" Worksurface; To Connect to 36" Deep Single Desk Shell | | | | | | T\$ 3003 |
| | | | | | | | P\$ 3157 |
| | 64-2595ERSWD2L41 | 64-2595ERSWD2R41 | 95 | 25 | 41 | 254 | 63.7 |
| | 41" Worksurface; To Connect to 30" Deep Single Desk Shell | | | | | | T\$ 3025 |
| | | | | | | | P\$ 3198 |
| | 64-2595ERSWD2L46 | 64-2595ERSWD2R46 | 95 | 25 | 41 | 258 | 63.7 |
| | 46" Worksurface; To Connect to 25" Deep Single Desk Shell | | | | | | T\$ 3041 |
| | | | | | | | P\$ 3233 |

Must Specify (in this order):

Model #
 Top Material
 Top Color
 Chassis Color
 Overlay
 Overlay Color
 Overlay Back Lighting
 Drawer Pull
 Door/Drawer Color
 Door/Drawer Grain Direction
 Locking Door
 Lock Core Color
 Grommet Location
 Grommet Color
 PDC Type
 PDC Location
 PDC Color


Description

- Standard with Horizontal Woodgrain on Chassis; Front to Back Woodgrain on Worksurface Top; Vertical Woodgrain on Door Fronts
- Worksurface Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Must Select Drawer Pull Options, [See Pull Options](#)
- Worksurface Top Flush with Storage Cabinet Door Front
- Tower Features Touch Latch Door and 6 $\frac{7}{8}$ " Coat Rod
- Box/Box/File Locking Pedestal Provides Legal or Letter Filing
- For Use With Single Reception Desk Shell
- Optional Horizontal Grain Direction on Door and Drawer Fronts; Must Specify
- Optional Locking Doors ([See Options](#)); Must Specify and Add
- Optional Overlay Panel for Approach Side of Gallery Screen, [See Overlay Options](#)
- Additional Options: Waterfall Transaction Kit ([See Kit Options](#)), TFL, HPL, or Solid Surface Transaction Tops ([See Multiple Unit Details](#)), Power Options (Sold Separately, [See Accessories](#))

Pricing Codes:

T= TFL
 P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|-----------------|-------|-------|--------|---------|----------|------------|
| RECEPTION BRIDGE WITH GALLERY SCREEN  | 64-2588B40 | 40" Worksurface | 90 | 25 | 41 | 116 | 10.9 | T\$ 1048 |
| | | | | | | | | P\$ 1222 |
| | 64-2594B46 | 46" Worksurface | 96 | 25 | 41 | 126 | 11.7 | T\$ 1090 |
| | | | | | | | | P\$ 1282 |
| | 64-3088B40 | 40" Worksurface | 90 | 30 | 41 | 121 | 10.9 | T\$ 1070 |
| | | | | | | | | P\$ 1269 |
| | 64-3094B46 | 46" Worksurface | 96 | 30 | 41 | 132 | 11.7 | T\$ 1117 |
| | | | | | | | | P\$ 1334 |
| | 64-3688B40 | 40" Worksurface | 90 | 36 | 41 | 127 | 10.9 | T\$ 1097 |
| | | | | | | | | P\$ 1309 |
| | 64-3694B46 | 46" Worksurface | 96 | 36 | 41 | 139 | 11.7 | T\$ 1146 |
| | | | | | | | | P\$ 1376 |

Must Specify (in this order):

Model #
 Top Material
 Top Color
 Chassis Color
 Overlay
 Overlay Color
 Overlay Back Lighting
 Grommet Location
 Grommet Color
 PDC Type
 PDC Location
 PDC Color

Description

- For Use With Two 25" Deep Single Reception Desk Shells; Must Attach to Open End of Shells
- Cannot Be Used with 30" or 36" Reception Desk Shells
- Available with TFL (T) or HPL (P) Worksurface Top; Must Specify
- Worksurface Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Overlay Panel for Approach Side of Gallery Screen, [See Overlay Options](#)
- Some Assembly Required
- Additional Options: Waterfall Transaction Kit ([See Kit Options](#)), TFL, HPL, or Solid Surface Transaction Tops ([See Multiple Unit Details](#)), Power Options (Sold Separately, [See Accessories](#))

Pricing Codes:

T= TFL
 P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------|-----------|-------|-------|--------|---------|----------|------------|
|------|-----------|-------|-------|--------|---------|----------|------------|

**MODULAR PEDESTAL
WITH BOX/BOX/FILE**


| | | | | | | |
|------------|-----|-----|-----|----|-----|----------|
| 66-2415PD1 | 15¾ | 23¾ | 28¾ | 98 | 8.9 | T\$ 1220 |
|------------|-----|-----|-----|----|-----|----------|

| | | | | | | |
|------------|----|-----|-----|----|-----|----------|
| 66-2418PD1 | 18 | 23¾ | 28¾ | 93 | 7.8 | T\$ 1288 |
|------------|----|-----|-----|----|-----|----------|

Description


- Box/Box/File Locking Modular Pedestal; Letter Width
- For Use With Desk and Return Shells
- Open Back
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management

**MODULAR PEDESTAL
WITH FILE/FILE**


| | | | | | | |
|------------|-----|-----|-----|----|-----|----------|
| 66-2415PD2 | 15¾ | 23¾ | 28¾ | 98 | 8.9 | T\$ 1220 |
|------------|-----|-----|-----|----|-----|----------|

| | | | | | | |
|------------|----|-----|-----|----|-----|----------|
| 66-2418PD2 | 18 | 23¾ | 28¾ | 93 | 7.8 | T\$ 1288 |
|------------|----|-----|-----|----|-----|----------|

Description


- File/File Locking Modular Pedestal; Letter Width
- For Use With Desk and Return Shells
- Open Back
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management

**MODULAR PEDESTAL WITH
DOOR BOOKCASE**


| Left | Right | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------|-------------|-------|-------|--------|---------|----------|------------|
| 66-2418PD4L | 66-2418PD4R | 18 | 23¾ | 28¾ | 90 | 8.9 | T\$ 1037 |

Description

- Adjustable Shelf Inside Cabinet
- For Use With Desk and Return Shells
- Open Back
- Grain Runs Vertical on Door Front. Optional Horizontal Grain Direction on Door Fronts; Must Specify
- Optional Locking Doors ([See Options](#)); [Must Specify](#) and Add

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

Must Specify (in this order):


Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL WITH LATERAL FILE | 66-2430LF1 | 30 | 23¼ | 28¼ | 128 | 14.9 | T\$ 1430 |
| | 66-2436LF1 | 36 | 23¼ | 28¼ | 154 | 18.5 | T\$ 1538 |



Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management


Description

- Lateral/Lateral Locking Modular Pedestal
- For Use With Desk and Return Shells
- Open Back
- Legal or Letter Filing Front to Back or Side to Side
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

| MODULAR PEDESTAL WITH MULTI-FILE | Left | Right | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------|-------------|-------------|-------|-------|--------|---------|----------|------------|
| | 66-2430LF2L | 66-2430LF2R | 30 | 23¼ | 28¼ | 128 | 14.9 | T\$ 1697 |
| | 66-2436LF2L | 66-2436LF2R | 36 | 23¼ | 28¼ | 153 | 18.5 | T\$ 1766 |



Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management


Description

- Box/Box/File/Lateral Locking Modular Pedestal
- For Use With Desk and Return Shells
- Open Back
- Lateral File Drawer Provides Legal or Letter Filing Front to Back or Side to Side
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

| | | | | | | | |
|---------------------------------------|------------|----|-----|-----|-----|------|----------|
| MODULAR PEDESTAL WITH OPEN MULTI-FILE | 66-2430OMF | 30 | 23¼ | 28¼ | 118 | 14.9 | T\$ 1627 |
| | 66-2436OMF | 36 | 23¼ | 28¼ | 128 | 18.5 | T\$ 1695 |



Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management

Description

- Box/Box/Lateral Locking Modular Pedestal
- Upper Section Provides 12¾" Clearance for Open Storage
- For Use With Desk and Return Shells
- Open Back
- Lateral File Drawer Provides Legal or Letter Filing Front to Back or Side to Side
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

Options: Specify & Add


| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------|-----------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL WITH DOORS | 66-2430DB | 30 | 23¼ | 28¼ | 87 | 14.9 | T\$ 1153 |



Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management

| | | | | | | |
|-----------|----|-----|-----|-----|------|----------|
| 66-2436DB | 36 | 23¼ | 28¼ | 105 | 18.5 | T\$ 1459 |
|-----------|----|-----|-----|-----|------|----------|


Description

- 12" Deep Adjustable Shelf Behind Doors
- For Use With Desk and Return Shells
- Open Back
- Grain Runs Vertical on Door Fronts. Optional Horizontal Grain Direction on Door Fronts; Must Specify
- Optional Locking Doors ([See Options](#)); Must Specify and Add

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

| | | | | | | | |
|--|------------|----|-----|-----|-----|------|----------|
| MODULAR PEDESTAL WITH DOORS AND OPEN COMPARTMENT | 66-2430ODB | 30 | 23¼ | 28¼ | 108 | 14.9 | T\$ 1066 |
|--|------------|----|-----|-----|-----|------|----------|



Must Specify (in this order):

Model #
Chassis Color
Drawer Front Color
Drawer Front Grain Direction
Pull
Wire Management

| | | | | | | |
|------------|----|-----|-----|-----|------|----------|
| 66-2436ODB | 36 | 23¼ | 28¼ | 118 | 18.5 | T\$ 1378 |
|------------|----|-----|-----|-----|------|----------|


Description

- Upper Section Provides 12¼" Clearance for Open Storage
- Lower Section Provides Storage Behind Two (2) Doors
- For Use With Desk and Return Shells
- Open Back
- Grain Runs Vertical on Door Fronts. Optional Horizontal Grain Direction on Door Fronts; Must Specify
- Optional Locking Doors ([See Options](#)); Must Specify and Add

Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

| | | | | | | | |
|------------------------------------|------------|----|--------|-----|-----|------|----------|
| MODULAR PEDESTAL WITH OPEN STORAGE | 66-2430MBC | 30 | 22½/32 | 28¼ | 108 | 14.9 | T\$ 1011 |
|------------------------------------|------------|----|--------|-----|-----|------|----------|



Must Specify (in this order):

Model #
Chassis Color
Wire Management

| | | | | | | |
|------------|----|--------|-----|-----|------|----------|
| 66-2436MBC | 36 | 22½/32 | 28¼ | 118 | 18.5 | T\$ 1192 |
|------------|----|--------|-----|-----|------|----------|

Description

- For Use With Desk and Return Shells
- Open Back
- One (1) Adjustable Shelf


Options: Specify & Add

| | | |
|------|--|--------|
| WML | Wire Management - Left Panel | \$ 83 |
| WMR | Wire Management - Right Panel | \$ 83 |
| WMLR | Wire Management - Left and Right Panel | \$ 166 |

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|---|-------|-------|--------|---------|----------|------------|
| WATERFALL TRANSACTION KIT WITH PAPER SLOTS  | 64-1224TKS Two Slots | 24 | 12 | 38 | 29 | 5.1 | T\$ 1202 |
| | 64-1230TKS Two Slots | 30 | 12 | 38 | 36 | 6.2 | T\$ 1252 |
| | 64-1236TKS Two Slots | 36 | 12 | 38 | 43 | 7.3 | T\$ 1302 |
| | 64-1242TKS Two Slots | 42 | 12 | 38 | 50 | 8.4 | T\$ 1406 |
| | 64-1248TKS Three Slots; For Use With 60" Gallery | 48 | 12 | 38 | 57 | 9.5 | T\$ 1459 |
| | 64-1254TKS Three Slots; For Use With 66" Gallery | 54 | 12 | 38 | 64 | 10.6 | T\$ 1510 |
| | 64-1260TKS Four Slots; For Use With 72" Gallery | 60 | 12 | 38 | 71 | 11.7 | T\$ 1567 |
| | 64-1266TKS Four Slots; For Use With 78" Gallery | 66 | 12 | 38 | 78 | 12.8 | T\$ 1615 |
| | 64-1272TKS Four Slots; For Use With 84" Gallery | 72 | 12 | 38 | 85 | 13.9 | T\$ 1666 |
| | 64-1278TKS Four Slots; For Use With 90" Gallery | 78 | 12 | 38 | 91 | 15.0 | T\$ 1962 |
| | 64-1284TKS Five Slots; For Use With 96" Gallery | 84 | 12 | 38 | 98 | 16.1 | T\$ 2016 |

Must Specify (in this order):

Model #

Color

Paper Slot Divider Color

Support Bracket Color

Description



- Two (2) Support Brackets Included; Must Specify: Black (BLK) or Silver (SLV)
- Paper Slot Divider; Must Specify Color: Chrome or Laminate in Matching or Contrasting Color
- Some Assembly Required

Pricing Codes:

T= TFL

P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---|--------------|-------|--------|---------|----------|---------------|
| CORNER WATERFALL TRANSACTION KIT WITH PAPER SLOTS  Shown as Left  | Left | Right | | | | | |
| | 64-1224CTKSL Two Slots | 64-1224CTKSR | 24 | 12 | 38 | 37 | 5.1 T\$ 1319 |
| | 64-1230CTKSL Two Slots | 64-1230CTKSR | 30 | 12 | 38 | 44 | 6.2 T\$ 1372 |
| | 64-1236CTKSL Two Slots | 64-1236CTKSR | 36 | 12 | 38 | 51 | 7.3 T\$ 1421 |
| | 64-1242CTKSL Two Slots | 64-1242CTKSR | 42 | 12 | 38 | 58 | 8.4 T\$ 1524 |
| | 64-1248CTKSL Three Slots | 64-1248CTKSR | 48 | 12 | 38 | 65 | 9.5 T\$ 1582 |
| | 64-1254CTKSL Three Slots; For Use With 60" Gallery | 64-1254CTKSR | 54 | 12 | 38 | 71 | 10.6 T\$ 1630 |
| | 64-1260CTKSL Four Slots; For Use With 66" Gallery | 64-1260CTKSR | 60 | 12 | 38 | 78 | 11.7 T\$ 1689 |
| | 64-1266CTKSL Four Slots; For Use With 72" Gallery | 64-1266CTKSR | 66 | 12 | 38 | 85 | 12.8 T\$ 1740 |
| | 64-1272CTKSL Four Slots; For Use With 78" Gallery | 64-1272CTKSR | 72 | 12 | 38 | 92 | 13.9 T\$ 1791 |
| | 64-1278CTKSL Four Slots; For Use With 84" Gallery | 64-1278CTKSR | 78 | 12 | 38 | 99 | 15.0 T\$ 2088 |
| | 64-1284CTKSL Five Slots; For Use With 90" Gallery | 64-1284CTKSR | 84 | 12 | 38 | 106 | 16.1 T\$ 2141 |
| | 64-1290CTKSL Five Slots; For Use With 96" Gallery | 64-1290CTKSR | 90 | 12 | 38 | 113 | 17.2 T\$ 2194 |

Must Specify (in this order):

Model #
Color
Paper Slot Divider Color
Support Bracket Color

















Description

- One (1) Support Brackets Included; Must Specify: Black (BLK) or Silver (SLV)
- Paper Slot Divider; Must Specify Color: Chrome or Laminate in Matching or Contrasting Color
- Some Assembly Required

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|--------------------------------|
| TRANSACTION TOPS FRONT TO BACK GRAIN | 64-2412TP | 24 | 12 | 1 | 7 | 0.6 | T\$ 352 |
| | | | | | | | P\$ 490 |
|  | 64-2712TP | 27 | 12 | 1 | 8 | 0.7 | Optional Glass Top Add \$ 707 |
| | | | | | | | T\$ 359 |
|  | 64-3012TP | 30 | 12 | 1 | 9 | 0.8 | P\$ 505 |
| | | | | | | | Optional Glass Top Add \$ 725 |
|  | 64-3312TP | 33 | 12 | 1 | 10 | 0.9 | T\$ 369 |
| | | | | | | | P\$ 517 |
|  | 64-3612TP | 36 | 12 | 1 | 11 | 1.0 | Optional Glass Top Add \$ 936 |
| | | | | | | | T\$ 373 |
|  | 64-3912TP | 39 | 12 | 1 | 12 | 1.1 | P\$ 522 |
| | | | | | | | Optional Glass Top Add \$ 958 |
|  | 64-4212TP | 42 | 12 | 1 | 13 | 1.2 | T\$ 378 |
| | | | | | | | P\$ 530 |
|  | 64-4512TP | 45 | 12 | 1 | 14 | 1.3 | Optional Glass Top Add \$ 999 |
| | | | | | | | T\$ 397 |
|  | 64-4812TP | 48 | 12 | 1 | 15 | 1.4 | P\$ 554 |
| | | | | | | | Optional Glass Top Add \$ 1077 |
|  | 64-5112TP | 51 | 12 | 1 | 16 | 1.5 | T\$ 416 |
| | | | | | | | P\$ 583 |
|  | 64-5412TP | 54 | 12 | 1 | 16 | 1.6 | Optional Glass Top Add \$ 1118 |
| | | | | | | | T\$ 420 |
|  | 64-5712TP | 57 | 12 | 1 | 17 | 1.7 | P\$ 590 |
| | | | | | | | Optional Glass Top Add \$ 1135 |
|  | 64-6012TP | 60 | 12 | 1 | 18 | 1.8 | T\$ 428 |
| | | | | | | | P\$ 598 |
|  | | | | | | | Optional Glass Top Add \$ 1347 |
| | | | | | | | T\$ 432 |
|  | | | | | | | P\$ 606 |
| | | | | | | | Optional Glass Top Add \$ 1367 |
|  | | | | | | | T\$ 439 |
| | | | | | | | P\$ 617 |
|  | | | | | | | Optional Glass Top Add \$ 1407 |
| | | | | | | | |

Two (2) Support Bracket Required

One (1) Support Bracket Required

Optional Glass Transaction Top
for TFL or HPL Transaction
Tops

Must Specify (in this order):

Model #
Transaction Top Material
Color
Glass Transaction Top
Support Bracket Color

Additional Transaction Tops on
next page.

Description

- Square (H) Edge Profile On All Sides With Front to Back Grain Direction on All Sizes
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Required; See Below and Must Specify: Black (BLK) or Silver (SLV)
- Optional Glass Transaction Top with 1¼" Silver Standoff, See "Optional Glass Top Add" Pricing and Specify (SOG)
- Optional Glass Transaction Top Field Installed












Support Brackets Required for Non-Supported End: Specify & Add

| | | |
|------------|--------|-------|
| 01-0607SSB | Black | \$ 51 |
| 01-0607SSS | Silver | \$ 51 |

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|----------|--------------------------------|
| TRANSACTION TOPS SIDE TO SIDE GRAIN | 64-1224TP | 24 | 12 | 1 | 7 | 0.6 | T\$ 352 |
| | | | | | | | P\$ 490 |
|  | 64-1227TP | 27 | 12 | 1 | 8 | 0.7 | Optional Glass Top Add \$ 707 |
| | | | | | | | T\$ 359 |
|  | 64-1230TP | 30 | 12 | 1 | 9 | 0.8 | P\$ 505 |
| | | | | | | | Optional Glass Top Add \$ 725 |
|  | 64-1233TP | 33 | 12 | 1 | 10 | 0.9 | T\$ 369 |
| | | | | | | | P\$ 517 |
|  | 64-1236TP | 36 | 12 | 1 | 11 | 1.0 | Optional Glass Top Add \$ 936 |
| | | | | | | | T\$ 373 |
|  | 64-1239TP | 39 | 12 | 1 | 12 | 1.1 | P\$ 522 |
| | | | | | | | Optional Glass Top Add \$ 958 |
|  | 64-1242TP | 42 | 12 | 1 | 13 | 1.2 | T\$ 513 |
| | | | | | | | P\$ 530 |
|  | 64-1245TP | 45 | 12 | 1 | 14 | 1.3 | Optional Glass Top Add \$ 999 |
| | | | | | | | T\$ 384 |
|  | 64-1248TP | 48 | 12 | 1 | 15 | 1.4 | P\$ 537 |
| | | | | | | | Optional Glass Top Add \$ 1019 |
|  | 64-1251TP | 51 | 12 | 1 | 16 | 1.5 | T\$ 416 |
| | | | | | | | P\$ 583 |
|  | 64-1254TP | 54 | 12 | 1 | 16 | 1.6 | Optional Glass Top Add \$ 1118 |
| | | | | | | | T\$ 420 |
|  | 64-1257TP | 57 | 12 | 1 | 17 | 1.7 | P\$ 590 |
| | | | | | | | Optional Glass Top Add \$ 1135 |
| | 64-1260TP | 60 | 12 | 1 | 18 | 1.8 | T\$ 428 |
| | | | | | | | P\$ 598 |
| | 64-1263TP | 63 | 12 | 1 | 19 | 1.9 | Optional Glass Top Add \$ 1347 |
| | | | | | | | T\$ 433 |
| | 64-1263TP | 63 | 12 | 1 | 19 | 1.9 | P\$ 607 |
| | | | | | | | Optional Glass Top Add \$ 1367 |
| | 64-1263TP | 63 | 12 | 1 | 19 | 1.9 | T\$ 439 |
| | | | | | | | P\$ 617 |
| | 64-1263TP | 63 | 12 | 1 | 19 | 1.9 | Optional Glass Top Add \$ 1407 |
| | | | | | | | T\$ 446 |
| | 64-1263TP | 63 | 12 | 1 | 19 | 1.9 | P\$ 622 |
| | | | | | | | Optional Glass Top Add \$ 1425 |

Description

- Square (H) Edge Profile On All Sides With Side to Side Grain Direction on All Sizes
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Required; See Below and Must Specify: Black (BLK) or Silver (SLV)
- Optional Glass Transaction Top with 1¼" Silver Standoff, See "Optional Glass Top Add" Pricing and Specify (SOG)
- Optional Glass Transaction Top Field Installed




Support Brackets Required for Non-Supported End: Specify & Add

| | | |
|------------|--------|-------|
| 01-0607SSB | Black | \$ 51 |
| 01-0607SSS | Silver | \$ 51 |

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-----------|-------|-------|--------|---------|----------|--------------------------------|
| TRANSACTION TOPS SIDE TO SIDE GRAIN | 64-1266TP | 66 | 12 | 1 | 21 | 2.1 | T\$ 451 |
| | | | | | | | P\$ 631 |
|  | 64-1269TP | 69 | 12 | 1 | 21 | 2.1 | Optional Glass Top Add \$ 1466 |
| | | | | | | | T\$ 456 |
| | 64-1272TP | 72 | 12 | 1 | 22 | 2.2 | P\$ 638 |
| | | | | | | | Optional Glass Top Add \$ 1486 |
| <u>Two (2) Support Bracket Required</u> | 64-1275TP | 75 | 12 | 1 | 23 | 2.3 | T\$ 502 |
| | | | | | | | P\$ 701 |
|  | 64-1278TP | 78 | 12 | 1 | 24 | 2.4 | Optional Glass Top Add \$ 1505 |
| | | | | | | | T\$ 507 |
| <u>One (1) Support Bracket Required</u> | 64-1281TP | 81 | 12 | 1 | 25 | 2.5 | P\$ 710 |
| | | | | | | | Optional Glass Top Add \$ 1545 |
|  | 64-1284TP | 84 | 12 | 1 | 26 | 2.6 | T\$ 513 |
| | | | | | | | P\$ 718 |
| Optional Glass Transaction Top for TFL or HPL Transaction Tops | 64-1287TP | 87 | 12 | 1 | 26 | 2.7 | Optional Glass Top Add \$ 1585 |
| | | | | | | | T\$ 518 |
| | 64-1290TP | 90 | 12 | 1 | 27 | 2.8 | P\$ 727 |
| | | | | | | | Optional Glass Top Add \$ 1777 |
| <u>Must Specify (in this order):</u> Model # Transaction Top Material Color Glass Transaction Top Support Bracket Color | 64-1293TP | 93 | 12 | 1 | 28 | 2.9 | T\$ 525 |
| | | | | | | | P\$ 733 |
| | 64-1296TP | 96 | 12 | 1 | 29 | 3.0 | Optional Glass Top Add \$ 1815 |
| | | | | | | | T\$ 530 |
| | | | | | | | P\$ 743 |
| | | | | | | | Optional Glass Top Add \$ 1835 |
| | | | | | | | T\$ 536 |
| | | | | | | | P\$ 750 |
| | | | | | | | Optional Glass Top Add \$ 1876 |
| | | | | | | | T\$ 541 |
| | | | | | | | P\$ 757 |
| | | | | | | | Optional Glass Top Add \$ 1892 |
| | | | | | | | T\$ 563 |
| | | | | | | | P\$ 788 |
| | | | | | | | Optional Glass Top Add \$ 1968 |

Description

- Square (H) Edge Profile On All Sides With Side to Side Grain Direction on All Sizes
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Required; See Below and Must Specify: Black (BLK) or Silver (SLV)
- Optional Glass Transaction Top with 1¼" Silver Standoff, See "Optional Glass Top Add" Pricing and Specify (SOG)
- Optional Glass Transaction Top Field Installed

Support Brackets Required for Non-Supported End: Specify & Add

| | | |
|------------|--------|-------|
| 01-0607SSB | Black | \$ 51 |
| 01-0607SSS | Silver | \$ 51 |





Additional Transaction Tops on next page.

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------|-------|--------|---------|----------|------------|
| TRANSACTION TOP WITH SOLID SURFACE  Two (2) Support Bracket Required  One (1) Support Bracket Required Must Specify (in this order): Model # Color Support Bracket Color | 64-1224SSTP | 24 | 12 | 1½ | 25 | 0.6 | \$ 873 |
| | 64-1227SSTP | 27 | 12 | 1½ | 28 | 0.7 | \$ 1189 |
| | 64-1230SSTP | 30 | 12 | 1½ | 32 | 0.8 | \$ 1216 |
| | 64-1233SSTP | 33 | 12 | 1½ | 35 | 0.9 | \$ 1252 |
| | 64-1236SSTP | 36 | 12 | 1½ | 38 | 1.0 | \$ 1288 |
| | 64-1239SSTP | 39 | 12 | 1½ | 41 | 1.1 | \$ 1503 |
| | 64-1242SSTP | 42 | 12 | 1½ | 44 | 1.2 | \$ 1535 |
| | 64-1245SSTP | 45 | 12 | 1½ | 48 | 1.3 | \$ 1572 |
| | 64-1248SSTP | 48 | 12 | 1½ | 51 | 1.4 | \$ 1615 |
| | 64-1251SSTP | 51 | 12 | 1½ | 54 | 1.5 | \$ 1832 |
| | 64-1254SSTP | 54 | 12 | 1½ | 57 | 1.6 | \$ 1867 |
| | 64-1257SSTP | 57 | 12 | 1½ | 60 | 1.7 | \$ 1907 |
| | 64-1260SSTP | 60 | 12 | 1½ | 64 | 1.8 | \$ 1953 |
| | 64-1263SSTP | 63 | 12 | 1½ | 67 | 1.9 | \$ 2145 |
| | 64-1266SSTP | 66 | 12 | 1½ | 70 | 2.0 | \$ 2184 |
| | 64-1269SSTP | 69 | 12 | 1½ | 73 | 2.1 | \$ 2226 |
| | 64-1272SSTP | 72 | 12 | 1½ | 76 | 2.2 | \$ 2276 |
| | 64-1275SSTP | 75 | 12 | 1½ | 80 | 2.3 | \$ 2499 |
| | 64-1278SSTP | 78 | 12 | 1½ | 83 | 2.4 | \$ 2541 |
| | 64-1281SSTP | 81 | 12 | 1½ | 86 | 2.5 | \$ 2589 |
| | 64-1284SSTP | 84 | 12 | 1½ | 89 | 2.5 | \$ 2646 |
| | 64-1287SSTP | 87 | 12 | 1½ | 92 | 2.7 | \$ 2814 |
| | 64-1290SSTP | 90 | 12 | 1½ | 96 | 2.8 | \$ 2861 |
| | 64-1293SSTP | 93 | 12 | 1½ | 99 | 2.9 | \$ 2917 |
| | 64-1296SSTP | 96 | 12 | 1½ | 102 | 3.0 | \$ 2979 |

Description

- Straight (S1) Edge Profile On All Sides
- 1½" Overhang on Approach and Side Depending on Placement
- If Top is Not Supported By An End Panel, Support Bracket is Required (Not Included)
- Support Brackets Available in Black or Silver: See Below and Must Specify

Support Brackets Required for Non-Supported End: Specify & Add

| | |
|-------------------|-------|
| 01-0607SSB Black | \$ 51 |
| 01-0607SSS Silver | \$ 51 |




Pricing Codes:


T= TFL

P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|-------|-------|--------|---------|----------|------------|
| <div>OVERLAY PANEL</div> <div></div> <div>Shaded Overlay Panel (Shown with Optional Transactional Top)</div> | 64-OT60 For Use With 60" Desk or 58" Return | 36 | ¾ | 41 | 28 | 2.8 | T\$ 458 |
| | 64-OT66 For Use With 66" Desk | 42 | ¾ | 41 | 33 | 3.2 | T\$ 502 |
| | 64-OT72 For Use With 72" Desk or 71" Return | 48 | ¾ | 41 | 38 | 3.6 | T\$ 543 |
| | 64-OT78 For Use With 78" Desk | 54 | ¾ | 41 | 42 | 4.0 | T\$ 583 |
| | 64-OT84 For Use With 84" Desk or 83" Return | 60 | ¾ | 41 | 47 | 4.4 | T\$ 619 |
| | 64-OT90 For Use With 90" Desk | 66 | ¾ | 41 | 52 | 4.8 | T\$ 653 |
| | 64-OT96 For Use With 96" Desk or 95" Return | 72 | ¾ | 41 | 57 | 5.2 | T\$ 688 |
| <div>Description</div> <div><ul style="list-style-type: none">• Horizontal Woodgrain• Designed to be Used with a Transaction Top• Not Compatible with Waterfall Transaction Kit• Optional Back Lighting</div> | | | | | | | |
| <div>Options: Specify & Add</div> <div><div>BKLIT</div><div>Back Lighting</div><div>\$ 1620</div></div> | | | | | | | |

Must Specify (in this order):
Model #
Color
Overlay Back Lighting


| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-------------------------------------|-------|-------|--------|---------|----------|------------|
| OVERLAY PANEL, HIGH GLOSS ACRYLIC  Shaded Overlay Panel (Shown with Optional Transactional Top) | 64-OHGA60 | 36 | ¼ | 41 | 28 | 2.8 | \$ 1421 |
| | For Use With 60" Desk or 58" Return | | | | | | GPA\$ 1862 |
| | 64-OHGA66 | 42 | ¼ | 41 | 33 | 3.2 | \$ 1623 |
| | For Use With 66" Desk | | | | | | GPA\$ 2139 |
| | 64-OHGA72 | 48 | ¼ | 41 | 38 | 3.6 | \$ 1823 |
| | For Use With 72" Desk or 71" Return | | | | | | GPA\$ 2413 |
| | 64-OHGA78 | 54 | ¼ | 41 | 42 | 4.0 | \$ 2015 |
| | For Use With 78" Desk | | | | | | GPA\$ 2681 |
| | 64-OHGA84 | 60 | ¼ | 41 | 47 | 4.4 | \$ 2212 |
| | For Use With 84" Desk or 83" Return | | | | | | GPA\$ 2948 |
| Must Specify (in this order): Model # Color Overlay Back Lighting | 64-OHGA90 | 66 | ¼ | 41 | 52 | 4.8 | \$ 2406 |
| | For Use With 90" Desk | | | | | | GPA\$ 3214 |
| | 64-OHGA96 | 72 | ¼ | 41 | 57 | 5.2 | \$ 2594 |
| | For Use With 96" Desk or 95" Return | | | | | | GPA\$ 3481 |

Description

- Must Specify Color: Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)
- Designed to be Used with a Transaction Top
- Optional Back Lighting

Options: Specify & Add

| | | |
|-------|---------------|---------|
| BKLIT | Back Lighting | \$ 1620 |
|-------|---------------|---------|

| | | | | | | | |
|---|-------------------------------------|----|---|----|----|-----|---------|
| OVERLAY PANEL, FROSTED ACRYLIC  Shaded Overlay Panel (Shown with Optional Transactional Top) | 64-OFA60 | 36 | ¼ | 41 | 9 | 2.8 | \$ 1347 |
| | For Use With 60" Desk or 58" Return | | | | | | |
| | 64-OFA66 | 42 | ¼ | 41 | 11 | 3.2 | \$ 1547 |
| | For Use With 66" Desk | | | | | | |
| | 64-OFA72 | 48 | ¼ | 41 | 13 | 3.6 | \$ 1707 |
| | For Use With 72" Desk or 71" Return | | | | | | |
| | 64-OFA78 | 54 | ¼ | 41 | 15 | 4.0 | \$ 1855 |
| | For Use With 78" Desk | | | | | | |
| | 64-OFA84 | 60 | ¼ | 41 | 17 | 4.4 | \$ 2011 |
| | For Use With 84" Desk or 83" Return | | | | | | |
| | 64-OFA90 | 66 | ¼ | 41 | 19 | 4.8 | \$ 2190 |
| | For Use With 90" Desk | | | | | | |
| | 64-OFA96 | 72 | ¼ | 41 | 21 | 5.2 | \$ 2291 |
| | For Use With 96" Desk or 95" Return | | | | | | |

Description

- Features Decorative Hardware, 1¼" Silver Standoffs
- Designed to be Used with a Transaction Top
- Optional Custom Engraving Available; Call Customer Service For Lead Times and Pricing


Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------|-----------|-------|-------|--------|---------|----------|------------|
|------|-----------|-------|-------|--------|---------|----------|------------|

STIFFENER BAR



01-00060SB

60

1¾

¾

8

0.3

\$ 133

01-00048SB

48

1¾

¾

5

0.3

\$ 125

Description

- Reinforces Worksurfaces with Large Kneespace Widths
- Includes End Caps to Cover Sharp Edges
- Field Installed
- Recommended in Kneespaces 60" or Greater

TRANSACTION SUPPORT BRACKET



01-0607SSB

Black

6

-

-

1

1.0


\$ 51

01-0607SSS

Silver

Description

- For Use With Unsupported Transaction Tops and Waterfall Transaction Kits

ROUND GROMMET COVER
FIELD INSTALLEDOPEN MARKET ONLY
(SILVER)

01-GRMTBK

Black

-

-

-

-

-

\$ 11


01-GRMTSL

Silver

Description

- 60mm Round Grommet Cover
- Field Installed

SINGLE POWER SAND DOLLAR



01-SAND60PW

White

3

3

4

1

0.2

\$ 101

01-SAND60PB

Black

01-SAND60PS

Silver


Description

- Available on Height Adjustable Desks, Returns and Bridge Units with Wire Management Box in Center Grommet Only (GC-BOX)
- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Single Power Outlet

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------|-----------|--|-------|-------|--------|---------|----------|------------|
|------|-----------|--|-------|-------|--------|---------|----------|------------|

DOUBLE USB SAND DOLLAR



01-SAND60UW

White

3

3

4

1

0.2

\$ 286

01-SAND60UB

Black

01-SAND60US

Silver

Description

- Available on Height Adjustable Desks, Returns and Bridge Units with Wire Management Box in Center Grommet Only (GC-BOX)
- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Dual USB Outlets

DOCK 950 WIRELESS CHARGER



OPEN MARKET ONLY

01-DOCK950W

White

3 3/16"

3 3/16"

-

1

0.2

\$ 274


01-DOCK950B

Black

Description

- For Use with Wireless Charging Enabled Devices
- 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0
- Mounts in 76mm Round Cut-Out
- LED will Confirm Pairing with Device and Begin Wireless Charging

DOCK 150 WIRELESS AND USB CHARGER



OPEN MARKET ONLY

01-DOCK150W

White

3

3

3/4"

1

0.2

\$ 418






01-DOCK150B

Black





Description

- For Use with Wireless Charging Enabled Devices and USB Charging Devices
- 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge)
- Mounts in 76mm Round Cut-Out
- Pop-Up is 3/4"H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge)
- LED Light will Confirm Pairing with Device and Begin Wireless Charging
- UL and cUL Certified

[See Canvas Reception Overview for Ordering Options](#)


| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|----------|-------|-------|--------|---------|----------|------------|
| POWER DATA PORT | 01-DPORT4A | Aluminum | 8 | 4 | - | 7 | 0.2 | \$ 1129 |
| | 01-DPORT4B | Black | 8 | 4 | - | 7 | 0.2 | \$ 1129 |
|  <p>Description</p> <ul style="list-style-type: none"> • Retracts into Work Surface to Regain Productive Space • One-Touch Access to Power and Data • Two Power Outlets and Two Open Ports for Data • Water-Proof Simplex (Outlets) • Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required • 6' Power Cord | | | | | | | | |
| USB PORT | 01-USBPORT | | - | - | - | - | - | \$ 166 |
|  <p>Description</p> <ul style="list-style-type: none"> • For Use with 01-DPORT4A and 01-DPORT4B • Passive USB-A Port with Increased Transfer Speed Up to 5 gbs/sec • Simultaneous Read/Write Capability • Idle Device Power Saving State • 6' Cord | | | | | | | | |
| VOICE COUPLER | 01-VOICE1 | | - | - | - | - | - | \$ 75 |
|  <p>Description</p> <ul style="list-style-type: none"> • For Use with 01-DPORT4A and 01-DPORT4B • 6-Pin Modular Plug • Molded Black • Cord Not included | | | | | | | | |
| DATA PORT | 01-RJ4DATA | | - | - | - | - | - | \$ 173 |
|  <p>Description</p> <ul style="list-style-type: none"> • For Use with 01-DPORT4A and 01-DPORT4B • 8-Pin Modular Plug • Cat6 Ethernet Cable • Pre-terminated Cable • 10' Cord | | | | | | | | |
| PASSIVE USB-C ACCESSORY | 01-PUSBC | | - | - | - | 1 | 0.2 | \$ 98 |
|  <p>Description</p> <ul style="list-style-type: none"> • Passive USB-C Port ; Unit Provides Data Connection to Transfer Data Only, No Charging Capabilities • Compatible with 01-DPORT4A and 01-DPORT4B • Male/Female Connector | | | | | | | | |

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price | |
|---|---|--------|-------|--------|---------|----------|------------|--------|
| CHARGING USB-A+C ACCESSORY | 01-USBAC | - | - | - | 1 | 0.2 | \$ 292 | |
|  | Description | | | | | | | |
| | <ul style="list-style-type: none">• For Charging Devices• 20 Watt Power Supply• USB+C Charging Port for 01-DPORT4A and 01-DPORT4B | | | | | | | |
| HDMI CONNECTOR ACCESSORY | 01-HDMICON | - | - | - | 1 | 0.2 | \$ 128 | |
|  | Description | | | | | | | |
| | <ul style="list-style-type: none">• HDMI Port for 01-DPORT4A and 01-DPORT4B• Connects to High Definition Displays• Female/Female Connector• 18” Cord | | | | | | | |
| VGA CONNECTOR ACCESSORY | 01-VGACON | - | - | - | 1 | 0.2 | \$ 154 | |
|  | Description | | | | | | | |
| | <ul style="list-style-type: none">• VGA Port for 01-DPORT4A and 01-DPORT4B• Enables Devices to Remote Display on Monitors• 10’ Cord• Male/Female Connector | | | | | | | |
| DUO CLAMP WITH NEMA PLUG | 01-DUOCLAMPW | White | 5 ½ | 3 | 7 | 1 | 0.2 | \$ 591 |
| | 01-DUOCLAMPB | Black | | | | | | |
| | 01-DUOCLAMPS | Silver | | | | | | |
| | Description | | | | | | | |
|  | <ul style="list-style-type: none">• Clamps to Top and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10’ Cord• Silver Metal Trim• Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post• All Mounting Hardware Included• FCC Part 15A and UL Approved for Horizontal and Vertical Applications | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------|---------------|--------|-------|-------|--------|---------|----------|------------|
| TRIO CLAMP WITH NEMA PLUG | 01-TRIOCLAMPW | White | 8 | 3 | 7 | 1 | 0.2 | \$ 693 |
| | 01-TRIOCLAMPB | Black | | | | | | |
| | 01-TRIOCLAMPS | Silver | | | | | | |



Description

- Silver Metal Trim
- Clamps to Top and Includes: Three (3) Power, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data and 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

| | | | | | | | | |
|----------------------------------|-------------|--------|----|----|---|---|-----|--------|
| UNDERMOUNT DUO WITH NEMA PLUG | 01-DUUNDERW | White | 6½ | 2½ | 3 | 1 | 0.2 | \$ 564 |
| | 01-DUUNDERB | Black | | | | | | |
| | 01-DUUNDERS | Silver | | | | | | |



Description

- Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- Sits Under the Worksurface
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications



| | | | | | | | | |
|-----------------------------------|---------------|--------|----|----|---|---|-----|--------|
| UNDERMOUNT TRIO WITH NEMA PLUG | 01-TRIOUNDERW | White | 6½ | 2½ | 3 | 1 | 0.2 | \$ 677 |
| | 01-TRIOUNDERB | Black | | | | | | |
| | 01-TRIOUNDERS | Silver | | | | | | |







Description

- Sits On Top of the Worksurface and Includes: Three (3) Power, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|--|--------|-------|-------|--------|---------|----------|------------|
| <div>DUO BEZEL WITH NEMA PLUG</div> <div></div> | 01-DUOBEZELW | White | 9 | 2½ | 3 | 1 | 0.2 | \$ 697 |
| | 01-DUOBEZELB | Black | | | | | | |
| | 01-DUOBEZELS | Silver | | | | | | |
| | <div>Description</div> <ul style="list-style-type: none">Sits On Top of the Worksurface and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' CordIndependent USB Circuit Controllers Deliver up to 2.1 Amps to Each PostAll Mounting Hardware IncludedFCC Part 15A and UL Approved for Horizontal and Vertical Applications | | | | | | | |
| <div>TRIO BEZEL WITH NEMA PLUG</div> <div></div> | 01-TRIOBEZELW | White | 6½ | 2½ | 3 | 1 | 0.2 | \$ 749 |
| | 01-TRIOBEZELB | Black | | | | | | |
| | 01-TRIOBEZELS | Silver | | | | | | |
| | <div>Description</div> <ul style="list-style-type: none">Sits On Top of the Worksurface and Includes: Three (3) Power One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' CordIndependent USB Circuit Controllers Deliver up to 2.1 Amps to Each PostHDMI, VGA, or RJ45 Sold Separately; See AccessoriesAll Mounting Hardware IncludedFCC Part 15A and UL Approved for Horizontal and Vertical Applications | | | | | | | |
| VGA DATA PORT ACCESSORY | 01-LCOMVGA | | - | - | - | 1 | 0.2 | \$ 125 |
| <div>Description</div> <ul style="list-style-type: none">VGA Port for Trio Clamp, Trio Bezel and Undermount Trio Units | | | | | | | | |
| HDMI DATA PORT ACCESSORY | 01-LCOMHDMI | | - | - | - | 1 | 0.2 | \$ 171 |
| <div>Description</div> <ul style="list-style-type: none">HDMI Port for Trio Clamp, Trio Bezel and Undermount Trio Units | | | | | | | | |
| OPEN MARKET ONLY | | | | | | | | |
| RJ45 DATA PORT ACCESSORY | 01-LCOMRJ45 | | - | - | - | 1 | 0.2 | \$ 82 |
| <div>Description</div> <ul style="list-style-type: none">RJ45 Port for Trio Clamp, Trio Bezel and Undermount Trio Units | | | | | | | | |

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|----------------|--------|-------|--------|---------|----------|------------|
| WIRE MANAGEMENT CHANNEL | 01-WMGR4 | 16 | 1½ | ¾ | 1 | - | \$ 120 |
|  <p>Description</p> <ul style="list-style-type: none"> • Set of Four (4) Black Plastic Wire Management Channels • Snap Lock Channel • Attaches with Adhesive Strips • Ships via UPS Only | | | | | | | |
| WIRE CHANNEL | 01-32125 | 24 | 1⅝ | 1 | .25 | 0.3 | \$ 109 |
|  <p>Description</p> <ul style="list-style-type: none"> • Available in Black • Channels Attach with Two (2) Double-Sided Installation Tape • Open J Channel for Easy Storage of Cables | | | | | | | |
| CABLE GRIP | 01-WMGRCB | 5⅞ | 1½ | - | - | - | \$ 18 |
|  <p>Description</p> <ul style="list-style-type: none"> • Under Surface Wire Management • Black | | | | | | | |
| LINK 360 CABLE MANAGER | 01-0251LINKSLV | Silver | 5⅞ | 3 ⅞ | 30-51 | 4 | \$ 403 |
| | 01-0251LINKBLK | Black | 5⅞ | 3 ⅞ | 30-51 | 4 | \$ 365 |
|  <p>Description</p> <ul style="list-style-type: none"> • Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, One (1) Foot Assembly with Two (2) Magnetic Clips • Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use | | | | | | | |


Pricing Codes:

T= TFL

P= HPL

[See Canvas Reception Overview for Ordering Options](#)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------|-----------|-------|-------|--------|---------|----------|------------|
| CENTER DRAWER | 66-1622CD | 22 | 16 | 2 | 7 | 1.4 | T\$ 414 |




Must Specify (in this order):

Model #
Color
Grain Direction

Description

- Attaches Under Worksurfaces
- Built in Pen Tray
- Field Installed Only
- Grain Runs Vertical on Drawer Fronts. Optional Horizontal Grain Direction on Drawer Fronts; Must Specify

DESK SHELL TACKBOARDS 9" H



Must Specify (in this order):

Model #
Tackboard Fabric Vendor, Pattern,
and Color

| Model # | Size | COM ydg | COM, 1, 2 or 3 | Grades | | | | | | | |
|---------|------|---------|-------------------|--------|------|------|------|------|------|------|--|
| | | | | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| TB-6260 | 60" | 1.75 | \$ 226 | 482 | 601 | 721 | 893 | 1073 | 1283 | 1525 | |
| TB-6266 | 66" | 2.00 | \$ 240 | 532 | 668 | 806 | 1002 | 1208 | 1448 | 1724 | |
| TB-6272 | 72" | 2.25 | \$ 264 | 593 | 746 | 901 | 1121 | 1353 | 1623 | 1934 | |
| TB-6278 | 78" | 2.50 | \$ 321 | 686 | 856 | 1029 | 1274 | 1531 | 1831 | 2176 | |
| TB-6284 | 84" | 2.50 | \$ 327 | 692 | 862 | 1035 | 1280 | 1537 | 1837 | 2182 | |
| TB-6290 | 90" | 2.75 | \$ 346 | 748 | 935 | 1124 | 1394 | 1677 | 2007 | 2387 | |
| TB-6296 | 96" | 3.00 | \$ 363 | 801 | 1005 | 1212 | 1506 | 1815 | 2175 | 2589 | |

Description

- All tackboards 78" and longer are Two (2) pieces
- Field Installed
- For Use with Transaction Tops
- Not Compatible with Waterfall Transaction Kit

| | | | | | | | |
|--------------------|----------|-----|----|-----|----|-----|---------|
| VESTA POWER CENTER | 01-PDCTR | 10¾ | 12 | 28¾ | 14 | 2.5 | \$ 1835 |
|--------------------|----------|-----|----|-----|----|-----|---------|



Description

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall

Pricing Codes:

T= TFL
P= HPL

[See Canvas Reception Overview for Ordering Options](#)

Indiana FURNITURE

ORDERING INFORMATION

All orders should be emailed to neworders@indianafurniture.com.
Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture
P.O. Box 270, 1919 Hospitality Dr., Ste. A
Jasper, IN 47547-0270

ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

- purchase order number
- complete quantity for all units
- billing address
- model number
- ship-to address
- fabric (seating, tackboards, etc.)
- phone number
- finish
- any special instructions
- any other applicable option

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification, contact Customer Service.

PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. Shipping fees are listed on direct bill contract orders and GSA, but not on commercial order acknowledgments or dealer-billed orders.

BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice. Note: All dimensions listed in price list are nominal.

REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 7 calendar days at your request, a .084% per calendar day (2.52% per month) storage charge will be assessed. The effective date will be 7 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

GENERAL INFORMATION + CONDITIONS OF SALE

Obvious Damage/Missing Cartons — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

Concealed Damage — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered ½ by the carrier and ½ by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

1. Manufacturing defect (inspected by Indiana Furniture representative)
2. Indiana Furniture order processing error
3. Shipping error
4. Mis-marked cartons
5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$22. For order shipments over \$100, shipped by small package carrier, the fee is \$40. All shipping fees will be added at the time of invoicing.

BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("**Indiana Furniture**") warrants to the original purchaser all product in this price list ("**Product**") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after June 2, 2025, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- All Height Adjustable Mechanisms

3-year Warranty (from date of shipment)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

THIS WARRANTY DOES NOT COVER:

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.










































If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc.
Attn: Customer Service
1919 Hospitality Dr., Ste. A
P.O. Box 270
Jasper, Indiana 47547-0270
800.422.5727
Fax 812.482.9035
custserv@indianafurniture.com

Surface Materials





Wood Finishes and Woodgrain, and Solid Laminates

| | | | | | |
|---|---|---|--|---|---|
|  |  |  |  |  |  |
| Aspen White (AWH) SQ1 | White Nebbia (WNB) TFL, HPL, Seating | Beigewood (BW) TFL, HPL, Seating* | Natural Beech (NB) SQ1 | Sugar Maple (SM) Veneer, TFL, HPL, Seating | Oak Riftwood (ORW) Veneer*, TFL, HPL, Seating* |
|  |  |  |  |  |  |
| Kirsche (KHE) TFL, HPL, Seating | Fawn Oak (FO) Veneer*, Seating* | Truffle Rain (TR) SQ1 | River Cherry (RC) TFL, HPL, Seating* | Mesa Sunset (MAS) Veneer*, Seating* | Natural Marrone (NTM) TFL, HPL, Seating* |
|  |  |  |  |  |  |
| Studio Teak (TK) TFL, HPL, Seating | Pinnacle Walnut (PNW) Veneer, TFL, HPL, Seating | Harvest Maple (HVM) TFL, HPL, Seating* | Golden Cherry (GC) Veneer, TFL, HPL, Seating | Legacy Walnut (LW) Veneer, Seating | Artisan Walnut (AW) Veneer, Seating |
|  |  |  |  |  |  |
| Orchard (OR) SQ1 | Shaker Cherry (SKC) Veneer, TFL, HPL, Seating | Select Cherry (SCH) Veneer, TFL, HPL, Seating | Williamsburg Cherry (WC) Veneer, TFL, HPL, Seating | Harvest Walnut (HW) Veneer, Seating | Dark Cherry (DC) Veneer, Seating |
|  |  |  |  |  |  |
| Mahogany Walnut (MW) Veneer, TFL, HPL, Seating | Henna Walnut (HNW) Veneer, Seating | Columbian Walnut (CO) Veneer, TFL, HPL, Seating | Sepia Walnut (SPW) TFL, HPL, Seating* | Florence Walnut (FLW) TFL, HPL, Seating* | Dark Forest Walnut (DFW) Veneer, Seating* |
|  |  |  |  |  |  |
| Ember Gray (EG) SQ1 | Espresso (EW/EF) Veneer, TFL, HPL, Seating | Portico Teak (PTK) TFL, HPL, Seating* | Weathered Ash (WTA) Veneer*, TFL, HPL, Seating* | Smoky Brown Pear (SBP) TFL, HPL, Seating* | Asian Night (AS) Veneer, TFL, HPL, Seating |
|  |  |  |  |  |  |
| Midnight Run (MNR) TFL, HPL, Seating | Metropolis Sky (MTS) Veneer, Seating | Designer White (WH) TFL, HPL, Seating | Fashion Grey (FHG) TFL, HPL | Slate Grey (SG) TFL, HPL | Black (BL) TFL, HPL, Seating |







| | | | |
|---|---|---|---|
|  |  |  |  |
| Blush (BSH) HPL Accent (Iconic+Plush Only) | First Kiss (FK) HPL Accent (Iconic+Plush Only) | Surfin USA (SUS) HPL Accent (Iconic+Plush Only) | Summer Vacation (SV) HPL Accent (Iconic+Plush Only) |

* Finish is Low Sheen










Frosted & High Gloss Acrylics

| | | | | |
|---|---|---|---|--|
|  |  |  |  |  |
| Frosted (FSTA) | White (WHA) | Wired Mercury (WMA) | Graphite (GPA) | Black (BLA) |





Solid Surfaces

| | | | | | |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Snow White (SNW) | Pebble Beach (PE) | Sedona (SE) | Arroyo (AR) | Tundra (TN) | Starry Night (SN) |

Metal Options

| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| Snow (SNOW) | Oyster White (OYST) | Sugar Cookie (SUGC) | Aluminum (ALUM) | Chrome (CHRM) |
|  |  |  |  | |
| Gold (GOLD) | Platinum (PLAT) | Mist (MIST) | Black (BLK) | |

Glass Options

| | |
|---|---|
|  |  |
| Gloss White (GWHG) (Catalyst + Strut) | Acid Etched White (GWHA) (Catalyst + Strut) |
|  |  |
| Gloss Black (GBLG) (Catalyst + Strut) | Acid Etched Black (GBLA) (Catalyst + Strut) |

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at www.indianafurniture.com. Graining and finish colors may vary, yet will continue to complement across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.

Indiana[®]

FURNITURE

1919 Hospitality Drive, Suite A
PO Box 270
Jasper, Indiana 47547-0270

Tel 812.482.5727

Toll 800.422.5727

Fax 812.482.9035

sales@indianafurniture.com

www.indianafurniture.com

Federal Classification: Small Business

©2025 Indiana Furniture 6/25

