MADERA CASEGOODS PRICING EFFECTIVE JUNE 2, 2025

Indiana FURNITURE Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.



All of our product lines:

- Are manufactured and assembled in the USA.
- · Meet or exceed Indoor Air quality standards*,
- Meet or exceed BIFMA level® Sustainability standards and certification*,
- Conform to the BIFMA Compliance standards*,
- · Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



















Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.

















Madera creates a variety of looks from rich, refined transitional to fresh, modern contemporary by offering an abundance of options, including premium veneer. Finely crafted in select Cherry, Maple, Walnut, and Oak veneers, Madera features a UV topcoat on all exposed surfaces adding unsurpassed hardness and extreme durability for long lasting office applications.

CONSTRUCTION

Madera features a Veneer chassis with your choice of either a Veneer or HPL top. Units ship assembled unless otherwise noted.

VENEER

- Choose from premium veneer or select veneer on exposed surfaces in American Black Walnut, White Oak, Cherry, or Maple species
- The American Black Walnut, White Oak, and Cherry veneers are book matched veneer faces, while the Maple is a slip-matched veneer face
- These veneers are carefully selected and matched to assure proper balance and consistency

TOPS

- Tops are 1³/₁₆" thick
- Wood Veneer tops have a 5-ply balanced construction with hardwood rims
- High Pressure Laminate (HPL) tops have a 3-ply balanced construction with hardwood rims
- Tops featuring the Bullnose (D), Tri-Round (E), Fluted (X), and Square (Y) edge profiles have vertical profiles
- Tops featuring the Radius (A) and Bevel (B) edge profiles have the same construction, but provide a matching reverse profile on connecting edge
- Grain direction runs left to right unless otherwise noted **CHASSIS**
- Chassis are securely fastened using high quality European style fastening systems and heavy-duty, 16-gauge joining brackets to assure maximum strength
- All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors
- Vertical grain direction unless otherwise noted

DRAWERS

- All drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Fronts are 3-ply construction and are 3/4" thick with matched grain
- Drawer interiors are dovetail wood construction with ¼6" thick hardwood sides and backs and ½2" thick hardboard bottoms
- The drawer interiors are sanded, sealed, and finished to provide a smooth, quality feel and appearance
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- Box and file drawers are tested for 100lb capacity
- Lateral files feature ¼" thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All suspensions have a limited lifetime warranty
- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Letter width file drawers provide letter filing front to back and legal filing side to side
- Lateral file drawers provide legal or letter filing front to back or side to side

STORAGE

- All hinged doors include soft close hinges, unless otherwise noted
- One piece hinge and base plate combination
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

LOCKING

- All units feature locking file drawers
- Removable lock cylinders allow for units to be re-keyed at a later date, if required
- · Units are shipped randomly keyed as standard
- · Keyed alike units available upon request at no additional charge
- Lock core color will match pull color

CORD MANAGEMENT

- Grommets are available in the tops of all units, unless noted
- Optional grommets are standard in back panels of assembled returns, bridge units, and kneespace credenzas,
- Hutch units have a rectangle grommet in bottom center of back panel
- A grommet is standard in tops of corner units
- · Grommets are available in black or silver, please specify color
- See all optional grommet locations
- Wire Manager units available for additional cord management

| INTERIOR DRAW | ER DIMENSIONS | | |
|---------------|---------------|-------------|-------------|
| Models | | | |
| 14-4272DP | 14-3672DP | 14-3672LP | 14-3672RP |
| 14-3072DP | 14-3072LP | 14-3072RP | 16-4272LPS |
| 16-4272DP | 16-4272DPS | 16-4272DPSO | 16-4272RPSO |
| 16-4272LPSO | 16-4272RP | 16-4272RPS | 16-3672LP |
| 16-3672DP | 16-3672DPS | 16-3672DPSO | 16-3672RPS |
| 16-3672LPS | 16-3672LPSO | 16-3672RP | 16-3072LPS |
| 16-3672RPSO | 16-3072DP | 16-3072LP | 16-3072RPSO |
| 16-3072LPSO | 16-3072RP | 16-3072RPS | |
| Drawers | w | L, | D |
| Box | 1511/32" | 19¾" | 35/8" |
| File | 1511/32" | 193/8" | 87/8" |
| Models | | | |
| 14-3066DP | 14-3060DP | 14-3066LP | 14-3066RP |
| 16-3066DP | 16-3066LP | 16-3066LPS | 16-3066LPSO |
| 16-3060DP | 16-3066RP | 16-3066RPS | 16-3066RPSO |
| Drawers | w | L | D |
| Box | 1211/32" | 19¾" | 35/8" |
| | | | |



MADERATM CASEGOODS + TABLES (1400/1600 SERIES)

| ### DIMENSIONS (C) #-2448LF ### 6-2448RF ### 12"/s2" 12"/s2" ### 12"/s2" ### 12"/s2" ### 12"/s2" ### 12"/s2" ### 15"/s2" | 14-2448RF 16-2448LF2 16-2448RF2 16-2442LF2 16-2442RF2 L 16¼" 16¼" | 14-2442LF 16-2448LFH 16-2442LFH 16-2442RFH D 3 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
|---|---|--|
| 6-2448LF 6-2448RF 6-2442LF 6-2442RF W 121/s2" 121/s2" | 16-2448LF2 16-2448RF2 16-2442LF2 16-2442RF2 L 16¼" 16¼" | 16-2448LFH 16-2448RFH 16-2442LFH 16-2442RFH D 3 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| 6-2448LF 6-2448RF 6-2442LF 6-2442RF W 121/s2" 121/s2" | 16-2448LF2 16-2448RF2 16-2442LF2 16-2442RF2 L 16¼" 16¼" | 16-2448LFH 16-2448RFH 16-2442LFH 16-2442RFH D 3 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| 6-2448RF 6-2442LF 6-2442RF W 1211/s2" 1211/s2" | 16-2448RF2 16-2442LF2 16-2442RF2 L 16¼" 16¼" | 16-2448RFH 16-2442LFH 16-2442RFH D 3 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| 6-2442LF 6-2442RF W 12 ¹¹ / ₅₂ " 12 ¹¹ / ₅₂ " | 16-2442LF2 16-2442RF2 L 16¼" 16¼" | 16-2442LFH 16-2442RFH D 3 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| W 12 ¹ / ₅₂ " W 12 ¹ / ₅₂ " W 12 ¹ / ₅₂ " | 16-2442RF2 L 16¼" 16¼" | D 32 ⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| W 12 ¹¹ / ₃₂ " 12 ¹¹ / ₃₂ " W 12 ¹¹ / ₃₂ " | L 16¼" 16¼" | D 32 ⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| 12 ¹ / ₃₂ " 12 ¹ / ₃₂ " W 12 ¹ / ₃₂ " | 16¼" 16¼" | 3 ²⁹ / ₅₂ " 8 ²⁹ / ₅₂ " |
| 12 ¹ / ₃₂ " 12 ¹ / ₃₂ " W 12 ¹ / ₃₂ " | 16¼" 16¼" | 3 ²⁹ / ₅₂ " 8 ²⁹ / ₅₂ " |
| 12'1/ _{\$2} " W 12'1/ _{\$2} " | 16¼" L | 8 ²⁹ / ₃₂ " |
| W 12'½2" | L | D |
| 1211/32" | | |
| 1211/32" | | |
| 1211/32" | | |
| 1211/32" | 16¼" | 821/32" |
| 6-2472KCH | | |
| 6-2472KCH | | |
| 6-2472KCH | | |
| | 16-2472SC | 16-2072KC |
| | | |
| w | L | D |
| 1511/32" | 161/4" | 821/32" |
| | | |
| | | |
| 4-2072KC | 14-2072LC | 14-2072RC |
| 6-2472LC2 | 16-2472LCH | 16-2472LC2H |
| 6-2472RC2 | 16-2472RCH | 16-2472RC2H |
| 6-2072LC2 | 16-2072RC | 16-2072RC2 |
| W | L | D |
| 1511/32" | 161/4" | 321/32" |
| 1511/32" | 161/4" | 829/32" |
| | | |
| 4-2066LC | 14-2066RC | 16-2466KC |
| | | 16-2466LCH |
| | | 16-2466RCH |
| | | 16-2066LC2 |
| | | |
| | 1 | D |
| | | 3 ²¹ / ₃₂ " |
| 1211/32" | 161/4" | 8 ²⁹ / ₃₂ " |
| | | |
| | | |
| 1-2/172 ₹ ⊔ | 1/1-2/172DI Z | 1/1-2/172DI ZLI |
| 4-2472LL3H | 14-2472RL3 | 14-2472RL3H |
| 4-2472LL3H 4-2466LL3H 4-2430L3 | 14-2472RL3 14-2466RL3 14-2430L4 | 14-2472RL3H 14-2466RL3H |
| 4-2466LL3H | 14-2466RL3 | |
| | 151/ ₃₂ " 151/ ₃₂ " 4-2066LC 6-2466LC 6-2466RC 6-2066RC2 W 121/ ₃₂ " | 15 ¹¹ / ₃₂ " 16 ¹ / ₄ " 15 ¹¹ / ₅₂ " 16 ¹ / ₄ " 4-2066LC 14-2066RC 6-2466LC 16-2466LC2 6-2466RC 16-2066LC 6-2066RC 16-2066LC 6-2066RC2 W L 12 ¹¹ / ₃₂ " 16 ¹ / ₄ " |

| Models | | | |
|--|---|----------------------------------|--|
| 14-2472LL | 14-2472LLH | 14-2472RL | 14-2472RLH |
| 14-2472DL | 14-2466LL | 14-2466LLH | 14-2466RL |
| 14-2466RLH | 14-2436L2 | 14-2436L3 | 14-2436L4 |
| 14-2036L2 | 14-2036L4 | 14-2072LL | 14-2072LL4 |
| 14-2072RL | 14-2072RL4 | 14-2072DL | |
| Drawers | w | L | D |
| Lateral | 313/4" | 161/4" | 829/32" |
| | | | |
| Models | 14 7070141014 | 14 707014010 | |
| 14-2418PD1 | 14-3670WD1L | 14-3670WD1R | |
| Drawers | W | L | D |
| Box | 14%2" | 161/4" | 321/32" |
| File | 14%2" | 161⁄4" | 829/32" |
| Models | | | |
| 14-3618PD1 | 14-3018PD1 | | |
| Drawers | W | L | D |
| Box | 14% ₃₂ " | 19¾" | 3 ²¹ / ₃₂ " |
| File | 14 / 32 " | 19 ³ / ₈ " | 8 ²⁹ / ₃₂ " |
| | 17732 | 1378 | O 732 |
| Models | | | |
| 14-2418PD2 | 14-3618PD2 | 14-3018PD2 | 14-3670WD2L |
| 14-3670WD2R | | | |
| Drawers | w | L | D |
| File | 143/32" | 161/4" | 829/32" |
| | | | |
| Models 14-2436LF2 | | | |
| 14-2430LF2 | | | |
| Drawers | W | L | D |
| Box | 155/16" | 16¼" | 321/32" |
| | | | |
| File | 14½" | 16¼" | 829/32" |
| File Lateral | 14½″ 32%6″ | 161/4" | 8 ²⁹ / ₃₂ " |
| Lateral | | | |
| | | | |
| Models 14-2430LF2 | 32%e" | 161/4" | 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers | 32%6" W | 16¼" L | 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box | 32%6" W 11½" | 16¼" L 16¼" | 8 ²⁹ / ₃₂ " D 3 ² / ₃₂ " |
| Models 14-2430LF2 Drawers Box File | 32%6" W 11½" 12'½2" | 16¼" L 16¼" 16¼" | 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box | 32%6" W 11½" | 16¼" L 16¼" | 8 ²⁹ / ₃₂ " D 3 ² / ₃₂ " |
| Models 14-2430LF2 Drawers Box File | 32%6" W 11½" 12'½2" | 16¼" L 16¼" 16¼" | 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral | 32%6" W 11½" 12'½2" | 16¼" L 16¼" 16¼" | 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF | W 11½" 12½2" 26%6" | 16¼" L 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 82 ⁹ / ₃₂ " 82 ⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers | 32%6" W 11½" 121½2" 26%6" | 16¼" L 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 82 ⁹ / ₃₂ " 82 ⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box | 32%6" W 11½" 12¹⅓22" 26%6" W 13²²¾22" | 16¼" L 16¼" 16¼" 16¼" | B ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box File | 32%6" W 11½" 12¹⅓22" 26%6" W 13²¾22" 15¹⅓22" | L 16¼" 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 8 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box | 32%6" W 11½" 12¹⅓22" 26%6" W 13²²¾22" | 16¼" L 16¼" 16¼" 16¼" | B ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box File Lateral | 32%6" W 11½" 12¹⅓22" 26%6" W 13²¾22" 15¹⅓22" | L 16¼" 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 8 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box File | 32%6" W 11½" 12¹⅓22" 26%6" W 13²¾22" 15¹⅓22" | L 16¼" 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 8 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box File Lateral Models 14-2436LF1 | 32%6" W 11½" 12½" 26%6" W 13²¾2" 15½2" 3¾" | L 16¼" 16¼" 16¼" 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 82 ⁹ / ₃₂ " 82 ⁹ / ₃₂ " D 32 ¹ / ₃₂ " 82 ⁹ / ₃₂ " 82 ⁹ / ₃₂ " |
| Models 14-2430LF2 Drawers Box File Lateral Models 14-2036MF Drawers Box File Lateral | W 11½" 12½" 26%6" W 13 ²³ / ₃₂ " 15½2" 3 ¾" | L 16¼" 16¼" 16¼" 16¼" | D 32 ¹ / ₃₂ " 8 ²⁹ / ₃₂ " 8 ²⁹ / ₃₂ " D 3 ²¹ / ₃₂ " 8 ²⁹ / ₃₂ " |



MADERATM CASEGOODS + TABLES (1400/1600 SERIES)


INTERIOR DRAWER DIMENSIONS (CONTINUED) Models 14-2436LF1

 Drawers
 W
 L
 D


 Lateral
 26%6"
 16¼"
 878"

FILING CAPABILITIES


Drawers with Dimensions: $15^{11}/_{32}$ "W x $19\frac{3}{6}$ "L and $14\frac{9}{32}$ " x $19\frac{3}{6}$ "




Drawers with Dimensions: 1211/32"W x 193/8"L




Drawers with Dimensions: $14\frac{1}{2}$ " x $16\frac{1}{4}$ ", $14\frac{1}{32}$ " x $16\frac{1}{4}$ ", and $12\frac{1}{32}$ " x $16\frac{1}{4}$ "



Drawers with Dimensions: 1511/32" x 161/4"




Drawers with Dimensions: 253/4" x 193/8"





Drawers with Dimensions: $32\% \epsilon" \ x \ 16\%", 31\%" \ x \ 16\%", and <math display="inline">26\% \epsilon" \ x \ 16\%"$



| HOW | TO | ORD | FR I | -XAN | 1PLES |
|-----|----|------|------|-------|-------|
| | | 91.5 | | 74141 | |

| Model No. | Description | Example |
|-----------|----------------------------------|-----------|
| 16-3672DP | Premium or Standard Veneer | Standard |
| | Top Material | W |
| | Finish/Color | AW |
| | Edge Profile | D |
| | Pull/Pull & Lock Color | BBT |
| | Writing Shelf | AS |
| | Grommet Location & Color | GR, BLK |
| | Center Drawer/Keyboard Selection | 01-2122CD |

PREMIUM VENEER (PV) AND VENEER (W) OPTIONS

Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology

| A\A/ | Artisan Walnut** | MW | Mahogany Walnut** |
|------|----------------------|---------|-----------------------|
| AW | Artisan wainut | 1*1 V V | Manogariy Walliut |
| AS | Asian Night | MAS | Mesa Sunset* |
| CO | Columbian Walnut** | MTS | Metropolis Sky |
| DC | Dark Cherry** | ORW | Oak Riftwood* |
| DFW | Dark Forest Walnut** | PNW | Pinnacle Walnut |
| EW | Espresso** | SCH | Select Cherry** |
| FO | Fawn Oak*,** | SKC | Shaker Cherry** |
| GC | Golden Cherry** | SM | Sugar Maple |
| HW | Harvest Walnut** | WTA | Weathered Ash* |
| HNW | Henna Walnut | WC | Williamsburg Cherry** |
| LW | Legacy Walnut** | | |

HPL (P) LAMINATE WORKSURFACE OPTIONS

| WOODG | RAIN | | | |
|-------|------------------|-----|---------------------|--|
| AS | Asian Night | PNW | Pinnacle Walnut | |
| CO | Columbian Walnut | SCH | Select Cherry | |
| EF | Espresso | SKC | Shaker Cherry | |
| GC | Golden Cherry | SM | Sugar Maple | |
| MW | Mahogany Walnut | WTA | Weathered Ash | |
| ORW | Oak Riftwood | WC | Williamsburg Cherry | |

EDGE PROFILES

| В | Bevel | Α | Radius |
|---|----------|---|-----------|
| D | Bullnose | Υ | Square |
| Χ | Flute | Е | Tri-Round |



Radius (A)





Square (Y)

uare (Y) Tri-Round (E)




MADERA™

CASEGOODS + TABLES (1400/1600 SERIES)

PULL OPTIONS

Note: Lock Core will match Pull Color

| AAC | Arc, Aluminum | AEL | Elite, Aluminum |
|-----|------------------|-----|------------------|
| BAC | Arc, Black | BEL | Elite, Black |
| ABM | Beam, Aluminum | FPL | Finger |
| BBM | Beam, Black | AFL | Flair, Aluminum |
| BBT | Bow Tie, Black | CFL | Flair, Chrome |
| NBT | Bow Tie, Nickel | AFC | Focus, Aluminum |
| ABU | Buckle, Aluminum | BFC | Focus, Black |
| BBU | Buckle, Black | AQD | Quadra, Aluminum |
| | | BQD | Quadra, Black |



PULL-OUT WRITING SHELVES

Focus (BFC)

Black - 4%

Focus (AFC)

Aluminum - 45%

Pull-out writing shelves are available on desks. Please specify AS on order and add upcharge.

Quadra (AQD)

Aluminum - 4'

Quadra (BQD)

Black - 4'

| $AS_{_\text{SGL}}$ | Single Pedestal Desks | \$ 124 |
|---------------------|-----------------------|-----------|
| $AS_{_DBL}$ | Double Pedestal Desks | \$ 248 |

GROMMET OPTIONS & LOCATIONS

Grommets are standard in the back panels of returns, bridges, and credenzas, and may be ordered without grommets at no additional charge. Please specify NO GROMMET on order.

Desk grommets are available in standard locations. Please specify using table below. Multiple unit locations may be selected. Only one unit per location.

| GC | Grommet, Center - Specify BLK or SLV | \$ 54 |
|-----|---|----------|
| GL | Grommet, Left - Specify BLK or SLV | \$ 54 |
| GR | Grommet, Right - Specify BLK or SLV | \$ 54 |
| GAL | Grommet, Approach Left - P-Tops Only - Specify BLK or SLV | \$ 54 |
| GAR | Grommet, Approach Right - P-Tops Only - Specify BLK or SLV | \$ 54 |
| GSL | Grommet, Seat Side Left - P-Tops Only - Specify BLK or SLV | \$ 54 |
| GSR | Grommet, Seat Side Right - P-Tops Only - Specify BLK or SLV | \$ 54 |


Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets may be ordered in non-standard locations. Call Customer Service to assist with specification. Note additional charges and lead times may apply.

Models

 16-4272DPS
 16-4272DPSO
 16-4272LPS
 16-4272LPSO

 16-4272RPS
 16-4272RPSO
 16-3672DPS
 16-3672LPS


 16-3672RP
 And All 42"D Modular Tops



GL/GR: Located 6" from ends and 22½" from user side

Models


14-4272DP 14-4272LP 14-4272RP 16-4272DP 16-4272LP And All 42"D Modular Tops



GL/GR: Located 6" from ends and 22½" from user side

Models


16-3672DPSO 16-3672LPSO 16-3672RPSO And All 36"D Modular Tops



GL/GR: Located 6" from ends and 22½" from user side
GC: Located 22½" from user side

Models


14-3672DP 14-3672LP 14-3672RP 16-3672DP 16-3672LP 16-3672RP And All 36"D Modular Tops



GL/GR: Located 6" from ends and 22½" from user side
GC: Located 22½" from user side


Models

16-3072LPSO 16-3072RPSO 16-3066LPSO 16-3066RPSO And All 30"D Modular Tops



GL/GR: Located 6" from ends and 17" from user side GC: Located 17" from user side

Models



GL/GR: Located 6" from ends and 22%" from user side GC: Located 22%" from user side



MADERA™

CASEGOODS + TABLES (1400/1600 SERIES)

GROMMET OPTIONS & LOCATIONS (CONTINUED)


Models

 14-3072DP
 14-3072LP
 14-3072RP
 14-3066DP

 14-3066LP
 14-3066RP
 16-3072DP
 16-3072LP

 16-3072RP
 16-3066DP
 16-3066LP
 16-3066RP

And All 30"D Modular Tops



GL/GR: Located 6" from ends and 221/2" from user side
GC: Located 221/2" from user side

16-3072LPS 16-3072RPS And All 30"D Modular Tops

16-3066LPS

16-3066RPS




GL/GR: Located 6" from ends and 221/2" from user side

GC: Located 221/2" from user side

Models

Models

14-2448UF 14-2448UFH 14-2436UF 14-2436UFH 14-2442UFH And All 24"D Modular Bridge Tops




GL/GR: Located 6" from ends and 20" from user side

GC: Located 20" from user side

Models

| 14-2448LF | 14-2448RF | 14-2472LMR* | 14-2472RMR* |
|------------|-------------|----------------|---------------|
| 14-2442LF | 14-2442RF | 16-2448LF | 16-2448LF2 |
| 16-2448LFH | 16-2448LF2H | 16-2448RF | 16-2448RF2 |
| 16-2448RFH | 16-2448RF2H | 16-2442LF | 16-2442LF2 |
| 16-2442LFH | 16-2442LF2H | 16-2442RF | 16-2442RF2 |
| 16-2442RFH | 16-2442RF2H | And All 24"D M | odular Return |
| | | Tops | |



GL/GR: Located 6" from ends and 20" from user side


GC: Located 20" from user side *Grommets are only available on opposite side of pedestal

Models

 14-2072KC
 14-2072LC

 14-2072RL4*
 14-2072LL

 16-2072LC
 16-2072LC2



14-2072RC 14-2072RL 14-2072LL4* 16-2072KC 16-2072RC 16-2072RC2

GL/GR: Located 22½" from ends and 17" from user side

*Grommets are only available on opposite side of pedestal

Models

 16-2472KC
 16-2472KCH


 16-2472RC
 16-2472RC2

 16-2472RCH
 16-2472RC2H

16-2472LC 16-2472LC2 16-2472LCH 16-2472LC2H And All 24"D Modular Credenza Tops

16-2066KC


16-2066RC2



GL/GR: Located 22½" from ends and 20" from user side

Models

14-2066KC 14-2066LC 14-2066RC 16-2066LC 16-2066C2 16-2066RC




GL/GR: Located 19½" from ends and 17" from user side

Models

16-2466KC 16-246 16-2466RC 16-246 16-2466RCH 16-246

16-2466KCH 16-2466RC2 16-2466RC2H 16-2466LC 16-2466LC2 16-2466LCH 16-2466LC2H And All 24"D Modular Credenza Tops



GL/GR: Located 19½" from ends and 20" from user side

Models

14-2472LL 14-2472LL3 14-2472LLH 14-2472LL3H 14-2466LL 14-2466LL3 14-2466LLH 14-2466LL3H 14-2066LL4 14-2066RL4

14-2472RL 14-2472RL3 14-2472RLH 14-2472RL3H 14-2466RL 14-2466RL3 14-2466RLH 14-2466RL3H And All 24"D Modular Credenza Top



GL/GR: Located 22½" from ends and 20" from user side

*Grommets are only available on opposite side of pedestal

Models

14-4272PR



GAL/GSL: Located 12" from approach or seated side, 6" from end

14-4272PR



GAR/GSR: Located 12" from approach or seated side, 6" from end



GROMMET OPTIONS & LOCATIONS (CONTINUED)

Models

14-3672DUR 14-3072DUR



GAL/GSL: Located 12" from approach or seated side, 6" from end

14-3672DUL 14-3072DUL



GAR/GSR: Located 12" from approach or seated side, 6" from end

TABLE GROMMET & POWER UNIT OPTIONS

Power units and grommets are sold separately and must be specified separately with surface mount location. Multiple locations may be selected. Only one unit per location.

Power units and Grommets Available in Table Surfaces (See Units)

Grommet Specify Color: Black = BLK and Silver = SLV

DUO/TRIO BEZEI

01-DUOBEZEL Available in Black (B), Silver (S), or White (W) 01-TRIOBEZEL Available in Black (B), Silver (S), or White (W)

DOCK 950, DOCK 800 and DOCK 150

DOCK950 Available in Black or White DOCK150 Available in Black or White DOCK800 Available in Black or Silver

Other Power Units

DPORT4 Available in Aluminum or Black **INTERACTG** Available in Aluminum or Black **OASISM** Available in Aluminum or Black

Power/Data Location Information:

- Designate unit and location when specifying the top model. Power/Data Module need to be ordered separately.
- · Power/Data Modules specified at the time of order will be routed for field installation.

E1 Unit on One End E2 Unit on Each End Unit on Center

• All power units available On Center (OC) only when paired with two (2) or more of the following bases:

Cylinder Base Square Base X-Base Disc

Tubular X-Base

Grommets and Power Units may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

Top Locations

Power units available on Each End (E1 and E2) and On Center (OC) unless otherwise noted, when paired with any Rectangle Panel Base, Rectangle Box Base or Rectangle Accent Box Base. (See Unit Details)

Power units centered at locations below:

36" Tops centered 18"D 48" Tops centered 24"D 42" Tops centered 21"D

72: OC 36" from end (available with OC Only)

96: OC 48" from end; E1/E2 29" from end

120: OC 60" from end; E1/E2 29" from end

144: OC 72" from end; E1/E2 29" from end

HUTCH GROMMET OPTIONS

Surface Mount Hutches come standard with one center grommet at workstation level on back panel. Three upper wire management grommets also available. One grommet located on right, center and left. Must specify.

N/C WMHUBL Black Lower Grommet + Three (3) Upper Grommets WMHUSV Silver Lower Grommet + Three (3) Upper Grommets N/C

LOCKING DOORS

Locking doors are available on select units. You must specify WITH LOCKING when ordering and add upcharge.

| LKT_HU | 18"W Unit | \$ 71 |
|--------|-------------------|-----------|
| LKT_HU | 42"W - 24"W Units | \$ 94 |
| LKT_HU | 78"W - 48"W Units | \$ 119 |
| LKT HU | 94"W - 84"W Units | \$ 139 |

CERTIFICATIONS & COMPLIANCE

- Intertek Sustainability Certified
- · BIFMA level® Certified
- · BIFMA Compliant Certified
- · TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED®, Green Globes®, and WELL® Sustainable **Programs**

Indiana

MADERA™ STATEMENT OF LINE

Standard Components



Double Ped Desks with or without Bow Tops and Overhangs (See Multiple Unit Details)



Single Ped Desks with or without Bow Tops (See Multiple Unit Details)



3/4 Double and Single Ped Desks with or without Bow Tops (See Multiple Double Ped and Single Ped Details)



P-Tops and D-Tops (See Multiple Unit Details)



Returns (See Multiple Unit Details)



Bridges (See Multiple Unit Details)




Surface Mount and Wall Mount Hutches (See Multiple Unit Details)



Corner Units (See Multiple Unit Details)



Kneespace, Storage, and Single Ped Credenzas (See Multiple Unit Details)




Transaction Risers (See Multiple Unit Details)



Filing (See Multiple Unit Details)



Mobile Pedestals (See Multiple Unit Details)



Bookcases (See Multiple Unit Details)



Wardrobes & Storage Cabinets
(See Multiple Unit Details)




Computer and Work Tables (See Multiple Unit Details)



Center Drawer (See Multiple Unit Details)


Modular Components (See Multiple Units)








Tables + Bases (See Multiple Units)



Occasional Tables



Tables and Tops



Cylinder Bases



Metal Bases



Square Bases



Tubular X- Bases



Rectangular Panel Bases with Trough



6" Rectangular Bases with Trough




6" Rectangular Accent Bases with Trough



10" Rectangular Bases with Trough



10" Rectangular Accent Bases with Trough




6" + 10" Combo Rectangular Bases with Trough



6" + 10" Combo Rectangular Accent Bases with Trough

Keyboard, Tackboard, Tasklights, and Other Accessories (See Multiple Units)



















| Item | Model No. | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | ı | List Price |
|-----------------------|--------------------------------|------------|----------|------------|---|---|------------|-------------|-------|------------|
| L UNIT WITH FULL PEDS | 16-1 | 72 | 84 | 30 | - | - | 402 | 74.9 | W/P\$ | 9737 |
| AND STEPPED FRONT | | | | | | | | | PV\$ | 11391 |
| | CONSIST OF: | QTY | | | | | | | | |
| | 16-3672LPS | 1 | Left Ped | estal Desk | | | | | W/P\$ | 5895 |
| | | | | | | | | | PV\$ | 6895 |
| | 16-2448RF | 1 | Right Re | turn | | | | | W/P\$ | 3842 |
| | | | | | | | | | PV\$ | 4496 |
| | Desil at a second distribution | 1.61 : 1.1 | , | 1: 11 | | | | | | |

Products are available as left or right, where applicable

| U UNIT WITH BOW TOP DESK, FULL PED AND STEPPED FRONT | 16-2 | 72 | 110 | 70 | - | - | 756 | 127.2 | W/P\$ PV\$ | 17643 20641 |
|---|-------------|-----|-----------|------------|------------|---|-----|-------|---------------|----------------|
| | CONSIST OF: | QTY | | | | | | | | |
| | 16-4272LPS | 1 | Bow Top | Desk, Lef | t Pedestal | | | | W/P\$ | 7015 |
| | | | | | | | | | PV\$ | 8211 |
| | 14-2448UF | 1 | Bridge | | | | | | W/P\$ | 1798 |
| | | | | | | | | | PV\$ | 2102 |
| * | 16-2072RC | 1 | Credenza | , Right Pe | edestal | | | | W/P\$ | 4238 |
| | | | | | | | | | PV\$ | 4957 |
| | 14-1572HU | 1 | Surface M | lount Hut | ch | | | | W/P\$ | 4592 |
| | | | | | | | | | PV\$ | 5371 |

Products are available as left or right, where applicable

PV\$


5371



MADERATM CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | Li | ist Price |
|-------------------|-------------|-------|-----------|------------|-----------|---|------------|-------------|-------|-----------|
| U UNIT WITH P-TOP | 16-3 | 72 | 110 | 70 | - | - | 625 | 128.2 | W/P\$ | 16797 |
| | | | | | | | | | PV\$ | 19653 |
| | CONSIST OF: | QTY | | | | | | | | |
| | 14-4272PL | 1 | P-Top De | sk, Left | | | | | W/P\$ | 6169 |
| | | | | | | | | | PV\$ | 7223 |
| | 14-2448UF | 1 | Bridge | | | | | | W/P\$ | 1798 |
| U | | | | | | | | | PV\$ | 2102 |
| | 16-2072RC | 1 | Single Pe | ed Credenz | za, Right | | | | W/P\$ | 4238 |
| | | | | | | | | | PV\$ | 4957 |
| | 14-1572HU | 1 | Hutch | | | | | | W/P\$ | 4592 |

Products are available as left or right, where applicable




Products are available as left or right, where applicable



MADERATM

CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List Price |
|---------------------------------|-----------------------------|-------|-------|--------|--------|--------|------------|-------------|-------------------------|
| DOUBLE PED DESK WITH BOW TOP | 16-4272DP Recessed Front | 72 | 42-36 | 30 | 33½ | 15%-9% | 326 | 58.4 | W/P\$ 7356 PV\$ 8607 |
| | 16-4272DPS Stepped Front | 72 | 42-36 | 30 | 345/16 | - | 326 | 58.4 | W/P\$ 8043 PV\$ 9409 |



Stepped Front

Recessed Front

Description

- Standard With: Bow Top, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Drawer Pull

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

DOUBLE PED DESK WITH RECTANGLE TOP







Stepped Front

Recessed Front

| 16-3060DP | 60 | 30 | 30 | 27% | 3% | 259 | 36.9 | W/P\$ 5581 |
|-----------------------------|----|----|----|--------|--------|-----|------|------------|
| Recessed Front - Letter Ped | | | | | | | | PV\$ 6528 |
| 16-3066DP | 66 | 30 | 30 | 33% | 31/8 | 277 | 40.4 | W/P\$ 5876 |
| Recessed Front - Letter Ped | | | | | | | | PV\$ 6873 |
| 16-3072DP | 72 | 30 | 30 | 33% | 31/8 | 410 | 43.9 | W/P\$ 6230 |
| Recessed Front - Legal Ped | | | | | | | | PV\$ 7289 |
| 16-3672DP | 72 | 36 | 30 | 33% | 9% | 425 | 51.9 | W/P\$ 6299 |
| Recessed Front - Legal Ped | | | | | | | | PV\$ 7371 |
| 16-3672DPS | 72 | 36 | 30 | 345/16 | 413/16 | 400 | 51.9 | W/P\$ 6940 |
| Stepped Front - Legal Ped | | | | | | | | PV\$ 8118 |

Description

- Standard With: Rectangle Top, Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

Must Specify (in this order): Model

Premium or Standard Veneer Chassis Top Material

Finish/Color

Edge Profile

Pull Out Writing Shelf Worksurface Grommet Location

Grommet Color

Kneespace Options

W = Wood Top

P = Laminate Top

PV = Premium Veneer



| Item | Model No. | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | List Price |
|---|-------------|-------|-------|--------|--------|------|------------|-------------|-------------------------|
| DOUBLE PED DESK WITH BOW TOP AND STEPPED FRONT | 16-4272DPSO | 72 | 42-36 | 30 | 345/16 | 12-6 | 310 | 58.4 | W/P\$ 7888 PV\$ 9230 |

Stepped Front

Description

- Standard With: Bow Top, Stepped Front Modesty, Legal Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- 1613/16" Overhang on Approach From Center of Arc to Center of Modesty Panel
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Finish/Color

Edge Profile

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

DOUBLE PED DESK WITH RECTANGLE TOP AND STEPPED FRONT



Stepped Front

16-3672DPSO 72 36 30 345/16 6 385 51.9 W/P\$ 6795 PV\$ 7950

Description

- Standard With: Rectangle Top, Stepped Front Modesty, Left to Right Grain Direction on Worksurface, Legal Width Locking Ped, Box/Box/File on Left Pedestal and File/File on Right, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- 1013/16" Overhang on Approach From Center of Arc to Center of Modesty Panel
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Edge Profile

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options



| Item | Model No. | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List | t Price |
|---------------------------------------|-----------|-------|-------|--------|--------|----------|------------|-------------|------|-------------|
| DOUBLE DESK WITH ¾ PED AND BOW TOP | 14-4272DP | 72 | 42-36 | 33½ | 345/16 | 15% - 9% | 318 | 60.1 | | 887 8059 |



Recessed Front

Description

- Standard With: Bow Top, Recessed Front Modesty, Two (2) Legal Width Locking Box/File ³/₄ Pedestals, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (<u>See Shelf Options</u>), Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Drawer Pull

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

DOUBLE DESK WITH 3/4 PED AND RECTANGLE TOP





Recessed Front

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Colo

Edge Profile

Drawer Pull

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

| 14-3060DP | 60 | 30 | 30 | 27%16 | 3% | 228 | 35.3 | W/P\$ | 4701 |
|------------|----|----|----|-------|------|-----|------|-------|------|
| Letter Ped | | | | | | | | PV\$ | 5498 |
| 14-3066DP | 66 | 30 | 30 | 33%6 | 31/8 | 251 | 40.0 | W/P\$ | 4995 |
| Legal Ped | | | | | | | | PV\$ | 5842 |
| 14-3072DP | 72 | 30 | 30 | 33%6 | 31/8 | 264 | 43.9 | W/P\$ | 5343 |
| Legal Ped | | | | | | | | PV\$ | 6254 |
| 14-3672DP | 72 | 36 | 30 | 33%16 | 9% | 295 | 51.9 | W/P\$ | 5501 |
| Legal Ped | | | | | | | | PV\$ | 6440 |

- Standard With: Rectangle Top, Recessed Front Modesty, Two (2) Locking Box/File ³/₄ Peds, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (<u>See Shelf Options</u>), Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)




MADERATM

CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List Price |
|----------------------|---------------------------|------------------|-------|-------|--------|--------|---------|------------|-------------|-------------------------|
| SINGLE PED DESK WITH | Left Ped | Right Ped | | | | | | | | |
| BOW TOP | 16-4272LP Recessed Fr | 16-4272RP ont | 66 | 42-36 | 30 | 51% | 15% | 286 | 60.1 | W/P\$ 6181 PV\$ 7230 |
| | 16-4272LPS Stepped Fro | 16-4272RPS nt | 72 | 42-36 | 30 | 345/16 | 1013/16 | 286 | 60.1 | W/P\$ 7015 PV\$ 8211 |

Shown as Left



Stepped Front

Recessed Front

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color Kneespace Options

Description

- Standard with: Bow Top, Legal Width Locking Box/Box/File, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

SINGLE PED DESK WITH RECTANGLE TOP



Shown as Left





Stepped Front

Recessed Front

Left Ped

16-3066LP

16-3066LPS

16-3072LP

16-3072LPS

16-3672LP

16-3672LPS

Right Ped

Recessed Front - Letter Ped

Stepped Front - Letter Ped

Recessed Front - Legal Ped

Stepped Front - Legal Ped

Recessed Front - Legal Ped

Stepped Front - Legal Ped

16-3066RP

16-3066RPS

16-3072RP

16-3072RPS

16-3672RP

16-3672RPS

66

66

72

72

72

72

30

30

30

30

36

36

30

30

30

30

30

30

48%

285/16

51%

345/16

51%

345/16

31/8

413/16

31/8

413/16

91/8

413/16

223

223

236

236

267

267

40.0

40.0

43.9

43.9

51.9

51.9

W/P\$

W/P\$

PV\$

PV\$

W/P\$

PV\$

W/P\$

W/P\$

W/P\$

PV\$

PV\$

PV\$

4727

5535

5310

6214

5102

5972

5732

6710

5250

6139

5895

6895

- Top Material Finish/Color Edge Profile
- Drawer Pull Pull Out Writing Shelf Worksurface Grommet Location Grommet Color
- **Kneespace Options**

Must Specify (in this order):

- Description Standard With: Rectangle Top, Left to Right Grain Direction on Worksurface, Full Modesty, Locking Box/ Box/File Pedestal, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)





MADERATM CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Model No. | | Depth | Height | K | R | Ship Wt | Cubic Ft | | List Price |
|---------------------------|-------------|-------------|----|-------|--------|---|------|------------|-------------|-------|------------|
| SINGLE PED DESK WITH | Left Ped | Right Ped | | | | | | | | | |
| BOW TOP AND STEPPED FRONT | 16-4272LPSO | 16-4272RPSO | 72 | 42-36 | 30 | - | 12-6 | 270 | 58.4 | W/P\$ | 6865 |
| | | | | | | | | | | PV\$ | 8029 |

Shown as Left



Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Drawer Pu

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

Description

- Standard with: Bow Top, Stepped Front Modesty, Legal Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- 1613/16" Overhang on Approach From Center of Arc to Center of Modesty Panel
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (<u>See Shelf Options</u>), Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

SINGLE PED DESK WITH RECTANGLE TOP AND STEPPED FRONT



Shown as Left



Stepped Front

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Top Material

Finish/Color

Edge Profile

Drawer Pull

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

| Left Ped | Right Ped | | | | | | | | | |
|---------------------------|-------------|----|----|----|---|---|-----|------|---------------|--------------|
| 16-3066LPSO Letter Ped | 16-3066RPSO | 66 | 30 | 30 | - | 6 | 207 | 40.0 | W/P\$ PV\$ | 5138 6012 |
| 16-3072LPSO Legal Ped | 16-3072RPSO | 72 | 30 | 30 | - | 6 | 220 | 43.9 | W/P\$ PV\$ | 5553 6498 |
| 16-3672LPSO Legal Ped | 16-3672RPSO | 72 | 36 | 30 | - | 6 | 251 | 51.9 | W/P\$ PV\$ | 5746 6726 |

Description

- Standard With: Rectangle Top, Stepped Front Modesty, Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- 1013/16" Overhang on Approach From Center of Arc to Center of Modesty Panel
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (<u>See Shelf Options</u>), Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

W = Wood Top

P = Laminate Top

PV = Premium Veneer



| Item | Model No. | | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List Price |
|------------------------------|-----------|-----------|-------|-------|--------|-----|-----|------------|-------------|------------|
| SINGLE DESK WITH 3/4 PED AND | Left Ped | Right Ped | | | | | | | | |
| BOW TOP | 14-4272LP | 14-4272RP | 72 | 42-36 | 30 | 51% | 15% | 268 | 60.1 | W/P\$ 6035 |
| | | | | | | | | | | PV\$ 7060 |

Shown as Left



Recessed Front

Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Drawer Pull

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

Description

- Standard With: Bow Top, Recessed Front Modesty, Legal Width Locking Box/File ³/₄ Pedestal, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (<u>See Shelf Options</u>), Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

SINGLE DESK WITH ¾ PED AND RECTANGLE TOP



Shown as Left

| | $\overline{}$ |
|--|---------------|
| | |

Recessed Front

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile Drawer Pull

Pull Out Writing Shelf

Worksurface Grommet Location

Grommet Color

Kneespace Options

| Left Ped | Right Ped | | | | | | | | | |
|-------------------------|-----------|----|----|----|-------|-------|-----|------|---------------|--------------|
| 14-3066LP Letter Ped | 14-3066RP | 66 | 30 | 30 | 48% | 3 1/8 | 201 | 40.4 | W/P\$ PV\$ | 4178 4888 |
| 14-3072LP Legal Ped | 14-3072RP | 72 | 30 | 30 | 515/8 | 3 1/8 | 214 | 43.9 | W/P\$ PV\$ | 4540 5313 |
| 14-3672LP Legal Ped | 14-3672RP | 72 | 36 | 30 | 515% | 9 % | 245 | 51.9 | W/P\$ PV\$ | 4673 5463 |

Description

- Standard With: Rectangle Top, Recessed Front Modesty, Locking Box/File ¾ Pedestal, Left to Right Grain Direction on Worksurface, Black Utility Tray for Box Drawer
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Lock Core Color will Coordinate with Pull Selection
- Additional Options: Pull-Out Writing Shelf (See Shelf Options), Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

See Madera Intro Section for Ordering Options



MADERA™ CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|-------|-----------|-----------|-------|-------|--------|---------|-------------|---------------|--------------|
| P-TOP | Left Ped | Right Ped | · | | | | | | |
| | 14-4272PL | 14-4272PR | 72 | 42-36 | 30 | 155 | 58.4 | W/P\$ PV\$ | 6169 7223 |

Shown as Left

- 4½" Diameter Metal Base; Must Specify: Black or Aluminum
- Not Recommended for Freestanding Applications
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- For Optional Center Drawer Used with Modesty Panel, <u>Use 01-1622CD</u>
- Additional Options: Grommet Options (See Grommet Options), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

Must Specify (in this order):

Premium or Standard Veneer Chassis Finish/Color Edge Profile

Worksurface Grommet Location

Grommet Color Leg Color Kneespace Options

Options: Specify & Add

Description

| 14-HMD | Optional 10" Modesty Panel; Must specify Color | W\$ | 354 |
|--------|---|------|-----|
| | | PV\$ | 412 |
| 14-FMD | Optional Full Modesty Panel; Must specify Color | W\$ | 585 |
| | | PV\$ | 686 |

| D-TOP | |
|-------|--|
| | |

Shown as Left

Must Specify (in this order):

Model

Top Material

Edge Profile Worksurface Grommet Location Grommet Color

Kneespace Options (14-3672DUL and Options: Specify & Add 14-3672DUR only)

| Left Ped | Right Ped | | | | | | | |
|--------------------------|------------|----|----|----|-----|------|---------------|--------------|
| 14-3072DUL | 14-3072DUR | 72 | 30 | 30 | 160 | 44.0 | | 4265 4994 |
| 14-3672DUL 14-3672DUL | 14-3672DUR | 72 | 36 | 30 | 160 | 50.1 | W/P\$ PV\$ | 4513 5279 |

- 4½" Diameter Metal Base; Must Specify: Black or Aluminum
- · Not Recommended for Freestanding Applications
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Premium or Standard Veneer Chassis For Optional Center Drawer Used with Modesty Panel, Use 01-1622CD
 - Keyboard Options and Center Drawer Only Available on 14-3672DUL or 14-3672DUR
 - Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

| 14-HMD | Optional 10" Modesty Panel; Must specify Color | W\$ | 354 |
|--------|---|------|-----|
| | | PV\$ | 412 |
| 14-FMD | Optional Full Modesty Panel; Must specify Color | W\$ | 585 |
| | | PV\$ | 686 |

W/P\$ 3842 PV\$ 4496



CASEGOODS + TABLES (1400/1600 SERIES)

22.9

140

| | <u> </u> | | <i>-</i> | IAD | | 1700 | <i>,</i> 100 | J JLINIEJ/ |
|-----------|----------|-------|----------|-----|---|------------|--------------|-------------------------|
| | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | List Price |
| Right Ped | | | | | | | | |
| 16-2442RF | 42 | 24 | 30 | 25¾ | - | 130 | 19.9 | W/P\$ 3753 PV\$ 4392 |

313/4

RETURN WITH FULL MODESTY BOX/BOX/FILE



Shown as Right

Must Specify (in this order):

Model

Top Material Finish/Color

Edge Profile

Worksurface Grommet Location Grommet Color

Kneespace Options

Description

Model No.

Left Ped

16-2442LF

16-2448LF

· Standard With: Full Modesty, Letter Width Locking Box/Box/File Pedestal, Front to Back Grain Direction on

30

Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify

24

Premium or Standard Veneer Chassis • Available with Veneer (PV/W) or HPL (P) Top, Must Specify

48

- · Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lock Core Color will Coordinate with Pull Selection

16-2448RF

• Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

RETURN WITH FULL MODESTY FILE/FILE



Shown as Right

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Worksurface Grommet Location

Grommet Color

Kneespace Options

| Left Ped | Right Ped | | | | | | | | |
|------------|------------|----|----|----|-------|---|-----|------|-------------------------|
| 16-2442LF2 | 16-2442RF2 | 42 | 24 | 30 | 25¾ | - | 130 | 19.9 | W/P\$ 3753 PV\$ 4392 |
| 16-2448LF2 | 16-2448RF2 | 48 | 24 | 30 | 313/4 | - | 140 | 22.9 | W/P\$ 3842 PV\$ 4496 |

- · Standard With: Full Modesty, Letter Width Locking File/File Pedestal, Front to Back Grain Direction on Worksurface
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- · Lock Core Color will Coordinate with Pull Selection
- · Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)



MADERA™ CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | | List Price |
|--------------------------|------------|------------|-------|-------|--------|-------|---|------------|-------------|---------------|--------------|
| RETURN WITH HALF MODESTY | Left Ped | Right Ped | | | | | | | | | |
| BOX/BOX/FILE | 16-2442LFH | 16-2442RFH | 42 | 24 | 30 | 25¾ | - | 122 | 19.9 | W/P\$ PV\$ | 3667 4287 |
| | 16-2448LFH | 16-2448RFH | 48 | 24 | 30 | 313/4 | - | 133 | 22.9 | W/P\$ PV\$ | 3741 4376 |

Shown as Right

Must Specify (in this order):

Top Material Finish/Color

Edge Profile Drawer Pull

Worksurface Grommet Location

Grommet Color Kneespace Options

Description

- Standard With: 10" Half Modesty, Letter Width Locking Box/Box/File Pedestal, Front to Back Grain Direction on Worksurface
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Premium or Standard Veneer Chassis Available with Veneer (PV/W) or HPL (P) Top, Must Specify
 - · Lock Core Color will Coordinate with Pull Selection
 - · Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

RETURN WITH HALF MODESTY FILE/FILE



Shown as Right

Must Specify (in this order):

Model

Top Material Finish/Color

Edge Profile Drawer Pull

Worksurface Grommet Location

Grommet Color

Kneespace Options

| Left Ped | Right Ped | | | | | | | | | | |
|-------------|-------------|----|----|----|-------|---|-----|------|---------------|--------------|--|
| 16-2442LF2H | 16-2442RF2H | 42 | 24 | 30 | 25¾ | - | 122 | 19.9 | W/P\$ PV\$ | 3667 4287 | |
| 16-2448LF2H | 16-2448RF2H | 48 | 24 | 30 | 313/4 | - | 132 | 22.9 | W/P\$ PV\$ | 3741 4376 | |

- · Standard With: 10" Half Modesty, Letter Width Locking File/File Pedestal, Front to Back Grain Direction on Worksurface
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Premium or Standard Veneer Chassis Lock Core Color will Coordinate with Pull Selection
 - · Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)



| Item | Model No. | | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | List Price |
|------------------------|-----------|-----------|-------|-------|--------|-------|---|------------|-------------|-------------------------|
| RETURN WITH ¾ BOX/FILE | Left Ped | Right Ped | | | | | | | | |
| PED | 14-2442LF | 14-2442RF | 42 | 24 | 30 | 25¾ | - | 122 | 19.9 | W/P\$ 3451 PV\$ 4038 |
| | 14-2448LF | 14-2448RF | 48 | 24 | 30 | 313/4 | - | 132 | 22.9 | W/P\$ 3530 PV\$ 4129 |

Shown as Right

Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile Drawer Pull

Worksurface Grommet Location

Modesty Grommet Grommet Color Kneespace Options

Description

- Standard With: Full Modesty, Letter Width Locking Box/File 3/4 Pedestal, Front to Back Grain Direction on Worksurface
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- · Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

MULTI-FILE RETURN WITH FULL MODESTY



Shown as Right

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis •

Top Material Finish/Color

Edge Profile

Drawer Pull

Worksurface Grommet Location

Modesty Grommet Grommet Color Kneespace Options

Description

Left Ped

14-2472LMR

- Standard With: Full Modesty, Box/Box/File/Lateral Pedestal, Locking File Drawer
- Front to Back Grain Direction on Veneer Worksurface; Left to Right Grain Direction on Laminate Worksurface

30

36

227

29.0

W/P\$ 6898 PV\$ 8070

• Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify

24

Available with Veneer (PV/W) or HPL (P) Top, Must Specify

Right Ped

14-2472RMR

- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lateral File Provides Legal or Letter filing Side to Side or Front to Back

72

- File Drawer Lock Core Color will Coordinate with Pull Selection
- Optional Left or Right Worksurface Grommet Location Only (<u>See Details</u>)
- Additional Options: Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)



MADERA™

CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | | List Price |
|------------------------------|-----------|-------|-------|--------|----|---|------------|-------------|---------------|--------------|
| BRIDGE WITH FULL MODESTY | 14-2436UF | 36 | 24 | 30 | 23 | - | 68 | 4.0 | W/P\$ PV\$ | 1581 1846 |
| | 14-2442UF | 42 | 24 | 30 | 23 | - | 68 | 5.5 | W/P\$ PV\$ | 1667 1955 |
| Must Cresify (in this and a) | 14-2448UF | 48 | 24 | 30 | 23 | - | 82 | 6.2 | W/P\$ PV\$ | 1798 2102 |

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Top Material

Finish/Color

Edge Profile Worksurface Grommet Location

Modesty Grommet Grommet Color

Description

- Standard With: Hinged Full Modesty, Grain Direction Runs Front to Back on Worksurface
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Some Assembly Required
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

| BRIDGE WITH HALF MODESTY | 14-2436UFH | 36 | 24 | 113/16 | 23 | - | 48 | 4.0 | W/P | 1459 |
|--------------------------|------------|----|----|--------|----|---|----|-----|-------|------|
| | | | | | | | | | PV\$ | 1709 |
| | 14-2442UFH | 42 | 24 | 113/16 | 23 | - | 48 | 5.5 | W/P\$ | 1508 |
| | | | | | | | | | PV\$ | 1771 |
| | 14-2448UFH | 48 | 24 | 113/16 | 23 | - | 62 | 6.2 | W/P\$ | 1647 |
| | | | | | | | | | PV\$ | 1926 |

Must Specify (in this order):

Model

Premium or Standard Veneer

Top Material

Finish/Color Edge Profile

Worksurface Grommet Location

Grommet Color

Description

- · Standard With: Hinged 10" Half Modesty, Grain Direction Runs Front to Back on Worksurface
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Some Assembly Required
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

| CORNER UNIT | 14-3636CU | 36 | 36 | 30 | 17 | - | 135 | 25.7 | W/P\$ | 3663 |
|-------------|-----------|----|----|----|--------|---|-----|------|-------|------|
| | | | | | | | | | PV\$ | 4282 |
| | 14-4242CU | 42 | 42 | 30 | 251/16 | - | 145 | 34.5 | W/P\$ | 3819 |
| | | | | | | | | | PV\$ | 4469 |



Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Edge Profile Worksurface Grommet Color

- Connects to 24" Deep Bridge and Return Units
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Grain Direction Runs Front to Back on Worksurface
- Surface Grommet Standard in Top; Must Specify: Black (BLK) or Silver (SLV)
- Keyboards Accessories for 14-4242CU: 01-KB3 or 01-KB2CC (Sold Separately, See Multiple Unit Details)
- Additional Options: Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

MADERA™ CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | Li | st Price |
|----------------------------|--------------|-----------|-------|-------|--------|-------|---|------------|-------------|-------|----------|
| CREDENZA WITH FULL MODESTY | Left Ped | Right Ped | | | | | | | | | |
| BOX/BOX/FILE | 16-2066LC | 16-2066RC | 66 | 20 | 30 | 25¾ | - | 167 | 27.8 | W/P\$ | 3968 |
| | Letter Pedes | stal | | | | | | | | PV\$ | 4643 |
| | 16-2072LC | 16-2072RC | 72 | 20 | 30 | 28¾ | - | 183 | 30.5 | W/P\$ | 4238 |
| | Legal Pedes | tal | | | | | | | | PV\$ | 4957 |
| | 16-2466LC | 16-2466RC | 66 | 24 | 30 | 25¾ | - | 182 | 32.7 | W/P\$ | 4314 |
| Shown as Right | Letter Pede: | stal | | | | | | | | PV\$ | 5046 |
| | 16-2472LC | 16-2472RC | 72 | 24 | 30 | 283/4 | - | 199 | 35.6 | W/P\$ | 4602 |
| | Legal Pedes | tal | | | | | | | | PV\$ | 5388 |

Must Specify (in this order):

Model

Top Material

Finish/Color

Edge Profile

Worksurface Grommet Location Back Panel Grommet

Grommet Color Kneespace Options

Description

- Premium or Standard Veneer Chassis Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Locking Box/Box/File Pedestal
 - · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
 - Available with Veneer (PV/W) or HPL (P) Top, Must Specify
 - Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
 - Lock Core Color will Coordinate with Pull Selection
 - Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

CREDENZA WITH FULL MODESTY FILE/FILE



Shown as Right

| Left Ped | Right Ped | | | | | | | | | |
|--------------|------------|----|----|----|-------|---|-----|------|----------|-----|
| 16-2066LC2 | 16-2066RC2 | 66 | 20 | 30 | 25¾ | - | 167 | 27.8 | W/P\$ 39 | 968 |
| Letter Pedes | stal | | | | | | | | PV\$ 46 | 643 |
| 16-2072LC2 | 16-2072RC2 | 72 | 20 | 30 | 283/4 | - | 183 | 30.5 | W/P\$ 42 | 238 |
| Legal Pedes | tal | | | | | | | | PV\$ 49 | 957 |
| 16-2466LC2 | 16-2466RC2 | 66 | 24 | 30 | 25¾ | - | 182 | 32.7 | W/P\$ 43 | 314 |
| Letter Pedes | stal | | | | | | | | PV\$ 50 |)46 |
| 16-2472LC2 | 16-2472RC2 | 72 | 24 | 30 | 283/4 | - | 199 | 35.6 | W/P\$ 46 | 502 |
| Legal Pedes | tal | | | | | | | | PV\$ 53 | 888 |
| | | | | | | | | | | |

Must Specify (in this order):

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile Drawer Pull

Worksurface Grommet Location

Back Panel Grommet **Grommet Color**

Kneespace Options

- · Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Locking File/File Pedestal
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)



MADERATM

CASEGOODS + TABLES (1400/1600 SERIES)

| CREDENZA WITH HALF MODESTY |
|----------------------------|
| BOX/BOX/FILE |



Shown as Right

Item

Must Specify (in this order):

Model

Premium or Standard Veneer Chassi Top Material Finish/Color

Edge Profile Drawer Pull

Worksurface Grommet Location

Grommet Color Kneespace Options

| Model No. | | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | | List Price |
|--------------|------------|-------|-------|--------|-------|---|------------|-------------|-------|------------|
| Left Ped | Right Ped | | | | | | | | | |
| 16-2466LCH | 16-2466RCH | 66 | 24 | 30 | 283/4 | - | 170 | 32.7 | W/P\$ | 4146 |
| Letter Pedes | stal | | | | | | | | PV\$ | 4852 |
| 16-2472LCH | 16-2472RCH | 72 | 24 | 30 | 28¾ | - | 242 | 35.6 | W/P\$ | 4431 |
| Legal Pedes | tal | | | | | | | | PV\$ | 5184 |

Description

- Standard With: 10" Half Modesty, Left to Right Grain Direction on Worksurface, Locking Box/Box/File Pedestal
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Premium or Standard Veneer Chassis Lock Core Color will Coordinate with Pull Selection
 - Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

CREDENZA WITH HALF MODESTY FILE/FILE



Shown as Right

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Top Material Finish/Color

Edge Profile

Edge Profile Drawer Pull

Worksurface Grommet Location

Grommet Color

Kneespace Options

| Left Ped R | Right Ped | | | | | | | | | |
|-----------------|------------|----|----|----|-----|---|-----|------|-------|------|
| 16-2466LC2H 1 | 6-2466RC2H | 66 | 24 | 30 | 28¾ | - | 170 | 32.7 | W/P\$ | 4146 |
| Letter Pedestal | | | | | | | | | PV\$ | 4852 |
| 16-2472LC2H 1 | 6-2472RC2H | 72 | 24 | 30 | 28¾ | - | 242 | 35.6 | W/P\$ | 4431 |
| Legal Pedestal | | | | | | | | | PV\$ | 5184 |

- Standard With: 10" Half Modesty, Left to Right Grain Direction on Worksurface, Locking File/File Pedestal
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)



CREDENZA WITH FULL MODESTY BOX/FILE 3/4 PED



Shown as Right

Must Specify (in this order):

Premium or Standard Veneer Chassis

Finish/Color

Edge Profile

Drawer Pull

Worksurface Grommet Location

Back Panel Grommet

Grommet Color

Kneespace Options

Ship Cubic Model No. Width Depth Height R **List Price** Wt Ft Left Ped **Right Ped** 14-2066LC 14-2066RC 66 20 30 253/4 158 27.8 W/P\$ 3552 Letter Pedestal PV\$ 4157 14-2072LC 14-2072RC 72 20 30 283/4 172 30.5 W/P\$ 3874 Legal Pedestal PV\$ 4532

Description

- Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Locking Box/File 3/4 Pedestal
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

CREDENZA WITH FULL MODESTY LATERAL FILE



Shown as Right

Must Specify (in this order):

Premium or Standard Veneer Chassis

Top Material Finish/Color

Edge Profile

Drawer Pull

Worksurface Grommet Location

Back Panel Grommet

Grommet Color

Kneespace Options

| Left Ped | Right Ped | | | | | | | | | |
|-------------|------------|----|----|----|----|---|-----|------|-------|------|
| 14-2066LL | 14-2066RL | 66 | 20 | 30 | 6 | - | 215 | 27.8 | W/P\$ | 4573 |
| 36" Pedesta | I | | | | | | | | PV\$ | 5351 |
| 14-2072LL | 14-2072RL | 72 | 20 | 30 | 12 | - | 224 | 30.2 | W/P\$ | 4648 |
| 36" Pedesta | l | | | | | | | | PV\$ | 5440 |
| 14-2466LL3 | 14-2466RL3 | 66 | 24 | 30 | 6 | - | 254 | 32.7 | W/P\$ | 4703 |
| 30" Pedesta | ıl | | | | | | | | PV\$ | 5501 |
| 14-2472LL3 | 14-2472RL3 | 72 | 24 | 30 | 12 | - | 267 | 35.6 | W/P\$ | 4785 |
| 30" Pedesta | ıl | | | | | | | | PV\$ | 5598 |
| 14-2466LL | 14-2466RL | 66 | 24 | 30 | 6 | - | 264 | 32.7 | W/P\$ | 4929 |
| 36" Pedesta | l | | | | | | | | PV\$ | 5768 |
| 14-2472LL | 14-2472RL | 72 | 24 | 30 | 12 | - | 277 | 35.6 | W/P\$ | 5015 |
| 36" Pedesta | l | | | | | | | | PV\$ | 5863 |

- Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Two (2) Central Locking Lateral Drawers
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lock Core Color will Coordinate with Pull Selection
- · Lateral File Provides Legal or Letter filing Side to Side or Front to Back
- · Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)



MADERATM CASEGOODS + TABLES (1400/1600 SERIES)

CREDENZA WITH HALF MODESTY LATERAL FILE



Shown as Right

Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis
Top Material
Finish/Color

Edge Profile Drawer Pull

Worksurface Grommet Location Grommet Color

Kneespace Options

| Model No. | | Width | Depth | Height | K | R | Ship Wt | Cubic Ft | | List Price |
|-----------------------------|-------------|-------|-------|--------|----|---|------------|-------------|---------------|--------------|
| Left Ped | Right Ped | | | | | | | | | |
| 14-2466LL3H 30" Pedestal | 14-2466RL3H | 66 | 24 | 30 | 6 | - | 250 | 32.7 | W/P\$ PV\$ | 4584 5362 |
| 14-2472LL3H 30" Pedestal | 14-2472RL3H | 72 | 24 | 30 | 12 | - | 263 | 35.6 | W/P\$ PV\$ | 4646 5438 |
| 14-2466LLH 36" Pedestal | 14-2466RLH | 66 | 24 | 30 | 6 | - | 260 | 32.7 | W/P\$ PV\$ | 4831 5650 |
| 14-2472LLH 36" Pedestal | 14-2472RLH | 72 | 24 | 30 | 12 | - | 273 | 35.6 | W/P\$ PV\$ | 4891 5724 |

Description

- Standard With: 10" Half Modesty, Left to Right Grain Direction on Worksurface, Two (2) Central Locking Lateral Drawers
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Lateral File Provides Legal or Letter filing Side to Side or Front to Back
- Additional Options: Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

MULTI-FILE CREDENZA WITH FULL MODESTY BOX/BOX/FILE/LATERAL FILE



Shown as Right

Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Top Material Finish/Color

Edge Profile

Drawer Pull

Worksurface Grommet Location

Grommet Color Kneespace Options

| Left Ped | Right Ped | | | | | | | | | |
|------------|------------|----|----|----|----|---|-----|------|-------|------|
| 14-2066LL4 | 14-2066RL4 | 66 | 20 | 30 | 6 | - | 219 | 27.8 | W/P\$ | 5203 |
| | | | | | | | | | PV\$ | 6088 |
| 14-2072LL4 | 14-2072RL4 | 72 | 20 | 30 | 12 | - | 231 | 29.0 | W/P\$ | 5272 |
| | | | | | | | | | PV\$ | 6169 |

- Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Box/Box/File/Lateral Pedestal, Locking File Drawer
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Lock Core Color will Coordinate with Pull Selection
- Lateral File Provides Legal or Letter filing Side to Side or Front to Back
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

Indiana

MADERATM

CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | К | R | Ship Wt | Cubic Ft | List Price |
|-------------------------|------------|-------|-------|--------|-----|---|------------|-------------|------------|
| KNEESPACE CREDENZA FULL | 16-2066KC | 66 | 20 | 30 | 33½ | - | 221 | 27.8 | W/P\$ 5004 |
| MODESTY WITH FILE/FILE | Letter Ped | | | | | | | | PV\$ 5857 |
| | 16-2072KC | 72 | 20 | 30 | 33½ | - | 223 | 30.5 | W/P\$ 5476 |
| | Legal Ped | | | | | | | | PV\$ 6406 |
| | 16-2466KC | 66 | 24 | 30 | 33½ | - | 220 | 32.7 | W/P\$ 5372 |
| | Letter Ped | | | | | | | | PV\$ 6286 |
| | 16-2472KC | 72 | 24 | 30 | 33½ | - | 240 | 35.6 | W/P\$ 5877 |
| | Legal Ped | | | | | | | | PV\$ 6878 |

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Cold

Edge Drawer Pull

Worksurface Grommet Location

Back Panel Grommet Grommet Color

Kneespace Options

Description

- · Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Locking File/File Pedestals
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

KNEESPACE CREDENZA HALF MODESTY WITH FILE/FILE



Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge

Worksurface Grommet Location

Grommet Color

Kneespace Options

| 16-2466KCH | 66 | 24 | 30 | 331/2 | - | 216 | 32.7 | W/P\$ | 5259 |
|------------|----|----|----|-------|---|-----|------|-------|------|
| Letter Ped | | | | | | | | PV\$ | 6153 |
| 16-2472KCH | 72 | 24 | 30 | 331/2 | - | 236 | 35.6 | W/P\$ | 5764 |
| Legal Ped | | | | | | | | PV\$ | 6746 |

Description

- Standard With: 10" Half Modesty, Left to Right Grain Direction on Worksurface, Locking File/File Pedestals
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)

KNEESPACE CREDENZA FULL MODESTY WITH 3/4 PED BOX/FILE



Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Colo

Edge

Drawer Pull

Worksurface Grommet Location

Back Panel Grommet

Grommet Color

| 14-2066KC | 66 | 20 | 30 | 33½ | - | 264 | 43.9 | W/P\$ | 4339 |
|------------|----|----|----|-----|---|-----|------|-------|------|
| Letter Ped | | | | | | | | PV\$ | 5074 |
| 14-2072KC | 72 | 20 | 30 | 33½ | - | 295 | 51.9 | W/P\$ | 4661 |
| Legal Ped | | | | | | | | PV\$ | 5455 |

Description

- Standard With: Full Modesty, Left to Right Grain Direction on Worksurface, Locking Box/File Pedestals
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Lock Core Color will Coordinate with Pull Selection
- Additional Options: Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

See Madera Intro Section for Ordering Options



| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|---|-------|-------|--------|---------|-------------|-------------------------|
| TRANSACTION RISER FOR DESKS AND CREDENZAS | 14-1264TR For Use with 66" Worksurface | 64% | 12 | 133/16 | 56 | 8.9 | W/P\$ 2550 PV\$ 2983 |
| The state of the s | 14-1270TR For Use with 72" Worksurface | 705/8 | 12 | 13¾6 | 62 | 9.7 | W/P\$ 2846 PV\$ 3328 |

Tumper The State of the State o

Must Specify (in this order):

Model Premium or Standard Veneer Chassis Top Material

Top Material
Finish/Color
Edge Profile

Description

- · Left to Right Grain Direction
- Freestanding Riser; May Be Used in Conjunction with Return Riser or Bridge Risers
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify

TRANSACTION RISER FOR RETURNS



Shown as Right

Must Specify (in this order):

<u>ust Specify (in this order</u> Model

Premium or Standard Veneer Chassis Top Material

Finish/Color Edge Profile

| Left Ped | Right Ped | | | | | | | |
|--|---------------------------|----|---|------|----|-----|-------|------|
| 14-0959LU | 14-0959RU | 59 | 9 | 13¾6 | 40 | 6.1 | W/P\$ | 2329 |
| For Use with 30" Desks and 42" Returns | | | | | | | PV\$ | 2722 |
| 14-0971LU | 14-0971RU | 71 | 9 | 13¾6 | 45 | 6.8 | W/P\$ | 2822 |
| For Use with | 36" Desks and 48" Returns | | | | | | PV\$ | 3305 |

Description

- Left to Right Grain Direction
- Must Be Used in Conjunction with Desk Risers
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify

TRANSACTION RISER FOR BRIDGES



| Must Specify (in this order): | |
|-------------------------------|--------|
| Model | |
| Premium or Standard Veneer Ch | nassis |
| Top Material | |
| Finish/Color | |
| Edge Profile | |

| 5 | 14-0966BU | 66 | 9 | 13¾6 | 43 | 6.5 | W/P\$ | 2348 | |
|---|--|----------|---|--------|----|-----|-------|------|--|
| | For Use with 30" Desks, 42" Bridge and | Credenza | | | | | PV\$ | 2750 | |
| | 14-0978BU | 78 | 9 | 133/16 | 48 | 7.9 | W/P\$ | 2609 | |
| | For Use with 36" Desks, 48" Bridge and | Credenza | | | | | PV\$ | 3047 | |
| | | | | | | | | | |

- Left to Right Grain Direction
- Must Be Used in Conjunction with Two (2) Desk/Credenza Risers
- · Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify



MADERATM CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|-----------------------------------|-------------------------------|-------|-------|--------|---------|-------------|---------------|------------|
| STORAGE CREDENZA FULL PEDESTAL | 16-2072SC Legal Width Ped | 72 | 20 | 30 | 270 | 30.5 | W/P\$ PV\$ | |
| | 16-2466SC Letter Width Ped | 66 | 24 | 30 | 261 | 32.7 | W/P\$ PV\$ | |
| | 16-2472SC Legal Width Ped | 72 | 24 | 30 | 285 | 35.6 | W/P\$ PV\$ | |

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material Finish/Color Edge Profile Drawer Pull

Description

- Locking File/File Pedestals
- Fixed Storage Shelf Behind Doors
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- · Lock Core Color for Drawers will Coordinate with Pull Selection

| STORAGE CREDENZA |
|------------------|
| 3/4 PEDESTAL |



Description

14-2072SC

- Legal Width, Locking Box/File Pedestals
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify

72

20

30

227

30.5

W/P\$ 5192 PV\$ 6078

- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color for Drawers will Coordinate with Pull Selection

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile Drawer Pull

DOUBLE LATERAL CREDENZA



| 14-2072DL | 72 | 20 | 30 | 303 | 30.2 | W/P\$ | 6993 |
|-----------|----|----|----|-----|------|-------|------|
| | | | | | | PV\$ | 8183 |

Description

- Dual Locking Lateral File Drawers Provide Legal or Letter Filing
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection

Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Top Material

Finish/Color

Edge Profile

Drawer Pull

See Madera Intro Section for Ordering Options



MADERA™ CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|------------------------------------|-------------------|-------|-------|--------|---------|-------------|-------|------------|
| LATERAL FILE | 14-2036L2 | 36 | 20 | 30 | 153 | 15.5 | W/P\$ | 3650 |
| | Two (2) Drawers | | | | | | PV\$ | 4273 |
| | 14-2036L4 | 36 | 20 | 55½ | 296 | 28.3 | W/P\$ | 6890 |
| | Four (4) Drawers | | | | | | PV\$ | 8062 |
| | 14-2430L2 | 30 | 24 | 30 | 168 | 15.6 | W/P\$ | 3674 |
| | Two (2) Drawers | | | | | | PV\$ | 4296 |
| | 14-2436L2 | 36 | 24 | 30 | 203 | 18.3 | W/P\$ | 3905 |
| | Two (2) Drawers | | | | | | PV\$ | 4569 |
| | 14-2430L3 | 30 | 24 | 42 | 204 | 21.9 | W/P\$ | 5530 |
| | Three (3) Drawers | | | | | | PV\$ | 6472 |
| Must Specify (in this order): | 14-2436L3 | 36 | 24 | 42 | 235 | 24.9 | W/P\$ | 5880 |
| Model | Three (3) Drawers | | | | | | PV\$ | 6880 |
| Premium or Standard Veneer Chassis | 14-2430L4 | 30 | 24 | 55½ | 260 | 27.5 | W/P\$ | 6769 |
| Top Material Finish/Color | Four (4) Drawers | | | | | | PV\$ | 7920 |
| Edge Profile | 14-2436L4 | 36 | 24 | 55½ | 312 | 30.2 | W/P\$ | 7193 |
| Drawer Pull | Four (4) Drawers | | | | | | PV\$ | 8423 |

Description

- Standard with: Central Locking, Anti-Tilt System
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- · Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- · File Drawers Provide Legal or Letter Filing

14-2036MF 36 20 30 185 W/P\$ 4285 **MULTI-FILE** 14.9 PV\$ 5018



Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Top Material

Finish/Color

Edge Profile Drawer Pull

- Standard: Box/Box/File/Lateral Pedestal, Locking File Drawer
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Available with Veneer (PV/W) or HPL (P) Top, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- File Drawers Provide Legal or Letter Filing



| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|-----------------|------------|-------|-------|--------|---------|-------------|-------|------------|
| MOBILE PEDESTAL | 14-1619MP1 | 16 | 19 | 28½ | 90 | 9.0 | W/P\$ | 3086 |
| | | | | | | | PV\$ | 3610 |



Description

- Standard with: Locking Box/Box/File Pedestal, Letter Width Pedestal, and Five Casters
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Fits Underneath 30"H Worksurfaces
- Finger Pull Option Not Available

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Finish/Color

Drawer Pull

| SURFACE MOU | |
|-------------|--|
| | |



Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Finish/Color Edge Profile

Door Pull

Locking Doors

Tackboard

Tackboard Fabric

Task Light

Grommet Color

| 14-1566HU | 66-63 | 151/4 | 40 | 193 | 32.9 | W/P\$ | 4372 |
|------------|-------|-------|----|-----|------|-------|------|
| Four Doors | | | | | | PV\$ | 5113 |
| 14-1572HU | 72-69 | 151/4 | 40 | 205 | 33.1 | W/P\$ | 4592 |
| Four Doors | | | | | | PV\$ | 5371 |
| 14-1578HU | 78-75 | 151/4 | 40 | 260 | 33.8 | W/P\$ | 5052 |
| Four Doors | | | | | | PV\$ | 5910 |
| 14-1584HU | 84-81 | 151/4 | 40 | 270 | 36.8 | W/P\$ | 5668 |
| Five Doors | | | | | | PV\$ | 6627 |
| 14-1590HU | 90-87 | 151/4 | 40 | 285 | 38.9 | W/P\$ | 6089 |
| Five Doors | | | | | | PV\$ | 7120 |
| 14-1596HU | 96-93 | 151/4 | 40 | 305 | 41.0 | W/P\$ | 6684 |
| Six Doors | | | | | | PV\$ | 7824 |
| | | | | | | | |

- · Standard with: Soft-Close Hinged Doors, Vertical Grain Direction
- 223/8" Clearance Below Apron Rail
- Lower, Center Grommet on Back Panel Standard; Must Specify: Black (BLK) or Silver (SLV)
- Available in Premium Veneer (PV) or Standard Veneer (W), Must Specify
- Overall Width of Unit will be Determined by Edge Detail Selected
- · Additional Options: Locking Doors (See Locking Options), Factory Installed Tackboard (See Tackboard), Tasklights (See Tasklights), Three (3) Upper Wire Management Grommets (See Grommet Options)



MADERATM CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|-----------|-------|-------|--------|---------|-------------|-----------------------|
| SURFACE MOUNT HUTCH WITH ACRYLIC DOORS | 14-1566AH | 66-63 | 151/4 | 40 | 235 | 24.3 | W\$ 4817 PV\$ 5636 |
| | 14-1572AH | 72-69 | 151⁄4 | 40 | 258 | 33.1 | W\$ 5046 PV\$ 5908 |

Must Specify (in this order):

Tackboard Fabric Task Light Grommet Color

Model
Premium or Standard Veneer Chassis
Finish/Color
Edge Profile
Acrylic Insert Style
Door Pull
Locking Doors
Tackboard


Description

- Standard with: Four (4) Wood Frame Doors with Acrylic Inserts, Soft-Close Hinges, Vertical Grain Direction
- 22 3/8" Clearance Below Apron Rail
- Lower, Center Grommet on Back Panel Standard; Must Specify: Black (BLK) or Silver (SLV)
- Available in Premium Veneer (PV) or Standard Veneer (W), Must Specify
- Overall Width of Unit will be Determined by Edge Detail Selected
- Additional Options: Locking Doors (<u>See Locking Options</u>), Factory Installed Tackboard (<u>See Tackboard</u>), Tasklights (<u>See Tasklights</u>), Three (3) Upper Wire Management Grommets (<u>See Grommet Options</u>)

Options: Specify & Add

| CA | Clear Acrylic Door Inserts | Included |
|----|------------------------------|----------|
| FA | Frosted Acrylic Door Inserts | Included |

OPTIONAL PAPER SLOTS FOR SURFACE MOUNT HUTCHES



| Must Specify (in this order): |
|------------------------------------|
| Model |
| Premium or Standard Veneer Chassis |
| Finish /Calan |

| 14-1164PS | 635/8-605/8 | 11% | 51/4 | 38 | 2.9 | W\$ | 1989 |
|------------|-------------|--------|------|----|-----|------|------|
| Four Slots | | | | | | PV\$ | 2329 |
| 14-1170PS | 69%-66% | 111//8 | 51/4 | 42 | 3.1 | W\$ | 2211 |
| Four Slots | | | | | | PV\$ | 2588 |
| 14-1176PS | 75 %-72% | 111//8 | 51/4 | 45 | 3.4 | W\$ | 2435 |
| Four Slots | | | | | | PV\$ | 2851 |
| 14-1182PS | 815/8-785/8 | 111//8 | 51/4 | 49 | 3.7 | W\$ | 2666 |
| Five Slots | | | | | | PV\$ | 3120 |
| 14-1188PS | 87%-84% | 111//8 | 51/4 | 52 | 3.9 | W\$ | 2889 |
| Five Slots | | | | | | PV\$ | 3378 |
| 14-1194PS | 935/8-905/8 | 11% | 51/4 | 55 | 4.2 | W\$ | 3116 |
| Six Slots | | | | | | PV\$ | 3645 |
| | | | | | | | |

- For Use with Surface Mount Hutches
- Available in Premium Veneer (PV) or Standard Veneer (W), Must Specify
- Paperslots 3" Shorter in Depth Allowing for Use with Tackboards
- Overall Width of Units will be Determined by Edge Detail Selected
- · Ships Factory Installed



MADERA™ CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|----------------------------------|-----------|-------|-------|--------|---------|-------------|-------------|--------------|
| WALL MOUNT HUTCH WITH WOOD DOORS | 14-1536WD | 36 | 151/4 | 17½ | 70 | 7.6 | W\$ PV\$ | 2546 2974 |



Description

- Standard with: Two (2) Soft-Close Hinge Doors, Vertical Grain Direction
- Mounts to Wall with Mounting Bracket Included
- · Available in Premium Veneer (PV) or Standard Veneer (W), Must Specify
- Top Profiled on Front Only for Multiple Unit Application
- Indiana Furniture Will Not Be Liable for Wall Mount Hutch Units That are not Properly Installed
- Additional Options: Locking Doors (See Locking Options)

Must Specify (in this order):

Premium or Standard Veneer Chassis Edge Profile Door Pull Locking Doors

WALL MOUNT HUTCH WITH ACRYLIC DOORS



14-1536AW 151/4 171/2 36 70 7.6 W\$ 2738 PV\$ 3201

Description

- · Standard with: Two (2) Wood Frame Doors with Acrylic Inserts, Soft-Close Hinges, and Vertical Grain Direction
- · Mounts to Wall with Mounting Bracket Included
- Available in Premium Veneer (PV) or Standard Veneer (W), Must Specify
- Top Profiled on Front Only for Multiple Unit Application
- Indiana Furniture Will Not Be Liable for Wall Mount Hutch Units That are not Properly Installed
- Additional Options: Locking Doors (See Locking Options)

Must Specify (in this order):

Locking Doors

Premium or Standard Veneer Chassis Options: Specify & Add Finish/Color Edge Profile Glass Style Door Pull

| CA | Clear Acrylic Door Inserts | Included |
|----|------------------------------|----------|
| FA | Frosted Acrylic Door Inserts | Included |
| | | |

See Madera Intro Section for Ordering Options



| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|------------------------|-----------|-------|-------|--------|---------|-------------|------|------------|
| SURFACE MOUNT BOOKCASE | 14-1528TU | 28 | 151/4 | 40 | 96 | 12.6 | W\$ | 1937 |
| | | | | | | | PV\$ | 2267 |
| | 14-1534TU | 34 | 151/4 | 40 | 107 | 15.1 | W\$ | 2280 |
| | | | | | | | PV\$ | 2666 |

Description

- 1" Thick Shelves
- Shaded Shelf on Bottom Fixed with 12" Clearance
- · One Adjustable Shelf
- Available in Premium Veneer (PV) or Standard Veneer (W), Must Specify
- For Surface Mount Use on Two (2) Drawer Lateral Files or Credenza Against a Wall

Must Specify (in this order):

Model
Premium or Standard Veneer Chassis
Finish/Color
Edge Profile

| BOOKCASE | 14-1530BC | 34 | 151/4 | 30 | 85 | 11.1 | W\$ 2720 |
|--|--|----|-------|--------|-----|------|-----------|
| | 1 Adjustable Shelves | | | | | | PV\$ 3180 |
| | 14-1548BC | 34 | 151/4 | 481/16 | 135 | 18.6 | W\$ 2813 |
| | 2 Adjustable Shelves | | | | | | PV\$ 3290 |
| | 14-1570BC | 34 | 151/4 | 693/8 | 198 | 26.9 | W\$ 3751 |
| | 3 Adjustable Shelves | | | | | | PV\$ 4389 |
| | 14-3630BC | 36 | 151/4 | 30 | 75 | 11.9 | W\$ 2879 |
| | 1 Adjustable Shelves | | | | | | PV\$ 3368 |
| | 14-3648BC | 36 | 151/4 | 481/16 | 120 | 18.7 | W\$ 2978 |
| | 2 Adjustable Shelves | | | | | | PV\$ 3485 |
| Must Specify (in this order): | 14-3660BC | 36 | 151/4 | 60 | 147 | 23.2 | W\$ 3297 |
| Model Premium or Standard Veneer Chassis | 3 Adjustable Shelves | | | | | | PV\$ 3859 |
| Finish/Color | 14-3670BC | 36 | 151/4 | 693/8 | 176 | 26.9 | W\$ 3972 |
| Edge Profile | 3 Adjustable Shelves and 1 Fixed Shelf | | | | | | PV\$ 4647 |
| | 14-3684BC | 36 | 151/4 | 84 | 205 | 31.3 | W\$ 4784 |
| | 4 Adjustable Shelves and 1 Fixed Shelf | | | | | | PV\$ 5597 |

- 1" Thick Shelves
- · Shaded Indicates Fixed Shelf
- 84"H and 69%"H Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- 60"H, 48%6"H and 30"H Available in Premium Veneer (PV) or Standard Veneer (W), and HPL (P); Must Specify



MADERA™ CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|--------------------------|-------------|--------------|-------|-------|--------|---------|-------------|------|------------|
| WARDROBE/STORAGE CABINET | Left Hinged | Right Hinged | | | | | | | |
| SINGLE DOOR | 14-1870CL | 14-1870CR | 18 | 20 | 69% | 150 | 18.6 | W\$ | 4701 |
| | | | | | | | | PV\$ | 5498 |
| | 14-1870WL | 14-1870WR | 18 | 24 | 693/8 | 153 | 19.2 | W\$ | 5555 |
| _ | | | | | | | | PV\$ | 6501 |

Description

- Standard with: Fixed Top Shelf, Coat Rod, Three (3) Adjustable/Removable Shelves, Soft-Close Hinges, Vertical Grain Direction
- Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Finger Pull Not Available; Knob Pull will be Substituted
- Additional Options: Locking Doors (See Locking Options)

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis


Finish/Color

Shown as Right

Edge Profile

Locking Door

| WARDROBE/STORAGE CABINET |
|--------------------------|
| DOUBLE DOOR |



14-3670WD

Description · Standard with: Fixed Top Shelf Behind Each Door, Coat Rod, Three (3) Adjustable/Removable Shelves on

24

69%

290

42.0

W\$ 9807 PV\$ 11479

36

- · Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Finger Pull Not Available; Knob Pull will be Substituted

Each Side, Soft-Close Hinges

• Additional Options: Locking Doors (See Locking Options)

Must Specify (in this order):

Premium or Standard Veneer Chassis

Finish/Color

Edge Profile Pull

Locking Door



| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------|--------------|---------------|-------|-------|--------|---------|-------------|------------|
| WARDROBE/STORAGE CABINET | Left Drawers | Right Drawers | | | | | | |
| WITH FILE/FILE | 14-3670WD2L | 14-3670WD2R | 36 | 24 | 69¾ | 315 | 42.0 | W\$ 11219 |
| | | | | | | | | PV\$ 13128 |

Shown as Right

Must Specify (in this order):

Mode

Premium or Standard Veneer Chassis

Finish/Color Edge Profile

Eage Pron

Pull

Locking Door

Description

- Standard with: Vertical Grain Direction, Soft-Close Hinged Doors, Locking File/File Drawers
- Wardrobe Side Shaded Fixed Top Shelf, Coat Rod, and Three (3) Adjustable Shelves
- Storage Side Top Storage with Two (2) Adjustable Shelves, Bottom Locking File/File
- · Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- · Pedestal Determines Left or Right Handed Unit
- Lock Core Color will Coordinate with Pull Selection
- Finger Pull Not Available
- Additional Options: Locking Doors (See Locking Options)

WARDROBE/STORAGE CABINET WITH BOX/BOX/FILE



Shown as Right

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Finish/Color

Edge Profile Pull

Locking Door

| Left Drawers | Right Drawers | | | | | | | |
|--------------|---------------|----|----|-----|-----|------|------|-------|
| 14-3670WD1L | 14-3670WD1R | 36 | 24 | 69¾ | 315 | 42.0 | W\$ | 11219 |
| | | | | | | | PV\$ | 13128 |

Description

- Standard with: Vertical Grain Direction, Soft-Close Hinged Doors, Locking Box/Box/File Drawers
- Wardrobe Side Shaded Fixed Top Shelf, Coat Rod, and Three (3) Adjustable Shelves
- Storage Side Top Storage with Two (2) Adjustable Shelves, Bottom Locking Box/Box/File
- · Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Pedestal Determines Left or Right Handed Unit
- · Lock Core Color will Coordinate with Pull Selection
- Finger Pull Not Available
- Additional Options: Locking Doors (See Locking Options)

STORAGE CABINET WITH LATERAL FILE DRAWERS



Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Finish/Color

Edge Profile

Pull Locking Doors

Description

14-3670SU2

• Standard with: Two (2) 170° Hinged Doors, Two (2) Adjustable Shelves on Top, Two (2) Locking Lateral File Drawers on Bottom, Vertical Grain Direction

24

693/8

36

- Lateral Drawers Provide Letter or Legal Filing Capabilities
- · Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Lock Core Color will Coordinate with Pull Selection
- Finger Pull Not Available
- Additional Options: Locking Doors (See Locking Options)

Pricing Codes:

W = Wood Top

P = Laminate Top

PV = Premium Veneer

42.0

298

W\$ 10734

PV\$ 12559



Must Specify (in this order):

Top Material

Finish/Color

Edge Profile Surface Grommet Grommet Color

MADERATM MODULAR CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|-----------------|------------|-------|-------|--------|---------|-------------|-----|--------------|
| MODULAR BOW TOP | 14-3672BWT | 72 | 36-30 | 13/16 | 110 | 6.2 | , . | 2648 3098 |
| | 14-4272BWT | 72 | 42-36 | 13/16 | 125 | 7.1 | | 2784 3254 |

Description

- Profiled on All Four (4) Sides
 - Available with Premium Veneer (PV), Veneer (W) or HPL (P) Top, Must Specify
 - Not Recommended for Use With Center Grommet
 - Additional Options: Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)

14-3042TP 42 30 13/16 55 2.7 W\$ 1492 MODULAR DESK TOP 36"D AND 30"D PV\$ 1746 14-3048TP 48 30 13/16 60 3.1 W\$ 1553 PV\$ 1820 14-3054TP 54 30 13/16 70 3.4 W/P\$ 1613 PV\$ 1887 14-3060TP 60 30 13/16 75 3.8 W/P\$ 1675 PV\$ 1959 Must Specify (in this order): Model 14-3066TP 66 30 13/16 80 4.2 W/P\$ 1751 Top Material PV\$ 2048 Finish/Color Edge Profile 14-3072TP 72 30 13/16 85 4.6 W/P\$ 1821 Surface Grommet PV\$ 2131 Grommet Color 14-3078TP 30 78 13/16 90 4.9 W/P\$ 1906 PV\$ 2228 14-3084TP 84 30 13/16 95 5.3 W/P\$ 1992 PV\$ 2333 14-3666TP 36 W/P\$ 1964 13/16 105 66 6.0 PV\$ 2296 14-3672TP 72 36 W/P\$ 2042 13/16 115 6.5 PV\$ 2390 14-3678TP 78 36 13/16 125 7.0 W/P\$ 2139 PV\$ 2502

Description

- Profiled on All Four (4) Sides
- · Available with Premium Veneer (PV), Veneer (W) or HPL (P) Top, Must Specify
- Support Panel Required and Stiffener Bar Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal, <u>See Support Options</u>
- For Table Lift Options, <u>See Table Lift Bases</u>
- Table Lifts to be used with Vertical Profiles Bullnose (D), Tri-Round (E), Fluted (X), Square (Y)
- Additional Options: Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)



MADERA™ **MODULAR CASEGOODS + TABLES (1400/1600 SERIES)**

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | L | ist Price. |
|--------------------------------------|------------|-------|-------|---------------------------------------|---------|-------------|------|------------|
| MODULAR CREDENZA TOP | 14-2418TP | 18 | 24 | 1 ³ ⁄ ₁₆ | 28 | 1.0 | W\$ | 1126 |
| 24"D | | | | | | | PV\$ | 1316 |
| | 14-2430TP | 30 | 24 | 13/16 | 36 | 1.6 | W\$ | 1220 |
| | | | | | | | PV\$ | 1427 |
| | 14-2436TP | 36 | 24 | 13/16 | 45 | 2.0 | W\$ | 1271 |
| | | | | | | | PV\$ | 1490 |
| | 14-2442TP | 42 | 24 | 13/16 | 50 | 2.2 | W\$ | 1308 |
| Must Specify (in this order): Model | | | | | | | PV\$ | 1532 |
| Top Material | 14-2448TP | 48 | 24 | 13/16 | 55 | 2.5 | W\$ | 1371 |
| Finish/Color | | | | | | | PV\$ | 1602 |
| Edge Profile Surface Grommet | 14-2454TP | 54 | 24 | 13/16 | 65 | 2.8 | W\$ | 1427 |
| Grommet Color | | | | | | | PV\$ | 1674 |
| | 14-2460TP | 60 | 24 | 13/16 | 70 | 3.0 | W\$ | 1513 |
| | | | | | | | PV\$ | 1773 |
| | 14-2466TP | 66 | 24 | 13/16 | 75 | 3.4 | W\$ | 1566 |
| | | | | | | | PV\$ | 1831 |
| | 14-2472TP | 72 | 24 | 13/16 | 80 | 3.7 | W\$ | 1627 |
| | | | | | | | PV\$ | 1905 |
| | 14-2478TP | 78 | 24 | 13/16 | 85 | 4.0 | W\$ | 1688 |
| | | | | | | | PV\$ | 1974 |
| | 14-2484TP | 84 | 24 | 13/16 | 90 | 4.3 | W\$ | 1765 |
| | | | | | | | PV\$ | 2061 |
| | 14-2490TP | 90 | 24 | 13/16 | 95 | 4.6 | W\$ | 1896 |
| | | | | | | | PV\$ | 2212 |
| | 14-2496TP | 96 | 24 | 13/16 | 100 | 5.0 | W\$ | 2015 |
| | | | | | | | PV\$ | 2356 |
| | 14-24102TP | 102 | 24 | 13/16 | 105 | 6.3 | W\$ | 2759 |
| | | .02 | | | | | PV\$ | 3229 |
| | 14-24108TP | 108 | 24 | 13/16 | 110 | 6.6 | W\$ | 2880 |
| | | | | ŕ | - | | | 3373 |

- Profiled on All Four (4) Sides
- Available with Premium Veneer (PV), Veneer (W) or HPL (P) Top, Must Specify
- Support Panel Required and Stiffener Bar Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal, See Support Options
- For Table Lift Options, <u>See Table Lift Bases</u>
- Table Lifts to be used with Vertical Profiles Bullnose (D), Tri-Round (E), Fluted (X), Square (Y)
- · Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See Multiple Unit Details), Wire Management + Accessories (Sold Separately, See Multiple Unit Details)



MADERATM

MODULAR CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|-------------------------------|------------------------|--|-------------|-------|--------|---------|-------------|-------|------------|
| MODULAR RETURN TOP | Left Ped | Right Ped | | | | | | | |
| 24"D | 14-3624TPL | 14-3624TPR | 36 | 24 | 13/16 | 45 | 1.9 | W\$ | 1271 |
| | | | | | | | | PV\$ | 1490 |
| | 14-4224TPL | 14-4224TPR | 42 | 24 | 13/16 | 50 | 2.2 | W\$ | 1308 |
| Must Specify (in this order): | | | | | | | | PV\$ | 1532 |
| Model | 14-4824TPL | 14-4824TPR | 48 | 24 | 13/16 | 55 | 2.5 | W\$ | 1371 |
| Top Material | | | | | | | | PV\$ | 1602 |
| Finish/Color Edge Profile | 14-5424TPL | 14-5424TPR | 54 | 24 | 13/16 | 65 | 2.8 | W\$ | 1427 |
| Surface Grommet | | | | | | | | PV\$ | 1674 |
| Grommet Color | 14-6024TPL | 14-6024TPR | 60 | 24 | 13/16 | 70 | 3.1 | W/P\$ | 1513 |
| | Grain Direction | Runs Left to Right on La | aminate Top | | | | | PV\$ | 1773 |
| | 14-6624TPL | 14-6624TPR | 66 | 24 | 13/16 | 75 | 3.4 | W/P\$ | 1566 |
| | Grain Direction | Grain Direction Runs Left to Right on Laminate Top | | | | | | PV\$ | 1831 |
| | 14-7224TPL | 14-7224TPR | 72 | 24 | 13/16 | 80 | 3.7 | W/P\$ | 1627 |
| | Grain Direction | Runs Left to Right on La | aminate Top | | | | | PV\$ | 1905 |

Description

- Profiled on All Four (4) Sides With Reverse Profile on Connecting Edge
- Available with Premium Veneer (PV), Veneer (W) or HPL (P) Top, Must Specify
- For Use on 24" Deep Pedestals/Files
- Front to Back Grain Direction on Worksurface Unless Noted Above
- Support Panel Required and Stiffener Bar Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal, <u>See Support Options</u>
- For Table Lift Options, See Table Lift Bases
- Table Lifts to be used with Vertical Profiles Bullnose (D), Tri-Round (E), Fluted (X), Square (Y)
- Additional Options: Grommet Options (See Grommet Options), Kneespace Options (Sold Separately, See
 <u>Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, See <u>Multiple Unit Details</u>)

| MODULAR BRIDGE TOP | 14-3624TPB | 36 | 24 | 13/16 | 45 | 1.9 | W/P\$ | 1271 | | | | |
|--------------------------------------|--------------------------------|-----------------------|----|-------|----|--|-------|------|--|--|--|--|
| 24"D | | | | | | | PV\$ | 1490 | | | | |
| | 14-4224TPB | 42 | 24 | 13/16 | 50 | 2.2 | W/P\$ | 1308 | | | | |
| | | | | | | | PV\$ | 1532 | | | | |
| M 10 '6 (' II' 12 | 14-4824TPB | 48 | 24 | 13/16 | 55 | 2.5 | W/P\$ | 1371 | | | | |
| Must Specify (in this order): Model | | | | | | | PV\$ | 1602 | | | | |
| Top Material Finish/Color | 14-5424TPB | 54 | 24 | 13/16 | 65 | 2.8 | W/P\$ | 1427 | | | | |
| Edge Profile | | | | | | | PV\$ | 1674 | | | | |
| Surface Grommet Grommet Color | 14-6024TPB | 60 | 24 | 13/16 | 70 | 3.1 | W/P\$ | 1513 | | | | |
| GIOITIITIEL COIOI | Grain Direction Runs Left to F | Right on Laminate Top | | | | Grain Direction Runs Left to Right on Laminate Top | | | | | | |

Description

- Profiled on All Four (4) Sides With Reverse Profile on Connecting Edge
- Available with Premium Veneer (PV), Veneer (W) or HPL (P) Top, Must Specify
- Front to Back Grain Direction on Worksurface Unless Noted Above
- Support Panel Required and Stiffener Bar Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal, <u>See Support Options</u>
- For Table Lift Options, <u>See Table Lift Bases</u>
- Table Lifts to be used with Vertical Profiles Bullnose (D), Tri-Round (E), Fluted (X), Square (Y)
- Additional Options: Grommet Options (<u>See Grommet Options</u>), Kneespace Options (Sold Separately, <u>See Multiple Unit Details</u>), Wire Management + Accessories (Sold Separately, <u>See Multiple Unit Details</u>)



MADERA™

MODULAR CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|----------------------------------|------------|-------|-------|--------|---------|-------------|-------------|--------------|
| MODULAR PEDESTAL BOX/BOX/FILE | 14-2418PD1 | 18 | 231/4 | 281/4 | 85 | 9.5 | W\$ PV\$ | 2724 3189 |
| | 14-3018PD1 | 18 | 291⁄4 | 281/4 | 105 | 11.6 | W\$ PV\$ | 2852 3339 |
| | 14-3618PD1 | 18 | 35¼ | 281⁄4 | 125 | 13.6 | W\$ PV\$ | 3004 3518 |

Must Specify (in this order):

Premium or Standard Veneer Chassis Finish/Color

Description

- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis, Must Specify
- Locking Box/Box/File
- · Legal Width Pedestal
- Lock Core Color will Coordinate with Pull Selection
- Open Back; Optional Back Panel Sold Separately, See Moldular Back Panels
- Modular Top Required, See Multiple Modular Tops

MODULAR PEDESTAL FILE/FILE



| 14-2418PD2 | 18 | 231/4 | 281/4 | 85 | 9.5 | W\$ PV\$ | 2724 3189 |
|------------|----|-------|-------|-----|------|-------------|--------------|
| 14-3018PD2 | 18 | 291/4 | 281/4 | 105 | 11.6 | | 2852 3339 |
| 14-3618PD2 | 18 | 351/4 | 281/4 | 125 | 13.6 | W\$ PV\$ | 3004 3518 |

Description

- · Locking File/File
- · Legal Width Pedestal
- · Lock Core Color will Coordinate with Pull Selection
- Open Back; Optional Back Panel Sold Separately, See Moldular Back Panels
- Modular Top Required, <u>See Multiple Modular Tops</u>

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Finish/Color

MODULAR PEDESTAL LATERAL FILE



| 14-2430LF1 | 30 | 23 1/4 | 281/4 | 128 | 14.9 | | 3283 3837 |
|------------|----|--------|-------|-----|------|------|--------------|
| 14-2436LF1 | 36 | 23 1/4 | 281/4 | 154 | 17.5 | W\$ | 3372 |
| | | | | | | PV\$ | 3947 |

Description

- · Locking Lateral File/Lateral File
- Anti-Tilt System
- · Lock Core Color will Coordinate with Pull Selection
- Open Back; Optional Back Panel Sold Separately, See Moldular Back Panels
- Modular Top Required, See Multiple Modular Tops

Must Specify (in this order):

Premium or Standard Veneer Chassis Finish/Color

Pull

Pricing Codes:

W = Wood Top



MADERA™

MODULAR CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|--------------------------------|------------|-------|-------|--------|---------|-------------|-------------|--------------|
| MODULAR PEDESTAL MULTI-FILE | 14-2430LF2 | 30 | 231⁄4 | 281/4 | 128 | 14.9 | | 3676 4302 |
| | 14-2436LF2 | 36 | 231⁄4 | 281/4 | 154 | 17.5 | W\$ PV\$ | 3778 4421 |

Premium or Standard Veneer Chassis Finish/Color Pull

Must Specify (in this order):

Description

- Box/Box/File Over Lateral File
- · Locking File Drawers Only
- · Lock Core Color will Coordinate with Pull Selection
- Open Back; Optional Back Panel Sold Separately, See Moldular Back Panels
- Modular Top Required, See Multiple Modular Tops

| MODULAR PEDESTAL |
|----------------------|
| SINGLE DOOR BOOKCASE |



Shown as Left

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Finish/Color

Pull

| Hinged Left | Hinged Right | | | | | | | |
|-------------|--------------|----|-------|-------|----|-----|------|------|
| 14-2418PD4L | 14-2418PD4R | 18 | 231/4 | 281/4 | 65 | 8.9 | W\$ | 1117 |
| | | | | | | | PV\$ | 1308 |

Description

- (1) Adjustable Shelf Behind Doors
- Open Back; Optional Back Panel Sold Separately, See Moldular Back Panels
- Modular Top Required, <u>See Multiple Modular Tops</u>
- Additional Options: Locking Door (See Locking Options)

| MODULAR PEDESTAL |
|----------------------|
| DOUBLE DOOR BOOKCASE |



Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Finish/Color

| 14-2430DB | 30 | 231/4 | 281/4 | 87 | 14.9 | W\$ | 2854 |
|-----------|----|-------|-------|-----|------|------|------|
| | | | | | | PV\$ | 3343 |
| 14-2436DB | 36 | 231/4 | 281/4 | 105 | 17.5 | W\$ | 2936 |
| | | | | | | PV\$ | 3434 |

- 13" Adjustable Shelf Behind Doors
- · Finger Pull Not Available
- Open Back; Optional Back Panel Sold Separately, See Moldular Back Panels
- Modular Top Required, <u>See Multiple Modular Tops</u>
- Additional Options: Locking Door (See Locking Options)



MADERA™ **MODULAR CASEGOODS + TABLES (1400/1600 SERIES)**

Cubic Height Ship Wt **List Price** Model No. Width Depth Ft MODULAR PEDESTAL SHELL Left Ped **Right Ped** 11.6 14-3018PD3L 14-3018PD3R 18 30 281/4 42 W\$ 1222 PV\$ 1434 14-3618PD3L 14-3618PD3R 281/4 W\$ 1335 18 36 50 13.6 PV\$ 1561

Shown as Right

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Finish/Color

Description

- Used to Complete Single Pedestal Configuration
- · Finished Back

| MODULAR BACK PANEL | 14-1828BP | 18 | 3/4 | 281/4 | 18 | 1.0 | W\$ | 575 |
|--------------------------------------|-----------|----|-----|-------|-----|-----|-------------|--------------|
| | | | | | | | PV\$ | 672 |
| | 14-2428BP | 24 | 3/4 | 281/4 | 24 | 1.4 | W\$ | 594 |
| | | | | | | | PV\$ | 698 |
| | 14-3028BP | 30 | 3/4 | 281/4 | 30 | 1.6 | W\$ | 620 |
| | | | | | | | PV\$ | 722 |
| | 14-3628BP | 36 | 3/4 | 281/4 | 45 | 2.0 | W\$ | 661 |
| March Connection (in their number) | | | | | | | PV\$ | 776 |
| Must Specify (in this order): Model | 14-4228BP | 42 | 3/4 | 281/4 | 50 | 2.2 | W\$ | 788 |
| Premium or Standard Veneer Chassis | | | | | | | PV\$ | 927 |
| Finish/Color Top Center Grommet | 14-4828BP | 48 | 3/4 | 281/4 | 55 | 2.5 | W\$ | 835 |
| Grommet Color | | | | | - | | PV\$ | 976 |
| | 14-5428BP | 54 | 3/4 | 281/4 | 65 | 2.8 | W\$ | 877 |
| | | | | | | | PV\$ | 1023 |
| | 14-6028BP | 60 | 3/4 | 281/4 | 72 | 3.0 | W\$ | 936 |
| | 14 660000 | | 7, | 001/ | | | PV\$ | 1093 |
| | 14-6628BP | 66 | 3/4 | 281/4 | 79 | 3.4 | W\$ PV\$ | 980 1147 |
| | 14 7220DD | 72 | 3/ | 201/ | 0.0 | 7.7 | | |
| | 14-7228BP | 72 | 3/4 | 281/4 | 86 | 3.7 | W\$ PV\$ | 1013 1186 |
| | 14-7828BP | 78 | 3/4 | 281/4 | 94 | 4.0 | W\$ | 1190 |
| | 14-7020DF | 70 | 74 | 2074 | 34 | 4.0 | PV\$ | 1391 |
| | 14-8428BP | 84 | 3/4 | 281/4 | 101 | 4.3 | W\$ | 1239 |
| | 14 042001 | 04 | 74 | 2074 | 101 | 4.5 | PV\$ | 1450 |
| | 14-9028BP | 90 | 3/4 | 281/4 | 108 | 4.6 | W\$ | 1268 |
| | - | | | | | - | PV\$ | 1484 |
| | 14-9628BP | 96 | 3/4 | 281/4 | 115 | 5.0 | W\$ | 1301 |
| | | | | | | | PV\$ | 1522 |

Description

• For Use as a Modesty Panel to Create Bridges, Returns, or Credenzas

Options: Specify & Add

1-GRMT Optional Top Centered Grommet; Must Specify: Black (BLK) or Silver (SLV) \$ 54



MADERA™

MODULAR CASEGOODS + TABLES (1400/1600 SERIES)


| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | I | ist Price |
|--------------------------------------|--------------------|-------|-------|--------|---------|-------------|----|-----------|
| H MODULAR PENINSULA | 01-2428HLV | 24 | 1 | 281/4 | 25 | 1.4 | \$ | 875 |
| SUPPORT SEATED HEIGHT | Single Mount Plate | | | | | | | |
| | 01-3028HLV | 30 | 1 | 281/4 | 25 | 1.7 | \$ | 1163 |
| | Single Mount Plate | | | | | | | |
| | 01-3628HLV | 36 | 1 | 281/4 | 30 | 2.0 | \$ | 1183 |
| | Single Mount Plate | | | | | | | |
| Ψ | 01-2428TLV | 24 | 1 | 281/4 | 25 | 1.4 | \$ | 905 |
| | Double Mount Plate | | | | | | | |
| Must Specify (in this order): Model | 01-3028TLV | 30 | 1 | 281/4 | 25 | 1.7 | \$ | 1201 |
| Wood Insert | Double Mount Plate | | | | | | | |
| Insert Color | 01-3628TLV | 36 | 1 | 281/4 | 30 | 2.0 | \$ | 1221 |
| | Double Mount Plate | | | | | | | |

- · Aluminum Only
- Double Mount Plate Required for Freestanding Table/Desk
- Recommended to Be Used with Vertical Profiles Bullnose (D), Tri-Round (E), Fluted (X), Square (Y)

Options: Specify & Add

| HIW | Veneer Insert | | | | | | W\$ | 123 | |
|----------|---------------|----|---|-------|----|-----|------|-----|---|
| | | | | | | | PV\$ | 142 | |
| | | | | | | | - | | _ |
| | | | | | | | | | _ |
| 01-24280 | L | 24 | 2 | 281/4 | 20 | 1.8 | \$ | 502 | |

O MODULAR PENINSULA SUPPORT SEATED HEIGHT



| 01-2428OL | 24 | 2 | 281/4 | 20 | 1.8 | \$ 502 |
|-----------|----|---|-------|----|-----|--------|
| 01-30280L | 30 | 2 | 281/4 | 25 | 2.3 | \$ 570 |
| 01-3628OL | 36 | 2 | 281/4 | 30 | 2.7 | \$ 683 |

Description

- Metal End Support to Be Used with Modular Desk Tops at 30"H (See Multiple Modular Tops)
- Aluminum Only

| MODULAR END PANEL | 14-2428EP | 231/4 | 15⁄32 | 281/4 | 27 | 1.6 | W\$ | 639 |
|-------------------|-----------|-------|-------|-------|----|-----|------|-----|
| | | | | | | | PV\$ | 744 |
| | 14-3028EP | 291/4 | 15/32 | 281/4 | 34 | 1.6 | W\$ | 682 |
| | | | | | | | PV\$ | 797 |
| | 14-3628EP | 351/4 | 15/32 | 281/4 | 41 | 2.0 | W\$ | 728 |
| | | | | | | | PV\$ | 851 |

Must Specify (in this order): Model Panel Material

- End Panel for Worksurfaces to Create Desks, Returns, or Credenzas
- Required to be Used with a Back Panel, See Multiple Unit Details

W\$ 564 PV\$ 660



MADERA™ MODULAR CASEGOODS + TABLES (1400/1600 SERIES)

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------|-----------|-------|--------|--------|---------|-------------|------------|
| MODULAR SUPPORT PANEL | 14-2812SP | 12 | 1 5/32 | 281/4 | 12 | 0.8 | W\$ 412 |
| | | | | | | | PV\$ 480 |

Description

- Used to Support Worksurfaces
- Required to be Used Perpendicular to Full Back Panels to Support Kneespace Areas Greater Than 60"

Must Specify (in this order):

Model

Panel Material

MODULAR T SUPPORT



Description

14-1010SP

- Used to Support Worksurfaces
- Required to be Used Perpendicular to Full Back Panels to Support Kneespace Areas Greater Than 60"

10

10

281/4

12

0.9

Must Specify (in this order):

Model Panel Material

MODULAR FILLER SUPPORT





3 3/4 281/4 6 0.5 W\$ 342 403 PV\$

Description

· Used to Fill Gap Behind Modular Pedestals When Back Panels are Not Used

Must Specify (in this order):

Panel Material

STIFFENER BAR



| 01-00048SB | 48 | 13/4 | 3/4 | 5 | 0.3 | \$ 125 |
|------------|----|------|-----|---|-----|--------|
| 01-00060SB | 60 | 13/4 | 3/4 | 8 | 0.3 | \$ 133 |

- Reinforces Worksurfaces with Large Kneespace Widths
- Includes End Caps to Cover Sharp Edges
- · Field Installed
- · Recommended in Kneespaces 60" or Greater

W = Wood Top

P = Laminate Top

PV = Premium Veneer



MADERA™ **TABLES (1400/1600 SERIES)**

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------|-----------|-------|-------|--------|---------|-------------|------------|
| END TABLE | 14-1824ET | 24 | 18 | 217/16 | 48 | 7.6 | W\$ 1441 |
| | | | | | | | PV\$ 1688 |



Must Specify (in this order):

Premium or Standard Veneer Chassis

Top Material Finish/Color

Edge Profile

Description

- Standard with: Left to Right Grain Direction on Worksurface, Vertical Grain Direction on Solid End Panels
- Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- Apron Rails and Panel Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- · Ships Assembled

| LAMP TABLE | 14-2828LT | 28 | 28 | 217/16 | 56 | 12.3 | W/P\$ | 1866 |
|------------|-----------|----|----|--------|----|------|-------|------|
| \sim | | | | | | | PV\$ | 2187 |



Must Specify (in this order):


Premium or Standard Veneer Chassis • Ships Assembled Top Material

Finish/Color Edge Profile



- · Standard with: Left to Right Grain Direction on Worksurface, Vertical Grain Direction on Solid End Panels
- Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- Apron Rails and Panel Legs Feature Multi-Step, Hand-Finished Catalyzed Finish





Must Specify (in this order):

Model

Premium or Standard Veneer Chassis Top Material

Finish/Color Edge Profile

- · Standard with: Left to Right Grain Direction on Worksurface, Vertical Grain Direction on Solid End Panels
- Available in Premium Veneer (PV) or Standard Veneer (W); Must Specify
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- Apron Rails and Panel Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- · Ships Assembled



MADERATM **TABLES (1400/1600 SERIES)**

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | ı | List Price |
|---------------------|----------------------------------|-------|-------|--------|---------|-------------|---------------|--------------|
| COMPUTER WORK TABLE | 14-2436CW Kneespace - 3311/16 | 36 | 24 | 26¾ | 110 | 17.6 | W/P\$ PV\$ | 2617 3061 |
| | 14-2445CW | 45 | 24 | 263/8 | 120 | 21.8 | W/P\$ | 2735 |
| | Kneespace - 4211/16 | | | | | | PV\$ | 3197 |

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material Finish/Color Edge Profile

Casters Back Panel Grommet

Description

- · Standard with: Left to Right Grain Direction on Worksurface, Vertical Grain Direction on End and Modesty **Panels**
- Fixed Shelf is 12" Deep with a 16" Clearance
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis; Must Specify
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV)

Options: Specify & Add

| CAST Optional Black Casters (Increases Height to 28%") \$ | 247 |
|---|-----|
|---|-----|

WORK TABLE SEATED HEIGHT



| 14-3060WT | 60 | 30 | 30 | 134 | 35.5 | W/P\$ 2642 |
|---------------------|----|----|----|-----|------|------------|
| Kneespace - 5711/16 | | | | | | PV\$ 3095 |
| 14-3672WT | 72 | 36 | 30 | 195 | 50.0 | W/P\$ 3377 |
| Kneespace - 6911/16 | | | | | | PV\$ 3950 |

Description

- Standard with: Left to Right Grain Direction on Worksurface, Vertical Grain Direction on Solid End Panels with Apron Rail
- Add a Purse Hook to Hold Personal Items; See Hook Details
- Available with Premium Veneer (PV) or Standard Veneer (W) Chassis; Must Specify
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- · Some Assembly Required

Must Specify (in this order):

Model

Premium or Standard Veneer Chassis

Top Material Finish/Color Edge Profile

| | 9 |
|------------------|---|
| | |
| | |
| Jane - A Process | |
| \$ 50 J | |

ROUND TABLE TOP

14-4242CT shown with 01-2430DBA BASES SOLD SEPARATELY

Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile

| 14-3636CT | 36 | 36 | 30 | 35 | 3.4 | W/P\$ | 2416 |
|---|----|----|----|----|-----|-------|------|
| Accommodates Three (3) to Four (4) Chairs | | | | | | PV\$ | 2827 |
| 14-4242CT | 42 | 42 | 30 | 40 | 4.4 | W/P\$ | 2753 |
| Accommodates Four (4) Chairs | | | | | | PV\$ | 3222 |
| 14-4848CT | 48 | 48 | 30 | 60 | 5.7 | W/P\$ | 3036 |
| Accommodates Five (5) Chairs | | | | | | PV\$ | 3550 |

Description

- Available with Premium/Standard Veneer (PV/W) or HPL (P) Top, Must Specify
- Single Base Required; Ordered Separately, See Details
- · Bases Sold Separately
- Power Options not Available

W = Wood Top

P = Laminate Top

PV = Premium Veneer



MADERA™ **TABLES (1400/1600 SERIES)**

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|---|----------------------------|-------|-------|--------|---------|-------------|-------|------------|
| RECTANGULAR TOP | 72" or 6' - 1 Piece Top | | | | | | | |
| _ | 14-3672RT | 72 | 36 | 13/16 | 100 | 6.2 | W/P\$ | 1353 |
| | | | | | | | PV\$ | 1584 |
| | 96" or 8' - 1 Piece Top | | | | | | | |
| | 14-4896RT | 96 | 48 | 13/16 | 180 | 9.4 | W/P\$ | 2152 |
| | | | | | | | PV\$ | 2518 |
| | 120" or 10' - 2 Piece Tops | | | | | | | |
| 14-3672RT shown with 88-2034RPB (Rectangle Panel Base) | 14-48120RT | 120 | 48 | 13/16 | 225 | 10.3 | W/P\$ | 2252 |
| BASES SOLD SEPARATELY | | | | | | | PV\$ | 2636 |
| | 144" or 12' - 2 Piece Tops | | | | | | | |
| Must Specify (in this order): | 14-48144RT | 144 | 48 | 13/16 | 275 | 12.3 | W/P\$ | 2452 |
| Model # | | | | | | | PV\$ | 2868 |
| Top Material | | | | | | | | |

- Finish/Color Edge Profile

Description

- · Grain Runs the Width of the Table
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, Must Order Bases Separately
- Optional Grommets and Power/Data Units; See Location Options, See Power Units Available

72" or 6' - 1 Piece Top W/P\$ 1969 14-3672BT 72 36 13/16 100 6.2 PV\$ 2303 96" or 8' - 1 Piece Top 14-4896BT 96 48 13/16 180 9.4 W/P\$ 3407 PV\$ 3987 14-3672BT shown with 88-2034RPB 120" or 10' - 2 Piece Tops BASES SOLD SEPARATELY 14-48120BT 120 48 13/16 225 10.3 W/P\$ 4201 PV\$ 4914 Must Specify (in this order): 144" or 12' - 2 Piece Tops Model # 14-48144BT 144 48 13/16 275 12.3 W/P\$ 4623 Top Material Finish/Color PV\$ 5408 Edge Profile

BOAT TOP



- Grain Runs the Width of the Table
- Available with Veneer (PV/W) or HPL (P) Top; Must Specify
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases/Legs and Number Required For Each Top Size, Must Order Bases Separately
- Optional Grommets and Power/Data Units; See Location Options, See Power Units Available



MADERATM TABLES (1400/1600 SERIES)


| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | ı | ist Price |
|-------------------------------|-----------------------|--------------------------|-------------|-------|--------|---------|-------------|-----|-----------|
| RECTANGLE PANEL BASES WITH | Two (2) Panel Bases - | For Use With 36" x 72" | Surfaces | | | | | | |
| TROUGH | 88-2034RPB | Laminate | 20 | 34 | 28¾ | 66 | 6.7 | T\$ | 1647 |
| | | Veneer | | | | | | W\$ | 1821 |
| | Two (2) Panel Bases - | For Use With 48" x 96" | Surfaces | | | | | | |
| | 88-2458RPB | Laminate | 24 | 58 | 28¾ | 84 | 6.9 | T\$ | 1966 |
| | | Veneer | | | | | | W\$ | 2043 |
| | Two (2) Panel Bases - | For Use With 48" x 120" | Surfaces | | | | | | |
| - | 88-2482RPB | Laminate | 24 | 82 | 28¾ | 90 | 6.9 | T\$ | 2248 |
| | | Veneer | | | | | | W\$ | 2301 |
| | Three (3) Panel Bases | - For Use With 48" x 144 | l" Surfaces | | | | | | |
| | 88-24106RPB | Laminate | 24 | 106 | 28¾ | 116 | 13.8 | T\$ | 3137 |
| Must Specify (in this order): | | Veneer | | | | | | W\$ | 3198 |
| Model # | | | | | | | | | |

Material Finish / Color

Description

- 2" Panel Bases with Trough, Stretcher Rails, and L-Bracket Hardware Included
- Available with TFL (T) or Veneer (W)
- Vertical Grain Direction on Bases
- Bases Require Some Assembly; Attachment Hardware Included
- Tops Sold Separately

6" RECTANGLE BASES WITH TROUGH AND REMOVABLE PANEL



Must Specify (in this order):

Model # Material Finish / Color

| Two (2) 6" Rectangle Ba | ases - For Use With 36" | x 72" Surfac | es | | | | | |
|-------------------------|-------------------------|---------------|------|-----|-----|------|-----|------|
| 88-203406RB | Laminate | 20 | 34 | 28¾ | 76 | 12.9 | T\$ | 2903 |
| | Veneer | | | | | | W\$ | 3994 |
| Two (2) 6" Rectangle Ba | ases - For Use With 48" | x 96" Surfac | es | | | | | |
| 88-245806RB | Laminate | 24 | 58 | 28¾ | 93 | 12.9 | T\$ | 3161 |
| | Veneer | | | | | | W\$ | 4316 |
| Two (2) 6" Rectangle Ba | ases - For Use With 48" | x 120" Surfac | es | | | | | |
| 88-248206RB | Laminate | 24 | 82 | 28¾ | 99 | 12.9 | T\$ | 3365 |
| | Veneer | | | | | | W\$ | 4651 |
| Three (3) 6" Rectangle | Bases - For Use With 48 | " x 144" Surf | aces | | | | | |
| 88-2410606RB | Laminate | 24 | 106 | 28¾ | 106 | 19.6 | T\$ | 4935 |
| | Veneer | | | | | | W\$ | 6751 |
| | | | | | | | | |




- 6" Rectangle Bases with Trough and Stretcher Rails
- Available with TFL (T) or Veneer (W)
- · Vertical Grain Direction on Bases
- Bases Include Interior Removable Panel for Wire Management Access; Removable Panel is 15%" W for 24" Bases and 11%" W for 20" Bases
- Removable Panels Attached with Z Brackets
- Bases Require Some Assembly; Attachment Hardware Included
- · Tops Sold Separately



MADERATM TABLE BASES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|-------------------------------|-------------------------|--------------------------|----------------|-------|--------|---------|-------------|-----|------------|
| 10" RECTANGLE BASES WITH | Two (2) 10" Rectangle | Bases - For Use With 36 | 3" x 72" Surfa | ces | | | | | |
| TROUGH AND REMOVABLE PANEL | 88-203410RB | Laminate | 20 | 34 | 28¾ | 72 | 10.0 | T\$ | 2987 |
| | | Veneer | | | | | | W\$ | 4059 |
| | Two (2) 10" Rectangle | Bases - For Use With 48 | " x 96" Surfa | ces | | | | | |
| | 88-245810RB | Laminate | 24 | 58 | 28¾ | 89 | 12.0 | T\$ | 3245 |
| | | Veneer | | | | | | W\$ | 4381 |
| | Two (2) 10" Rectangle | Bases - For Use With 48 | " x 120" Surfa | aces | | | | | |
| | 88-248210RB | Laminate | 24 | 82 | 28¾ | 96 | 12.0 | T\$ | 3450 |
| Must Specify (in this order): | | Veneer | | | | | | W\$ | 4717 |
| Model # | Three (3) 10" Rectangle | e Bases - For Use With 4 | 8" x 144" Sur | faces | | | | | |
| Material Finish / Color | 88-2410610RB | Laminate | 24 | 106 | 28¾ | 141 | 18.2 | T\$ | 5061 |
| | | Veneer | | | | | | W\$ | 6849 |



Description

- 10" Rectangle Bases with Trough and Stretcher Rails
- Available with TFL (T) or Veneer (W)
- · Vertical Grain Direction on Bases
- Bases Include Interior Removable Panel for Wire Management Access; Removable Panel is 15%"W for 24" Bases and 11%"W for 20" Bases
- Removable Panels Attached with Z Brackets
- Bases Require Some Assembly Attachment Hardware Included
- Tops Sold Separately

6" + 10" COMBO RECTANGLE BASES WITH TROUGH AND REMOVABLE PANEL



Must Specify (in this order):

Model #

Material

Finish / Color



| Three (3) Bases Total: Tw | o (2) 6" and One (1) 10 | " Rectangle | Bases - Fo | r Use With 6 | 0" / 54" / | 48" x 144" \$ | Surfaces | |
|---------------------------|-------------------------|-------------|------------|--------------|------------|---------------|----------|------|
| 88-24106C610RB | Laminate | 24 | 106 | 28¾ | 141 | 18.2 | T\$ | 4977 |
| | Veneer | | | | | | W\$ | 6783 |

Description

- 6" + 10" Rectangle Bases with Trough and Stretcher Rails; 6" Bases on Exterior and 10" Base on Interior
- Available with TFL (T) or Veneer (W)
- · Vertical Grain Direction on Bases
- Bases Include Interior Removable Panel for Wire Management; Removable Panel is 15%"W and Attaches with Z Brackets.
- Bases Require Some Assembly; Attachment Hardware Included
- · Tops Sold Separately



MADERA™ TABLE BASES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price | | |
|--|--|------------------------|----------------|-------|--------|---------|-------------|-----|------------|--|--|
| 6" RECTANGLE ACCENT | Two (2) 6" Rectangle Bases - For Use With 36" x 72" Surfaces | | | | | | | | | | |
| BASES WITH TROUGH AND | 88-203406RAB | Laminate | 20 | 34 | 28¾ | 76 | 12.9 | T\$ | 3379 | | |
| REMOVABLE PANEL | | Veneer | | | | | | W\$ | 4498 | | |
| | Two (2) 6" Rectangle Ba | ses - For Use With 48' | ' x 96" Surfac | es | | | | | | | |
| | 88-245806RAB | Laminate | 24 | 58 | 28¾ | 93 | 12.9 | T\$ | 3638 | | |
| | | Veneer | | | | | | W\$ | 4820 | | |
| | Two (2) 6" Rectangle Ba | ses - For Use With 48' | ' x 120" Surfa | ces | | | | | | | |
| | 88-248206RAB | Laminate | 24 | 82 | 28¾ | 99 | 12.9 | T\$ | 4961 | | |
| | | Veneer | | | | | | W\$ | 6729 | | |
| | Three (3) 6" Rectangle E | Bases - For Use With 4 | 8" x 144" Sur | faces | | | | | | | |
| | 88-2410606RAB | Laminate | 24 | 106 | 28¾ | 106 | 19.6 | T\$ | 5639 | | |
| Must Specify (in this order): Model # | | Veneer | | | | | | W\$ | 7500 | | |


Base Finish/Color Metal Accent Color Accent Panel Finish/Color



Description

- 6" Rectangle Bases with Trough and Stretcher Rails
- Available with TFL (T) or Veneer (W)
- 5/6" Metal Accent Available in Four (4) Colors: Aluminum, Black, Gold, and Platinum; Must Specify Color
- Vertical Grain Direction on Bases
- Bases Include Interior Removable Panel for Wire Management Access; Removable Panel is 15%"W for 24" Bases and 11%"W for 20" Bases
- Removable Panels Attached with Z Brackets
- Bases Require Some Assembly; Attachment Hardware Included
- · Tops Sold Separately

10" RECTANGLE ACCENT BASES WITH TROUGH AND REMOVABLE PANEL



Must Specify (in this order): Model # Base Finish/Color Metal Accent Color Accent Panel Finish/Color




| Two (2) 10" Rectangle B | ases - For Use With 36 | " x 72" Surfa | ces | | | | | |
|-------------------------|-------------------------|----------------|-------|-----|-----|------|-----|------|
| 88-203410RAB | Laminate | 20 | 34 | 28¾ | 72 | 10.0 | T\$ | 3355 |
| | Veneer | | | | | | W\$ | 4471 |
| Two (2) 10" Rectangle B | ases - For Use With 48' | ' x 96" Surfac | es | | | | | |
| 88-245810RAB | Laminate | 24 | 58 | 28¾ | 89 | 12.0 | T\$ | 3681 |
| | Veneer | | | | | | W\$ | 4876 |
| Two (2) 10" Rectangle B | ases - For Use With 48' | ' x 120" Surfa | ces | | | | | |
| 88-248210RAB | Laminate | 24 | 82 | 28¾ | 96 | 12.0 | T\$ | 3886 |
| | Veneer | | | | | | W\$ | 5213 |
| Three (3) 10" Rectangle | Bases - For Use With 4 | 8" x 144" Sur | faces | | | | | |
| 88-2410610RAB | Laminate | 24 | 106 | 28¾ | 141 | 18.2 | T\$ | 5711 |
| | Veneer | | | | | | W\$ | 7588 |

- 10" Rectangle Bases with Trough and Stretcher Rails
- Available with TFL (T) or Veneer (W)
- 1/16" Metal Accent Available in Four (4) Colors: Aluminum, Black, Gold, and Platinum; Must Specify Color
- Vertical Grain Direction on Bases
- Bases Include Interior Removable Panel for Wire Management Access; Removable Panel is 151/8"W for 24" Bases and 11%"W for 20" Bases
- Removable Panels Attached with Z Brackets
- Bases Require Some Assembly; Attachment Hardware Included
- **Tops Sold Separately**



MADERA™ **TABLE BASES (1400/1600 SERIES)**

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|---|----------------------------|-----------------------|-------------|-------------|----------|-------------|-------------|----------|------------|
| 6" + 10" COMBO RECTANGLE | Three (3) Bases Total: Two | (2) 6" and One (1) 10 | " Rectangle | Bases - Foi | Use With | 60" / 54" / | 48" x 144" | Surfaces | |
| ACCENT BASES WITH TROUGH AND REMOVABLE PANEL | 88-24106C610RAB | Laminate | 24 | 106 | 28¾ | 141 | 18.2 | T\$ | 5667 |
| THE RELIGIOUS PLANE | | Veneer | | | | | | W\$ | 7533 |



Must Specify (in this order): Model # Base Finish/Color Metal Accent Color





- 6" + 10" Rectangle Accent Bases with Trough and Stretcher Rails; 6" Bases on Exterior and 10" Bases on Interior
- Available with TFL (T) or Veneer (W)
- 5% Metal Accent Available in Four (4) Colors: Aluminum, Black, Gold, and Platinum; Must Specify Color
- Vertical Grain Direction on Bases
- Bases Include Interior Removable Panel for Wire Management; Removable Panel is 15%"W and Attaches with Z Brackets
- · Bases Require Some Assembly; Attachment Hardware Included
- Tops Sold Separately





| For Use With Round To | ps: 36" | | | | | | |
|-----------------------|--------------------------|---------|----|-----|----|-----|------------|
| 01-1630SBB | Black | 16 | 16 | 27¾ | 32 | 3.2 | \$ 928 |
| 01-1630SBA | Aluminum | | | | | | |
| For Use With Round To | ps: 42" and Top Surfaces | 36"x72" | | | | | |
| 01-2030SBB | Black | 20 | 20 | 27¾ | 32 | 3.2 | \$ 988 |
| 01-2030SBA | Aluminum | | | | | | |
| For Use With Round To | ps: 48" and Top Surfaces | 48"x96" | | | | | |
| 01-2630SBB | Black | 26 | 26 | 27¾ | 32 | 3.2 | \$ 1201 |
| 01-2630SBA | Aluminum | | | | | | |

- 2¾" Diameter Column
- 12"x12" Mounting Plate at Top of Column
- Stiffener Bar Not Included; Must Order Separately (See Stiffener Bars)
- See Number of Bases Required Per Top Width Below
- Power Units Available On Center When Using Two or More Square Bases
- Some Assembly Required

| Table Widths | Round | 72" | 96" |
|--------------------------|-------|-----|-----|
| Number of Bases Required | 1 | 2 | 2 |



MADERATM TABLE BASES (1400/1600 SERIES)

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------|----------------------|----------|-------|-------|--------|---------|-------------|------------|
| DISC BASE | For 36" and 42" Roun | d Tops | | | | | | |
| £ 0.7 | 01-2430DBB | Black | 24 | 24 | 273/4 | 32 | 3.2 | \$ 1586 |
| | 01-2430DBA | Aluminum | 24 | 24 | 27¾ | 32 | 3.2 | |
| | For 48" Round Tops | | | | | | | |
| | 01-3230DBB | Black | 30 | 30 | 27¾ | 42 | 4.1 | \$ 1903 |
| | 01-3230DBA | Aluminum | 30 | 30 | 27¾ | 42 | 4.1 | |
| | Description | | | | | | | |

- 4" Diameter 14 Gauge Steel Column
- 12"x12" Mounting Plate at Top of Column
- 1/4" Thick Disc Plate with 5 Levelers
- Some Assembly Required

| Table Widths | Round | 72" | 96" |
|--------------------------|-------|-----|-----|
| Number of Bases Required | 1 | 2 | 2 |



OPEN MARKET ONLY

| For Use With: 36" + 42" Round Tops and 36"x72" Top Surfaces | | | | | | | | | | |
|---|----------------------------------|----------------|----|-------|----|-----|----|-----|--|--|
| 01-3230TXB | Black | 32 | 32 | 27¾ | 32 | 3.2 | \$ | 654 | | |
| 01-3230TXA | Aluminum | | | | | | | | | |
| For Use With: 48" Round Tops and 48"x96" Top Surfaces | | | | | | | | | | |
| For Use With: 48" Rou | nd Tops and 48"x96" Top | Surfaces | | | | | | | | |
| For Use With: 48" Rou 01-3830TXB | nd Tops and 48"x96" Top Black | Surfaces 38 | 38 | 273/4 | 40 | 4.2 | \$ | 722 | | |

- 3" Diameter Column
- See Number of Bases Required Per Top Width Below
- Power Units Available On Center When Using Two or More Tubular X-Bases
- · Some Assembly Required

| Table Widths | Round | 72" | 96" |
|--------------------------|-------|-----|-----|
| Number of Bases Required | 1 | 2 | 2 |



MADERATM TABLE BASES (1400/1600 SERIES)

| Item | Model No. | | | Width | Depth | Height | Ship Wt | Cubic Ft | ı | List Price | |
|--------------|--------------------------|---|-------------|-----------|-------|--------|---------|-------------|----|------------|--|
| METAL X-BASE | For Use With: 36 | For Use With: 36" Round Tops and 36"x72" Top Surfaces | | | | | | | | | |
| | 08-2030SXBB | For 30"H Tables | Black | 29 | 29 | 28 | 21 | 11.6 | \$ | 1202 | |
| | 08-2030SXBA | | Aluminum | | | | | | | | |
| | 08-2036SXBB | For 36"H Tables | Black | 29 | 29 | 34 | 24 | 13.7 | \$ | 1251 | |
| | 08-2036SXBA | | Aluminum | | | | | | | | |
| | 08-2042SXBB | For 42"H Tables | Black | 29 | 29 | 40 | 27 | 15.9 | \$ | 1304 | |
| | 08-2042SXBA | | Aluminum | | | | | | | | |
| | For Use With: 42 | ' + 48" Round Tops | and 48"x96" | Top Surfa | ces | | | | | | |
| | 08-2630LXBB | For 30"H Tables | Black | 35⅓ | 35⅓ | 28 | 27 | 14.5 | \$ | 1287 | |
| | 08-2630LXBA | | Aluminum | | | | | | | | |
| | 08-2636LXBB | For 36"H Tables | Black | 35⅓ | 35⅓ | 34 | 30 | 17.2 | \$ | 1346 | |
| | 08-2636LXBA | | Aluminum | | | | | | | | |
| | 08-2642LXBB | For 42"H Tables | Black | 35⅓ | 35⅓ | 40 | 33 | 20.0 | \$ | 1395 | |
| | 08-2642LXBA | | Aluminum | | | | | | | | |
| | Description • See Number | of Bases Require | d Per Top W | idth Belo | w | | | | | | |

- Power Units Available On Center When Using Two or More Metal X-Bases
- · Ships Assembled

| Table Widths | Round | 72" | 96" |
|--------------------------|-------|-----|-----|
| Number of Bases Required | 1 | 2 | 2 |

CYLINDER BASE

Must Specify (in this order):

Model Finish/Color Grommet Grommet Color

| 01-1616CB | 16 | 16 | 28½ | 101 | 7.2 | W\$ | 1466 |
|-----------------------------------|----|----|-----|-----|------|------|------|
| For Use With 36" Round Top | | | | | | PV\$ | 1715 |
| 01-2020CB | 20 | 20 | 28½ | 136 | 11.1 | W\$ | 1604 |
| For Use With 42" or 48" Round Top | | | | | | PV\$ | 1873 |

Description

- Veneer Cylinder Base Features Multi-Step, Hand-Finished Catalyzed Finish
- · Weighted for Stability
- Two (2) Wire Management Black Grommets Standard at Top with 8" Opening Standard in Bottom

Options: Specify & Add

| GCB1S | Single Grommet at Top Edge | N/C |
|-------|----------------------------|-----|
| NOGC | No Grommets | N/C |

SIN 33721

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | L | ist Price |
|-------------------------------------|-----------|--------|-------|-------|--------|---------|-------------|----|-----------|
| ROUND GROMMET COVER FIELD INSTALLED | 01-GRMTBK | Black | - | - | - | - | - | \$ | 11 |
| FIELD INSTALLED | 01-GRMTSL | Silver | | | | | | | |

OPEN MARKET ONLY (SILVER)

Description

- · 60mm Round Grommet Cover
- Field Installed

| SINGLE POWER SAND DOLLAR | 01-SAND60PW | White | 3 | 3 | 4 | 1 | 0.2 | \$ 101 |
|--------------------------|-------------|--------|---|---|---|---|-----|-----------|
| (30) | 01-SAND60PB | Black | | | | | | |
| | 01-SAND60PS | Silver | | | | | | |

Description

- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- · Single Power Outlet

| DOUBLE USB SAND DOLLAR | 01-SAND60UW | White | 3 | 3 | 4 | 1 | 0.2 | \$ 286 |
|------------------------|-------------|--------|---|---|---|---|-----|--------|
| | 01-SAND60UB | Black | | | | | | |
| | 01-SAND60US | Silver | | | | | | |
| | Description | | | | | | | |



- Unit is 2" Diameter; Mounts in 60mm Round Grommet
- 6' Cord
- Dual USB Outlets

| DOCK 950 | 01-DOCK950W | White | 31/10 | 31/10 | - | 1 | 0.2 | \$ 274 |
|------------------|-------------|-------|-------|-------|---|---|-----|-----------|
| WIRELESS CHARGER | 01-DOCK950B | Black | | | | | | |



OPEN MARKET ONLY

- For Use with Wireless Charging Enabled Devices
- 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0
- LED will Confirm Pairing with Device and Begin Wireless Charging



MADERATM DATA/POWER/COMMUNICATION ACCESSORIES

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------|-------------|-------|-------|-------|--------|---------|-------------|------------|
| WIRELESS AND USB CHARGER | 01-DOCK150W | White | 3 | 3 | 3/4" | 1 | 0.2 | \$ 418 |
| | 01-DOCK150B | Black | | | | | | |
| | | | | | | | | |

OPEN MARKET ONLY

Description

- For Use with Wireless Charging Enabled Devices and USB Charging Devices
- 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge)
- Pop-Up is ³/₄"H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge)
- · LED Light will Confirm Pairing with Device and Begin Wireless Charging
- · UL and cUL Certified

INTERACT POWER & DATA



 01-INTERACTG2A
 Aluminum
 9
 5%
 2¾
 5
 0.2
 \$ 920

 01-INTERACTG2B
 Black


Description

- Includes: Two (2) Power Outlets, USB-A+C Charging Ports, One (1) Telecom Plate Opening; Two (2)
 Keystone Openings for Voice/Data Jacks
- One (1) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack)
- · Convenience Plug on Bottom with 6' Power Cord
- · UL and CSA Recognized
- · See Optional Telecom Plates in the Table and Space Division Price List
- For Use with Rectangle and Boat Table Tops

OASIS MINI POWER & DATA







01-OASISMA Aluminum 15 9 5 11 0.3 \$ 3296 01-OASISMB Black

Description

- Soft Touch Hinged Lid
- Plate Includes: Two (2) Data, One (1) Voice Telecom Plates, Four (4) Power Outlets, 9' Power Cord
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLB Plate (Consists of One (1) RJ45 Cat 6)
- 9' Cord with Nema Plug; Fits 15A/120V AC Receptacles
- UL Listed
- See Optional Telecom Plates in the Table and Space Division Price List
- For Use with Rectangle and Boat Table Tops

DOCK800



OPEN MARKET ONLY

| 01 DOCKOOOS | Cilvan | 1.4 | _ | | | | 211 | |
|-------------|--------|-----|---|---|--|-----------|-----|--|
| 01-DOCK800S | Silver | 14 | 9 | - | | \$ | 211 | |
| 01-DOCK800B | Black | | | | | | | |

Description

- Stylish Aluminum Housing with Beveled Edges; Soft Touch Access and Closure
- Includes: Six (6) Power Outlets, Two (2) USB-A 5V Ports, Two (2) USB-C Charging Ports, One (1) RJ45
 Ethernet Port, One (1) RJ11 Port, One (1) HDMI Port, and One (1) VGA Port
- 10' Power Cord
- UL and cUL Certified
- See Optional Telecom Plates in the Table and Space Division Price List
- For Use with Rectangle and Boat Table Tops



MADERATM DATA/POWER/COMMUNICATION ACCESSORIES

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | | List Price |
|---------------|--|--|--|----------------------|-----------|---------|-------------|----|---------------|
| DPORT | 01-DPORT4A | Aluminum | 8 | 4 | - | 7 | 0.2 | \$ | 1129 |
| | 01-DPORT4B | Black | | | | | | | |
| | Adapter Kit to A Retracts into W Optional Teleco Water-Proof Sir UL Recognized | 2) Power Outlets, One (Accept Couplers and Ja ork Surface to Regain F m Port Components, S nplex (Outlets) ectangle and Boat Table | acks When Ro Productive Spee Compatib | equired pace; One | -Touch Ac | | | | ata |
| USB PORT | 01-USBPORT | | - | - | - | - | - | \$ | 166 |
| | Passive USB-A | I-DPORT4A and 01-DP Port wtih Increased Tra Read/Write Capability; | ansfer Speed | | | | | | |
| VOICE COUPLER | 01-VOICE1 | | - | - | - | - | - | 9 | 75 |
| | Pescription For Use with 01 6-Pin Modular F Molded Black Cord Not include | | ORT4B | | | | | | |
| DATA PORT | 01-RJ4DATA | | - | - | - | - | - | | \$ 173 |
| | | 1-DPORT4A and 01-DP Plug; Cat6 Ethernet Ca | | ninated Ca | able | | | | |
| | 01.VCACON | | | | | | 0.2 | | . 15.4 |



01-VGACON

0.2

\$ 154



Description

- VGA Port for 01-DPORT4A and 01-DPORT4B
- Enables Devices to Remote Display on Monitors
- 10' Cord
- Male/Female Connector





| F U R N I T U R E | | | | | | | ACCE | :330 | KIE |
|--|---|-------------------|----------------|-------------|------------|-------------|-------------|----------|---------|
| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | ı | ist Pri |
| PASSIVE USB-C ACCESSORY | 01-PUSBC | | - | - | - | 1 | 0.2 | \$ | 98 |
| | Description | | | | | | | | |
| | Passive USB-C Port;Compatible with 01-IMale/Female Connec | DPORT4A and 01-I | | n to Transf | er Data O | nly, No Cha | arging Capa | bilities | |
| CHARGING USB-A+C ACCESSORY | 01-USBAC | | - | - | - | 1 | 0.2 | \$ | 292 |
| Magal . | Description | | | | | | | | |
| | For Charging Devices | | | | | | | | |
| | 20 Watt Power SuppUSB+C Charging Por | - | and O1-DDO | DT/ID | | | | | |
| | • USB+C Charging Por | LIOI OI-DPORT4A | and or-DPO | K14D | | | | | |
| | | | | 1 | | | | | |
| HDMI CONNECTOR ACCESSORY | 01-HDMICON | | - | - | - | 1 | 0.2 | \$ | 128 |
| The state of the s | Description | | | | | | | | |
| | HDMI Port for 01-DP0 | ORT4A and 01-DP | ORT4B | | | | | | |
| | Connects to High Def | | | | | | | | |
| | Female/Female Conr18" Cord | nector | | | | | | | |
| | 10 COIG | | | | | | | | |
| | | | | | | | | | |
| DUO CLAMP | 01-DUOCLAMPW | White | 5½ | 3 | 7 | 1 | 0.2 | \$ | 591 |
| WITH NEMA PLUG | 01-DUOCLAMPB | Black | | | | | | | |
| | 01-DUOCLAMPS | Silver | | | | | | | |
| 0000 | Description | | | | | | | | |
| | Standard with: Two | | | Charging | Port and (| One (1) 60- | -Watt USB-0 | Power | |
| | Delivery Port with GClamps to Top and F | | | | | | | | |
| | Independent USB Ci | | | 2.1 Amps t | o Each Po | st | | | |
| | All Mounting Hardwa | | | | | | | | |
| | FCC Part 15A and UL | . Approved for Ho | rizontal and ' | Vertical A | pplication | S | | | |
| | | | | | | | | | |
| TRIO CLAMP WITH NEMA PLUG | 01-TRIOCLAMPW | White | 8 | 3 | 7 | 1 | 0.2 | \$ | 693 |
| VVIIII NEPA PLUU | 01-TRIOCLAMPB | Black | | | | | | | |
| | 01-TRIOCLAMPS | Silver | | | | | | | |
| 100 00 00 M | Description | | | | | | | | |
| | Standard with: Three | | | | | ne (1) 60-V | Vatt USB-C | Power | |
| © | Delivery Port with G | aN Technology, Or | ne (1) Open [| Data, and | IU' Cord | | | | |

• Clamps to Top and Features Silver Metal Trim

• All Mounting Hardware Included

• HDMI, VGA, or RJ45 Accessories Sold Separately

• Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post

• FCC Part 15A and UL Approved for Horizontal and Vertical Applications





0.2

690 \$

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------|--------------|--------|-------|-------|--------|---------|-------------|------------|
| DUO BEZEL | 01-DUOBEZELW | White | 6½ | 24/5 | 31/10 | 1 | 0.2 | \$ 697 |
| WITH NEMA PLUG | 01-DUOBEZELB | Black | | | | | | |
| | 01-DUOBEZELS | Silver | | | | | | |
| | Description | | | | | | | |

Description

- Sits on Table Top and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord, and All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Recognized for Horizontal and Vertical Applications

01-TRIOBEZELW White 0.2 24/5 3 749 TRIO BEZEL WITH NEMA PLUG 01-TRIOBEZELB Black 01-TRIOBEZELS Silver

Description

- Sits on Table Top and Includes: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data Port, 10' Cord, and All Mounting
- HDMI, VGA, and RJ45 Accessories for Open Data Port; Sold Separately, See Accessories
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Recognized for Horizontal and Vertical Applications

Silver

01-PDUOBEZELW DUO BEZEL White 61/2 21/5 WITH DAISY CHAIN PLUG 01-PDUOBEZELB Black

01-PDUOBEZELS

Description



Sits on Table Top and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 12" Cord, and All Mounting Hardware

- Requires Daisy Chain Power Box; Sold Separately, <u>See Power Box Details</u>
- Non-Sequential System Allows up to Eight (8) Modules to be Connected with Jumper Cord, See Next Page for Jumper Cord Details

3

- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications

| TRIO BEZEL | 01-PTRIOBEZELW | White | 9 | 21/5 | 3 | 1 | 0.2 | \$ | 739 |
|-----------------------|----------------|--------|---|------|---|---|-----|----|-----|
| WITH DAISY CHAIN PLUG | 01-PTRIOBEZELB | Black | | | | | | | |
| | 01-PTRIOBEZELS | Silver | | | | | | | |

Description

- Sits on Table Top and Includes: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data Port, 12" Cord, and All Mounting Hardware
- HDMI, VGA, or RJ45 Accessory for Open Data Port; Sold Separately, See Accessories
- Requires Daisy Chain Power Box, Specified Separately, See Next Page
- Non-Sequential System Allows up to Eight (8) Modules to be Connected with Jumper Cord, See Next Page for Jumper Cord Details
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications



MADERATM DATA/POWER/COMMUNICATION ACCESSORIES

| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|--|---|---------------|------------|----------|---------|-------------|------------|
| DAISY CHAIN POWER BOX | 01-PPOWER 76" Perimeter, 36" i | Power Cord | - | - | - | 1 | 0.2 | \$ 801 |
| | 01-PPOWER2 24" Perimeter, 144" | Power Cord | - | - | - | 1 | 0.2 | \$ 822 |
| | Description | | | | | | | |
| | | | | nits | | | | |
| DAISY CHAIN JUMPER CORD | 01-2JUMP | 24" Long | - | - | - | 1 | 0.2 | \$ 227 |
| | 01-4JUMP | 48" Long | - | - | - | 1 | 0.2 | \$ 248 |
| Market The State of the State o | 01-5JUMP | 60" Long | - | - | - | 1 | 0.2 | \$ 293 |
| and the state of t | O1-6JUMP | 72" Long | - | - | - | 1 | 0.2 | \$ 309 |
| | | nd Trio Daisy Chain Uni System Allows up to Ei | | ules to be | Connecte | d | | |
| VGA DATA PORT ACCESSORY | | | | ules to be | Connecte | d 1 | 0.2 | \$ 125 |
| VGA DATA PORT ACCESSORY | • Non-Sequential S | | ight (8) Modi | ules to be | | | 0.2 | \$ 125 |
| VGA DATA PORT ACCESSORY HDMI DATA PORT ACCESSORY | • Non-Sequential S | System Allows up to Ei | ight (8) Modi | ules to be | | | 0.2 | \$ 125 |
| | Ol-LCOMVGA Description VGA Port for Trice Ol-LCOMHDMI Description | System Allows up to Ei | - Units | - | | 1 | | |
| | Ol-LCOMVGA Description VGA Port for Trice Ol-LCOMHDMI Description | System Allows up to Ei | - Units | - | | 1 | | |



Description

• RJ45 Port for Trio Bezel and Trio Clamp Units



DATA/POWER/COMMUNICATION ACCESSORIES

| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|-----------|-------|-------|--------|---------|-------------|------------|
| WIRE MANAGEMENT CHANNEL | 01-WMGR4 | 16 | 1½ | 1 | 1 | - | \$ 120 |





Description

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- Ships via UPS Only

WIRE CHANNEL

01-32125

24

15/8

.25

1

0.3

\$ 109



Description

- · Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Easily Attach to an Iconic Leg to Route Wires/Cords from the Top to the Floor
- Open J Channel for Easy Storage of Cables

CABLE GRIP

01-WMGRCB

53/8

11/2


\$ 118





Description

- · Under Surface Wire Management
- Black



| 01-0251LINKSLV | Silver | 5¾6 | 3 %16 | 30-51 | 4 | 3.0 | \$ 403 |
|----------------|--------|-------|-------|-------|---|-----|--------|
| 01-0251LINKBLK | Black | 53/16 | 3 %6 | 30-51 | 4 | 3.0 | \$ 365 |

Description

- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, and One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use

HEIGHT ADJUSTABLE WORKSTATION



Black

351/2

25

6-22

49

6.5

\$ 1553



Description

- · Height Adjustable
- Weight Capacity: 35lbs
- One-Handed Operation; Platforms Move Simultaneously
- Keyboard Platform: 101/2"D x 261/5"W
- Worksurface: 21"D x 351/2"W
- Can be Used on Worksurface 24"D x 35"W





| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|------------|--------|-------|-------|--------|---------|-------------|------------|
| 28"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT | 01-2854ELB | Black | 54-78 | 28 | 22-48 | 30 | 2.4 | \$ 1892 |
| ACCOUNTED THE THE | 01-2854ELA | Silver | | | | | | |



Description

- · Standard with Up/Down Control Switch, 10.5' Power Cord, Integrated Anti-Collision Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (O1-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 54-78"W and 30"-36"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- · Some Assembly Required; Installation Instructions Included

22"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT



| 01-2254ELB | Black | 54-78 | 22 | 22-48 | 58 | 2.4 | \$ 1892 |
|------------|--------|-------|----|-------|----|-----|---------|
| 01-2254ELA | Silver | | | | | | |

Description

- Standard with Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 54-78"W and 24"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

22"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT



| 01-2242ELB | Black | 42-48 | 22 | 22-48 | 55 | 2.4 | \$ 1892 |
|------------|--------|-------|----|-------|----|-----|---------|
| 01-2242ELA | Silver | | | | | | |

Description

- Standard with Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 42-48"W and 24"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- · Some Assembly Required; Installation Instructions Included

ELECTRIC HEIGHT ADJUSTABLE ADVANCED SWITCH WITH MEMORY



 $3\frac{1}{8}$ $4\frac{3}{8}$ $1\frac{1}{8}$ $\frac{1}{2}$ 0.8 \$ 230




OPEN MARKET ONLY

- · Black Unit with Black Cord
- · Bluetooth Capabilities
- Three Stand-Up Reminders
- · Four Height Memory Positions





| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | Li | ist Price |
|--|---|----------------------|-----------|----------|---------|-------------|---------|-----------|
| CENTER DRAWER | 01-1622CD | 22 | 165/8 | 23/4 | 7 | 1.4 | \$ | 511 |
| | 01-2122CD | 22 | 205/8 | 23/4 | 13 | 1.7 | \$ | 546 |
| | Description | | | | | | | |
| | Beveled Drawer Front | | | | | | | |
| \;ir | • ¾ Extension | | | | | | | |
| Must Specify (in this order): Model | Center Drawer Features Multi-Step, HaiWood Drawer Interiors with Built in Per | | Catalyzed | d Finish | | | | |
| Finish | Options: Specify & Add | | | | | | | |
| Factory Installed | CD16 Factory Installed 01-1622CD | | | | | | \$ | 215 |
| | | | | | | | | |
| ARTICULATING KEYBOARD | 01-KB2CC | 25 | 10½ | 41/2 | 16 | 1.4 | \$ | 859 |
| CORNER PLATFORM | | | | | | | | |
| CORNER PLATFORM | Description | | | | | | | |
| CORNER PLATFORM | Description Standard With: +/- 15° Tilt Adjustment, Height Adjustment, 25" Cut Corner Platf Keyboard and Mouse on same level; Sing Works with 17"+ Diagonal Work Surface Cannot Be Used on 20" or 21" Deep Unit Not Available with Optional Center Gront Track Measures 21" | form gle Palm Res | | | - | | nd Lock | |
| CORNER PLATFORM | Standard With: +/- 15° Tilt Adjustment, Height Adjustment, 25" Cut Corner Platf Keyboard and Mouse on same level; Sing Works with 17"+ Diagonal Work Surface Cannot Be Used on 20" or 21" Deep Unit Not Available with Optional Center Gror | form gle Palm Res | | | - | | nd Lock | |
| CORNER PLATFORM | Standard With: +/- 15° Tilt Adjustment, Height Adjustment, 25" Cut Corner Platf Keyboard and Mouse on same level; Sine Works with 17"+ Diagonal Work Surface Cannot Be Used on 20" or 21" Deep Unit Not Available with Optional Center Gror Track Measures 21" | form gle Palm Res | | | - | | nd Lock | 215 |





BOX DRAWER DIVIDER

Description

- Standard With: 18.75" Platform with Swivel-Below Mouse Platform,+/- 15° Tilt Adjustment, 360° Rotation, 7" Lift and Lock Height Adjustment, Independent Tilt Adjustment, Palm Rest for Mousing Surface
- Left or Right Handed Mouse Platform

Factory Installed

- Cannot Be Used on 20" or 21" Deep Unit
- Not Available with Optional Center Grommet
- Track Measures 21"

Options: Specify & Add

KB3

| 14-0316DV | 151/32 | 1/4 | 3½ | 1 | 0.5 | \$ 122 | 2 |
|-----------------------------------|--------|-----|----|---|-----|--------|---|
| For Use in Legal Width Box Drawer | | | | | | | |
| 14-0315DV | 145/32 | 1/4 | 3½ | 1 | 0.5 | \$ 113 | ; |
| For Use in Modular Ped Box Drawer | | | | | | | |

3½

145/32

Description

14-0313DV

- Clear Acrylic
- Plastic Clips Mount Over Drawer Sides

For Use in Letter Width Box Drawer

• Frosted Divider

See Madera Intro Section for Ordering Options

0.5

\$ 215





| Item | Model No. | | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------|-----------|-------------------|-------|-------|--------|------------|-------------|------------|
| LED TASKLIGHTS | TL-0824 | 84-LED, 7 Watts | 22½ | 7/8 | 15/8 | - | - | \$ 380 |
| | TL-0848 | 240-LED, 18 Watts | 47½ | 7/8 | 15//8 | - | - | \$ 460 |



Description

- Includes the Power Supply and Three (3) Upper Wire Management Grommets
- Rocker Style On/Off Switch with a 10' Power Cord
- Three (3) Upper Wire Management Grommets; Must Specify Color: Black (BLK), Silver (SLV)




| 01-47LED17 | 24-LED, 9.1 Watts | 16¾ | 2 | 3/4 | - | - | \$ 713 |
|-------------|--------------------|-------|---|-----|---|---|---------|
| 01-94LED31 | 48-LED, 17.6 Watts | 301/8 | 2 | 3/4 | - | - | \$ 1234 |
| 01-188LED58 | 96-LED, 33.7 Watts | 57% | 2 | 3/4 | - | - | \$ 1702 |

Description

- Includes the Power Supply and Three (3) Upper Wire Management Grommets
- 12' Power Cord
- Three (3) Upper Wire Management Grommets; Must Specify Color: Black (BLK), Silver (SLV)
- · Optional Occupancy Sensor Shuts Off After 30 Minutes of Inactivity and Turns On Immediately When Reentering the Detection Area

Options: Specify & Add

| 01-OSRP | Occupancy Sensor | \$ | 378 |
|---------|------------------|----|-----|



Must Specify (in this order): Model # Fabric Vendor, Pattern, and Color

| | | | Grades | | | | | | | |
|----------|------|---------|----------------|------|------|------|------|------|------|------|
| Model # | Size | COM ydg | COM, 2 or 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| TB-1466H | 66" | 2.00 | \$ 551 | 843 | 979 | 1117 | 1313 | 1519 | 1759 | 2035 |
| TB-1472H | 72" | 2.25 | \$ 585 | 914 | 1067 | 1222 | 1442 | 1674 | 1944 | 2255 |
| TB-1478H | 78" | 2.50 | \$ 649 | 1014 | 1184 | 1357 | 1602 | 1859 | 2159 | 2504 |
| TB-1484H | 84" | 2.50 | \$ 660 | 1025 | 1195 | 1368 | 1613 | 1870 | 2170 | 2515 |
| TB-1490H | 90" | 2.75 | \$ 695 | 1097 | 1284 | 1473 | 1743 | 2026 | 2356 | 2736 |
| TB-1496H | 96" | 3.00 | \$ 730 | 1168 | 1372 | 1579 | 1873 | 2182 | 2542 | 2956 |

- · Coordinates with Surface Mount Hutches
- · Factory Installed

| WALL MC | UNT TACKBOARDS |
|---------|----------------|
| 21%" H | |
| | |
| | |
| | |
| | |
| - | |

| Must Specify (in this order): |
|-----------------------------------|
| Model # |
| Fabric Vendor, Pattern, and Color |

| | | | Grades | | | | | | | | |
|----------|------|---------|--------|---------------|-----|-----|-----|-----|------|------|------|
| Model # | Size | COM ydg | 1, 2 | OM, 2 or 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| TB-0136W | 36" | 1.25 | \$ | 448 | 631 | 716 | 802 | 924 | 1053 | 1203 | 1376 |

- · Coordinates with Wall Mount Hutches
- Factory Installed





| Item | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------|---|----------------------|-----------|------------|-------------|--------------|------------|
| VESTA POWER CENTER | 01-PDCTR | 103/4 | 12 | 281/4 | 14 | 2.5 | \$ 1835 |
| | Description | | | | | | |
| | Top Includes One (1) Power Out Outlet Available in White | let, Two (2) USB Por | ts and On | e (1) USB(| C Port; Bas | e Includes T | hree (3) |
| | • 120" Power Cord | | | | | | |

PURSE HOOK FOR 01-HOOK 2 13/4 21/25



WORK TABLE

Description

• Base is 5" Tall

- Black Hook Includes Mounting Hardware
- For Use with Work Tables, <u>See Work Tables</u>

• Built with Weight Distribution for Optimal Stability

Field Installed



ORDERING INFORMATION

All orders should be emailed to neworders@indianafurniture.com

Orders can be faxed to 812-482-9035 or mailed to

Indiana Furniture

P.O. Box 270, 1919 Hospitality Dr., Ste. A

Jasper, IN 47547-0270

ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

- purchase order number complete quantity for all units
- billing address
- · model number
- · ship-to address
- · fabric (seating, tackboards, etc.)
- phone number
- finish
- any special instructions any other applicable option

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification, contact Customer Service.

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. Shipping fees are listed on direct bill contract orders and GSA, but not on commercial order acknowledgments or dealer-billed orders.

BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead

PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice. Note: All dimensions listed in price list are nominal

REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 7 calendar days at your request, a .084% per calendar day (2.52% per month) storage charge will be assessed. The effective date will be 7 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance

GENERAL INFORMATION + CONDITIONS OF SALE

Obvious Damage/Missing Cartons — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged

Concealed Damage — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered 1/3 by the carrier and 2/3 by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

- Manufacturing defect (inspected by Indiana Furniture representative)
- 2. Indiana Furniture order processing error
- Shipping error 3
- 4. Mis-marked cartons
- 5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee, Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$22. For order shipments over \$100, shipped by small package carrier, the fee is \$40. All shipping fees will be added at the time of

BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.



Warranty

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("Indiana Furniture") warrants to the original purchaser all product in this price list ("Product") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after June 2, 2025, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- · Seating Mechanisms
- Veneers
- Laminates
- · Casters and Glides

5-year Warranty (from the date of manufacture)

- · Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- · Textiles, Foam, and Decorative Trim
- · Swivel Arm Pads
- Keyboard Kits
- Lighting
- · All Height Adjustable Mechanisms

3-year Warranty (from date of shipment)

- Dock 950 Wireless Charger
- · Dock 150 Wireless and USB Charger

THIS WARRANTY DOES NOT COVER:

- · Damage caused by a carrier or third party
- · Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.


If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc. Attn: Customer Service 1919 Hospitality Dr., Ste. A P.O. Box 270 Jasper, Indiana 47547-0270 800.422.5727 Fax 812.482.9035 custserv@indianafurniture.com

Surface Materials

Wood Finishes and Woodgrain, and Solid Laminates



Indiana

1919 Hospitality Drive, Suite A PO Box 270 Jasper, Indiana 47547-0270

Tel 812.482.5727 Tol 800.422.5727 Fax 812.482.9035

<u>sales@indianafurniture.com</u> <u>www.indianafurniture.com</u>

Federal Classification: Small Business

©2025 Indiana Furniture 6/2







