

# CASEGOODS + RECEPTION

PRICING EFFECTIVE JUNE 2, 2025



Indiana  
FURNITURE

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

## Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.

All of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards\*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to [www.IndianaFurniture.com/resources](http://www.IndianaFurniture.com/resources).



## Ease of Specification

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



\* Recently launched or new products may still be in testing; Cush Pillows is currently not BIFMA Compliant due to no available compliance test.

Arlington ensures quality and expert craftsmanship with a selection of configurations for today's functional workspaces including new Height Adjustable options. Providing all the grace and embellishments associated with traditional styling, Arlington features multiple worksurface materials and hand placed decorative and base molding to create a value driven collection with high end elegance.

## CONSTRUCTION

*Arlington features a Veneer chassis with your choice of a Veneer or HPL top. Units ship assembled unless otherwise noted.*

### veneer

- Exposed surfaces feature select grade, plain sliced American Black Walnut or Cherry veneers, carefully selected and matched to assure proper balance and consistency

### tops

- Veneer tops are 5-ply balanced construction and 1 3/16" thick with solid hardwood rims with butt corners
- High Pressure Laminate (HPL) tops are 3-ply balanced construction and 1 3/16" thick with solid hardwood rims with butt corners
- Grain direction runs left to right unless noted

### chassis

- Chassis is securely fastened using high quality European fastening systems and heavy-duty, 16-gauge joining brackets to assure maximum strength
- All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors
- Bases are solid hardwood with mitered corners
- Construction offers tight tolerances and long term durability
- Vertical grain direction on chassis

### drawers

- Drawer fronts standard with matched veneer faces
- Drawer sides, back and front are woodgrain vinyl-wrapped, and are 1/2" thick
- 5-sided drawer construction for easy removal of drawer fronts
- Box and file drawers are tested for 100lb capacity
- Lateral files feature 1/4" thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- All suspensions have a limited lifetime warranty

### filing

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Letter width file drawers provide letter filing front to back and legal filing side to side
- Lateral file drawers provide legal or letter filing front to back or side to side

### storage

- All hinged doors include soft close hinges, unless noted
- One piece hinge and base plate combination
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

### locking

- Central locking is standard on all desks and optional for credenzas and returns; one key in the lock cylinder locks all drawers in the desk
- Lock core available in black or silver and will coordinate with pull selection; [See option details](#)
- Removable lock cylinders allow for units to be re-keyed at a later date if required

### locking con't

- Units are shipped randomly keyed as standard. Keyed alike units available upon request at no additional charge

### cord management

- Grommets are standard in back panels of returns, bridge units, credenzas, and hutch units
- Grommets may be ordered in the tops of desks, returns, bridge units, and credenzas
- Grommets are 2 3/8" in diameter and available in black or silver, please specify color
- [See all grommet options and locations](#)
- Undersurface Wire Manager (01-WMGR4) is available for additional cord management; See Accessories

### height adjustability

- Electric-powered height adjustable mechanisms are offered in 2-channel for single surface height adjustment and 3-channel for simultaneous, two surface height adjustment
- Height adjustable legs available in black finish only
- Height adjustment range 30"H to 45"H
- 5-year warranty
- Recommended load capacity of 180lbs
- Two control switches are available, including an up/down switch (standard with product, unless noted) and an advanced switch with Bluetooth capabilities, position memory, three stand up reminder intervals, and more; gently adjust worksurface with a one second stop at each memory position
- The standard control switch is factory installed on all units except bridges and 3-channel units
- Bridges and returns will not have a standard grommet on the back panel
- New wire management mesh wrap included when worksurface grommet is selected
- Grommets and one wire management channel provided within kneespace to manage wires from switch and control box; two wire management channels will be shipped with desk shells

## INTERIOR DRAWER DIMENSIONS

### Models

|              |              |           |              |
|--------------|--------------|-----------|--------------|
| 29-3672DP    | 29-3072DP    | 29-3066DP | 29-3066DPSTS |
| 29-3672DPSTS | 29-3072DPSTS |           |              |

### Drawers

|        | W       | L       | D        |
|--------|---------|---------|----------|
| Box    | 12 3/8" | 19 1/2" | 3 1/32"  |
| File   | 12 3/8" | 19 1/2" | 8 29/32" |
| Center | 29 5/8" | 19 1/2" | 1 29/32" |

### Models

|              |              |              |              |
|--------------|--------------|--------------|--------------|
| 29-3672LP    | 29-3672RP    | 29-3072LP    | 29-3072RP    |
| 29-3672LPSTS | 29-3672RPSTS | 29-3072LPSTS | 29-3072RPSTS |

### Drawers

|        | W       | L       | D        |
|--------|---------|---------|----------|
| Box    | 12 3/8" | 19 1/2" | 3 1/32"  |
| File   | 12 3/8" | 19 1/2" | 8 29/32" |
| Center | 27 5/8" | 19 1/2" | 1 29/32" |

### INTERIOR DRAWER DIMENSIONS (CONTINUED)

| Models    |           |              |              |
|-----------|-----------|--------------|--------------|
| 29-3066LP | 29-3066RP | 29-3066LPSTS | 29-3066RPSTS |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| Box     | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 3 $\frac{21}{32}$ " |
| File    | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 8 $\frac{29}{32}$ " |
| Center  | 21 $\frac{1}{8}$ " | 19 $\frac{9}{32}$ " | 1 $\frac{29}{32}$ " |

| Models    |              |
|-----------|--------------|
| 29-3060DP | 29-3060DPSTS |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| Box     | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 3 $\frac{21}{32}$ " |
| File    | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 8 $\frac{29}{32}$ " |
| Center  | 23 $\frac{5}{8}$ " | 19 $\frac{9}{32}$ " | 1 $\frac{29}{32}$ " |

| Models    |           |              |              |
|-----------|-----------|--------------|--------------|
| 29-3060LP | 29-3060RP | 29-3060LPSTS | 29-3060RPSTS |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| Box     | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 3 $\frac{21}{32}$ " |
| File    | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 8 $\frac{29}{32}$ " |
| Center  | 18 $\frac{5}{8}$ " | 19 $\frac{9}{32}$ " | 1 $\frac{29}{32}$ " |

| Models       |              |              |              |
|--------------|--------------|--------------|--------------|
| 29-2448LF    | 29-2448RF    | 29-2442LF    | 29-2442RF    |
| 29-2448LFSTS | 29-2448RFSTS | 29-2442LFSTS | 29-2442RFSTS |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| Box     | 12 $\frac{3}{8}$ " | 16 $\frac{5}{32}$ " | 3 $\frac{21}{32}$ " |
| File    | 12 $\frac{3}{8}$ " | 16 $\frac{5}{32}$ " | 8 $\frac{29}{32}$ " |

| Models        |               |               |               |
|---------------|---------------|---------------|---------------|
| 29-2448LF2    | 29-2448RF2    | 29-2442LF2    | 29-2442RF2    |
| 29-2448LF2STS | 29-2448RF2STS | 29-2442LF2STS | 29-2442RF2STS |
| 29-2448LF2SR  | 29-2448RF2SR  | 29-2442LF2SR  | 29-2442RF2SR  |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| File    | 12 $\frac{3}{8}$ " | 16 $\frac{5}{32}$ " | 8 $\frac{29}{32}$ " |

| Models         |                |                |
|----------------|----------------|----------------|
| 29-2448LF2STS3 | 29-2448RF2STS3 | 29-2442LF2STS3 |
| 29-2442RF2STS3 |                |                |

| Drawers | W                  | L                  | D                   |
|---------|--------------------|--------------------|---------------------|
| File    | 12 $\frac{3}{8}$ " | 12 $\frac{1}{8}$ " | 8 $\frac{29}{32}$ " |

| Models    |           |           |           |
|-----------|-----------|-----------|-----------|
| 29-2072SC | 29-2072KC | 29-2072LC | 29-2072RC |
| 29-2066SC | 29-2066KC | 29-2066LC | 29-2066RC |
| 29-2060LC | 29-2060RC | 29-2060KC |           |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| Box     | 15 $\frac{3}{8}$ " | 16 $\frac{5}{32}$ " | 3 $\frac{21}{32}$ " |
| File    | 15 $\frac{3}{8}$ " | 16 $\frac{5}{32}$ " | 8 $\frac{29}{32}$ " |

### Models

|            |            |            |            |
|------------|------------|------------|------------|
| 29-2072LC2 | 29-2072RC2 | 29-2066LC2 | 29-2066RC2 |
| 29-2060LC2 | 29-2060RC2 |            |            |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| File    | 15 $\frac{3}{8}$ " | 16 $\frac{5}{32}$ " | 8 $\frac{29}{32}$ " |

### Models

|           |           |           |           |
|-----------|-----------|-----------|-----------|
| 29-2036L4 | 29-2036L2 | 29-2072DL | 29-2072LL |
| 29-2072RL |           |           |           |

| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| File    | 30 $\frac{3}{4}$ " | 16 $\frac{5}{32}$ " | 8 $\frac{13}{32}$ " |


### Models

|           |           |
|-----------|-----------|
| 29-2448LP | 29-2448RP |
|-----------|-----------|


| Drawers | W                  | L                   | D                   |
|---------|--------------------|---------------------|---------------------|
| Box     | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 3 $\frac{21}{32}$ " |
| File    | 12 $\frac{3}{8}$ " | 19 $\frac{9}{32}$ " | 8 $\frac{29}{32}$ " |

### FILING CAPABILITIES

#### Drawers with Dimensions: 12 $\frac{3}{8}$ "W x 12 $\frac{1}{8}$ "L



Letter Front to Back




Legal Side to Side

#### Drawers with Dimensions: 12 $\frac{3}{8}$ "W x 19 $\frac{9}{32}$ "L




Letter Front to Back




Legal Side to Side

#### Drawers with Dimensions: 12 $\frac{3}{8}$ "W x 16 $\frac{5}{32}$ "L




Letter Front to Back




Legal Side to Side

### FILING CAPABILITIES (CONTINUED)

#### Drawers with Dimensions: 15 $\frac{3}{8}$ "W x 16 $\frac{1}{2}$ "L




Legal Front to Back




Legal Side to Side

#### Drawers with Dimensions: 30 $\frac{3}{4}$ "W x 16 $\frac{1}{2}$ "L



2 Rows Letter Front to Back



1 Row Letter or Legal Side to Side

### HOW TO ORDER EXAMPLES

| Model No. | Description                      | Example                   |
|-----------|----------------------------------|---------------------------|
| 29-3672DP | Top Material                     | W                         |
|           | Finish                           | CO                        |
|           | Base Molding                     | BM3600                    |
|           | Decorative Molding               | M3600                     |
|           | Pull                             | ARA                       |
|           | Drawer Construction              | STD                       |
|           | Surface Grommet Location/Color   | GC, BLK                   |
| 29-2448LF | Top Material                     | HPL                       |
|           | Finish                           | CO                        |
|           | Base Molding                     | BM2900                    |
|           | Decorative Molding               | -                         |
|           | Pull                             | ARA                       |
|           | Locking                          | LKT                       |
|           | Drawer Construction              | DOVE                      |
|           | Surface Grommet Location         | GR                        |
|           | Back Panel Grommet Grommet Color | YES<br>BLK                |
| 29-1572HU | Finish                           | CO                        |
|           | Door Pull                        | ARA                       |
|           | Locking                          | NO                        |
|           | Tackboard                        | Momentum/Marathon/Caravel |
|           | Tasklight                        | TL-0848                   |
|           | Grommets/Color                   | WMHU, BLK                 |

### VENEER (W) OPTIONS

Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology.

|     |                    |     |                     |
|-----|--------------------|-----|---------------------|
| AW  | Artisan Walnut     | HNW | Henna Walnut        |
| CO  | Columbian Walnut   | LW  | Legacy Walnut       |
| DC  | Dark Cherry        | MW  | Mahogany Walnut     |
| DFW | Dark Forest Walnut | PNW | Pinnacle Walnut     |
| EW  | Espresso           | SCH | Select Cherry       |
| GC  | Golden Cherry      | SKC | Shaker Cherry       |
| HW  | Harvest Walnut     | WC  | Williamsburg Cherry |

### HPL (P) TOP OPTIONS

#### WOODGRAIN

|    |                  |     |                     |
|----|------------------|-----|---------------------|
| CO | Columbian Walnut | PNW | Pinnacle Walnut     |
| EF | Espresso         | SCH | Select Cherry       |
| GC | Golden Cherry    | SKC | Shaker Cherry       |
| MW | Mahogany Walnut  | WC  | Williamsburg Cherry |

### EDGE PROFILES

R Arlington




### MOLDING LOCATIONS AND OPTIONS


Styles of Base Molding and Decorative Molding cannot be intermixed. For example, when Arlington Base Molding is selected, only the Arlington Decorative may be ordered, while Wilmington Base Molding must also be ordered with Wilmington Decorative Molding.

#### Base Molding

Arlington and Wilmington Base Molding are skillfully applied on the approach, sides, and user side of Desks and Returns. Lateral Files and Credenzas feature molding on front and both sides with no molding on back for flush wall applications. Bridges will feature molding on approach. Storage Cabinets, Bookcases and Wardrobe/Storage Cabinets will feature base molding on front of unit only.




Arlington Base Molding



Wilmington Base Molding

#### Decorative Molding

Units come standard with no decorative molding. See below for details and locations of optional Arlington or Wilmington Decorative Molding. See next page for ordering options and pricing.



No Decorative Molding Standard

See next page for additional molding information

# Indiana


## FURNITURE

# ARLINGTON™

## CASEGOODS + TABLES (2900 SERIES)


### MOLDING LOCATIONS AND OPTIONS CONTINUED

Arlington Decorative Molding will be featured on the approach side of Desks only and is not available on Bridges, Returns, Lateral Files, and Credenzas.



Arlington Molding

Wilmington Decorative Molding will be on the approach and sides of Desks. Returns and Bridges will have decorative molding on the approach side. Credenzas will feature decorative molding on left and right sides only.



Wilmington Molding

Surface Mount Hutches, Wall Mount Hutches, Freestanding Bookcases, and Surface Mount Bookcases have no decorative molding. See next page for ordering options and pricing.

Molding selection must be specified on order. *Note: Base and Decorative Molding feature multi-step, hand-finished catalyzed finish*

#### Arlington Molding

|        |                                       |    |     |
|--------|---------------------------------------|----|-----|
| BM2900 | Arlington Base Molding                | \$ | N/C |
| M2900  | Optional Arlington Decorative Molding | \$ | 89  |

#### Wilmington Molding

|        |                                        |    |     |
|--------|----------------------------------------|----|-----|
| BM3600 | Wilmington Base Molding                | \$ | N/C |
| M3600  | Optional Wilmington Decorative Molding | \$ | 149 |

### DRAWER AND DOOR PULL OPTIONS

Units with doors and drawers will feature coordinating pulls however door and drawer pulls cannot be intermixed.

|     |                            |     |                          |
|-----|----------------------------|-----|--------------------------|
| ARA | Arlington A, Antique Brass | JEF | Jefferson, Antique Brass |
| ARB | Arlington B, Antique Brass | ALB | Liberty, Aluminum        |
| WLM | Wilmington, Antique Brass  |     |                          |



**Arlington A (ARA)**  
Antique Brass - 5 1/4"



**Arlington B (ARB)**  
Antique Brass - 5 1/4"



**Jefferson (JEF)**  
Antique Brass - 5 1/4"



**Wilmington (WLM)**  
Antique Brass - 5 1/4"



**Liberty (ALB)**  
Aluminum - 4 1/4"

### LOCK CORE OPTIONS

Lock core will be black if Arlington, Wilmington or Jefferson pulls are selected. Lock core will be silver if Liberty Pulls are selected.

|     |       |     |        |
|-----|-------|-----|--------|
| BLK | Black | SLV | Silver |
|-----|-------|-----|--------|



Black (BLK)



Silver (SLV)

### LOCKING PEDESTALS ON RETURNS/CREDENZAS

Locking doors and drawers are available on returns and credenzas. Please specify applicable code on order with model/unit and add upcharge.

|       |                                |    |     |
|-------|--------------------------------|----|-----|
| LKT-P | Single Pedestal or Return Lock | \$ | 212 |
|-------|--------------------------------|----|-----|

*Lock positioned in drawer face nearest the kneespace*

|       |                               |    |     |
|-------|-------------------------------|----|-----|
| LKT-P | Double Pedestal Credenza Lock | \$ | 424 |
|-------|-------------------------------|----|-----|

*Lock positioned in drawer face nearest the kneespace or in drawer face nearest to doors on Storage Credenzas*

|        |                                                  |    |     |
|--------|--------------------------------------------------|----|-----|
| LKT-HU | Double Pedestal and Double Door Credenza Locking | \$ | 508 |
|--------|--------------------------------------------------|----|-----|

*Drawer lock is positioned in drawer face nearest to doors and door lock is in top right corner of left door.*

### LOCKING DOORS

Locking is available on select doors. You must specify LKT\_HU when ordering and add upcharge.

|        |                    |    |     |
|--------|--------------------|----|-----|
| LKT_HU | 18"W Units         | \$ | 71  |
| LKT_HU | 42"W to 24"W Units | \$ | 94  |
| LKT_HU | 72"W to 48"W Units | \$ | 119 |

### DRAWER OPTIONS


Units with drawers come standard with woodgrain vinyl-wrapped drawers with mitered corners. Optional dove tail construction for all center, box, file, and lateral file drawers is available. Must specify when ordering.

#### Pricing is per Drawer, not per Model/Unit.


|       |                             |       |
|-------|-----------------------------|-------|
| MITER | Mitered Fold Construction   | STD   |
| DOVE  | Wood Dove Tail Construction | \$ 46 |

### HEIGHT ADJUST LEG CONFIGURATION


The 2-channel leg configuration is standard on height adjustable Desks, Returns, and Bridges for one height adjustable worksurface. Desk models offer an optional 3-channel leg configuration for use with 3-channel Return to allow two worksurfaces to raise and lower simultaneously.



2-Channel  
Configuration



3-Channel  
Configuration



Shown with 3-Channel  
Configuration on Desk  
and Return

|      |                                                                     |     |
|------|---------------------------------------------------------------------|-----|
| STS2 | 2-Channel Configuration<br>(For one height adjustable worksurface)  | STD |
| STS3 | 3-Channel Configuration<br>(For two height adjustable worksurfaces) | N/C |

### HEIGHT ADJUSTABLE CONTROL OPTIONS

Height adjustable units offer two switch options. The standard switch is a simple up and down switch to move your worksurface from seated to standing height. This comes standard with height adjustable units, unless otherwise noted. The advanced switch features Bluetooth capabilities to connect to smart devices, three stand-up reminder intervals, height adjustment memory positions, and more.

Please specify desired Control Switch when ordering applicable Height Adjustable units.

|       |                                     |    |     |
|-------|-------------------------------------|----|-----|
| SWCH  | Standard Up/Down Switch             | \$ | STD |
| MSWCH | Advanced Up/Down with Memory Switch | \$ | 139 |



SWCH (standard)



MSWCH

### GROMMET OPTIONS & LOCATIONS


|    |                                      |    |    |
|----|--------------------------------------|----|----|
| GC | Grommet, Center - Specify BLK or SLV | \$ | 54 |
| GL | Grommet, Left - Specify BLK or SLV   | \$ | 54 |
| GR | Grommet, Right - Specify BLK or SLV  | \$ | 54 |

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets may be ordered in non-standard locations. Call Customer Service to assist with specification. Note additional charges and lead times may apply.

Multiple locations may be selected.

#### Models

|           |           |           |           |
|-----------|-----------|-----------|-----------|
| 29-3672DP | 29-3672LP | 29-3672RP | 29-3072DP |
| 29-3072LP | 29-3072RP | 29-3672WT |           |




GL/GR: Located 12" from ends and 23" from user side

GC: Located 23" from user side

#### Models

|           |           |           |
|-----------|-----------|-----------|
| 29-3066DP | 29-3066LP | 29-3066RP |
|-----------|-----------|-----------|




GL/GR: Located 9" from ends and 23" from user side

GC: Located 23" from user side

#### Models

|           |           |           |           |
|-----------|-----------|-----------|-----------|
| 29-3060DP | 29-3060LP | 29-3060RP | 29-3060WT |
|-----------|-----------|-----------|-----------|




GL/GR: Located 9" from ends and 23" from user side

GC: Located 23" from user side

### GROMMET OPTIONS & LOCATIONS (CONTINUED)

#### Models

|           |            |           |            |
|-----------|------------|-----------|------------|
| 29-2448UF | 29-2448UFH | 29-2442UF | 29-2442UFH |
|-----------|------------|-----------|------------|




GL/GR: Located 4" from ends and 19 1/2" from user side

GC: Located 19 1/2" from user side

#### Models

|            |            |           |           |
|------------|------------|-----------|-----------|
| 29-2448LF2 | 29-2448RF2 | 29-2448LF | 29-2448RF |
| 29-2448LP  | 29-2448RP  |           |           |




GL/GR: Located 5" from ends and 20" from user side

GC: Located 20" from user side

#### Models

|            |            |           |           |
|------------|------------|-----------|-----------|
| 29-2442LF2 | 29-2442RF2 | 29-2442LF | 29-2442RF |
|------------|------------|-----------|-----------|




GL/GR: Located 5" from ends and 17" from user side

GC: Located 17" from user side

#### Models

|            |            |            |            |
|------------|------------|------------|------------|
| 29-2072KC  | 29-2072LC  | 29-2072RC  | 29-2072LL* |
| 29-2072RL* | 29-2072LC2 | 29-2072RC2 | 29-2066KC  |
| 29-2066LC  | 29-2066RC  | 29-2066LC2 | 29-2066RC2 |
| 29-2060KC  | 29-2060LC  | 29-2060RC  | 29-2060LC2 |
| 29-2060RC2 |            |            |            |



GL/GR: Located 22 1/2" from ends and 17 1/2" from user side

\* Grommets are only available on opposite side of pedestal

### WORKSURFACE GROMMETS FOR HEIGHT ADJUSTABILITY UNITS

When you select a grommet for use with Height Adjustable worksurfaces, it will automatically come with a wire management sleeve. One grommet per worksurface. Must specify Left, Right, or Center. See below for specific location availability by model. You may also choose to add the Wire Management Box, which will automatically come with a center grommet.

#### Grommet with Mesh Wire Management Sleeve

\$ 147

Specify Black (BLK) or Silver (SLV) and Location

HA Desks/Returns

Choose Left, Right, or Center (See Below)

HA Bridges

Center Only

GC-MESH Grommet, Center

GL-MESH Grommet, Left

GR-MESH Grommet, Right

GCKS-MESH Grommet, Centered Between Legs



Black wire management mesh sleeve

#### Wire Management Box with Center Grommet

\$ 501

Available on All HA Desks, Returns and Bridges

GC-BOX

Grommet, Center; Specify Black (BLK) or Silver (SLV)

See next page for additional grommet information.


### WORKSURFACE GROMMETS FOR HEIGHT ADJUSTABILITY UNITS (CONT'D)

Verify Grommet Option is available on the model(s) you are specifying using the following location information.

Grommets may be ordered in non-standard locations. Call Customer Service to assist with specification. Note additional charges and lead times may apply.

#### Models

29-3672DPSTS 29-3072DPSTS




GL or GR: Located 9" from ends and 22½" from user side

GC: Located 20" from user side

#### Models

29-3066DPSTS 29-3060DPSTS 29-3672LPSTS 29-3672RPSTS  
29-3072LPSTS 29-3072RPSTS 29-3066LPSTS 29-3066RPSTS  
29-3060LPSTS 29-3060RPSTS




GL or GR: Located 6" from ends and 22½" from user side

GC: Located 20" from user side

#### Models

29-2448LF2STS 29-2448RF2STS 29-2448LFSTS 29-2448RFSTS  
29-2448LP 29-2448RP




GL or GR: Located 6" from ends and 20" from user side

GCKS: Located 18" from user side

#### Models

29-2442LF2STS3 29-2442RF2STS3  
29-2442LFSTS3 29-2442RFSTS3




**Grommet with Mesh Wire Management Sleeve only available in ped space**

GL-MESH or GR-MESH: Located 6" from ends and 20" from user side

#### Models

29-2448SUFL 29-2448SUFR 29-2442SUFL 29-2442SUFR




GL/GR: Located 4" from ends and 20" from user side

GC: Located 20" from user side

#### Models

29-2448UFSTS 29-2442UFSTS 29-2448UFSTSL3  
29-2448UFSTSR3 29-2442UFSTSL3 29-2442UFSTSR3



GC: Located 18" from user side

### HUTCH GROMMET OPTIONS

Surface Mount Hutches come standard with one center grommet at workstation level on back panel. Three upper wire management grommets also are available. One grommet located on right, center and left. Must specify with color selection.

WMHUBL Black Lower Grommet + Three Upper Grommets N/C  
WMHUSV Silver Lower Grommet + Three Upper Grommets N/C

### CONFERENCE AND MEETING TABLE GROMMET OPTIONS

Arlington Meeting and Conference Tables offer power and grommet locations at multiple locations.

**Must Specify Black (BLK) or Silver (SLV)**

#### Grommet Locations

|                        |                           |
|------------------------|---------------------------|
| OC On Center           | CL 5½" Left of Center     |
| EL 24½" from Left End) | CR 5½" Right of Center    |
| ER 24½" from Right End | BB Centered Between Bases |


#### Location Availability by Top Size

|            |                                              |
|------------|----------------------------------------------|
| 96"W Tops  | OC, EL+ER                                    |
| 120"W Tops | BB, CL, CR, CL+EL+ER, CR+EL+ER               |
| 144"W Tops | BB, CL, CR, CL+CR, EL+ER, CL+EL+ER, CR+EL+ER |


### CERTIFICATIONS & COMPLIANCE

- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant® Certified
- TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED®, Green Globes®, and WELL® Sustainable Programs







Double Ped Desks  
([See Multiple Unit Details](#))




Single Ped Desks  
([See Multiple Unit Details](#))




Returns  
([See Multiple Unit Details](#))



Bridges  
([See Multiple Unit Details](#))




Kneespace, Storage, and  
Single Ped Credenzas  
([See Multiple Unit Details](#))




Surface Mount and Wall  
Mount Hutches  
([See Multiple Unit Details](#))




Filing  
([See Multiple Unit Details](#))




Bookcases  
([See Multiple Unit Details](#))




Wardrobe/Storage  
([See Multiple Unit Details](#))



Computer Desks with Hutches  
([See Multiple Unit Details](#))




Work Tables  
([See Details](#))




Conference and Round Tables  
([See Multiple Unit Details](#))


## Occasional Tables



End Tables  
([See Details](#))




Lamp Tables  
([See Details](#))




Magazine Tables  
([See Details](#))


## Height Adjustable (HA) Units




HA Double Ped Desks  
([See Details](#))



HA Single Ped Desks  
([See Details](#))




HA & Stationary Returns  
([See Multiple Unit  
Details](#))



HA Bridges  
([See Multiple Unit Details](#))

## Tackboards + Tasklights




Tackboards  
([See Details](#))




Tasklights  
([See Details](#))

## Accessories

Keyboard Accessories ([See Details](#))




Power Options ([See Multiple Unit Details](#))



Accessories and Wire Management  
([See Multiple Unit Details](#))



| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--------|-----------|-------|-------|--------|---------|----------|----------------------|
| L UNIT | 29-1      | 72    | 84    | 30     | 440     | 73.3     | P\$ 7316<br>W\$ 8038 |




Shown with Wilmington Base and Decorative Molding

| CONSIST OF: | QTY |                       |                      |
|-------------|-----|-----------------------|----------------------|
| 29-3672LP   | 1   | Single Ped Desk, Left | P\$ 4243<br>W\$ 4677 |
| 29-2448RF   | 1   | Return, Right         | P\$ 3073<br>W\$ 3361 |

Products are available as left or right, where applicable  
List prices do not include optional Wilmington decorative molding

|        |      |    |     |    |     |      |                       |
|--------|------|----|-----|----|-----|------|-----------------------|
| U UNIT | 29-3 | 72 | 104 | 30 | 540 | 87.1 | P\$ 9558<br>W\$ 10669 |
|--------|------|----|-----|----|-----|------|-----------------------|




Shown with Arlington Base and Decorative Molding

| CONSIST OF: | QTY |                       |                      |
|-------------|-----|-----------------------|----------------------|
| 29-3672LP   | 1   | Single Ped Desk, Left | P\$ 4243<br>W\$ 4677 |
| 29-2448UF   | 1   | Bridge                | P\$ 1646<br>W\$ 1933 |
| 29-2072RC   | 1   | Credenza, Right       | P\$ 3669<br>W\$ 4059 |

Products are available as left or right, where applicable  
List prices do not include optional Arlington decorative molding

|        |      |    |                   |    |     |      |                        |
|--------|------|----|-------------------|----|-----|------|------------------------|
| U UNIT | 29-4 | 66 | 91 $\frac{1}{16}$ | 30 | 401 | 72.9 | P\$ 12811<br>W\$ 13825 |
|--------|------|----|-------------------|----|-----|------|------------------------|




| CONSIST OF: | QTY |                       |                      |
|-------------|-----|-----------------------|----------------------|
| 29-3066LP   | 1   | Single Ped Desk, Left | P\$ 3704<br>W\$ 4062 |
| 29-2442UF   | 1   | Bridge                | P\$ 1568<br>W\$ 1852 |
| 29-2066RC   | 1   | Credenza, Right       | P\$ 3250<br>W\$ 3622 |
| 29-1566HU   | 1   | Hutch                 | \$ 4289              |

Products are available as left or right, where applicable  
List prices do not include optional Wilmington decorative molding

Pricing Codes:  
P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                             | Model No. | Width              | Depth             | Height           | Ship Wt | Cubic Ft | List Price             |
|----------------------------------|-----------|--------------------|-------------------|------------------|---------|----------|------------------------|
| HEIGHT ADJUSTABLE PRIVATE OFFICE | 29-9      | 140 $\frac{7}{16}$ | 98 $\frac{7}{16}$ | 70 $\frac{7}{8}$ | 975     | 146.8    | P\$ 23364<br>W\$ 24573 |




Shown with Wilmington Base and Decorative Molding

| CONSIST OF:  | QTY |                                   |                       |
|--------------|-----|-----------------------------------|-----------------------|
| 29-3672DPSTS | 1   | Height Adjustable Double Ped Desk | P\$ 9923<br>W\$ 10356 |
| 29-1572HU    | 1   | Surface Mount Hutch               | \$ 4798               |
| 29-2072KC    | 1   | Kneespace Credenza                | P\$ 4078<br>W\$ 4464  |
| 29-2072SC    | 1   | Storage Credenza                  | P\$ 4565<br>W\$ 4955  |

Width includes 48" between Desk and Storage Credenza  
Depth includes 42" between Desk and Kneespace Credenza  
List prices do not include optional Wilmington decorative molding

|                          |       |                    |                    |                  |      |       |                        |
|--------------------------|-------|--------------------|--------------------|------------------|------|-------|------------------------|
| HEIGHT ADJUSTABLE U UNIT | 29-10 | 140 $\frac{7}{16}$ | 104 $\frac{7}{16}$ | 70 $\frac{7}{8}$ | 1178 | 170.8 | P\$ 30137<br>W\$ 31637 |
|--------------------------|-------|--------------------|--------------------|------------------|------|-------|------------------------|




Shown with Wilmington Base and Decorative Molding

| CONSIST OF:  | QTY |                                         |                       |
|--------------|-----|-----------------------------------------|-----------------------|
| 29-3672LPSTS | 1   | Height Adjustable Single Ped Desk, Left | P\$ 9852<br>W\$ 10285 |
| 29-2448UFSTS | 1   | Height Adjustable Bridge                | P\$ 7253<br>W\$ 7540  |
| 29-2072RC2   | 1   | Credenza, Right                         | P\$ 3669<br>W\$ 4059  |
| 29-1572HU    | 1   | Surface Mount Hutch                     | \$ 4798               |
| 29-2072SC    | 1   | Storage Credenza                        | P\$ 4565<br>W\$ 4955  |

Products are available as left or right, where applicable  
Width includes 48" between Desk and Storage Credenza  
List prices do not include optional Wilmington decorative molding

|                          |       |     |     |                  |      |       |                        |
|--------------------------|-------|-----|-----|------------------|------|-------|------------------------|
| HEIGHT ADJUSTABLE L UNIT | 29-11 | 108 | 146 | 70 $\frac{7}{8}$ | 1178 | 170.8 | P\$ 31575<br>W\$ 32687 |
|--------------------------|-------|-----|-----|------------------|------|-------|------------------------|




Shown with Arlington Base Molding

| CONSIST OF:    | QTY |                                          |                       |
|----------------|-----|------------------------------------------|-----------------------|
| 29-3672RPSTS   | 1   | Height Adjustable Single Ped Desk, Right | P\$ 9852<br>W\$ 10285 |
| 29-2448LF2STS3 | 1   | Height Adjustable Return, Left           | P\$ 6078<br>W\$ 6367  |
| 29-2072DL      | 1   | Credenza with Double Lateral File        | P\$ 5248<br>W\$ 5638  |
| 29-1572WD      | 1   | Wall Mounted Hutch                       | \$ 3829               |
| 29-1870WL      | 1   | Wardrobe/Storage Cabinet, Left           | \$ 3284               |
| 29-1870WR      | 1   | Wardrobe/Storage Cabinet, Right          | \$ 3284               |

Products are available as left or right, where applicable  
Depth includes 42" between Return and Wardrobe

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                              | Model No. |                                            | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price           |
|-----------------------------------------------------------------------------------|-----------|--------------------------------------------|-------|-------|--------|-----|---------|----------|----------------------|
|  | 29-3060DP | Chassis 58W x 24D<br>4" Approach Overhang  | 60    | 30    | 30     | 25½ | 241     | 35.3     | P\$ 4057<br>W\$ 4391 |
|                                                                                   | 29-3066DP | Chassis 64W x 24D<br>4" Approach Overhang  | 66    | 30    | 30     | 31½ | 249     | 40.3     | P\$ 4243<br>W\$ 4599 |
|                                                                                   | 29-3072DP | Chassis 64W x 24D<br>4" Approach Overhang  | 72    | 30    | 30     | 31½ | 255     | 43.9     | P\$ 4280<br>W\$ 4661 |
|                                                                                   | 29-3672DP | Chassis 64W x 24D<br>10" Approach Overhang | 72    | 36    | 30     | 31½ | 266     | 51.7     | P\$ 4316<br>W\$ 4747 |

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Drawer Construction  
Worksurface Grommet Location  
Grommet Color

**Description**

- Standard with: Rectangle Top, Central Locking, Letter Width Locking Box/Box/File Pedestals, Left to Right Grain Direction on Worksurface, Pull Out Writing Shelves on User Side and Center Drawer with Pen Tray
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding, [See Option Details](#); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                                       |       |
|--------|---------------------------------------|-------|
| BM2900 | Arlington Base Molding                | N/C   |
| M2900  | Optional Arlington Decorative Molding | \$ 89 |


**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding



Approach View for all Double and Single Ped Desks with Wilmington Molding




Approach View for all Double and Single Ped Desks with No Molding

**Pricing Codes:**

P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                                                   | Model No.                                | Width            | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------|------------------------------------------|------------------|-------|--------|----|---------|----------|------------|
|  <p>Shown as Left</p> | <b>Left Ped</b>                          | <b>Right Ped</b> |       |        |    |         |          |            |
|                                                                                                        | 29-3060LP                                | 29-3060RP        | 60    | 30     | 30 | 18¾     | 186      | 35.3       |
|                                                                                                        | Chassis 58W x 24D, 4" Approach Overhang  |                  |       |        |    |         |          | P\$ 3436   |
|                                                                                                        |                                          |                  |       |        |    |         |          | W\$ 3771   |
|                                                                                                        | 29-3066LP                                | 29-3066RP        | 66    | 30     | 30 | 24¾     | 189      | 40.3       |
|                                                                                                        | Chassis 64W x 24D, 4" Approach Overhang  |                  |       |        |    |         |          | P\$ 3704   |
|                                                                                                        |                                          |                  |       |        |    |         |          | W\$ 4062   |
|                                                                                                        | 29-3072LP                                | 29-3072RP        | 72    | 30     | 30 | 30¾     | 189      | 40.3       |
|                                                                                                        | Chassis 70W x 24D, 4" Approach Overhang  |                  |       |        |    |         |          | P\$ 3975   |
|                                                                                                        |                                          |                  |       |        |    |         |          | W\$ 4356   |
|                                                                                                        | 29-3672LP                                | 29-3672RP        | 72    | 36     | 30 | 30¾     | 315      | 50.4       |
|                                                                                                        | Chassis 70W x 24D, 10" Approach Overhang |                  |       |        |    |         |          | P\$ 4243   |
|                                                                                                        |                                          |                  |       |        |    |         |          | W\$ 4677   |

Must Specify (in this order):

Model #  
 Surface Material  
 Finish/Color  
 Base Molding  
 Decorative Molding  
 Drawer Pull  
 Drawer Construction  
 Worksurface Grommet Location  
 Grommet Color


**Description**

- Standard with: Rectangle Top, Central Locking, Letter Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, Pull Out Writing Shelf on User Side and Center Drawer with Pen Tray
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding, [See Option Details](#); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))


**Molding Options: Must Specify and Add**

| Arlington Molding Options  |                                        |        |
|----------------------------|----------------------------------------|--------|
| BM2900                     | Arlington Base Molding                 | N/C    |
| M2900                      | Optional Arlington Decorative Molding  | \$ 89  |
| Wilmington Molding Options |                                        |        |
| BM3600                     | Wilmington Base Molding                | N/C    |
| M3600                      | Optional Wilmington Decorative Molding | \$ 149 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding



Approach View for all Double and Single Ped Desks with Wilmington Molding



Approach View for all Double and Single Ped Desks with No Molding

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                              | Model No.  | Width      | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |                      |
|-----------------------------------------------------------------------------------|------------|------------|-------|--------|----|---------|----------|------------|----------------------|
| RETURN WITH FILE/FILE                                                             | Left Ped   | Right Ped  |       |        |    |         |          |            |                      |
|  | 29-2442LF2 | 29-2442RF2 | 42    | 24     | 30 | 26¼     | 113      | 18.8       | P\$ 2664<br>W\$ 2945 |
|                                                                                   | 29-2448LF2 | 29-2448RF2 | 48    | 24     | 30 | 30¼     | 125      | 22.9       | P\$ 3073<br>W\$ 3361 |

Shown as Left with  
Optional Locking

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

**Description**

- Standard With: Letter Width File/File in Pedestal, Front to Back Grain Direction on Worksurface
- Top Profiled on 3 Sides with Reverse Profile on Connecting Edge
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding, [See Option Details](#); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Worksurface Grommet Options ([See Option Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



|                                                                                     |                 |                  |    |    |    |     |     |      |                      |
|-------------------------------------------------------------------------------------|-----------------|------------------|----|----|----|-----|-----|------|----------------------|
| <b>RETURN WITH BOX/BOX/FILE</b>                                                     | <b>Left Ped</b> | <b>Right Ped</b> |    |    |    |     |     |      |                      |
|  | 29-2442LF       | 29-2442RF        | 42 | 24 | 30 | 26¼ | 113 | 18.8 | P\$ 2664<br>W\$ 2945 |
|                                                                                     | 29-2448LF       | 29-2448RF        | 48 | 24 | 30 | 30¼ | 125 | 22.9 | P\$ 3073<br>W\$ 3361 |
|                                                                                     |                 |                  |    |    |    |     |     |      |                      |
|                                                                                     |                 |                  |    |    |    |     |     |      |                      |

Shown as Left with  
Optional Locking

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

**Description**

- Standard With: Letter Width Box/Box/File in Pedestal, Front to Back Grain Direction on Worksurface
- Top Profiled on 3 Sides with Reverse Profile on Connecting Edge
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding, [See Option Details](#); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Worksurface Grommet Options ([See Option Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*




Pricing Codes:

P = HPL Top

W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                     | Model No. | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price           |
|--------------------------|-----------|-------|-------|--------|-----|---------|----------|----------------------|
| BRIDGE WITH FULL MODESTY | 29-2442UF | 42    | 24    | 30     | 40⅞ | 73      | 4.7      | P\$ 1568<br>W\$ 1852 |
|                          | 29-2448UF | 48    | 24    | 30     | 46⅞ | 75      | 6.2      | P\$ 1646<br>W\$ 1933 |



Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

**Description**

- Standard With: Hinged Back Panel, Front to Back Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding, [See Option Details](#); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Worksurface Grommet Options ([See Option Details](#))
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation (Sold Separately, [See 01-KB3 for Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



|                          |            |    |    |     |     |    |     |                      |
|--------------------------|------------|----|----|-----|-----|----|-----|----------------------|
| BRIDGE WITH HALF MODESTY | 29-2442UFH | 42 | 24 | 11½ | 40⅞ | 85 | 4.6 | P\$ 1382<br>W\$ 1665 |
|                          | 29-2448UFH | 48 | 24 | 11½ | 46⅞ | 89 | 5.4 | P\$ 1452<br>W\$ 1740 |




Must Specify (in this order):

Model #  
Surface Material  
Finish / Color  
Worksurface Grommet Location  
Grommet Color

**Description**

- Standard With: Hinged Back Panel, Front to Back Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation (Sold Separately, [See 01-KB3 for Details](#))
- No Base or Decorative Molding

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                                                                                                                               | Model No.  | Width      | Depth | Height            | K  | Ship Wt          | Cubic Ft | List Price |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-------|-------------------|----|------------------|----------|------------|----------------------|
| <div>CREDENZA WITH FILE/FILE</div> <div></div> <div>Shown as Left with<br/>Optional Locking</div> | Left Ped   | Right Ped  |       |                   |    |                  |          |            |                      |
|                                                                                                                                                                                    | 29-2060LC2 | 29-2060RC2 | 60    | 20 $\frac{7}{16}$ | 30 | 40 $\frac{3}{4}$ | 129      | 25.3       | P\$ 3203<br>W\$ 3552 |
|                                                                                                                                                                                    | 29-2066LC2 | 29-2066RC2 | 66    | 20 $\frac{7}{16}$ | 30 | 46 $\frac{3}{4}$ | 139      | 27.9       | P\$ 3250<br>W\$ 3622 |
|                                                                                                                                                                                    | 29-2072LC2 | 29-2072RC2 | 72    | 20 $\frac{7}{16}$ | 30 | 52 $\frac{3}{4}$ | 150      | 30.5       | P\$ 3669<br>W\$ 4059 |

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

**Description**

- Standard With: Letter Width File/File in Pedestal, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding, [See Option Details](#); Must Specify (See Below)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

BM2900 Arlington Base Molding N/C


**Wilmington Molding Options**

BM3600 Wilmington Base Molding N/C

M3600 Optional Wilmington Decorative Molding \$ 149

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



|                                                                                                                                                                                                                            |                 |                  |    |                   |    |                  |     |      |                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|----|-------------------|----|------------------|-----|------|----------------------|
| <b>CREDENZA WITH BOX/BOX/FILE</b><br> <p>Shown as Left with Optional<br/>Locking and Optional<br/>Wilmington Decorative<br/>Molding</p> | <b>Left Ped</b> | <b>Right Ped</b> |    |                   |    |                  |     |      |                      |
|                                                                                                                                                                                                                            | 29-2060LC       | 29-2060RC        | 60 | 20 $\frac{7}{16}$ | 30 | 40 $\frac{3}{4}$ | 129 | 25.3 | P\$ 3203<br>W\$ 3552 |
|                                                                                                                                                                                                                            | 29-2066LC       | 29-2066RC        | 66 | 20 $\frac{7}{16}$ | 30 | 46 $\frac{3}{4}$ | 139 | 27.9 | P\$ 3250<br>W\$ 3622 |
|                                                                                                                                                                                                                            | 29-2072LC       | 29-2072RC        | 72 | 20 $\frac{7}{16}$ | 30 | 52 $\frac{3}{4}$ | 150 | 30.5 | P\$ 3669<br>W\$ 4059 |

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

**Description**

- Standard With: Letter Width Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Kneespace Options (Sold Separately, [See 01-KB3 for Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

BM2900 Arlington Base Molding N/C

**Wilmington Molding Options**

BM3600 Wilmington Base Molding N/C

M3600 Optional Wilmington Decorative Molding \$ 149

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*




**Pricing Codes:**

P = HPL Top

W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                          | Model No.       | Width            | Depth | Height                         | K  | Ship Wt                        | Cubic Ft | List Price           |
|-------------------------------|-----------------|------------------|-------|--------------------------------|----|--------------------------------|----------|----------------------|
| CREDENZA WITH LATERAL/LATERAL | <b>Left Ped</b> | <b>Right Ped</b> |       |                                |    |                                |          |                      |
|                               | 29-2072LL       | 29-2072RL        | 72    | 20 <sup>1</sup> / <sub>6</sub> | 30 | 32 <sup>2</sup> / <sub>3</sub> | 182      | 30.5                 |
|                               |                 |                  |       |                                |    |                                |          | P\$ 3880<br>W\$ 4270 |



Shown as Left with  
Optional Locking and  
Optional Wilmington  
Decorative Molding

### Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color



### Description

- Standard With: Two (2) Locking Lateral Files in Pedestal, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Legal or Letter Filing Side to Side or Front to Back
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

### Molding Options: Must Specify and Add

#### Arlington Molding Options


|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

#### Wilmington Molding Options

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

|                    |           |    |                                |    |                                |     |      |                      |
|--------------------|-----------|----|--------------------------------|----|--------------------------------|-----|------|----------------------|
| KNEESPACE CREDENZA | 29-2060KC | 60 | 20 <sup>1</sup> / <sub>6</sub> | 30 | 22 <sup>1</sup> / <sub>2</sub> | 173 | 25.3 | P\$ 3677<br>W\$ 4028 |
|                    | 29-2066KC | 66 | 20 <sup>1</sup> / <sub>6</sub> | 30 | 28 <sup>1</sup> / <sub>2</sub> | 185 | 27.9 | P\$ 3704<br>W\$ 4079 |
|                    | 29-2072KC | 72 | 20 <sup>1</sup> / <sub>6</sub> | 30 | 34 <sup>1</sup> / <sub>2</sub> | 197 | 30.5 | P\$ 4078<br>W\$ 4464 |



Shown with Optional Locking

### Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color



### Description

- Standard With: Letter Width Box/Box/File in Pedestals, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

### Molding Options: Must Specify and Add

#### Arlington Molding Options

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


#### Wilmington Molding Options

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

[See Arlington Intro Section for Ordering Options](#)

| Item             | Model No. | Width | Depth                           | Height | Ship Wt | Cubic Ft | List Price           |
|------------------|-----------|-------|---------------------------------|--------|---------|----------|----------------------|
| STORAGE CREDENZA | 29-2066SC | 66    | 20 <sup>7</sup> / <sub>16</sub> | 30     | 217     | 30.5     | P\$ 3965<br>W\$ 4336 |
|                  | 29-2072SC | 72    | 20 <sup>7</sup> / <sub>16</sub> | 30     | 237     | 30.5     | P\$ 4565<br>W\$ 4955 |



Shown with Jefferson Drawer and Door Pulls (JEF)

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer / Door Pull  
Locking  
Drawer Construction

**Description**

- Standard With: Letter Width Box/Box/File in Pedestals, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Door Pull will Coordinate with Drawer Pull, [See Pull Details](#)
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Optional Locking Pedestals (LKT-P) or Locking Pedestals and Doors (LKT-HU), [See Locking Details](#)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



|                                   |           |    |                                 |    |     |      |                      |
|-----------------------------------|-----------|----|---------------------------------|----|-----|------|----------------------|
| CREDENZA WITH DOUBLE LATERAL FILE | 29-2072DL | 72 | 20 <sup>7</sup> / <sub>16</sub> | 30 | 270 | 30.5 | P\$ 5248<br>W\$ 5638 |
|-----------------------------------|-----------|----|---------------------------------|----|-----|------|----------------------|



Shown with Jefferson Drawer and Door Pulls (JEF) and Optional Wilmington Decorative Molding

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Drawer Construction

**Description**

- Standard With: Four (4) Locking Lateral File Drawers, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Legal or Letter Filing Side to Side or Front to Back
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*




**Pricing Codes:**

P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item         | Model No. |                  | Width | Depth             | Height | Ship Wt | Cubic Ft | List Price           |
|--------------|-----------|------------------|-------|-------------------|--------|---------|----------|----------------------|
| LATERAL FILE | 29-2036L2 | Two (2) Drawers  | 36    | 20 $\frac{1}{16}$ | 30     | 160     | 15.9     | P\$ 3227<br>W\$ 3444 |
|              | 29-2036L4 | Four (4) Drawers | 36    | 20 $\frac{1}{16}$ | 54     | 261     | 27.3     | P\$ 5623<br>W\$ 5837 |



Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Drawer Pull  
Drawer Construction


**Description**

- Central Locking Lateral File Drawers provide Legal or Letter Filing Front to Back or Side to Side
- Anti-Tilt Mechanism
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- No Decorative Molding Available
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#))

**Base Molding Options: Must Specify**

|        |                              |     |
|--------|------------------------------|-----|
| BM2900 | Arlington Base Molding Only  | N/C |
| BM3600 | Wilmington Base Molding Only | N/C |

|                     |           |  |    |    |                  |     |      |         |
|---------------------|-----------|--|----|----|------------------|-----|------|---------|
| SURFACE MOUNT HUTCH | 29-1560HU |  | 60 | 15 | 40 $\frac{1}{8}$ | 129 | 28.4 | \$ 4120 |
|                     | 29-1566HU |  | 66 | 15 | 40 $\frac{1}{8}$ | 166 | 32.1 | \$ 4289 |
|                     | 29-1572HU |  | 72 | 15 | 40 $\frac{1}{8}$ | 203 | 34.1 | \$ 4798 |




Must Specify (in this order):

Model #  
Finish  
Door Pull  
Locking  
Tackboard Fabric  
Tasklight  
Grommet Color

**Description**

- Standard with: Four (4) Soft-Close Hinged Wood Doors, Vertical Grain Direction,
- 25 $\frac{3}{4}$ " Clearance Below Doors
- Top Profiled on Three (3) Sides for Flush Wall Application Standard
- Lower, Center Grommet on Back Panel Standard; Must Specify: Black (BLK) or Silver (SLV)
- Additional Options: Locking Doors ([See Option Details](#)); Three (3) Upper Wire Management Grommets ([See Option Details](#)); Factory-Installed Tackboard ([See Unit Details](#)); Tasklights ([See Multiple Units Details](#))

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                                                         | Model No. |                 | Width | Depth | Height                          | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------|-----------|-----------------|-------|-------|---------------------------------|---------|----------|------------|
| <b>WALL MOUNT HUTCH</b><br> | 29-1530WD | Two (2) Doors   | 30    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 48      | 5.6      | \$ 2480    |
|                                                                                                              | 29-1536WD | Two (2) Doors   | 36    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 58      | 6.7      | \$ 2566    |
|                                                                                                              | 29-1542WD | Two (2) Doors   | 42    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 67      | 7.8      | \$ 2875    |
|                                                                                                              | 29-1548WD | Three (3) Doors | 48    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 77      | 8.9      | \$ 3123    |
|                                                                                                              | 29-1554WD | Three (3) Doors | 54    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 87      | 9.9      | \$ 3353    |
|                                                                                                              | 29-1560WD | Four (4) Doors  | 60    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 96      | 11.0     | \$ 3585    |
|                                                                                                              | 29-1566WD | Four (4) Doors  | 66    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 105     | 12.0     | \$ 3746    |
|                                                                                                              | 29-1572WD | Four (4) Doors  | 72    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 118     | 13.1     | \$ 3829    |


Must Specify (in this order):

Model #  
Finish  
Door Pull  
Locking

#### Description

- Standard with: Soft-Close Hinged Wood Doors, Vertical Grain Direction,
- Top Profiled on Front only
- Optional Locking Doors, [See Option Details](#)
- Additional Options: Tackboards ([See Multiple Unit Details](#)); Tasklights ([See Multiple Units Details](#)); Magnetic Glass Marker Boards ([See Sizes and Details](#))

|                               |           |  |    |    |                                 |    |      |         |
|-------------------------------|-----------|--|----|----|---------------------------------|----|------|---------|
| <b>SURFACE MOUNT BOOKCASE</b> | 29-1534TU |  | 34 | 15 | 40 <sup>7</sup> / <sub>16</sub> | 78 | 17.8 | \$ 2015 |
|-------------------------------|-----------|--|----|----|---------------------------------|----|------|---------|



#### Description


- Top Profiled on Three (3) Sides for Flush Wall Application
- 1" Thick Shelves; One (1) Adjustable and One (1) Fixed (Shaded)
- Vertical Woodgrain
- 12" Clearance Below Fixed Shelf
- For Surface Mount Use on Two (2) Drawer Lateral File

Must Specify (in this order):

Model #  
Finish

Pricing Codes:  
P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                                                 | Model No. |                                                      | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price           |
|------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------|-------|-------|------------------|---------|----------|----------------------|
| <b>BOOKCASE</b><br> | 29-2848BC | Two (2) Adjustable Shelves                           | 28    | 15    | 48               | 93      | 16.0     | P\$ 1961<br>W\$ 2370 |
|                                                                                                      | 29-2860BC | Two (2) Adjustable Shelves and One (1) Fixed Shelf   | 28    | 15    | 60               | 115     | 18.3     | W\$ 2423             |
|                                                                                                      | 29-2870BC | Three (3) Adjustable Shelves and One (1) Fixed Shelf | 28    | 15    | 70 $\frac{3}{4}$ | 125     | 23.8     | W\$ 2477             |
|                                                                                                      | 29-3448BC | Two (2) Adjustable Shelves                           | 34    | 15    | 48               | 125     | 18.0     | P\$ 1974<br>W\$ 2448 |
|                                                                                                      | 29-3460BC | Two (2) Adjustable Shelves and One (1) Fixed Shelf   | 34    | 15    | 60               | 155     | 21.9     | W\$ 2683             |
|                                                                                                      | 29-3470BC | Three (3) Adjustable Shelves and One (1) Fixed Shelf | 34    | 15    | 70 $\frac{3}{4}$ | 165     | 25.0     | W\$ 2789             |


Must Specify (in this order):

Model #  
Surface Material (48"H Only)  
Finish/Color

**Description**

- Fixed Shelf (Shaded)
- Vertical Woodgrain
- 48"H Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application

|                      |           |  |    |    |                  |    |      |         |
|----------------------|-----------|--|----|----|------------------|----|------|---------|
| <b>DOOR BOOKCASE</b> | 29-2870DB |  | 28 | 15 | 70 $\frac{3}{4}$ | 78 | 17.8 | \$ 2788 |
|----------------------|-----------|--|----|----|------------------|----|------|---------|



Shown with Arlington  
(ARB) Door Pull

**Description**


- Open Bookcase with Two (2) 1" Thick Adjustable Shelves
- Vertical Woodgrain
- Storage Behind Doors; One (1) Adjustable Shelf
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Optional Locking Doors, [See Option Details](#)

Must Specify (in this order):

Model #  
Finish  
Door Pull  
Locking

[See Arlington Intro Section for Ordering Options](#)

| Item                     | Model No.          |                     | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|--------------------------|--------------------|---------------------|-------|-------|------------------|---------|----------|------------|
| WARDROBE/STORAGE CABINET | <b>Hinged Left</b> | <b>Hinged Right</b> |       |       |                  |         |          |            |
|                          | 29-1870WL          | 29-1870WR           | 18    | 20    | 70 $\frac{1}{2}$ | 153     | 19.2     | \$ 3284    |



Shown as Left


Must Specify (in this order):

Model #  
Finish  
Locking  
Door Pull

#### Description

- Coat Rod Under Top Fixed Shelf and Three (3) Adjustable Shelves
- Adjustable Shelves can be Removed for Wardrobe Application
- Vertical Woodgrain
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Must Specify Door Pull: Arlington B (ARB), Jefferson (JEF), and Liberty (ALB)
- Optional Locking Doors, [See Option Details](#)

|                         |           |    |    |                  |     |      |         |
|-------------------------|-----------|----|----|------------------|-----|------|---------|
| DOUBLE WARDROBE/STORAGE | 29-3670WD | 36 | 20 | 70 $\frac{1}{2}$ | 310 | 34.2 | \$ 5798 |
|-------------------------|-----------|----|----|------------------|-----|------|---------|



Must Specify (in this order):

Model #  
Finish  
Locking  
Door Pull

#### Description

- Three (3) Adjustable Shelves on Both Sides; Coat Rod Under Top Fixed Shelf
- Vertical Woodgrain
- Recommended Against Wall
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Must Specify Door Pull: Arlington B (ARB), Jefferson (JEF), and Liberty (ALB)
- Optional Locking Doors, [See Option Details](#)

Pricing Codes:  
P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                              | Model No. |               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------|-----------|---------------|-------|-------|--------|---------|----------|------------|
|  | 29-3060WT | 52" Kneespace | 60    | 30    | 30     | 89      | 8.0      | P\$ 1978   |
|                                                                                   |           |               |       |       |        |         |          | W\$ 2313   |
|                                                                                   | 29-3672WT | 64" Kneespace | 72    | 36    | 30     | 125     | 11.4     | P\$ 2404   |
|                                                                                   |           |               |       |       |        |         |          | W\$ 2835   |


### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Left to Right Grain Direction on Worksurface
- Some Assembly Required
- Optional Worksurface Grommet, [See Option Details](#); Must Specify: Black (BLK) or Silver (SLV)

### Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Worksurface Grommet Location  
Grommet Color

### COMPUTER DESK WITH HUTCH



### Must Specify for Desk (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Drawer Pull  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

### Must Specify for Hutch (in this order):

Model #  
Finish Color

| Left      | Right     |    |    |     |     |      |          |  |
|-----------|-----------|----|----|-----|-----|------|----------|--|
| 29-2448LP | 29-2448RP | 48 | 24 | 30  | 148 | 23.1 | P\$ 3107 |  |
|           |           |    |    |     |     |      | W\$ 3395 |  |
| 29-1246HU |           | 46 | 12 | 29% | 54  | 10.3 | \$ 1228  |  |

### Single Ped Desk Description (29-2448LP/29-2448RP)

- Standard With: Letter Width Box/Box/File Pedestal, Pull-Out Writing Shelf, Pull-Out Keyboard Shelf
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Worksurface Grommet Options ([See Option Details](#))

### Hutch Description (29-1246HU)


- One (1) Adjustable Shelf; Non-Handed
- Back Panel with Open Clearance for Wire Management

### Desk Base Molding Options: Must Specify and Add

|        |                         |     |
|--------|-------------------------|-----|
| BM2900 | Arlington Base Molding  | N/C |
| BM3600 | Wilmington Base Molding | N/C |

[See Arlington Intro Section for Ordering Options](#)

| Item      | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------|-----------|-------|-------|--------|---------|----------|----------------------|
| END TABLE | 29-2124ET | 21    | 24    | 21½    | 25      | 2.0      | P\$ 1105<br>W\$ 1287 |




Must Specify (in this order):

Model #  
Surface Material  
Finish/Color

#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required

|            |           |    |    |     |    |     |                      |
|------------|-----------|----|----|-----|----|-----|----------------------|
| LAMP TABLE | 29-2424LT | 24 | 24 | 21½ | 25 | 2.0 | P\$ 1236<br>W\$ 1326 |
|------------|-----------|----|----|-----|----|-----|----------------------|




Must Specify (in this order):

Model #  
Surface Material  
Finish/Color

#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required

|                |           |    |    |    |    |     |                      |
|----------------|-----------|----|----|----|----|-----|----------------------|
| MAGAZINE TABLE | 29-1847MT | 47 | 18 | 16 | 47 | 3.4 | P\$ 1326<br>W\$ 1547 |
|----------------|-----------|----|----|----|----|-----|----------------------|



Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Leg

#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Left to Right Grain Direction on Worksurface
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required
- Optional 30" Legs; See Below


#### Desk Base Molding Options: Must Specify and Add

|       |                     |        |
|-------|---------------------|--------|
| SH-36 | Optional 30" H Legs | \$ 240 |
|-------|---------------------|--------|

Pricing Codes:  
P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------------------|-----------|-------|-------|--------|---------|----------|----------------------|
| SQUARE MAGAZINE TABLE | 29-3636MT | 36    | 36    | 16     | 60      | 5.5      | P\$ 1416<br>W\$ 1654 |



Must Specify (in this order):

Model #  
Surface Material  
Finish/Color

#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required

|                 |           |                               |    |    |    |    |     |                      |
|-----------------|-----------|-------------------------------|----|----|----|----|-----|----------------------|
| ROUND TABLE TOP | 29-3636CT | Accommodates Three (3) Chairs | 36 | 36 | 30 | 50 | 3.3 | P\$ 1710<br>W\$ 2107 |
|                 | 29-4242CT | Accommodates Four (4) Chairs  | 42 | 42 | 30 | 51 | 4.5 | P\$ 1967<br>W\$ 2417 |
|                 | 29-4848CT | Accommodates Five (5) Chairs  | 48 | 48 | 30 | 58 | 5.9 | P\$ 2823<br>W\$ 3316 |
|                 |           |                               |    |    |    |    |     |                      |

Must Specify for Top (in this order):

Model #  
Surface Material  
Finish/Color  
Base

Must Specify for Base (in this order):

Model #  
Finish

#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- See Below for Queen Anne Base; One (1) Base Required
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Power Options not Available

#### Base Options: Must Order & Add





#### Queen Anne Base

|           |                                       |    |      |         |
|-----------|---------------------------------------|----|------|---------|
| 01-0606QB | Optional Queen Anne Base (1 Required) | 54 | 22.4 | \$ 1452 |
|-----------|---------------------------------------|----|------|---------|

[See Arlington Intro Section for Ordering Options](#)

| Item                                                 | Model No.                                                       | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price            |
|------------------------------------------------------|-----------------------------------------------------------------|-------|-------|--------|-----|---------|----------|-----------------------|
| HEIGHT ADJUSTABLE<br>DOUBLE PED DESK<br>BOX/BOX/FILE | 29-3060DPSTS <i>Chassis 58W x 24D<br/>4" Approach Overhang</i>  | 60    | 30    | 30-47  | 16  | 321     | 35.3     | P\$ 9666<br>W\$ 9999  |
|                                                      | 29-3066DPSTS <i>Chassis 64W x 24D<br/>4" Approach Overhang</i>  | 66    | 30    | 30-47  | 16  | 321     | 40.3     | P\$ 9852<br>W\$ 10206 |
|                                                      | 29-3072DPSTS <i>Chassis 64W x 24D<br/>4" Approach Overhang</i>  | 72    | 30    | 30-47  | 31½ | 327     | 43.9     | P\$ 9888<br>W\$ 10270 |
|                                                      | 29-3672DPSTS <i>Chassis 64W x 24D<br/>10" Approach Overhang</i> | 72    | 36    | 30-47  | 31½ | 338     | 51.7     | P\$ 9923<br>W\$ 10356 |
|                                                      |                                                                 |       |       |        |     |         |          |                       |



Approach Side Shown with Wire Management Box/Decorative Molding and Optional No Molding

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Drawer Construction  
Control Switch  
Top Grommet Location/Color

**Description**

- Standard with: Rectangle Top, Locking Letter Width Locking Box/Box/File Pedestals, Left to Right Grain Direction on Worksurface, 2-Channel Leg Configuration for Single Surface Height Adjustment, and Standard Up/Down Control Switch
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                                       |       |
|--------|---------------------------------------|-------|
| BM2900 | Arlington Base Molding                | N/C   |
| M2900  | Optional Arlington Decorative Molding | \$ 89 |


**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding



Approach View for all Double and Single Ped Desks with Wilmington Molding





Approach View for all Double and Single Ped Desks with No Molding

**Pricing Codes:**


P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                                               | Model No.                                | Width        | Depth | Height | K     | Ship Wt | Cubic Ft | List Price |          |
|----------------------------------------------------------------------------------------------------|------------------------------------------|--------------|-------|--------|-------|---------|----------|------------|----------|
| HEIGHT ADJUSTABLE<br>SINGLE PED DESK<br>BOX/BOX/FILE                                               | Left Ped                                 | Right Ped    |       |        |       |         |          |            |          |
|                                                                                                    | 29-3060LPSTS                             | 29-3060RPSTS | 66    | 30     | 30-47 | 18¾     | 258      | 35.3       | P\$ 9044 |
|                                                                                                    | Chassis 58W x 24D, 4" Approach Overhang  |              |       |        |       |         |          | W\$ 9377   |          |
|                                                                                                    | 29-3066LPSTS                             | 29-3066RPSTS | 66    | 30     | 30-47 | 24¾     | 283      | 43.9       | P\$ 9314 |
|                                                                                                    | Chassis 64W x 24D, 4" Approach Overhang  |              |       |        |       |         |          | W\$ 9671   |          |
| <br>Shown as Left | 29-3072LPSTS                             | 29-3072RPSTS | 72    | 30     | 30-47 | 30¾     | 283      | 43.9       | P\$ 9583 |
|                                                                                                    | Chassis 70W x 24D, 4" Approach Overhang  |              |       |        |       |         |          | W\$ 9963   |          |
|                                                                                                    | 29-3672LPSTS                             | 29-3672RPSTS | 72    | 36     | 30-47 | 30¾     | 338      | 51.7       | P\$ 9852 |
|                   | Chassis 70W x 24D, 10" Approach Overhang |              |       |        |       |         |          | W\$ 10285  |          |



Shown as Left



Approach Side Shown with Decorative Molding and Optional No Molding

**Must Specify (in this order):**

Model #  
Premium or Standard Veneer  
Top Material  
Finish/Color  
Pull  
No Molding  
Drawer Track  
Leg Configuration  
Control Switch  
Top Grommet Location/Color

**Description**

- Standard with: Rectangle Top, Locking Letter Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, 2-Channel Leg Configuration for Single Surface Height Adjustment, and Standard Up/Down Control Switch
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns; [See Option Details](#) and [3-Channel Returns](#)
- Stationary Returns Available for Use with Single Ped Desks, [See Stationary Return](#)
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))


**Molding Options: Must Specify and Add****Arlington Molding Options**

|        |                                       |       |
|--------|---------------------------------------|-------|
| BM2900 | Arlington Base Molding                | N/C   |
| M2900  | Optional Arlington Decorative Molding | \$ 89 |


**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding




Approach View for all Double and Single Ped Desks with Wilmington Molding




Approach View for all Double and Single Ped Desks with No Molding

[See Arlington Intro Section for Ordering Options](#)


| Item                                                                              | Model No.     | Width         | Depth | Height | K     | Ship Wt | Cubic Ft | List Price |          |
|-----------------------------------------------------------------------------------|---------------|---------------|-------|--------|-------|---------|----------|------------|----------|
| HEIGHT ADJUSTABLE<br>RETURN WITH FILE/FILE                                        | Left Ped      | Right Ped     |       |        |       |         |          |            |          |
|                                                                                   | 29-2442LF2STS | 29-2442RF2STS | 42    | 24     | 30-47 | 30¼     | 182      | 20.4       | P\$ 8271 |
| 2-CHANNEL, FOR ONE<br>WORKSURFACE                                                 |               |               |       |        |       |         |          |            | W\$ 8551 |
|                                                                                   | 29-2448LF2STS | 29-2448RF2STS | 48    | 24     | 30-47 | 30¼     | 197      | 23.1       | P\$ 8680 |
|  |               |               |       |        |       |         |          |            | W\$ 8970 |



Shown as Left

Approach Shown with and without  
Decorative MoldingMust Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Control Switch  
Top Grommet Location/Color  
Modesty Grommet

**Description**

- Standard with: Rectangle Top, Base Molding on All Sides, Decorative Molding on Approach and Side, Letter Width File/File Ped, Worksurface Grommet, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, Standard Up/Down Control Switch, and Wire Management from Pedestal to Kneespace
- Top Profiled on 4 Sides with Reverse Profile on Connecting Edge; Surface is 1/8" Short on Connecting Side
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

**Molding Options: Must Specify and Add****Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**


|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*


Pricing Codes:  
P = HPL Top  
W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                          | Model No.    |              | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price |          |
|-----------------------------------------------|--------------|--------------|-------|-------|--------|-----|---------|----------|------------|----------|
| HEIGHT ADJUSTABLE<br>RETURN WITH BOX/BOX/FILE | Left Ped     | Right Ped    |       |       |        |     |         |          |            |          |
|                                               | 29-2442LFSTS | 29-2442RFSTS | 42    | 24    | 30-47  | 30¼ | 182     | 20.4     | P\$ 8271   | W\$ 8551 |
| 2-CHANNEL, FOR ONE<br>WORKSURFACE             | 29-2448LFSTS | 29-2448RFSTS | 48    | 24    | 30-47  | 30¼ | 197     | 23.1     | P\$ 8680   | W\$ 8970 |



Shown as Left



Approach Shown with and without  
Decorative Molding

[Must Specify \(in this order\):](#)  
Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Control Switch  
Top Grommet Location/Color  
Modesty Grommet


Description

- Standard with: Rectangle Top, Base Molding on All Sides, Decorative Molding on Approach and Side, Letter Width Box/Box/File Ped, Worksurface Grommet, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, Standard Up/Down Control Switch, and Wire Management from Pedestal to Kneespace
- Top Profiled on 4 Sides with Reverse Profile on Connecting Edge; Surface is ¼" Short on Connecting Side
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))


Molding Options: Must Specify and Add

|                            |                                        |        |
|----------------------------|----------------------------------------|--------|
| Arlington Molding Options  |                                        |        |
| BM2900                     | Arlington Base Molding                 | N/C    |
| Wilmington Molding Options |                                        |        |
| BM3600                     | Wilmington Base Molding                | N/C    |
| M3600                      | Optional Wilmington Decorative Molding | \$ 149 |


Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding



| Item                                                          | Model No.      |                | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price |          |
|---------------------------------------------------------------|----------------|----------------|-------|-------|--------|-----|---------|----------|------------|----------|
| HEIGHT ADJUSTABLE RETURN WITH FILE/FILE FOR MULTIPLE SURFACES | Left Ped       | Right Ped      |       |       |        |     |         |          |            |          |
|                                                               | 29-2442LF2STS3 | 29-2442RF2STS3 | 42    | 24    | 30-47  | 30¼ | 182     | 20.4     | P\$ 5669   | W\$ 5950 |
|                                                               |                |                |       |       |        |     |         |          |            |          |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES                  | 29-2448LF2STS3 | 29-2448RF2STS3 | 48    | 24    | 30-47  | 30¼ | 197     | 23.1     | P\$ 6078   | W\$ 6367 |
|                                                               |                |                |       |       |        |     |         |          |            |          |




Shown as Left



Approach Shown with and without Decorative Molding

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Drawer Pull  
Locking  
Drawer Construction  
Top Grommet Location/Color  
Modesty Grommet



### Description

- Standard with: Rectangle Top Profiled on Approach and User Sides with Reverse Profile on Connecting Side, Base Molding on All Sides, Decorative Molding on Approach and Side, File/File Ped, Front-To-Back Grain Direction on Top, 3-Channel Leg Configuration for Simultaneous Surface Height Adjustment Across Two Units, and Wire Management from Pedestal to Kneespace
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Must Be Used with Height Adjustable Single Pedestal Desk (Order Separately, [See Single Ped Desk](#))**
- Control Switch Not Included, Will Be On Adjoining Unit
- Optional Worksurface Grommet with or without Mesh Wire Management Sleeve Available Over Ped Only; 6" from Ends and 20" from User; Must Specify Location and Color: GL or GL-MESH for Left or GR or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Monitor Arms not Available on this Unit
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

### Molding Options: Must Specify and Add

#### Arlington Molding Options

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

#### Wilmington Molding Options

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |


*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

Pricing Codes:

P = HPL Top

W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                                                                             | Model No.       |                  | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price |      |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|-------|-------|--------|-----|---------|----------|------------|------|
| <b>STATIONARY RETURN WITH FILE/FILE</b><br><br> | <b>Left Ped</b> | <b>Right Ped</b> |       |       |        |     |         |          |            |      |
|                                                                                                                                  | 29-2442LF2SR    | 29-2442RF2SR     | 42    | 24    | 30-47  | 30¼ | 110     | 20.4     | P\$        | 2887 |
|                                                                                                                                  |                 |                  |       |       |        |     |         |          | W\$        | 3167 |
|                                                                                                                                  | 29-2448LF2SR    | 29-2448RF2SR     | 48    | 24    | 30-47  | 30¼ | 125     | 23.1     | P\$        | 3296 |
|                                                                                                                                  |                 |                  |       |       |        |     |         |          | W\$        | 3585 |

Shown as Right

Must Specify (in this order):

Model #

Surface Material

Finish/Color

Base Molding

Decorative Molding

Drawer Pull

Locking

Drawer Construction

Top Grommet Location/Color

Modesty Grommet

**Description**

- Standard with: Rectangle Top, Decorative Molding on Approach and Side, File/File Ped, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, and Wire Management from Pedestal to Kneespace
- Top Profiled on 4 Sides; Surface is ½" Short on Connecting Side
- Available with Veneer (W) or HPL (P) Top, Must Specify
- **Must Be Used with Height Adjustable Single Pedestal Desk (Order Separately, [See Single Ped Desk](#))**
- Control Switch Not Included, Will Be On Adjoining Unit
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Monitor Arms not Available on this Unit
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))


**Molding Options: Must Specify and Add****Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|



**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*


[See Arlington Intro Section for Ordering Options](#)

| Item                           | Model No.    | Width | Depth | Height | K  | Ship Wt | Cubic Ft | List Price           |
|--------------------------------|--------------|-------|-------|--------|----|---------|----------|----------------------|
| HEIGHT ADJUSTABLE BRIDGE       | 29-2442UFSTS | 42    | 24    | 30-47  | 30 | 230     | 21.8     | P\$ 7177<br>W\$ 7462 |
| 2-CHANNEL, FOR ONE WORKSURFACE | 29-2448UFSTS | 48    | 24    | 30-47  | 30 | 250     | 24.0     | P\$ 7253<br>W\$ 7540 |



Approach Shown with and without  
Decorative Molding

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Top Grommet Location/Color  
Back Panel Grommet  
Control Switch

### Description

- Standard with: Rectangle Top Profiled on All Sides, Base Molding on Back Side, Decorative Molding on Approach, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, and Standard Up/Down Control Switch (Field Installed)
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Optional Worksurface Grommet with or without Mesh Wire Management Sleeve or Wire Management Box Available On Center Only ([See Option Details](#))
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#); Must Specify (See Below)
- Additional Options: Worksurface Grommet Options ([See Option Details](#)); Kneespace Options Available for Field Installation Only ([See 01-KB3](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))
- Note: Surface is 1/8" Short on Both Connecting Sides to Prevent Contact Between Tops


### Molding Options: Must Specify and Add

#### Arlington Molding Options

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

#### Wilmington Molding Options

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |



*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Pricing Codes:

P = HPL Top

W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                           | Model No.       |                  | Width | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |  |
|------------------------------------------------|-----------------|------------------|-------|-------|--------|----|---------|----------|------------|--|
| HEIGHT ADJUSTABLE BRIDGE FOR MULTIPLE SURFACES | <b>Left Ped</b> | <b>Right Ped</b> |       |       |        |    |         |          |            |  |
|                                                | 29-2442UFSTSL3  | 29-2442UFSTSR3   | 42    | 24    | 30-47  | 30 | 220     | 21.8     | P\$ 5896   |  |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES   |                 |                  |       |       |        |    |         |          | W\$ 6181   |  |
|                                                | 29-2448UFSTSL3  | 29-2448UFSTSR3   | 48    | 24    | 30-47  | 30 | 240     | 24.0     | P\$ 5973   |  |
|                                                |                 |                  |       |       |        |    |         |          | W\$ 6260   |  |



Approach Shown with and without Decorative Molding

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Decorative Molding  
Top Grommet Location/Color  
Back Panel Grommet  
Grommet Color

**Description**

- Standard with: Rectangle Top Profiled on All Sides, Base Molding on Back Side, Front-To-Back Grain Direction on Top, 3-Channel Leg Configuration for Multiple Surface Height Adjustment
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Optional Worksurface Grommet with Mesh Wire Management Sleeve or Wire Management Box Available On Center Only ([See Option Details](#))
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#); Must Specify (See Below)
- Additional Options: Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))
- Note: Surface is 1/8" Short on Both Connecting Sides to Prevent Contact Between Tops

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**


|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



[See Arlington Intro Section for Ordering Options](#)

| Item                              | Model No.              | Width                   | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|------------------------|-------------------------|-------|--------|----|---------|----------|------------|
| STATIONARY BRIDGE<br>FULL MODESTY | <b>Left Attachment</b> | <b>Right Attachment</b> |       |        |    |         |          |            |
|                                   | 29-2442SUFL            | 29-2442SUFR             | 42    | 24     | 30 | 22      | 89       | 5.5        |
|                                   |                        |                         |       |        |    |         |          | P\$ 1792   |
|                                   |                        |                         |       |        |    |         |          | W\$ 2076   |
|                                   | 29-2448SUFL            | 29-2448SUFR             | 48    | 24     | 30 | 22      | 89       | 5.5        |
|                                   |                        |                         |       |        |    |         |          | P\$ 1867   |
|                                   |                        |                         |       |        |    |         |          | W\$ 2155   |



Shown as Right

Must Specify (in this order):

Model #  
Top Material  
Finish/Color  
No Molding  
Top Grommet Location/Color  
Back Panel Grommet

**Description**


- Standard with: Rectangle Top Profiled on All Sides with Reverse Profile on Connecting Side (To Credenza), Base Molding on Back Side, Decorative Molding on Approach, and Front-To-Back Grain Direction on Top
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Must Be Used with Height Adjustable Single Pedestal Desk (Order Separately, [See Single Ped Desk](#))**
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding, [See Option Details](#) for Details; Must Specify (See Below)
- Additional Options: Worksurface Grommet Options ([See Option Details](#)); Kneespace Options Available for Field Installation Only ([See 01-KB3](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))
- Note: Surface is 1/8" Short on Connecting Side (To Height Adjustable Desk)

**Molding Options: Must Specify and Add****Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |                                        |        |
|--------|----------------------------------------|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 149 |



*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

Pricing Codes:

P = HPL Top

W = Veneer Top

[See Arlington Intro Section for Ordering Options](#)

| Item                                                                              | Model No. |                               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------|-----------|-------------------------------|-------|-------|--------|---------|----------|------------|
| CONFERENCE TABLE<br>ONE PIECE TOP                                                 | 29-3672RT | Accommodates Six (6) Chairs   | 72    | 36    | 30     | 91      | 6.6      | P\$ 3318   |
|                                                                                   |           |                               |       |       |        |         |          | W\$ 3867   |
|  | 29-4296RT | Accommodates Eight (8) Chairs | 96    | 42    | 30     | 140     | 12.5     | P\$ 4005   |
|                                                                                   |           |                               |       |       |        |         |          | W\$ 4718   |

Must Specify for Top (in this order):


Model #  
Surface Material  
Finish/Color  
PDC Style / Location  
Base

Must Specify for Base (in this order):

Model #  
Finish

**Description**

- One (1) Piece Top
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top and Bases Shipped Separately
- Bases Must e Specified. Top Price Includes Standard Two (2) Rectangle Bases with Two (2) Stretchers, Optional Queen Anne Bases Available (See Below)
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Additional Options: Grommet Options ([See Options and Locations](#)), Power Options ([See Multiple Unit Details](#))



**Options: Must Specify and Add**

|           |                                                       |     |      |          |
|-----------|-------------------------------------------------------|-----|------|----------|
| 29-2828TB | Rectangular Bases (Includes 2 Bases and 2 Stretchers) | 104 | 7.0  | Included |
| 01-0606QB | Upgrade Queen Anne Base (Includes 2 Bases)            | 54  | 22.4 | \$ 974   |

Arlington Meeting and Conference Tables offer additional power and grommet options. See the Tables and Space Division Price List for more details.

|                                                                                     |            |                                 |     |    |    |     |      |          |
|-------------------------------------------------------------------------------------|------------|---------------------------------|-----|----|----|-----|------|----------|
| CONFERENCE TABLE<br>TWO PIECE TOP                                                   | 29-48120RT | Accommodates Ten (10) Chairs    | 120 | 48 | 30 | 198 | 22.0 | P\$ 5051 |
|                                                                                     |            |                                 |     |    |    |     |      | W\$ 6006 |
|  | 29-48144RT | Accommodates Twelve (12) Chairs | 144 | 48 | 30 | 315 | 22.0 | P\$ 8293 |
|                                                                                     |            |                                 |     |    |    |     |      | W\$ 9486 |

Must Specify for Top (in this order):


Model #  
Finish Color  
PDC Style / Location  
Base

Must Specify for Base (in this order):

Model #  
Finish Color

**Description**

- Two (2) Piece Top
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top and Bases Shipped Separately
- Bases Must Be Specified. Top Price Includes Standard Three (3) Rectangle Bases with Four (4) Stretchers, Optional Queen Anne Bases Available (See Below)
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Additional Options: Grommet Options ([See Options and Locations](#)), Power Options ([See Multiple Unit Details](#))



**Options: Must Specify and Add**

|           |                                                       |     |      |          |
|-----------|-------------------------------------------------------|-----|------|----------|
| 29-2828TB | Rectangular Bases (Includes 3 Bases and 4 Stretchers) | 104 | 7.0  | Included |
| 01-0606QB | Upgrade Queen Anne Base (Includes 3 Bases)            | 80  | 33.6 | \$ 1461  |

Arlington Meeting and Conference Tables offer additional power and grommet options. See the Tables and Space Division Price List for more details.

[See Arlington Intro Section for Ordering Options](#)

| Item                | Model No. |        | Width           | Depth           | Height | Ship Wt | Cubic Ft | List Price |
|---------------------|-----------|--------|-----------------|-----------------|--------|---------|----------|------------|
| ROUND GROMMET COVER | 01-GRMTBK | Black  | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | -      | 1       | 0.1      | \$ 11      |
|                     | 01-GRMTSL | Silver |                 |                 |        |         |          |            |




OPEN MARKET ONLY  
(SILVER)

#### Description

- 2 $\frac{3}{8}$ " (60mm) Round Grommet Cover
- Field Installed


|                          |             |          |                  |                 |                 |    |     |         |
|--------------------------|-------------|----------|------------------|-----------------|-----------------|----|-----|---------|
| WORKSURFACE POWER CENTER | 01-INTRFC1A | Aluminum | 14 $\frac{1}{4}$ | 6 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 11 | 0.3 | \$ 2132 |
|                          | 01-INTRFC1B | Black    |                  |                 |                 |    |     |         |




#### Description

- For Use with Conference Tables
- Includes: Four (4) Power Receptacles in Two (2) 15 Amp Duplexes, One (1) 15 Amp Circuit Breaker, One (1) Voice Port and Three (3) Data Ports, 6' Power Cord
- One (1) Convenience Plug on Bottom
- UL Listed/CSA Certified
- Optional Telecom Plates, See Arlington Tables in the Table and Space Division Price List

|                         |            |          |                  |                 |                 |    |     |         |
|-------------------------|------------|----------|------------------|-----------------|-----------------|----|-----|---------|
| OASIS MINI POWER & DATA | 01-OASISMA | Aluminum | 14 $\frac{1}{4}$ | 6 $\frac{3}{8}$ | 2 $\frac{7}{8}$ | 11 | 0.3 | \$ 3296 |
|                         | 01-OASISMB | Black    |                  |                 |                 |    |     |         |



Top View




#### Description

- For Use with Conference Tables
- Plate Includes: Two (2) Data and Four (4) Power Outlets, 9' Power Cord
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLB Plate (Consists of One (1) RJ45 Cat 6)
- 9' Cord with Nema Plug; Fits 15A/120V AC Receptacles
- Soft Touch Hinged Lid
- UL Listed
- See Optional Telecom Plates in the Table and Space Division Price List

[See Arlington Intro Section for Ordering Options](#)


| Item                        | Model No.    |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------|--------------|--------|-------|-------|--------|---------|----------|------------|
| DUO CLAMP<br>WITH NEMA PLUG | 01-DUOCLAMPW | White  | 5½    | 3     | 7      | 1       | 0.2      | \$ 591     |
|                             | 01-DUOCLAMPB | Black  |       |       |        |         |          |            |
|                             | 01-DUOCLAMPS | Silver |       |       |        |         |          |            |



#### Description

- Standard with: Two (2) Power Outlet, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications


|                              |               |        |   |   |   |   |     |        |
|------------------------------|---------------|--------|---|---|---|---|-----|--------|
| TRIO CLAMP<br>WITH NEMA PLUG | 01-TRIOCLAMPW | White  | 8 | 3 | 7 | 1 | 0.2 | \$ 693 |
|                              | 01-TRIOCLAMPB | Black  |   |   |   |   |     |        |
|                              | 01-TRIOCLAMPS | Silver |   |   |   |   |     |        |



#### Description

- Standard with: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|                             |              |        |    |    |    |   |     |        |
|-----------------------------|--------------|--------|----|----|----|---|-----|--------|
| DUO BEZEL<br>WITH NEMA PLUG | 01-DUOBEZELW | White  | 6½ | 2½ | 3¼ | 1 | 0.2 | \$ 697 |
|                             | 01-DUOBEZELB | Black  |    |    |    |   |     |        |
|                             | 01-DUOBEZELS | Silver |    |    |    |   |     |        |




#### Description

- For Use with Conference Tables
- Sits on Worksurface and Includes: Two (2) Power Outlet, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications

[See Arlington Intro Section for Ordering Options](#)


| Item                         | Model No.     |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------|---------------|--------|-------|-------|--------|---------|----------|------------|
| TRIO BEZEL<br>WITH NEMA PLUG | 01-TRIOBEZELW | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 749     |
|                              | 01-TRIOBEZELB | Black  |       |       |        |         |          |            |
|                              | 01-TRIOBEZELS | Silver |       |       |        |         |          |            |



#### Description

- For Use with Conference Tables
- Sits on Worksurface and Includes: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, and One (1) Open Data with 10' Cord
- All Mounting Hardware
- HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Below
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications

|                          |             |  |   |   |   |   |     |        |
|--------------------------|-------------|--|---|---|---|---|-----|--------|
| HDMI DATA PORT ACCESSORY | 01-LCOMHDMI |  | - | - | - | 1 | 0.2 | \$ 171 |
|--------------------------|-------------|--|---|---|---|---|-----|--------|




OPEN MARKET ONLY

#### Description

- HDMI Port for Trio Bezel and Trio Clamp Units


|                         |            |  |   |   |   |   |     |        |
|-------------------------|------------|--|---|---|---|---|-----|--------|
| VGA DATA PORT ACCESSORY | 01-LCOMVGA |  | - | - | - | 1 | 0.2 | \$ 125 |
|-------------------------|------------|--|---|---|---|---|-----|--------|



#### Description

- VGA Port for Trio Bezel and Trio Clamp Units

|                          |             |  |   |   |   |   |     |       |
|--------------------------|-------------|--|---|---|---|---|-----|-------|
| RJ45 DATA PORT ACCESSORY | 01-LCOMRJ45 |  | - | - | - | 1 | 0.2 | \$ 82 |
|--------------------------|-------------|--|---|---|---|---|-----|-------|




#### Description

- RJ45 Port for Trio Bezel and Trio Clamp Units


[See Arlington Intro Section for Ordering Options](#)

| Item                    | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|-----------|-------|-------|--------|---------|----------|------------|
| WIRE MANAGEMENT CHANNEL | 01-WMGR4  | 16    | 1½    | 1      | 1       | -        | \$ 120     |

**Description**


- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- Ships via UPS Only

|              |          |    |    |   |     |     |        |
|--------------|----------|----|----|---|-----|-----|--------|
| WIRE CHANNEL | 01-32125 | 24 | 1⅝ | 1 | .25 | 0.3 | \$ 109 |
|--------------|----------|----|----|---|-----|-----|--------|

**Description**


- Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Easily Attach to an Iconic Leg to Route Wires/Cords from the Top to the Floor
- Open J Channel for Easy Storage of Cables

|            |           |    |    |   |   |   |       |
|------------|-----------|----|----|---|---|---|-------|
| CABLE GRIP | 01-WMGRCB | 5⅝ | 1½ | - | - | - | \$ 18 |
|------------|-----------|----|----|---|---|---|-------|

**Description**

- Under Surface Wire Management
- Black


|                        |                |        |    |    |       |   |     |        |
|------------------------|----------------|--------|----|----|-------|---|-----|--------|
| LINK 360 CABLE MANAGER | 01-0251LINKSLV | Silver | 5⅝ | 3⅝ | 30-51 | 4 | 3.0 | \$ 403 |
|                        | 01-0251LINKBLK | Black  | 5⅝ | 3⅝ | 30-51 | 4 | 3.0 | \$ 365 |

**Description**

- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, and One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use


[See Arlington Intro Section for Ordering Options](#)

| Item                          | Model No. |       | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------|-----------|-------|-------|-------|--------|---------|----------|------------|
| HEIGHT ADJUSTABLE WORKSTATION | 01-S2SBLK | Black | 35½   | 25    | 6-22   | 49      | 6.5      | \$ 1553    |

**Description**

- Height Adjustable
- Weight Capacity: 35lbs
- One-Handed Operation; Platforms Move Simultaneously
- Keyboard Platform: 10½"D x 26½"W
- Worksurface: 21"D x 35½"W
- Can be Used on Worksurface 24"D x 35"W

|                                        |        |  |     |    |     |    |     |        |
|----------------------------------------|--------|--|-----|----|-----|----|-----|--------|
| KEYBOARD MECHANISM WITH KEYBOARD CLAMP | 01-KB3 |  | 26½ | 14 | 4.5 | 16 | 1.4 | \$ 944 |
|----------------------------------------|--------|--|-----|----|-----|----|-----|--------|


**Description**

- Standard With: 18.75" Platform with Swivel-Below Mouse Platform, +/- 15° Tilt Adjustment, 360° Rotation, 7" Lift and Lock Height Adjustment, Independent Tilt Adjustment, Palm Rest for Mousing Surface
- Left or Right Handed Mouse Platform
- Cannot Be Used on 20" or 21" Deep Unit
- Not Available with Optional Center Grommet
- Track Measures 21"

**Options: Specify & Add**


|     |                   |        |
|-----|-------------------|--------|
| KB3 | Factory Installed | \$ 215 |
|-----|-------------------|--------|

|                |         |                   |     |     |    |   |   |        |
|----------------|---------|-------------------|-----|-----|----|---|---|--------|
| LED TASKLIGHTS | TL-0824 | 84-LED, 7 Watts   | 22½ | 7/8 | 1½ | - | - | \$ 380 |
|                | TL-0848 | 240-LED, 18 Watts | 47½ | 7/8 | 1½ | - | - | \$ 460 |

**Description**

- Includes the Power Supply and Three (3) Upper Wire Management Grommet
- Rocker Style On/Off Switch with a 10' Power Cord
- Grommet Color will Match Lower Grommet Color

|                |             |                    |     |   |   |   |   |         |
|----------------|-------------|--------------------|-----|---|---|---|---|---------|
| LED TASKLIGHTS | 01-47LED17  | 24-LED, 9.1 Watts  | 16¾ | 2 | ¾ | - | - | \$ 713  |
|                | 01-94LED31  | 48-LED, 17.6 Watts | 30¾ | 2 | ¾ | - | - | \$ 1234 |
|                | 01-188LED58 | 96-LED, 33.7 Watts | 57¾ | 2 | ¾ | - | - | \$ 1702 |

**Description**



- Includes the Power Supply and Three (3) Upper Wire Management Grommet
- 12' Power Cord
- Grommet Color will Match Lower Grommet Color
- Optional Occupancy Sensor Shuts Off After 30 Minutes of Inactivity and Turns On Immediately When Reentering the Detection Area

**Options: Specify & Add**

|         |                  |        |
|---------|------------------|--------|
| 01-OSRP | Occupancy Sensor | \$ 378 |
|---------|------------------|--------|

[See Arlington Intro Section for Ordering Options](#)

| Item                                                     | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| MAGNETIC GLASS MARKER BOARD                              | GMB-2330W | 30    | ½     | 23     | 23      | 5.1      | \$ 1189    |
| FOR USE WITH 30"H DESKS, CREDENZA AND WALL MOUNT HUTCHES | GMB-2336W | 36    | ½     | 23     | 28      | 5.8      | \$ 1402    |
|                                                          | GMB-2342W | 42    | ½     | 23     | 33      | 6.6      | \$ 1615    |
|                                                          | GMB-2348W | 48    | ½     | 23     | 38      | 7.3      | \$ 1899    |
|                                                          | GMB-2354W | 54    | ½     | 23     | 42      | 8.0      | \$ 2041    |
|                                                          | GMB-2360W | 60    | ½     | 23     | 47      | 8.8      | \$ 2254    |
|                                                          | GMB-2366W | 66    | ½     | 23     | 52      | 9.5      | \$ 2539    |
|                                                          | GMB-2372W | 72    | ½     | 23     | 56      | 10.2     | \$ 2681    |



Must Specify (in this order):

Model #  
Color




Magnet, Marker and Eraser Sets  
Available, [See Set Details](#)

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches
- For Magnet, Marker and Eraser Sets Available; [See Set Details](#)

|                                                          |           |    |   |     |    |      |         |
|----------------------------------------------------------|-----------|----|---|-----|----|------|---------|
| MAGNETIC GLASS MARKER BOARD                              | GMB-4030W | 30 | ½ | 40⅞ | 42 | 7.7  | \$ 1987 |
| FOR USE WITH 30"H DESKS, CREDENZA AND WALL MOUNT HUTCHES | GMB-4036W | 36 | ½ | 40⅞ | 50 | 8.8  | \$ 2360 |
|                                                          | GMB-4042W | 42 | ½ | 40⅞ | 58 | 9.9  | \$ 2731 |
|                                                          | GMB-4048W | 48 | ½ | 40⅞ | 67 | 11.0 | \$ 3231 |



Must Specify (in this order):

Model #  
Color




Magnet, Marker and Eraser Sets  
Available, [See Set Details](#)

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Board Includes Mounting Brackets
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches or Shelving
- For Magnet, Marker and Eraser Sets Available; [See Set Details](#)

[See Arlington Intro Section for Ordering Options](#)

| Item                              | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| GLASS MARKER BOARD                | GMB-7030W | 30    | ½     | 70%    | 72      | 12.1     | \$ 3321    |
| FOR USE FROM FLOOR TO TOP OF UNIT | GMB-7036W | 36    | ½     | 70%    | 87      | 13.8     | \$ 3961    |



### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use From Floor to Top of Unit
- For Magnet, Marker and Eraser Sets Available; [See Set Details](#)

Must Specify (in this order):


Model #

Color



Magnet, Marker and Eraser Sets  
Available, [See Set Details](#)

|                       |              |                                                        |        |
|-----------------------|--------------|--------------------------------------------------------|--------|
| MARKER AND ERASER SET | 01-MRKRSETBL | For Use with Black Marker Boards and Black Glass Doors | \$ 127 |
|                       | 01-MRKRSETWH | For Use with White Marker Boards and White Glass Doors |        |



### Description

- 01-MRKRSETWH May Also be Used with Standard Dry Erase Doors and Boards
- Includes Four (4) Markers and an Eraser

|                       |          |               |        |
|-----------------------|----------|---------------|--------|
| RARE EARTH MAGNET SET | 01-MAGBL | Black Magnets | \$ 118 |
|                       | 01-MAGWH | White Magnets |        |




### Description

- Includes Set of Five (5) Rare Earth Magnets
- To be Used with Tempered Glass Magnetic Marker Boards
- Comfort Grip with Stylish Protective Plastic Coating

[See Arlington Intro Section for Ordering Options](#)

### SURFACE MOUNT TACKBOARDS

23" H




| Grades   |      |         |                   |     |      |      |      |      |      |      |
|----------|------|---------|-------------------|-----|------|------|------|------|------|------|
| Model #  | Size | COM ydg | COM,<br>1, 2 or 3 | 4   | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-2960H | 60"  | 2.00    | \$ 514            | 806 | 942  | 1080 | 1276 | 1482 | 1722 | 1998 |
| TB-2966H | 66"  | 2.00    | \$ 551            | 843 | 979  | 1117 | 1313 | 1519 | 1759 | 2035 |
| TB-2972H | 72"  | 2.25    | \$ 585            | 914 | 1067 | 1222 | 1442 | 1674 | 1944 | 2255 |

#### Description

- Coordinates with Surface Mount Hitches
- Factory Installed

### WALL MOUNT TACKBOARDS

23" H



| Grades   |      |         |                   |     |      |      |      |      |      |      |
|----------|------|---------|-------------------|-----|------|------|------|------|------|------|
| Model #  | Size | COM ydg | COM,<br>1, 2 or 3 | 4   | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-6530W | 30"  | 1.00    | \$ 407            | 553 | 621  | 690  | 788  | 891  | 1011 | 1149 |
| TB-6536W | 36"  | 1.25    | \$ 448            | 631 | 716  | 802  | 924  | 1053 | 1203 | 1376 |
| TB-6542W | 42"  | 1.25    | \$ 461            | 644 | 729  | 815  | 937  | 1066 | 1216 | 1389 |
| TB-6548W | 48"  | 1.50    | \$ 508            | 727 | 829  | 933  | 1080 | 1234 | 1414 | 1621 |
| TB-6554W | 54"  | 1.75    | \$ 557            | 813 | 932  | 1052 | 1224 | 1404 | 1614 | 1856 |
| TB-6560W | 60"  | 2.00    | \$ 585            | 877 | 1013 | 1151 | 1347 | 1553 | 1793 | 2069 |
| TB-6566W | 66"  | 2.00    | \$ 629            | 921 | 1057 | 1195 | 1391 | 1597 | 1837 | 2113 |
| TB-6572W | 72"  | 2.25    | \$ 663            | 992 | 1145 | 1300 | 1520 | 1752 | 2022 | 2333 |

#### Description

- Coordinates with Wall Mount Hitches
- Field Installed

| Item               | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------|-----------|-------|-------|--------|---------|----------|------------|
| VESTA POWER CENTER | 01-PDCTR  | 10¾   | 12    | 28¾    | 14      | 2.5      | \$ 1835    |



#### Description

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall

[See Arlington Intro Section for Ordering Options](#)

# Indiana FURNITURE

## ORDERING INFORMATION

All orders should be emailed to [neworders@indianafurniture.com](mailto:neworders@indianafurniture.com).  
Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture  
P.O. Box 270, 1919 Hospitality Dr., Ste. A  
Jasper, IN 47547-0270

## ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

- purchase order number
- complete quantity for all units
- billing address
- model number
- ship-to address
- fabric (seating, tackboards, etc.)
- phone number
- finish
- any special instructions
- any other applicable option

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification, contact Customer Service.

## PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

## ACKNOWLEDGMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. Shipping fees are listed on direct bill contract orders and GSA, but not on commercial order acknowledgments or dealer-billed orders.

## BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

## CANCELLATIONS AND CHANGES

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

## PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice. Note: All dimensions listed in price list are nominal.

## REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

## WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 7 calendar days at your request, a .084% per calendar day (2.52% per month) storage charge will be assessed. The effective date will be 7 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

## DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

# GENERAL INFORMATION + CONDITIONS OF SALE

**Obvious Damage/Missing Cartons** — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

**Concealed Damage** — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered ½ by the carrier and ½ by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

## RETURN MERCHANDISE

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

1. Manufacturing defect (inspected by Indiana Furniture representative)
2. Indiana Furniture order processing error
3. Shipping error
4. Mis-marked cartons
5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

**All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.**

## DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$22. For order shipments over \$100, shipped by small package carrier, the fee is \$40. All shipping fees will be added at the time of invoicing.

## BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("Indiana Furniture") warrants to the original purchaser all product in this price list ("Product") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after June 2, 2025, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

**Warranty periods are limited** for certain Products and parts as follows:

**12-year Warranty** (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

**5-year Warranty** (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- All Height Adjustable Mechanisms

**3-year Warranty** (from date of shipment)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

**THIS WARRANTY DOES NOT COVER:**

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.









If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc.  
Attn: Customer Service  
1919 Hospitality Dr., Ste A  
P.O. Box 270  
Jasper, Indiana  
47547-0270  
800.422.5727  
Fax 812.482.9035  
[custserv@indianafurniture.com](mailto:custserv@indianafurniture.com)

# Surface Materials



## Wood Finishes and Woodgrain, and Solid Laminates

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |
| <b>Aspen White (AWH)</b><br>SQ1                                                     | <b>White Nebbia (WNB)</b><br>TFL, HPL, Seating                                      | <b>Beigewood (BW)</b><br>TFL, HPL, Seating*                                         | <b>Natural Beech (NB)</b><br>SQ1                                                     | <b>Sugar Maple (SM)</b><br>Veneer, TFL, HPL, Seating                                  | <b>Oak Riftwood (ORW)</b><br>Veneer*, TFL, HPL, Seating*                              |
|    |    |    |    |    |    |
| <b>Kirsche (KHE)</b><br>TFL, HPL, Seating                                           | <b>Fawn Oak (FO)</b><br>Veneer*, Seating*                                           | <b>Truffle Rain (TR)</b><br>SQ1                                                     | <b>River Cherry (RC)</b><br>TFL, HPL, Seating*                                       | <b>Mesa Sunset (MAS)</b><br>Veneer*, Seating*                                         | <b>Natural Marrone (NTM)</b><br>TFL, HPL, Seating*                                    |
|    |    |    |    |    |    |
| <b>Studio Teak (TK)</b><br>TFL, HPL, Seating                                        | <b>Pinnacle Walnut (PNW)</b><br>Veneer, TFL, HPL, Seating                           | <b>Harvest Maple (HVM)</b><br>TFL, HPL, Seating*                                    | <b>Golden Cherry (GC)</b><br>Veneer, TFL, HPL, Seating                               | <b>Legacy Walnut (LW)</b><br>Veneer, Seating                                          | <b>Artisan Walnut (AW)</b><br>Veneer, Seating                                         |
|    |    |    |    |    |    |
| <b>Orchard (OR)</b><br>SQ1                                                          | <b>Shaker Cherry (SKC)</b><br>Veneer, TFL, HPL, Seating                             | <b>Select Cherry (SCH)</b><br>Veneer, TFL, HPL, Seating                             | <b>Williamsburg Cherry (WC)</b><br>Veneer, TFL, HPL, Seating                         | <b>Harvest Walnut (HW)</b><br>Veneer, Seating                                         | <b>Dark Cherry (DC)</b><br>Veneer, Seating                                            |
|    |    |    |    |    |    |
| <b>Mahogany Walnut (MW)</b><br>Veneer, TFL, HPL, Seating                            | <b>Henna Walnut (HNW)</b><br>Veneer, Seating                                        | <b>Columbian Walnut (CO)</b><br>Veneer, TFL, HPL, Seating                           | <b>Sepia Walnut (SPW)</b><br>TFL, HPL, Seating*                                      | <b>Florence Walnut (FLW)</b><br>TFL, HPL, Seating*                                    | <b>Dark Forest Walnut (DFW)</b><br>Veneer, Seating*                                   |
|   |   |   |   |   |   |
| <b>Ember Gray (EG)</b><br>SQ1                                                       | <b>Espresso (EW/EF)</b><br>Veneer, TFL, HPL, Seating                                | <b>Portico Teak (PTK)</b><br>TFL, HPL, Seating*                                     | <b>Weathered Ash (WTA)</b><br>Veneer*, TFL, HPL, Seating*                            | <b>Smoky Brown Pear (SBP)</b><br>TFL, HPL, Seating*                                   | <b>Asian Night (AS)</b><br>Veneer, TFL, HPL, Seating                                  |
|  |  |  |  |  |  |
| <b>Midnight Run (MNR)</b><br>TFL, HPL, Seating                                      | <b>Metropolis Sky (MTS)</b><br>Veneer, Seating                                      | <b>Designer White (WH)</b><br>TFL, HPL, Seating                                     | <b>Fashion Grey (FHG)</b><br>TFL, HPL                                                | <b>Slate Grey (SG)</b><br>TFL, HPL                                                    | <b>Black (BL)</b><br>TFL, HPL, Seating                                                |





|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| <b>Blush (BSH)</b><br>HPL Accent<br>(Iconic+Plush Only)                             | <b>First Kiss (FK)</b><br>HPL Accent<br>(Iconic+Plush Only)                         | <b>Surfin USA (SUS)</b><br>HPL Accent<br>(Iconic+Plush Only)                        | <b>Summer Vacation (SV)</b><br>HPL Accent<br>(Iconic+Plush Only)                    |

\* Finish is Low Sheen





## Frosted & High Gloss Acrylics

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |  |  |
| <b>Frosted (FSTA)</b>                                                               | <b>White (WHA)</b>                                                                  | <b>Wired Mercury (WMA)</b>                                                          | <b>Graphite (GPA)</b>                                                               | <b>Black (BLA)</b>                                                                   |



## Solid Surfaces

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>Snow White (SNW)</b>                                                             | <b>Pebble Beach (PE)</b>                                                            | <b>Sedona (SE)</b>                                                                  | <b>Arroyo (AR)</b>                                                                  | <b>Tundra (TN)</b>                                                                   | <b>Starry Night (SN)</b>                                                              |

## Metal Options

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |
| Snow (SNOW)                                                                         | Oyster White (OYST)                                                                 | Sugar Cookie (SUGC)                                                                 | Aluminum (ALUM)                                                                     | Chrome (CHRM)                                                                       |
|  |  |  |  |                                                                                     |
| Gold (GOLD)                                                                         | Platinum (PLAT)                                                                     | Mist (MIST)                                                                         | Black (BLK)                                                                         |                                                                                     |

## Glass Options

|                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |
| <b>Gloss White (GWHG)</b><br>(Catalyst + Strut)                                       | <b>Acid Etched White (GWHA)</b><br>(Catalyst + Strut)                                 |
|  |  |
| <b>Gloss Black (GBLG)</b><br>(Catalyst + Strut)                                       | <b>Acid Etched Black (GBLA)</b><br>(Catalyst + Strut)                                 |

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at [www.indianafurniture.com](http://www.indianafurniture.com). Graining and finish colors may vary, yet will continue to complement across Veneer, HPL, TFL, and Seating products due to the inherent differences of these materials.

# Indiana<sup>®</sup>

## FURNITURE

1919 Hospitality Drive, Suite A  
PO Box 270  
Jasper, Indiana 47547-0270

Tel 812.482.5727

Tol 800.422.5727

Fax 812.482.9035

[sales@indianafurniture.com](mailto:sales@indianafurniture.com)

[www.indianafurniture.com](http://www.indianafurniture.com)

**Federal Classification: Small Business**

©2025 Indiana Furniture 6/25

