



# ARLINGTON CASEGOODS

PRICING EFFECTIVE JUNE 1, 2026

Indiana  
FURNITURE

## Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing, and reassembly.

100% of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards and certification\*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to LEED®, Green Globes®, and WELL® Sustainable Programs.



## Specification Made Easy.

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



To learn more, simply go to [IndianaFurniture.com/resources](https://IndianaFurniture.com/resources).

Arlington ensures quality and expert craftsmanship with a selection of configurations for today's functional workspaces including new Height Adjustable options. Providing all the grace and embellishments associated with traditional styling, Arlington features multiple worksurface materials and hand placed decorative and base molding to create a value driven collection with high end elegance.

## CONSTRUCTION

*Arlington features a Veneer chassis with your choice of a Veneer or HPL top. Units ship assembled unless otherwise noted.*

### VENEER

- Exposed surfaces feature select grade, plain sliced American Black Walnut or Cherry veneers, carefully selected and matched to assure proper balance and consistency

### TOPS

- Veneer tops are 5-ply balanced construction and 1 3/16" thick with solid hardwood rims with butt corners
- High Pressure Laminate (HPL) tops are 3-ply balanced construction and 1 3/16" thick with solid hardwood rims with butt corners
- Grain direction runs left to right unless noted

### CHASSIS

- Chassis is securely fastened using high quality European fastening systems and heavy-duty, 16-gauge joining brackets to assure maximum strength
- All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors
- Bases are solid hardwood with mitered corners
- Construction offers tight tolerances and long term durability
- Vertical grain direction on chassis

### DRAWERS

- Drawer fronts standard with matched veneer faces
- Drawer sides, back and front are woodgrain vinyl-wrapped, and are 1/2" thick
- 5-sided drawer construction for easy removal of drawer fronts
- Box and file drawers are tested for 100lb capacity
- Lateral files feature 1/4" thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- All suspensions have a limited lifetime warranty

### FILING

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Letter width file drawers provide letter filing front to back and legal filing side to side
- Lateral file drawers provide legal or letter filing front to back or side to side

### STORAGE

- All hinged doors include soft close hinges, unless noted
- One piece hinge and base plate combination
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

### LOCKING

- Central locking is standard on all desks and optional for credenzas and returns; one key in the lock cylinder locks all drawers in the desk
- Lock core available in black or silver and will coordinate with pull selection; [See option details](#)
- Removable lock cylinders allow for units to be re-keyed at a later date if required

### LOCKING CON'T

- Units are shipped randomly keyed as standard. Keyed alike units available upon request at no additional charge

### CORD MANAGEMENT

- Grommets are standard in back panels of returns, bridge units, credenzas, and hutch units
- Grommets may be ordered in the tops of desks, returns, bridge units, and credenzas
- Grommets are 2 3/8" in diameter and available in black or silver, please specify color
- [See all grommet options and locations](#)
- Undersurface Wire Manager (O1-WMGR4) is available for additional cord management; See Accessories

### HEIGHT ADJUSTABILITY

- Height adjustable units are available as stand-alone height adjustable models or synchronized models (STS3) for connected tops
- Intuitively designed, all desks are compatible with either 2-channel or 3-channel returns and bridges
- Height adjustment range 30"H-47"H, with a load capacity of more than 200lbs
- The standard control switch is factory installed on all units; 3-channel returns/bridges will link to the desk control and 2-channel bridges are field installed for left/right application
- An optional advanced switch with Bluetooth capabilities, position memory, and stand-up reminders is available
- Grommets are optional in the back panels of bridges, returns, and credenzas
- Wire management mesh wrap included when worksurface grommet is selected
- One wire management channel provided to route wires from switch and control box
- Height adjustable legs available in black finish only
- Height Adjustable units begin on [here](#)

## INTERIOR DRAWER DIMENSIONS

### Models

|              |              |           |              |
|--------------|--------------|-----------|--------------|
| 29-3672DP    | 29-3072DP    | 29-3066DP | 29-3066DPSTS |
| 29-3672DPSTS | 29-3072DPSTS |           |              |

### Drawers

|        | W       | L       | D        |
|--------|---------|---------|----------|
| Box    | 12 3/8" | 19 1/2" | 3 21/32" |
| File   | 12 3/8" | 19 1/2" | 8 29/32" |
| Center | 29 5/8" | 19 1/2" | 1 29/32" |

### Models

|              |              |              |              |
|--------------|--------------|--------------|--------------|
| 29-3672LP    | 29-3672RP    | 29-3072LP    | 29-3072RP    |
| 29-3672LPSTS | 29-3672RPSTS | 29-3072LPSTS | 29-3072RPSTS |

### Drawers

|        | W       | L       | D        |
|--------|---------|---------|----------|
| Box    | 12 3/8" | 19 1/2" | 3 21/32" |
| File   | 12 3/8" | 19 1/2" | 8 29/32" |
| Center | 27 5/8" | 19 1/2" | 1 29/32" |

**INTERIOR DRAWER DIMENSIONS (CONTINUED)**

| <b>Models</b> |           |              |              |
|---------------|-----------|--------------|--------------|
| 29-3066LP     | 29-3066RP | 29-3066LPSTS | 29-3066RPSTS |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| Box            | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |
| Center         | 21 <sup>1</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 1 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |              |  |  |
|---------------|--------------|--|--|
| 29-3060DP     | 29-3060DPSTS |  |  |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| Box            | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |
| Center         | 23 <sup>5</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 1 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |           |              |              |
|---------------|-----------|--------------|--------------|
| 29-3060LP     | 29-3060RP | 29-3060LPSTS | 29-3060RPSTS |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| Box            | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |
| Center         | 18 <sup>5</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 1 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |              |              |              |
|---------------|--------------|--------------|--------------|
| 29-2448LF     | 29-2448RF    | 29-2442LF    | 29-2442RF    |
| 29-2448LFSTS  | 29-2448RFSTS | 29-2442LFSTS | 29-2442RFSTS |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| Box            | 12 <sup>3</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |               |               |               |
|---------------|---------------|---------------|---------------|
| 29-2448LF2    | 29-2448RF2    | 29-2442LF2    | 29-2442RF2    |
| 29-2448LF2STS | 29-2448RF2STS | 29-2442LF2STS | 29-2442RF2STS |
| 29-2448LF2SR  | 29-2448RF2SR  | 29-2442LF2SR  | 29-2442RF2SR  |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b>  |                |                |  |
|----------------|----------------|----------------|--|
| 29-2448LF2STS3 | 29-2448RF2STS3 | 29-2442LF2STS3 |  |
| 29-2442RF2STS3 |                |                |  |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                         | <b>D</b>                          |
|----------------|----------------------------------|----------------------------------|-----------------------------------|
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 12 <sup>7</sup> / <sub>8</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |           |           |           |
|---------------|-----------|-----------|-----------|
| 29-2072SC     | 29-2072KC | 29-2072LC | 29-2072RC |
| 29-2066SC     | 29-2066KC | 29-2066LC | 29-2066RC |
| 29-2060LC     | 29-2060RC | 29-2060KC |           |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| Box            | 15 <sup>3</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| File           | 15 <sup>3</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |            |            |            |
|---------------|------------|------------|------------|
| 29-2072LC2    | 29-2072RC2 | 29-2066LC2 | 29-2066RC2 |
| 29-2060LC2    | 29-2060RC2 |            |            |

| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| File           | 15 <sup>3</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |

| <b>Models</b> |           |           |           |
|---------------|-----------|-----------|-----------|
| 29-2036L4     | 29-2036L2 | 29-2072DL | 29-2072LL |
| 29-2072RL     |           |           |           |


| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| File           | 30 <sup>3</sup> / <sub>4</sub> " | 16 <sup>5</sup> / <sub>32</sub> " | 8 <sup>13</sup> / <sub>32</sub> " |

| <b>Models</b> |           |  |  |
|---------------|-----------|--|--|
| 29-2448LP     | 29-2448RP |  |  |


| <b>Drawers</b> | <b>W</b>                         | <b>L</b>                          | <b>D</b>                          |
|----------------|----------------------------------|-----------------------------------|-----------------------------------|
| Box            | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 3 <sup>21</sup> / <sub>32</sub> " |
| File           | 12 <sup>3</sup> / <sub>8</sub> " | 19 <sup>9</sup> / <sub>32</sub> " | 8 <sup>29</sup> / <sub>32</sub> " |

**FILING CAPABILITIES**

**Drawers with Dimensions: 12<sup>3</sup>/<sub>8</sub>"W x 12<sup>7</sup>/<sub>8</sub>"L**




Letter Front to Back




Legal Side to Side

**Drawers with Dimensions: 12<sup>3</sup>/<sub>8</sub>"W x 19<sup>9</sup>/<sub>32</sub>"L**




Letter Front to Back




Legal Side to Side

**Drawers with Dimensions: 12<sup>3</sup>/<sub>8</sub>"W x 16<sup>5</sup>/<sub>32</sub>"L**




Letter Front to Back




Legal Side to Side

**FILING CAPABILITIES (CONTINUED)**

**Drawers with Dimensions: 15<sup>3</sup>/<sub>8</sub>"W x 16<sup>5</sup>/<sub>2</sub>"L**




Legal Front to Back




Legal Side to Side

**Drawers with Dimensions: 30<sup>3</sup>/<sub>4</sub>"W x 16<sup>5</sup>/<sub>2</sub>"L**



2 Rows Letter Front to Back



1 Row Letter or Legal Side to Side

**HOW TO ORDER EXAMPLES**

| Model No.     | Description                    | Example                   |
|---------------|--------------------------------|---------------------------|
| 29-3672DP     | Top Material                   | W                         |
|               | Finish                         | CO                        |
|               | Base Molding                   | BM3600                    |
|               | Decorative Molding             | M3600                     |
|               | Pull                           | ARA                       |
|               | Drawer Construction            | STD                       |
|               | Surface Grommet Location/Color | GC, BLK                   |
| 29-2448LF     | Top Material                   | HPL                       |
|               | Finish                         | CO                        |
|               | Base Molding                   | BM2900                    |
|               | Decorative Molding             | -                         |
|               | Pull                           | ARA                       |
|               | Locking                        | LKT                       |
|               | Drawer Construction            | DOVE                      |
|               | Surface Grommet Location       | GR                        |
|               | Back Panel Grommet             | YES                       |
| Grommet Color | BLK                            |                           |
| 29-1572HU     | Finish                         | CO                        |
|               | Door Pull                      | ARA                       |
|               | Locking                        | NO                        |
|               | Tackboard                      | Momentum/Marathon/Caravel |
|               | Tasklight                      | TL-0848                   |
|               | Grommets/Color                 | WMHU, BLK                 |

**VENEER (W) OPTIONS**

Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology.

|     |                    |     |                     |
|-----|--------------------|-----|---------------------|
| AW  | Artisan Walnut     | HNW | Henna Walnut        |
| CO  | Columbian Walnut   | LW  | Legacy Walnut       |
| DC  | Dark Cherry        | MW  | Mahogany Walnut     |
| DFW | Dark Forest Walnut | PNW | Pinnacle Walnut     |
| EW  | Espresso           | SCH | Select Cherry       |
| GC  | Golden Cherry      | SKC | Shaker Cherry       |
| HW  | Harvest Walnut     | WC  | Williamsburg Cherry |


**HPL (P) TOP OPTIONS**

**WOODGRAIN**

|    |                  |     |                     |
|----|------------------|-----|---------------------|
| CO | Columbian Walnut | PNW | Pinnacle Walnut     |
| EF | Espresso         | SCH | Select Cherry       |
| GC | Golden Cherry    | SKC | Shaker Cherry       |
| MW | Mahogany Walnut  | WC  | Williamsburg Cherry |

**EDGE PROFILES**

R Arlington




**MOLDING LOCATIONS AND OPTIONS**


Styles of Base Molding and Decorative Molding cannot be intermixed. For example, when Arlington Base Molding is selected, only the Arlington Decorative may be ordered, while Wilmington Base Molding must also be ordered with Wilmington Decorative Molding.

**Base Molding**

Arlington and Wilmington Base Molding are skillfully applied on the approach, sides, and user side of Desks and Returns. Lateral Files and Credenzas feature molding on front and both sides with no molding on back for flush wall applications. Bridges will feature molding on approach. Storage Cabinets, Bookcases and Wardrobe/Storage Cabinets will feature base molding on front of unit only.




Arlington Base Molding



Wilmington Base Molding

**Decorative Molding**

Units come standard with no decorative molding. See below for details and locations of optional Arlington or Wilmington Decorative Molding. See next page for ordering options and pricing.




No Decorative Molding Standard

See next page for additional molding information


### MOLDING LOCATIONS AND OPTIONS CONTINUED

Arlington Decorative Molding will be featured on the approach side of Desks only and is not available on Bridges, Returns, Lateral Files, and Credenzas.



Arlington Molding

Wilmington Decorative Molding will be on the approach and sides of Desks. Returns and Bridges will have decorative molding on the approach side. Credenzas will feature decorative molding on left and right sides only



Wilmington Molding

Surface Mount Hutches, Wall Mount Hutches, Freestanding Bookcases, and Surface Mount Bookcases have no decorative molding. See next page for ordering options and pricing.

Molding selection must be specified on order. *Note: Base and Decorative Molding feature multi-step, hand-finished catalyzed finish*

#### Arlington Molding

|        |                                       |    |     |
|--------|---------------------------------------|----|-----|
| BM2900 | Arlington Base Molding                | \$ | N/C |
| M2900  | Optional Arlington Decorative Molding | \$ | 95  |

#### Wilmington Molding

|        |  |    |     |
|--------|--|----|-----|
| BM3600 | Wilmington Base Molding                | \$ | N/C |
| M3600  | Optional Wilmington Decorative Molding | \$ | 160 |

### DRAWER AND DOOR PULL OPTIONS

Units with doors and drawers will feature coordinating pulls however door and drawer pulls cannot be intermixed.

|     |                            |     |                          |
|-----|----------------------------|-----|--------------------------|
| ARA | Arlington A, Antique Brass | JEF | Jefferson, Antique Brass |
| ARB | Arlington B, Antique Brass | ALB | Liberty, Aluminum        |
| WLM | Wilmington, Antique Brass  |     |                          |



Arlington A- 5/4"



Arlington B- 5/4"



Jefferson- 5/4"



Wilmington- 5/4"




Liberty- 4/4"

### LOCK CORE OPTIONS

Lock core will be black if Arlington, Wilmington or Jefferson pulls are selected. Lock core will be silver if Liberty Pulls are selected.

|     |        |
|-----|--------|
| BLK | Black  |
| SLV | Silver |



Silver (SLV)



Black (BLK)

### LOCKING PEDESTALS ON RETURNS/CREDENZAS

Locking doors and drawers are available on returns and credenzas. Please specify applicable code on order with model/unit and add upcharge.

|       |   |    |     |
|-------|---|----|-----|
| LKT-P | Single Pedestal or Return Lock                              | \$ | 227 |
|       | <i>Lock positioned in drawer face nearest the kneespace</i> |    |     |

|       |   |    |     |
|-------|---|----|-----|
| LKT-P | Double Pedestal Credenza Lock   | \$ | 454 |
|       | <i>Lock positioned in drawer face nearest the kneespace or in drawer face nearest to doors on Storage Credenzas</i> |    |     |

|        |   |    |     |
|--------|---|----|-----|
| LKT-HU | Double Pedestal and Double Door Credenza Locking  | \$ | 545 |
|        | <i>Drawer lock is positioned in drawer face nearest to doors and door lock is in top right corner of left door.</i> |    |     |

### LOCKING DOORS

Locking is available on select doors. You must specify LKT\_HU when ordering and add upcharge.

|        |                    |    |     |
|--------|--------------------|----|-----|
| LKT_HU | 18"W Units         | \$ | 76  |
| LKT_HU | 42"W to 24"W Units | \$ | 101 |
| LKT_HU | 72"W to 48"W Units | \$ | 128 |

### DRAWER OPTIONS

Units with drawers come standard with woodgrain vinyl-wrapped drawers with mitered corners. Optional dove tail construction for all center, box, file, and lateral file drawers is available. Must specify when ordering.

#### Pricing is per Drawer, not per Model/Unit.

|       |                             |    |     |
|-------|-----------------------------|----|-----|
| MITER | Mitered Fold Construction   |    | STD |
| DOVE  | Wood Dove Tail Construction | \$ | 49  |

### HEIGHT ADJUSTABLE CONTROL OPTIONS

Height adjustable units offer two switch options. The standard switch is a simple up and down switch to move your worksurface from seated to standing height. This comes standard with height adjustable units, unless otherwise noted. The advanced switch features Bluetooth capabilities to connect to smart devices, three stand-up reminder intervals, height adjustment memory positions, and more.

Please specify desired Control Switch when ordering applicable Height Adjustable units.

|       |                                     |    |     |
|-------|-------------------------------------|----|-----|
| SWCH  | Standard Up/Down Switch             | \$ | STD |
| MSWCH | Advanced Up/Down with Memory Switch | \$ | 149 |



SWCH (standard)



MSWCH

### GROMMET OPTIONS & LOCATIONS


|    |                                      |    |    |
|----|--------------------------------------|----|----|
| GC | Grommet, Center - Specify BLK or SLV | \$ | 58 |
| GL | Grommet, Left - Specify BLK or SLV   | \$ | 58 |
| GR | Grommet, Right - Specify BLK or SLV  | \$ | 58 |

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets may be ordered in non-standard locations. Call Customer Service to assist with specification. Note additional charges and lead times may apply.

Multiple locations may be selected.

#### Models


|           |           |           |           |
|-----------|-----------|-----------|-----------|
| 29-3672DP | 29-3672LP | 29-3672RP | 29-3072DP |
| 29-3072LP | 29-3072RP | 29-3672WT |           |



GL/GR: Located 12" from ends and 23" from user side  
GC: Located 23" from user side

#### Models


|           |           |           |
|-----------|-----------|-----------|
| 29-3066DP | 29-3066LP | 29-3066RP |
|-----------|-----------|-----------|



GL/GR: Located 9" from ends and 23" from user side  
GC: Located 23" from user side

#### Models

|           |           |           |           |
|-----------|-----------|-----------|-----------|
| 29-3060DP | 29-3060LP | 29-3060RP | 29-3060WT |
|-----------|-----------|-----------|-----------|




GL/GR: Located 9" from ends and 23" from user side  
GC: Located 23" from user side

### GROMMET OPTIONS & LOCATIONS (CONTINUED)

#### Models


|           |            |           |            |
|-----------|------------|-----------|------------|
| 29-2448UF | 29-2448UFH | 29-2442UF | 29-2442UFH |
|-----------|------------|-----------|------------|



GL/GR: Located 4" from ends and 19½" from user side  
GC: Located 19½" from user side

#### Models


|            |            |           |           |
|------------|------------|-----------|-----------|
| 29-2448LF2 | 29-2448RF2 | 29-2448LF | 29-2448RF |
| 29-2448LP  | 29-2448RP  |           |           |



GL/GR: Located 5" from ends and 20" from user side  
GC: Located 20" from user side

#### Models


|            |            |           |           |
|------------|------------|-----------|-----------|
| 29-2442LF2 | 29-2442RF2 | 29-2442LF | 29-2442RF |
|------------|------------|-----------|-----------|



GL/GR: Located 5" from ends and 17" from user side  
GC: Located 17" from user side

#### Models

|            |            |            |            |
|------------|------------|------------|------------|
| 29-2072KC  | 29-2072LC  | 29-2072RC  | 29-2072LL* |
| 29-2072RL* | 29-2072LC2 | 29-2072RC2 | 29-2066KC  |
| 29-2066LC  | 29-2066RC  | 29-2066LC2 | 29-2066RC2 |
| 29-2060KC  | 29-2060LC  | 29-2060RC  | 29-2060LC2 |
| 29-2060RC2 |            |            |            |



GL/GR: Located 22½" from ends and 17½" from user side

\* Grommets are only available on opposite side of pedestal

### WORKSURFACE GROMMETS FOR HEIGHT ADJUSTABILITY UNITS

When you select a grommet for use with Height Adjustable worksurfaces, it will automatically come with a wire management sleeve. One grommet per worksurface. Must specify Left, Right, or Center. See below for specific location availability by model. You may also choose to add the Wire Management Box, which will automatically come with a center grommet.

#### Grommet with Mesh Wire Management Sleeve \$ 158

Specify Black (BLK) or Silver (SLV) and Location

HA Desks/Returns Choose Left, Right, or Center (See Below)  
HA Bridges Center Only

|           |                                |
|-----------|--------------------------------|
| GC-MESH   | Grommet, Center                |
| GL-MESH   | Grommet, Left                  |
| GR-MESH   | Grommet, Right                 |
| GCKS-MESH | Grommet, Centered Between Legs |



Black wire management mesh sleeve

#### Wire Management Box with Center Grommet \$ 537

Available on All HA Desks, Returns and Bridges


|        |  |
|--------|--|
| GC-BOX | Grommet, Center; Specify Black (BLK) or Silver (SLV) |
|--------|--|

Verify Grommet Option is available on the model(s) you are specifying using the following location information.

Grommets may be ordered in non-standard locations. Call Customer Service to assist with specification. Note additional charges and lead times may apply.

#### Models

|              |              |
|--------------|--------------|
| 29-3672DPSTS | 29-3072DPSTS |
|--------------|--------------|




GL or GR: Located 9" from ends and 22½" from user side  
GC: Located 20" from user side

See next page for additional grommet information.

**WORKSURFACE GROMMETS FOR HEIGHT ADJUSTABILITY UNITS (CONT'D)**

**Models**


29-3066DPSTS 29-3060DPSTS 29-3672LPSTS 29-3672RPSTS  
 29-3072LPSTS 29-3072RPSTS 29-3066LPSTS 29-3066RPSTS  
 29-3060LPSTS 29-3060RPSTS




GL or GR: Located 6" from ends and 22½" from user side  
 GC: Located 20" from user side

**Models**

29-2448LF2STS 29-2448RF2STS 29-2448LFSTS 29-2448RFSTS  
 29-2448LP 29-2448RP



GL or GR: Located 6" from ends and 20" from user side  
 CKS: Located 18" from user side




**Models**

29-2442LF2STS3 29-2442RF2STS3  
 29-2442LFSTS3 29-2442RFSTS3




**Grommet with Mesh Wire Management Sleeve only available in ped space**

GL-MESH or GR-MESH: Located 6" from ends and 20" from user side



**Models**

29-2448SUFL 29-2448SUFR 29-2442SUFL 29-2442SUFR




GL/GR: Located 4" from ends and 20" from user side

GC: Located 20" from user side

**Models**

29-2448UFSTS 29-2442UFSTS 29-2448UFSTSL3  
 29-2448UFSTSR3 29-2442UFSTSL3 29-2442UFSTSR3



GC: Located 18" from user side

**HUTCH GROMMET OPTIONS**

Surface Mount Hutches come standard with one center grommet at workstation level on back panel. Three upper wire management grommets also are available. One grommet located on right, center and left. Must specify with color selection.

WMHUBL Black Lower Grommet + Three Upper Grommets N/C  
 WMHUSV Silver Lower Grommet + Three Upper Grommets N/C

**CONFERENCE AND MEETING TABLE GROMMET OPTIONS**

Arlington Meeting and Conference Tables offer power and grommet locations at multiple locations.

**Must Specify Black (BLK) or Silver (SLV)**

**Grommet Locations**

OC On Center CL 5½" Left of Center  
 EL 24½" from Left End CR 5½" Right of Center  
 ER 24½" from Right End BB Centered Between Bases

**Location Availability by Top Size**


96"W Tops OC, EL+ER  
 120"W Tops BB, CL, CR, CL+EL+ER, CR+EL+ER  
 144"W Tops BB, CL, CR, CL+CR, EL+ER, CL+EL+ER, CR+EL+ER

**CERTIFICATIONS & COMPLIANCE**


- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant® Certified
- TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED®, Green Globes®, and WELL® Sustainable Programs




*Shown with Kennerly Seating*




Double Ped Desks  
*(See Multiple Unit Details)*




Single Ped Desks  
*(See Multiple Unit Details)*




Returns  
*(See Multiple Unit Details)*




Bridges  
*(See Multiple Unit Details)*




Kneespace, Storage, and Single Ped Credenzas  
*(See Multiple Unit Details)*




Surface Mount and Wall Mount Hutches  
*(See Multiple Unit Details)*




Filing  
*(See Multiple Unit Details)*




Bookcases  
*(See Multiple Unit Details)*




Wardrobe/Storage  
*(See Multiple Unit Details)*



Computer Desks with Hutches  
*(See Multiple Unit Details)*




Work Tables  
*(See Details)*




Conference and Round Tables  
*(See Multiple Unit Details)*


**Occasional Tables**



End Tables  
*(See Details)*




Lamp Tables  
*(See Details)*




Magazine Tables  
*(See Details)*

**Height Adjustable (HA) Units**




HA Double Ped Desks  
*(See Details)*



HA Single Ped Desks  
*(See Details)*




HA & Stationary Returns  
*(See Multiple Unit Details)*



HA Bridges  
*(See Multiple Unit Details)*

**Tackboards + Tasklights**




Tackboards  
*(See Details)*




Tasklights  
*(See Details)*

**Accessories**


Keyboard Accessories *(See Details)*




Power Options *(See Multiple Unit Details)*



Accessories and Wire Management  
*(See Multiple Unit Details)*



| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--------|-----------|-------|-------|--------|---------|----------|----------------------|
| L UNIT | 29-1      | 72    | 84    | 30     | 440     | 73.3     | P\$ 7847<br>W\$ 8621 |




Shown with Wilmington Base and Decorative Molding

| CONSIST OF: | QTY |                       |                      |
|-------------|-----|-----------------------|----------------------|
| 29-3672LP   | 1   | Single Ped Desk, Left | P\$ 4551<br>W\$ 5016 |
| 29-2448RF   | 1   | Return, Right         | P\$ 3296<br>W\$ 3605 |

Products are available as left or right, where applicable  
List prices do not include optional Wilmington decorative molding

|        |      |    |     |    |     |      |                        |
|--------|------|----|-----|----|-----|------|------------------------|
| U UNIT | 29-3 | 72 | 104 | 30 | 540 | 87.1 | P\$ 10251<br>W\$ 11442 |
|--------|------|----|-----|----|-----|------|------------------------|




Shown with Arlington Base and Decorative Molding

| CONSIST OF: | QTY |                       |                      |
|-------------|-----|-----------------------|----------------------|
| 29-3672LP   | 1   | Single Ped Desk, Left | P\$ 4551<br>W\$ 5016 |
| 29-2448UF   | 1   | Bridge                | P\$ 1765<br>W\$ 2073 |
| 29-2072RC   | 1   | Credenza, Right       | P\$ 3935<br>W\$ 4353 |

Products are available as left or right, where applicable  
List prices do not include optional Arlington decorative molding

|        |      |    |                   |    |     |      |                        |
|--------|------|----|-------------------|----|-----|------|------------------------|
| U UNIT | 29-4 | 66 | 91 $\frac{1}{16}$ | 30 | 401 | 72.9 | P\$ 13741<br>W\$ 14827 |
|--------|------|----|-------------------|----|-----|------|------------------------|



| CONSIST OF: | QTY |                       |                      |
|-------------|-----|-----------------------|----------------------|
| 29-3066LP   | 1   | Single Ped Desk, Left | P\$ 3973<br>W\$ 4356 |
| 29-2442UF   | 1   | Bridge                | P\$ 1682<br>W\$ 1986 |
| 29-2066RC   | 1   | Credenza, Right       | P\$ 3486<br>W\$ 3885 |
| 29-1566HU   | 1   | Hutch                 | \$ 4600              |


Products are available as left or right, where applicable  
List prices do not include optional Wilmington decorative molding

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                             | Model No. | Width              | Depth             | Height           | Ship Wt | Cubic Ft | List Price             |
|----------------------------------|-----------|--------------------|-------------------|------------------|---------|----------|------------------------|
| HEIGHT ADJUSTABLE PRIVATE OFFICE | 29-9      | 140 $\frac{7}{16}$ | 98 $\frac{7}{16}$ | 70 $\frac{7}{8}$ | 975     | 146.8    | P\$ 25058<br>W\$ 26355 |




Shown with Wilmington Base and Decorative Molding

| CONSIST OF:  | QTY |                                   |                        |
|--------------|-----|-----------------------------------|------------------------|
| 29-3672DPSTS | 1   | Height Adjustable Double Ped Desk | P\$ 10642<br>W\$ 11107 |
| 29-1572HU    | 1   | Surface Mount Hutch               | \$ 5146                |
| 29-2072KC    | 1   | Kneespace Credenza                | P\$ 4374<br>W\$ 4788   |
| 29-2072SC    | 1   | Storage Credenza                  | P\$ 4896<br>W\$ 5314   |

Width includes 48" between Desk and Storage Credenza  
 Depth includes 42" between Desk and Kneespace Credenza  
 List prices do not include optional Wilmington decorative molding

|                          |       |                    |                    |                  |      |       |                        |
|--------------------------|-------|--------------------|--------------------|------------------|------|-------|------------------------|
| HEIGHT ADJUSTABLE U UNIT | 29-10 | 140 $\frac{7}{16}$ | 104 $\frac{7}{16}$ | 70 $\frac{7}{8}$ | 1178 | 170.8 | P\$ 32322<br>W\$ 33931 |
|--------------------------|-------|--------------------|--------------------|------------------|------|-------|------------------------|




Shown with Wilmington Base and Decorative Molding

| CONSIST OF:  | QTY |   |                        |
|--------------|-----|---|------------------------|
| 29-3672LPSTS | 1   | Height Adjustable Single Ped Desk, Left | P\$ 10566<br>W\$ 11031 |
| 29-2448UFSTS | 1   | Height Adjustable Bridge                | P\$ 7779<br>W\$ 8087   |
| 29-2072RC2   | 1   | Credenza, Right                         | P\$ 3935<br>W\$ 4353   |
| 29-1572HU    | 1   | Surface Mount Hutch                     | \$ 5146                |
| 29-2072SC    | 1   | Storage Credenza                        | P\$ 4896<br>W\$ 5314   |

Products are available as left or right, where applicable  
 Width includes 48" between Desk and Storage Credenza  
 List prices do not include optional Wilmington decorative molding

|                          |       |     |     |                  |      |       |                        |
|--------------------------|-------|-----|-----|------------------|------|-------|------------------------|
| HEIGHT ADJUSTABLE L UNIT | 29-11 | 108 | 146 | 70 $\frac{7}{8}$ | 1178 | 170.8 | P\$ 33864<br>W\$ 35058 |
|--------------------------|-------|-----|-----|------------------|------|-------|------------------------|



Shown with Arlington Base Molding


| CONSIST OF:    | QTY |  |                        |
|----------------|-----|--|------------------------|
| 29-3672RPSTS   | 1   | Height Adjustable Single Ped Desk, Right | P\$ 10566<br>W\$ 11031 |
| 29-2448LF2STS3 | 1   | Height Adjustable Return, Left           | P\$ 6519<br>W\$ 6829   |
| 29-2072DL      | 1   | Credenza with Double Lateral File        | P\$ 5628<br>W\$ 6047   |
| 29-1572WD      | 1   | Wall Mounted Hutch                       | \$ 4107                |
| 29-1870WL      | 1   | Wardrobe/Storage Cabinet, Left           | \$ 3522                |
| 29-1870WR      | 1   | Wardrobe/Storage Cabinet, Right          | \$ 3522                |

Products are available as left or right, where applicable  
 Depth includes 42" between Return and Wardrobe

#### Pricing Codes:

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item  | Model No. | Width                                      | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |      |                      |
|---|-----------|--|-------|--------|----|---------|----------|------------|------|----------------------|
|  | 29-3060DP | Chassis 58W x 24D<br>4" Approach Overhang  |       | 60     | 30 | 30      | 25½      | 241        | 35.3 | P\$ 4351<br>W\$ 4709 |
|   | 29-3066DP | Chassis 64W x 24D<br>4" Approach Overhang  |       | 66     | 30 | 30      | 31½      | 249        | 40.3 | P\$ 4551<br>W\$ 4932 |
|   | 29-3072DP | Chassis 64W x 24D<br>4" Approach Overhang  |       | 72     | 30 | 30      | 31½      | 255        | 43.9 | P\$ 4590<br>W\$ 4999 |
|   | 29-3672DP | Chassis 64W x 24D<br>10" Approach Overhang |       | 72     | 36 | 30      | 31½      | 266        | 51.7 | P\$ 4629<br>W\$ 5091 |

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Drawer Construction
- Worksurface Grommet Location
- Grommet Color

**Description**

- Standard with: Rectangle Top, Central Locking, Letter Width Locking Box/Box/File Pedestals, Left to Right Grain Direction on Worksurface, Pull Out Writing Shelves on User Side and Center Drawer with Pen Tray
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection; Antique Brass Pulls will have Black Lock Core and Aluminum Pull will have Silver ([See Option Details](#))
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                                       |       |
|--------|---------------------------------------|-------|
| BM2900 | Arlington Base Molding                | N/C   |
| M2900  | Optional Arlington Decorative Molding | \$ 95 |


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding



Approach View for all Double and Single Ped Desks with Wilmington Molding




Approach View for all Double and Single Ped Desks with No Molding

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item   | Model No.                                | Width            | Depth | Height | K  | Ship Wt | Cubic Ft | List Price           |  |
|--|--|------------------|-------|--------|----|---------|----------|----------------------|--|
| <br>Shown as Left | <b>LEFT PED</b>                          | <b>RIGHT PED</b> |       |        |    |         |          |                      |  |
|  | 29-3060LP                                | 29-3060RP        | 60    | 30     | 30 | 18¾     | 186      | P\$ 3685<br>W\$ 4044 |  |
|  | Chassis 58W x 24D, 4" Approach Overhang  |                  |       |        |    |         |          |                      |  |
|  | 29-3066LP                                | 29-3066RP        | 66    | 30     | 30 | 24¾     | 189      | P\$ 3973<br>W\$ 4356 |  |
|  | Chassis 64W x 24D, 4" Approach Overhang  |                  |       |        |    |         |          |                      |  |
|  | 29-3072LP                                | 29-3072RP        | 72    | 30     | 30 | 30¾     | 189      | P\$ 4263<br>W\$ 4672 |  |
|  | Chassis 70W x 24D, 4" Approach Overhang  |                  |       |        |    |         |          |                      |  |
|  | 29-3672LP                                | 29-3672RP        | 72    | 36     | 30 | 30¾     | 315      | P\$ 4551<br>W\$ 5016 |  |
|  | Chassis 70W x 24D, 10" Approach Overhang |                  |       |        |    |         |          |                      |  |

**Must Specify (in this order):**

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Drawer Construction
- Worksurface Grommet Location
- Grommet Color


**Description**

- Standard with: Rectangle Top, Central Locking, Letter Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, Pull Out Writing Shelf on User Side and Center Drawer with Pen Tray
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection; Antique Brass Pulls will have Black Lock Core and Aluminum Pull will have Silver ([See Option Details](#))
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))


**Molding Options: Must Specify and Add**

| Arlington Molding Options  |  |        |
|----------------------------|--|--------|
| BM2900                     | Arlington Base Molding                 | N/C    |
| M2900                      | Optional Arlington Decorative Molding  | \$ 95  |
| Wilmington Molding Options |  |        |
| BM3600                     | Wilmington Base Molding                | N/C    |
| M3600                      | Optional Wilmington Decorative Molding | \$ 160 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding




Approach View for all Double and Single Ped Desks with Wilmington Molding



Approach View for all Double and Single Ped Desks with No Molding

**Pricing Codes:**  
P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item  | Model No.                    | Width           | Depth            | Height | K  | Ship Wt | Cubic Ft | List Price           |
|---|------------------------------|-----------------|------------------|--------|----|---------|----------|----------------------|
|  | <b>RETURN WITH FILE/FILE</b> | <b>LEFT PED</b> | <b>RIGHT PED</b> |        |    |         |          |                      |
|   | 29-2442LF2                   | 29-2442RF2      | 42               | 24     | 30 | 26¼     | 113      | P\$ 2857<br>W\$ 3159 |
|   | 29-2448LF2                   | 29-2448RF2      | 48               | 24     | 30 | 30¼     | 125      | P\$ 3296<br>W\$ 3605 |

Shown as Left with  
Optional Locking

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Description**

- Standard With: Letter Width File/File in Pedestal, Front to Back Grain Direction on Worksurface
- Top Profiled on 3 Sides with Reverse Profile on Connecting Edge
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Worksurface Grommet Options ([See Option Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**


|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



| Item  | Model No.                       | Width           | Depth            | Height | K  | Ship Wt | Cubic Ft | List Price           |
|---|---------------------------------|-----------------|------------------|--------|----|---------|----------|----------------------|
|  | <b>RETURN WITH BOX/BOX/FILE</b> | <b>LEFT PED</b> | <b>RIGHT PED</b> |        |    |         |          |                      |
|   | 29-2442LF                       | 29-2442RF       | 42               | 24     | 30 | 26¼     | 113      | P\$ 2857<br>W\$ 3159 |
|   | 29-2448LF                       | 29-2448RF       | 48               | 24     | 30 | 30¼     | 125      | P\$ 3296<br>W\$ 3605 |

Shown as Left with  
Optional Locking

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Description**

- Standard With: Letter Width Box/Box/File in Pedestal, Front to Back Grain Direction on Worksurface
- Top Profiled on 3 Sides with Reverse Profile on Connecting Edge
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Worksurface Grommet Options ([See Option Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*




**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                     | Model No. | Width | Depth | Height | K                              | Ship Wt | Cubic Ft | List Price           |
|--------------------------|-----------|-------|-------|--------|--------------------------------|---------|----------|----------------------|
| BRIDGE WITH FULL MODESTY | 29-2442UF | 42    | 24    | 30     | 40 <sup>7</sup> / <sub>8</sub> | 73      | 4.7      | P\$ 1682<br>W\$ 1986 |
|                          | 29-2448UF | 48    | 24    | 30     | 46 <sup>7</sup> / <sub>8</sub> | 75      | 6.2      | P\$ 1765<br>W\$ 2073 |



Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Description**

- Standard With: Hinged Back Panel, Front to Back Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- [Height Adjustable Units Available](#)
- Additional Options: Worksurface Grommet Options ([See Option Details](#))
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation (Sold Separately, [See 01-KB3 for Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



| Item                     | Model No.  | Width | Depth | Height                         | K                              | Ship Wt | Cubic Ft | List Price           |
|--------------------------|------------|-------|-------|--------------------------------|--------------------------------|---------|----------|----------------------|
| BRIDGE WITH HALF MODESTY | 29-2442UFH | 42    | 24    | 11 <sup>1</sup> / <sub>2</sub> | 40 <sup>7</sup> / <sub>8</sub> | 85      | 4.6      | P\$ 1482<br>W\$ 1786 |
|                          | 29-2448UFH | 48    | 24    | 11 <sup>1</sup> / <sub>2</sub> | 46 <sup>7</sup> / <sub>8</sub> | 89      | 5.4      | P\$ 1557<br>W\$ 1866 |



Must Specify (in this order):

- Model #
- Surface Material
- Finish / Color
- Worksurface Grommet Location
- Grommet Color


**Description**

- Standard With: Hinged Back Panel, Front to Back Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation (Sold Separately, [See 01-KB3 for Details](#))
- No Base or Decorative Molding

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item   | Model No.       | Width            | Depth | Height                          | K  | Ship Wt                        | Cubic Ft | List Price |                      |
|--|-----------------|------------------|-------|---------------------------------|----|--------------------------------|----------|------------|----------------------|
|  <p>Shown as Left with Optional Locking</p> | <b>LEFT PED</b> | <b>RIGHT PED</b> |       |                                 |    |                                |          |            |                      |
|  | 29-2060LC2      | 29-2060RC2       | 60    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 40 <sup>1</sup> / <sub>4</sub> | 129      | 25.3       | P\$ 3435<br>W\$ 3810 |
|  | 29-2066LC2      | 29-2066RC2       | 66    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 46 <sup>1</sup> / <sub>4</sub> | 139      | 27.9       | P\$ 3486<br>W\$ 3885 |
|  | 29-2072LC2      | 29-2072RC2       | 72    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 52 <sup>1</sup> / <sub>4</sub> | 150      | 30.5       | P\$ 3935<br>W\$ 4353 |

**Description**

- Standard With: Letter Width File/File in Pedestal, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Molding Options: Must Specify and Add**

**Arlington Molding Options**


|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



| Item  | Model No.       | Width            | Depth | Height                          | K  | Ship Wt                        | Cubic Ft | List Price |                      |
|---|-----------------|------------------|-------|---------------------------------|----|--------------------------------|----------|------------|----------------------|
|  <p>Shown as Left with Optional Locking and Optional Wilmington Decorative Molding</p> | <b>LEFT PED</b> | <b>RIGHT PED</b> |       |                                 |    |                                |          |            |                      |
|   | 29-2060LC       | 29-2060RC        | 60    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 40 <sup>1</sup> / <sub>4</sub> | 129      | 25.3       | P\$ 3435<br>W\$ 3810 |
|   | 29-2066LC       | 29-2066RC        | 66    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 46 <sup>1</sup> / <sub>4</sub> | 139      | 27.9       | P\$ 3486<br>W\$ 3885 |
|   | 29-2072LC       | 29-2072RC        | 72    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 52 <sup>1</sup> / <sub>4</sub> | 150      | 30.5       | P\$ 3935<br>W\$ 4353 |

**Description**

- Standard With: Letter Width Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Kneespace Options (Sold Separately, [See 01-KB3 for Details](#))

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*




**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                          | Model No. | Width     | Depth | Height                          | K  | Ship Wt                        | Cubic Ft | List Price |                      |
|-------------------------------|-----------|-----------|-------|---------------------------------|----|--------------------------------|----------|------------|----------------------|
| CREDENZA WITH LATERAL/LATERAL | LEFT PED  |           |       |                                 |    |                                |          |            |                      |
|                               | RIGHT PED |           |       |                                 |    |                                |          |            |                      |
|                               | 29-2072LL | 29-2072RL | 72    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 32 <sup>2</sup> / <sub>3</sub> | 182      | 30.5       | P\$ 4161<br>W\$ 4580 |



Shown as Left with Optional Locking and Optional Wilmington Decorative Molding

**Must Specify (in this order):**

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Drawer Construction
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Description**

- Standard With: Two (2) Locking Lateral Files in Pedestal, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Lock Core Color will Coordinate with Pull Selection; Antique Brass Pulls will have Black Lock Core and Aluminum Pull will have Silver ([See Option Details](#))
- Legal or Letter Filing Side to Side or Front to Back
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



| Item               | Model No. | Width | Depth | Height                          | K  | Ship Wt                        | Cubic Ft | List Price |                      |
|--------------------|-----------|-------|-------|---------------------------------|----|--------------------------------|----------|------------|----------------------|
| KNEESPACE CREDENZA | 29-2060KC |       | 60    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 22 <sup>1</sup> / <sub>2</sub> | 173      | 25.3       | P\$ 3944<br>W\$ 4320 |
|                    | 29-2066KC |       | 66    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 28 <sup>1</sup> / <sub>2</sub> | 185      | 27.9       | P\$ 3973<br>W\$ 4375 |
|                    | 29-2072KC |       | 72    | 20 <sup>7</sup> / <sub>16</sub> | 30 | 34 <sup>1</sup> / <sub>2</sub> | 197      | 30.5       | P\$ 4374<br>W\$ 4788 |



Shown with Optional Locking

**Must Specify (in this order):**

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Worksurface Grommet Location
- Back Panel Grommet
- Grommet Color

**Description**

- Standard With: Letter Width Box/Box/File in Pedestals, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**


|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



**Pricing Codes:**  
P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item  | Model No. | Width | Depth                           | Height | Ship Wt | Cubic Ft | List Price           |
|---|-----------|-------|---------------------------------|--------|---------|----------|----------------------|
|  | 29-2066SC | 66    | 20 <sup>7</sup> / <sub>16</sub> | 30     | 217     | 30.5     | P\$ 4252<br>W\$ 4650 |
|   | 29-2072SC | 72    | 20 <sup>7</sup> / <sub>16</sub> | 30     | 237     | 30.5     | P\$ 4896<br>W\$ 5314 |

Shown with Jefferson Drawer and Door Pulls (JEF)

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer / Door Pull
- Locking
- Drawer Construction

**Description**

- Standard With: Letter Width Box/Box/File in Pedestals, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Door Pull will Coordinate with Drawer Pull, [See Pull Details](#)
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Optional Locking Pedestals (LKT-P) or Locking Pedestals and Doors (LKT-HU), [See Locking Details](#)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |



*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

|  |           |    |                                 |    |     |      |                      |
|--|-----------|----|---------------------------------|----|-----|------|----------------------|
| <b>CREDENZA WITH DOUBLE LATERAL FILE</b> | 29-2072DL | 72 | 20 <sup>7</sup> / <sub>16</sub> | 30 | 270 | 30.5 | P\$ 5628<br>W\$ 6047 |
|--|-----------|----|---------------------------------|----|-----|------|----------------------|



Shown with Jefferson Drawer and Door Pulls (JEF) and Optional Wilmington Decorative Molding

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Drawer Construction

**Description**

- Standard With: Four (4) Locking Lateral File Drawers, Left to Right Grain Direction on Worksurface
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Legal or Letter Filing Side to Side or Front to Back
- Lock Core Color will Coordinate with Pull Selection; Antique Brass Pulls will have Black Lock Core and Aluminum Pull will have Silver ([See Option Details](#))
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |




*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item         | Model No. |                  | Width | Depth                           | Height | Ship Wt | Cubic Ft | List Price           |
|--------------|-----------|------------------|-------|---------------------------------|--------|---------|----------|----------------------|
| LATERAL FILE | 29-2036L2 | Two (2) Drawers  | 36    | 20 <sup>7</sup> / <sub>16</sub> | 30     | 160     | 15.9     | P\$ 3461<br>W\$ 3694 |
|              | 29-2036L4 | Four (4) Drawers | 36    | 20 <sup>7</sup> / <sub>16</sub> | 54     | 261     | 27.3     | P\$ 6031<br>W\$ 6260 |



Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Drawer Pull
- Drawer Construction


**Description**

- Central Locking Lateral File Drawers provide Legal or Letter Filing Front to Back or Side to Side
- Anti-Tilt Mechanism
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Lock Core Color will Coordinate with Pull Selection; Antique Brass Pulls will have Black Lock Core and Aluminum Pull will have Silver ([See Option Details](#))
- Base Molding on Sides and User Side, Must Specify: Arlington or Wilmington (See Below)
- No Decorative Molding Available
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#))

**Base Molding Options: Must Specify**

|        |                              |     |
|--------|------------------------------|-----|
| BM2900 | Arlington Base Molding Only  | N/C |
| BM3600 | Wilmington Base Molding Only | N/C |

|                     |           |  |    |    |     |     |      |         |
|---------------------|-----------|--|----|----|-----|-----|------|---------|
| SURFACE MOUNT HUTCH | 29-1560HU |  | 60 | 15 | 40% | 129 | 28.4 | \$ 4419 |
|                     | 29-1566HU |  | 66 | 15 | 40% | 166 | 32.1 | \$ 4600 |
|                     | 29-1572HU |  | 72 | 15 | 40% | 203 | 34.1 | \$ 5146 |



Must Specify (in this order):

- Model #
- Finish
- Door Pull
- Locking
- Tackboard Fabric
- Tasklight
- Grommet Color


**Description**

- Standard with: Four (4) Soft-Close Hinged Wood Doors, Vertical Grain Direction,
- 25<sup>3</sup>/<sub>4</sub>" Clearance Below Doors
- Top Profiled on Three (3) Sides for Flush Wall Application Standard
- Lower, Center Grommet on Back Panel Standard; Must Specify: Black (BLK) or Silver (SLV)
- Additional Options: Locking Doors ([See Option Details](#)); Three (3) Upper Wire Management Grommets ([See Option Details](#)); Factory-Installed Tackboard ([See Unit Details](#)); Tasklights ([See Multiple Units Details](#))

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item   | Model No. |                        | Width | Depth | Height                          | Ship Wt | Cubic Ft | List Price |
|--|-----------|------------------------|-------|-------|---------------------------------|---------|----------|------------|
| <b>WALL MOUNT HUTCH</b><br> | 29-1530WD | <i>Two (2) Doors</i>   | 30    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 48      | 5.6      | \$ 2660    |
|  | 29-1536WD | <i>Two (2) Doors</i>   | 36    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 58      | 6.7      | \$ 2752    |
|  | 29-1542WD | <i>Two (2) Doors</i>   | 42    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 67      | 7.8      | \$ 3083    |
|  | 29-1548WD | <i>Three (3) Doors</i> | 48    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 77      | 8.9      | \$ 3349    |
|  | 29-1554WD | <i>Three (3) Doors</i> | 54    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 87      | 9.9      | \$ 3596    |
|  | 29-1560WD | <i>Four (4) Doors</i>  | 60    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 96      | 11.0     | \$ 3845    |
|  | 29-1566WD | <i>Four (4) Doors</i>  | 66    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 105     | 12.0     | \$ 4018    |
|  | 29-1572WD | <i>Four (4) Doors</i>  | 72    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 118     | 13.1     | \$ 4107    |


Must Specify (in this order):

Model #  
 Finish  
 Door Pull  
 Locking

**Description**

- Standard with: Soft-Close Hinged Wood Doors, Vertical Grain Direction,
- Top Profiled on Front only
- Optional Locking Doors, [See Option Details](#)
- Additional Options: Tackboards ([See Multiple Unit Details](#)); Tasklights ([See Multiple Units Details](#)); Magnetic Glass Marker Boards ([See Sizes and Details](#))

|                               |           |  |    |    |                                 |    |      |         |
|-------------------------------|-----------|--|----|----|---------------------------------|----|------|---------|
| <b>SURFACE MOUNT BOOKCASE</b> | 29-1534TU |  | 34 | 15 | 40 <sup>7</sup> / <sub>16</sub> | 78 | 17.8 | \$ 2161 |
|-------------------------------|-----------|--|----|----|---------------------------------|----|------|---------|




**Description**

- Top Profiled on Three (3) Sides for Flush Wall Application
- 1" Thick Shelves; One (1) Adjustable and One (1) Fixed (Shaded)
- Vertical Woodgrain
- 12" Clearance Below Fixed Shelf
- For Surface Mount Use on Two (2) Drawer Lateral File

Must Specify (in this order):

Model #  
 Finish

[See Arlington Intro Section for Ordering Options](#)


| Item  | Model No. |  | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price           |
|---|-----------|--|-------|-------|------------------|---------|----------|----------------------|
|  | 29-2848BC | Two (2) Adjustable Shelves                           | 28    | 15    | 48               | 93      | 16.0     | P\$ 2103<br>W\$ 2542 |
|   | 29-2860BC | Two (2) Adjustable Shelves and One (1) Fixed Shelf   | 28    | 15    | 60               | 115     | 18.3     | W\$ 2599             |
|   | 29-2870BC | Three (3) Adjustable Shelves and One (1) Fixed Shelf | 28    | 15    | 70 $\frac{3}{4}$ | 125     | 23.8     | W\$ 2657             |
|   | 29-3448BC | Two (2) Adjustable Shelves                           | 34    | 15    | 48               | 125     | 18.0     | P\$ 2117<br>W\$ 2625 |
|   | 29-3460BC | Two (2) Adjustable Shelves and One (1) Fixed Shelf   | 34    | 15    | 60               | 155     | 21.9     | W\$ 2878             |
|   | 29-3470BC | Three (3) Adjustable Shelves and One (1) Fixed Shelf | 34    | 15    | 70 $\frac{3}{4}$ | 165     | 25.0     | W\$ 2991             |

Must Specify (in this order):  
 Model #  
 Surface Material (48"H Only)  
 Finish/Color

**Description**

- Fixed Shelf (Shaded)
- Vertical Woodgrain
- 48"H Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application

|                      |           |  |    |    |                  |    |      |         |
|----------------------|-----------|--|----|----|------------------|----|------|---------|
| <b>DOOR BOOKCASE</b> | 29-2870DB |  | 28 | 15 | 70 $\frac{3}{4}$ | 78 | 17.8 | \$ 2990 |
|----------------------|-----------|--|----|----|------------------|----|------|---------|



Shown with Arlington (ARB) Door Pull

**Description**


- Open Bookcase with Two (2) 1" Thick Adjustable Shelves
- Vertical Woodgrain
- Storage Behind Doors; One (1) Adjustable Shelf
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Optional Locking Doors, [See Option Details](#)

Must Specify (in this order):  
 Model #  
 Finish  
 Door Pull  
 Locking

**Pricing Codes:**  
 P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                     | Model No.    | Width     | Depth | Height | Ship Wt          | Cubic Ft | List Price |         |
|--------------------------|--------------|-----------|-------|--------|------------------|----------|------------|---------|
| WARDROBE/STORAGE CABINET | HINGED LEFT  |           |       |        |                  |          |            |         |
|                          | HINGED RIGHT |           |       |        |                  |          |            |         |
|                          | 29-1870WL    | 29-1870WR | 18    | 20     | 70 $\frac{1}{8}$ | 153      | 19.2       | \$ 3522 |



Shown as Left


Must Specify (in this order):

Model #  
Finish  
Locking  
Door Pull

#### Description

- Coat Rod Under Top Fixed Shelf and Three (3) Adjustable Shelves
- Adjustable Shelves can be Removed for Wardrobe Application
- Vertical Woodgrain
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Must Specify Door Pull: Arlington B (ARB), Jefferson (JEF), and Liberty (ALB)
- Optional Locking Doors, [See Option Details](#)

|                         |           |    |    |                  |     |      |         |
|-------------------------|-----------|----|----|------------------|-----|------|---------|
| DOUBLE WARDROBE/STORAGE | 29-3670WD | 36 | 20 | 70 $\frac{1}{8}$ | 310 | 34.2 | \$ 6218 |
|-------------------------|-----------|----|----|------------------|-----|------|---------|




Must Specify (in this order):

Model #  
Finish  
Locking  
Door Pull

#### Description

- Three (3) Adjustable Shelves on Both Sides; Coat Rod Under Top Fixed Shelf
- Vertical Woodgrain
- Recommended Against Wall
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Must Specify Door Pull: Arlington B (ARB), Jefferson (JEF), and Liberty (ALB)
- Optional Locking Doors, [See Option Details](#)

[See Arlington Intro Section for Ordering Options](#)


| Item  | Model No. |               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---|-----------|---------------|-------|-------|--------|---------|----------|----------------------|
| WORK TABLE<br> | 29-3060WT | 52" Kneespace | 60    | 30    | 30     | 89      | 8.0      | P\$ 2121<br>W\$ 2481 |
|   | 29-3672WT | 64" Kneespace | 72    | 36    | 30     | 125     | 11.4     | P\$ 2578<br>W\$ 3041 |

**Description**

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Left to Right Grain Direction on Worksurface
- Some Assembly Required
- Optional Worksurface Grommet, [See Option Details](#); Must Specify: Black (BLK) or Silver (SLV)

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Worksurface Grommet Location  
Grommet Color

**COMPUTER DESK WITH HUTCH**

|  | LEFT      | RIGHT     |    |    |     |     |      |                      |
|--|-----------|-----------|----|----|-----|-----|------|----------------------|
|  | 29-2448LP | 29-2448RP | 48 | 24 | 30  | 148 | 23.1 | P\$ 3332<br>W\$ 3641 |
|  | 29-1246HU |           | 46 | 12 | 29½ | 54  | 10.3 | \$ 1317              |

**Single Ped Desk Description (29-2448LP/29-2448RP)**

- Standard With: Letter Width Box/Box/File Pedestal, Pull-Out Writing Shelf, Pull-Out Keyboard Shelf
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on only Three (3) Sides for Flush Wall Application
- Grommet in Back Panel; Must Specify: Black (BLK) or Silver (SLV) or No Back Panel Grommet (NONE)
- Base Molding on Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Worksurface Grommet Options ([See Option Details](#))

**Hutch Description (29-1246HU)**

- One (1) Adjustable Shelf; Non-Handed
- Back Panel with Open Clearance for Wire Management

Must Specify for Desk (in this order):

Model #  
Surface Material  
Finish/Color  
Base Molding  
Drawer Pull  
Drawer Construction  
Worksurface Grommet Location  
Back Panel Grommet  
Grommet Color

Must Specify for Hutch (in this order):

Model #  
Finish Color

**Desk Base Molding Options: Must Specify and Add**


|        |                         |     |
|--------|-------------------------|-----|
| BM2900 | Arlington Base Molding  | N/C |
| BM3600 | Wilmington Base Molding | N/C |

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item      | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------|-----------|-------|-------|--------|---------|----------|----------------------|
| END TABLE | 29-2124ET | 21    | 24    | 21½    | 25      | 2.0      | P\$ 1185<br>W\$ 1380 |




#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required

#### Must Specify (in this order):

Model #  
Surface Material  
Finish/Color

| Item       | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|------------|-----------|-------|-------|--------|---------|----------|----------------------|
| LAMP TABLE | 29-2424LT | 24    | 24    | 21½    | 25      | 2.0      | P\$ 1326<br>W\$ 1422 |




#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required

#### Must Specify (in this order):

Model #  
Surface Material  
Finish/Color

| Item           | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|----------------|-----------|-------|-------|--------|---------|----------|----------------------|
| MAGAZINE TABLE | 29-1847MT | 47    | 18    | 16     | 47      | 3.4      | P\$ 1422<br>W\$ 1659 |



#### Description

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Left to Right Grain Direction on Worksurface
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required
- Optional 30" Legs; See Below

#### Must Specify (in this order):

Model #  
Surface Material  
Finish/Color  
Leg

#### Desk Base Molding Options: Must Specify and Add


|       |                     |        |
|-------|---------------------|--------|
| SH-36 | Optional 30" H Legs | \$ 257 |
|-------|---------------------|--------|

#### Pricing Codes:

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                  | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------------------|-----------|-------|-------|--------|---------|----------|----------------------|
| SQUARE MAGAZINE TABLE | 29-3636MT | 36    | 36    | 16     | 60      | 5.5      | P\$ 1519<br>W\$ 1774 |



**Description**

- Available with Veneer (W) or HPL (P) Top, Must Specify
- Hardwood Legs
- Apron Rails and Legs Feature Multi-Step, Hand-Finished Catalyzed Finish
- Some Assembly Required

Must Specify (in this order):

Model #  
Surface Material  
Finish/Color

| Item            | Model No. | Description                   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------------|-----------|-------------------------------|-------|-------|--------|---------|----------|----------------------|
| ROUND TABLE TOP | 29-3636CT | Accommodates Three (3) Chairs | 36    | 36    | 30     | 50      | 3.3      | P\$ 1834<br>W\$ 2260 |
|                 | 29-4242CT | Accommodates Four (4) Chairs  | 42    | 42    | 30     | 51      | 4.5      | P\$ 2110<br>W\$ 2592 |
|                 | 29-4848CT | Accommodates Five (5) Chairs  | 48    | 48    | 30     | 58      | 5.9      | P\$ 3028<br>W\$ 3556 |



**Description**

- Available with Veneer (W) or HPL (P) Top, Must Specify
- See Below for Queen Anne Base; One (1) Base Required
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Power Options not Available

Must Specify for Top (in this order):

Model #  
Surface Material  
Finish/Color  
Base

Must Specify for Base (in this order):



Model #  
Finish

**Queen Anne Base: Must Order & Add**



|           |                                       |    |      |         |
|-----------|---------------------------------------|----|------|---------|
| 01-0606QB | Optional Queen Anne Base (1 Required) | 54 | 22.4 | \$ 1557 |
|-----------|---------------------------------------|----|------|---------|

| Item   | Model No.   | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price             |
|--|---|-------|-------|--------|-----|---------|----------|------------------------|
| HEIGHT ADJUSTABLE<br>DOUBLE PED DESK<br>BOX/BOX/FILE | 29-3060DPSTS <i>Chassis 58W x 24D</i><br><i>4" Approach Overhang</i>  | 60    | 30    | 30-47  | 16  | 321     | 35.3     | P\$ 10367<br>W\$ 10724 |
|  | 29-3066DPSTS <i>Chassis 64W x 24D</i><br><i>4" Approach Overhang</i>  | 66    | 30    | 30-47  | 16  | 321     | 40.3     | P\$ 10566<br>W\$ 10946 |
|  | 29-3072DPSTS <i>Chassis 64W x 24D</i><br><i>4" Approach Overhang</i>  | 72    | 30    | 30-47  | 31½ | 327     | 43.9     | P\$ 10605<br>W\$ 11015 |
|  | 29-3672DPSTS <i>Chassis 64W x 24D</i><br><i>10" Approach Overhang</i> | 72    | 36    | 30-47  | 31½ | 338     | 51.7     | P\$ 10642<br>W\$ 11107 |



Approach Side Shown with Wire Management Box/Decorative Molding and Optional No Molding

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Drawer Construction
- Control Switch
- Top Grommet Location/Color

**Description**

- Standard with: Rectangle Top, Locking Letter Width Locking Box/Box/File Pedestals, Left to Right Grain Direction on Worksurface, 3-Channel Leg Configuration for Single or Multi-Surface Height Adjustment, and Standard Up/Down Control Switch
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                                       |       |
|--------|---------------------------------------|-------|
| BM2900 | Arlington Base Molding                | N/C   |
| M2900  | Optional Arlington Decorative Molding | \$ 95 |


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding



Approach View for all Double and Single Ped Desks with Wilmington Molding




Approach View for all Double and Single Ped Desks with No Molding

**Pricing Codes:**


P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item   | Model No.                               | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price             |  |
|--|---|-------|-------|--------|-----|---------|----------|------------------------|--|
| HEIGHT ADJUSTABLE SINGLE PED DESK BOX/BOX/FILE | LEFT PED      RIGHT PED                 |       |       |        |     |         |          |                        |  |
|  | 29-3060LPSTS    29-3060RPSTS            | 66    | 30    | 30-47  | 18¾ | 258     | 35.3     | P\$ 9700<br>W\$ 10057  |  |
|  | Chassis 58W x 24D, 4" Approach Overhang |       |       |        |     |         |          |                        |  |
|  | 29-3066LPSTS    29-3066RPSTS            | 66    | 30    | 30-47  | 24¾ | 283     | 43.9     | P\$ 9989<br>W\$ 10372  |  |
|  | Chassis 64W x 24D, 4" Approach Overhang |       |       |        |     |         |          |                        |  |
| Shown as Left                                  | 29-3072LPSTS    29-3072RPSTS            | 72    | 30    | 30-47  | 30¾ | 283     | 43.9     | P\$ 10278<br>W\$ 10685 |  |
|  | Chassis 70W x 24D, 4" Approach Overhang |       |       |        |     |         |          |                        |  |
|  | 29-3672LPSTS    29-3672RPSTS            | 72    | 36    | 30-47  | 30¾ | 338     | 51.7     | P\$ 10566<br>W\$ 11031 |  |
| Chassis 70W x 24D, 10" Approach Overhang       |   |       |       |        |     |         |          |                        |  |



Shown as Left



Approach Side Shown with Decorative Molding and Optional No Molding

**Must Specify (in this order):**

- Model #
- Premium or Standard Veneer
- Top Material
- Finish/Color
- Pull
- No Molding
- Drawer Track
- Leg Configuration
- Control Switch
- Top Grommet Location/Color

**Description**

- Standard with: Rectangle Top, Locking Letter Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, 3-Channel Leg Configuration for Single or Multi-Surface Height Adjustment, and Standard Up/Down Control Switch
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top Profiled on All 4 Sides
- Lock Core Color will Coordinate with Pull Selection, [See Option Details](#)
- Optional 3-Channel Leg Configuration (STS3) for Use with 3-Channel Returns; [See 3-Channel Returns](#)
- Stationary Returns Available for Use with Single Ped Desks, [See Stationary Return](#)
- Base Molding on Approach, Sides and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                                       |       |
|--------|---------------------------------------|-------|
| BM2900 | Arlington Base Molding                | N/C   |
| M2900  | Optional Arlington Decorative Molding | \$ 95 |


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |


*Note: Arlington Decorative Molding may only be used with Arlington Base Molding and Wilmington Decorative Molding may only be used with Wilmington Base Molding*



Approach View for all Double and Single Ped Desks with Arlington Molding



Approach View for all Double and Single Ped Desks with Wilmington Molding




Approach View for all Double and Single Ped Desks with No Molding

**Pricing Codes:**


P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                                    | Model No.     |               | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price |
|---|---------------|---------------|-------|-------|--------|-----|---------|----------|------------|
| HEIGHT ADJUSTABLE RETURN WITH FILE/FILE | LEFT PED      | RIGHT PED     |       |       |        |     |         |          |            |
|   | 29-2442LF2STS | 29-2442RF2STS | 42    | 24    | 30-47  | 30¼ | 182     | 20.4     | P\$ 8871   |
| 2-CHANNEL, FOR ONE WORKSURFACE          |               |               |       |       |        |     |         |          | W\$ 9171   |
|   | 29-2448LF2STS | 29-2448RF2STS | 48    | 24    | 30-47  | 30¼ | 197     | 23.1     | P\$ 9309   |
|   |               |               |       |       |        |     |         |          | W\$ 9620   |



Shown as Left



Approach Shown with and without Decorative Molding

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Control Switch
- Top Grommet Location/Color
- Modesty Grommet

**Description**

- Standard with: Rectangle Top, Base Molding on All Sides, Decorative Molding on Approach and Side, Letter Width File/File Ped, Worksurface Grommet, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, Standard Up/Down Control Switch, and Wire Management from Pedestal to Kneespace
- Top Profiled on 4 Sides with Reverse Profile on Connecting Edge; Surface is 1/8" Short on Connecting Side
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))


**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |




*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

**Pricing Codes:**


P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                                       | Model No.    | Width        | Depth | Height | K     | Ship Wt | Cubic Ft | List Price |          |
|--|--------------|--------------|-------|--------|-------|---------|----------|------------|----------|
| HEIGHT ADJUSTABLE RETURN WITH BOX/BOX/FILE | LEFT PED     | RIGHT PED    |       |        |       |         |          |            |          |
|  | 29-2442LFSTS | 29-2442RFSTS | 42    | 24     | 30-47 | 30¼     | 182      | 20.4       | P\$ 8871 |
| 2-CHANNEL, FOR ONE WORKSURFACE             | 29-2448LFSTS | 29-2448RFSTS | 48    | 24     | 30-47 | 30¼     | 197      | 23.1       | P\$ 9309 |
|  |              |              |       |        |       |         |          |            | W\$ 9620 |



Shown as Left



Approach Shown with and without Decorative Molding

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Control Switch
- Top Grommet Location/Color
- Modesty Grommet

**Description**

- Standard with: Rectangle Top, Base Molding on All Sides, Decorative Molding on Approach and Side, Letter Width Box/Box/File Ped, Worksurface Grommet, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, Standard Up/Down Control Switch, and Wire Management from Pedestal to Kneespace
- Top Profiled on 4 Sides with Reverse Profile on Connecting Edge; Surface is 1/8" Short on Connecting Side
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Base Molding on Approach, Side, and User Side. Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Wire Management Box Available; Attaches to Bottom Side of Worksurface and Moves Up/Down with Worksurface to Hide Cords/Wires from Top to Chassis ([See Option Details](#))
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Advanced (Memory/Up/Down) Control Switch ([See Option Details](#)) Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

**Molding Options: Must Specify and Add**


**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|


**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |


*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*



| Item  | Model No.      | Width          | Depth | Height | K     | Ship Wt | Cubic Ft | List Price |                      |
|---|----------------|----------------|-------|--------|-------|---------|----------|------------|----------------------|
| HEIGHT ADJUSTABLE RETURN WITH FILE/FILE FOR MULTIPLE SURFACES | LEFT PED       | RIGHT PED      |       |        |       |         |          |            |                      |
|   | 29-2442LF2STS3 | 29-2442RF2STS3 | 42    | 24     | 30-47 | 30¼     | 182      | 20.4       | P\$ 6080<br>W\$ 6381 |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES                  | 29-2448LF2STS3 | 29-2448RF2STS3 | 48    | 24     | 30-47 | 30¼     | 197      | 23.1       | P\$ 6519<br>W\$ 6829 |




Shown as Left



Approach Shown with and without Decorative Molding

Must Specify (in this order):

- Model #
- Surface Material Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Top Grommet Location/Color
- Modesty Grommet



**Description**

- Standard with: Rectangle Top Profiled on Approach and User Sides with Reverse Profile on Connecting Side, Base Molding on All Sides, Decorative Molding on Approach and Side, File/File Ped, Front-To-Back Grain Direction on Top, 3-Channel Leg Configuration for Simultaneous Surface Height Adjustment Across Two Units, and Wire Management from Pedestal to Kneespace
- Available with Veneer (W) or HPL (P) Top, Must Specify
- **Must Be Used with Height Adjustable Single Pedestal Desk (Order Separately, [See Single Ped Desk](#))**
- Control Switch Not Included, Will Be On Adjoining Unit
- Optional Worksurface Grommet with or without Mesh Wire Management Sleeve Available Over Ped Only; 6" from Ends and 20" from User; Must Specify Location and Color: GL or GL-MESH for Left or GR or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV)
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Monitor Arms not Available on this Unit
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |


*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                             | Model No.    |              | Width | Depth | Height | K   | Ship Wt | Cubic Ft | List Price |      |
|----------------------------------|--------------|--------------|-------|-------|--------|-----|---------|----------|------------|------|
| STATIONARY RETURN WITH FILE/FILE | LEFT PED     | RIGHT PED    |       |       |        |     |         |          |            |      |
|                                  | 29-2442LF2SR | 29-2442RF2SR | 42    | 24    | 30-47  | 30¼ | 110     | 20.4     | P\$        | 3096 |
|                                  |              |              |       |       |        |     |         |          | W\$        | 3397 |
|                                  | 29-2448LF2SR | 29-2448RF2SR | 48    | 24    | 30-47  | 30¼ | 125     | 23.1     | P\$        | 3535 |
|                                  |              |              |       |       |        |     |         |          | W\$        | 3845 |



Shown as Right

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Drawer Pull
- Locking
- Drawer Construction
- Top Grommet Location/Color
- Modesty Grommet

**Description**

- Standard with: Rectangle Top, Decorative Molding on Approach and Side, File/File Ped, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, and Wire Management from Pedestal to Kneespace
- Top Profiled on 4 Sides; Surface is ½" Short on Connecting Side
- Available with Veneer (W) or HPL (P) Top, Must Specify
- **Must Be Used with Height Adjustable Single Pedestal Desk (Order Separately, [See Single Ped Desk](#))**
- Control Switch Not Included, Will Be On Adjoining Unit
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Monitor Arms not Available on this Unit
- Additional Options: Locking Pedestal ([See Locking Details](#)); Dove Tail Drawer Construction ([See Construction Details](#)); Grommet Options ([See Option Details](#)); Glass Marker Boards ([See Sizes and Details](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))


**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |





*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

**Pricing Codes:**  
P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                           | Model No.    | Width | Depth | Height | K  | Ship Wt | Cubic Ft | List Price           |
|--------------------------------|--------------|-------|-------|--------|----|---------|----------|----------------------|
| HEIGHT ADJUSTABLE BRIDGE       | 29-2442UFSTS | 42    | 24    | 30-47  | 30 | 230     | 21.8     | P\$ 7697<br>W\$ 8003 |
| 2-CHANNEL, FOR ONE WORKSURFACE | 29-2448UFSTS | 48    | 24    | 30-47  | 30 | 250     | 24.0     | P\$ 7779<br>W\$ 8087 |



Approach Shown with and without Decorative Molding

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Top Grommet Location/Color
- Back Panel Grommet
- Control Switch

**Description**

- Standard with: Rectangle Top Profiled on All Sides, Base Molding on Back Side, Decorative Molding on Approach, Front-To-Back Grain Direction on Top, 2-Channel Leg Configuration for Single Surface Height Adjustment, and Standard Up/Down Control Switch (Field Installed)
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Optional Worksurface Grommet with or without Mesh Wire Management Sleeve or Wire Management Box Available On Center Only ([See Option Details](#))
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Worksurface Grommet Options ([See Option Details](#)); Kneespace Options Available for Field Installation Only ([See 01-KB3](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))
- Note: Surface is 1/8" Short on Both Connecting Sides to Prevent Contact Between Tops


**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|



**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |



*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*


| Item   | Model No.      |                | Width | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |
|--|----------------|----------------|-------|-------|--------|----|---------|----------|------------|
| HEIGHT ADJUSTABLE BRIDGE FOR MULTIPLE SURFACES | LEFT           | RIGHT          |       |       |        |    |         |          |            |
|  | 29-2442UFSTSL3 | 29-2442UFSTSR3 | 42    | 24    | 30-47  | 30 | 220     | 21.8     | P\$ 6323   |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES   |                |                |       |       |        |    |         |          | W\$ 6629   |
|  | 29-2448UFSTSL3 | 29-2448UFSTSR3 | 48    | 24    | 30-47  | 30 | 240     | 24.0     | P\$ 6406   |
|  |                |                |       |       |        |    |         |          | W\$ 6714   |



Approach Shown with and without Decorative Molding  
Top Up Art Shown as Left

Must Specify (in this order):

- Model #
- Surface Material
- Finish/Color
- Base Molding
- Decorative Molding
- Top Grommet Location/Color
- Back Panel Grommet
- Grommet Color



**Description**

- Standard with: Rectangle Top Profiled on All Sides, Base Molding on Back Side, Front-To-Back Grain Direction on Top, 3-Channel Leg Configuration for Multiple Surface Height Adjustment
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Optional Worksurface Grommet with Mesh Wire Management Sleeve or Wire Management Box Available On Center Only ([See Option Details](#))
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))
- Note: Surface is 1/8" Short on Both Connecting Sides to Prevent Contact Between Tops

**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**


|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |

*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

**Pricing Codes:**  
P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                              | Model No.       |                  | Width | Depth | Height | K  | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|-----------------|------------------|-------|-------|--------|----|---------|----------|------------|
| STATIONARY BRIDGE<br>FULL MODESTY | LEFT ATTACHMENT | RIGHT ATTACHMENT |       |       |        |    |         |          |            |
|                                   | 29-2442SUFL     | 29-2442SUFR      | 42    | 24    | 30     | 22 | 89      | 5.5      | P\$ 1922   |
|                                   |                 |                  |       |       |        |    |         |          | W\$ 2227   |
|                                   | 29-2448SUFL     | 29-2448SUFR      | 48    | 24    | 30     | 22 | 89      | 5.5      | P\$ 2002   |
|                                   |                 |                  |       |       |        |    |         | W\$ 2311 |            |



Shown as Right

Must Specify (in this order):

- Model #
- Top Material
- Finish/Color
- No Molding
- Top Grommet Location/Color
- Back Panel Grommet

**Description**

- Standard with: Rectangle Top Profiled on All Sides with Reverse Profile on Connecting Side (To Credenza), Base Molding on Back Side, Decorative Molding on Approach, and Front-To-Back Grain Direction on Top
- Available with Veneer (W) or HPL (P) Top, Must Specify
- **Must Be Used with Height Adjustable Single Pedestal Desk (Order Separately, [See Single Ped Desk](#))**
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE)
- Base Molding on Approach, Must Specify: Arlington or Wilmington (See Below)
- Standard with No Decorative Molding; Optional Wilmington Decorative Molding ([See Option Details](#)); Must Specify (See Below)
- Additional Options: Worksurface Grommet Options ([See Option Details](#)); Kneespace Options Available for Field Installation Only ([See 01-KB3](#)); Wire Management and Accessories (Order Separately; [See Multiple Unit Details](#))
- Note: Surface is 1/8" Short on Connecting Side (To Height Adjustable Desk)


**Molding Options: Must Specify and Add**

**Arlington Molding Options**

|        |                        |     |
|--------|------------------------|-----|
| BM2900 | Arlington Base Molding | N/C |
|--------|------------------------|-----|

**Wilmington Molding Options**

|        |  |        |
|--------|--|--------|
| BM3600 | Wilmington Base Molding                | N/C    |
| M3600  | Optional Wilmington Decorative Molding | \$ 160 |



*Note: Wilmington Decorative Molding may only be used with Wilmington Base Molding*

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                              | Model No. |                               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------------------------------|-----------|-------------------------------|-------|-------|--------|---------|----------|----------------------|
| CONFERENCE TABLE<br>ONE PIECE TOP | 29-3672RT | Accommodates Six (6) Chairs   | 72    | 36    | 30     | 91      | 6.6      | P\$ 3559<br>W\$ 4147 |
|                                   | 29-4296RT | Accommodates Eight (8) Chairs | 96    | 42    | 30     | 140     | 12.5     | P\$ 4295<br>W\$ 5060 |



**Must Specify for Top (in this order):**


- Model #
- Surface Material
- Finish/Color
- PDC Style / Location
- Base

**Must Specify for Base (in this order):**

- Model #
- Finish

**Description**

- One (1) Piece Top
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top and Bases Shipped Separately
- Bases Must e Specified. Top Price Includes Standard Two (2) Rectangle Bases with Two (2) Stretchers, Optional Queen Anne Bases Available (See Below)
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Additional Options: Grommet Options ([See Options and Locations](#)), Power Options ([See Multiple Unit Details](#))



**Options: Must Specify and Add**

|           |   |     |      |          |
|-----------|---|-----|------|----------|
| 29-2828TB | Rectangular Bases (Includes 2 Bases and 2 Stretchers) | 104 | 7.0  | Included |
| 01-0606QB | Upgrade Queen Anne Base (Includes 2 Bases)            | 54  | 22.4 | \$ 1045  |

Arlington Meeting and Conference Tables offer additional power and grommet options. See the Tables and Space Division Price List for more details.

|                                   |            |                                 |     |    |    |     |      |                       |
|-----------------------------------|------------|---------------------------------|-----|----|----|-----|------|-----------------------|
| CONFERENCE TABLE<br>TWO PIECE TOP | 29-48120RT | Accommodates Ten (10) Chairs    | 120 | 48 | 30 | 198 | 22.0 | P\$ 5417<br>W\$ 6441  |
|                                   | 29-48144RT | Accommodates Twelve (12) Chairs | 144 | 48 | 30 | 315 | 22.0 | P\$ 8894<br>W\$ 10174 |



**Must Specify for Top (in this order):**


- Model #
- Finish Color
- PDC Style / Location
- Base

**Must Specify for Base (in this order):**

- Model #
- Finish Color

**Description**

- Two (2) Piece Top
- Available with Veneer (W) or HPL (P) Top, Must Specify
- Top and Bases Shipped Separately
- Bases Must Be Specified. Top Price Includes Standard Three (3) Rectangle Bases with Four (4) Stretchers, Optional Queen Anne Bases Available (See Below)
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Additional Options: Grommet Options ([See Options and Locations](#)), Power Options ([See Multiple Unit Details](#))



**Options: Must Specify and Add**

|           |   |     |      |          |
|-----------|---|-----|------|----------|
| 29-2828TB | Rectangular Bases (Includes 3 Bases and 4 Stretchers) | 104 | 7.0  | Included |
| 01-0606QB | Upgrade Queen Anne Base (Includes 3 Bases)            | 80  | 33.6 | \$ 1567  |

Arlington Meeting and Conference Tables offer additional power and grommet options. See the Tables and Space Division Price List for more details.

**Pricing Codes:**

P = HPL W = Veneer

[See Arlington Intro Section for Ordering Options](#)

| Item                | Model No. |        | Width           | Depth           | Height | Ship Wt | Cubic Ft | List Price |
|---------------------|-----------|--------|-----------------|-----------------|--------|---------|----------|------------|
| ROUND GROMMET COVER | 01-GRMTBK | Black  | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | -      | 1       | 0.1      | \$ 12      |
|                     | 01-GRMTSL | Silver |                 |                 |        |         |          |            |




OPEN MARKET ONLY  
(SILVER)

**Description**

- 2 $\frac{3}{8}$ " (60mm) Round Grommet Cover
- Field Installed

|                          |             |          |                  |                 |                 |    |     |         |
|--------------------------|-------------|----------|------------------|-----------------|-----------------|----|-----|---------|
| WORKSURFACE POWER CENTER | 01-INTRFC1A | Aluminum | 14 $\frac{1}{4}$ | 6 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 11 | 0.3 | \$ 2287 |
|                          | 01-INTRFC1B | Black    |                  |                 |                 |    |     |         |




**Description**

- For Use with Conference Tables
- Includes: Four (4) Power Receptacles in Two (2) 15 Amp Duplexes, One (1) 15 Amp Circuit Breaker, One (1) Voice Port and Three (3) Data Ports, 6' Power Cord
- One (1) Convenience Plug on Bottom
- UL Listed/CSA Certified
- Optional Telecom Plates, See Arlington Tables in the Table and Space Division Price List

|                         |            |          |                  |                 |                 |    |     |         |
|-------------------------|------------|----------|------------------|-----------------|-----------------|----|-----|---------|
| OASIS MINI POWER & DATA | 01-OASISMA | Aluminum | 14 $\frac{1}{4}$ | 6 $\frac{3}{8}$ | 2 $\frac{7}{8}$ | 11 | 0.3 | \$ 3535 |
|                         | 01-OASISMB | Black    |                  |                 |                 |    |     |         |



Top View




**Description**

- For Use with Conference Tables
- Plate Includes: Two (2) Data and Four (4) Power Outlets, 9' Power Cord
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLB Plate (Consists of One (1) RJ45 Cat 6)
- 9' Cord with Nema Plug; Fits 15A/120V AC Receptacles
- Soft Touch Hinged Lid
- UL Listed
- See Optional Telecom Plates in the Table and Space Division Price List

[See Arlington Intro Section for Ordering Options](#)


| Item                        | Model No.    |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------|--------------|--------|-------|-------|--------|---------|----------|------------|
| DUO CLAMP<br>WITH NEMA PLUG | 01-DUOCLAMPW | White  | 5½    | 3     | 7      | 1       | 0.2      | \$ 634     |
|                             | 01-DUOCLAMPB | Black  |       |       |        |         |          |            |
|                             | 01-DUOCLAMPS | Silver |       |       |        |         |          |            |



#### Description

- Standard with: Two (2) Power Outlet, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|                              |               |        |   |   |   |   |     |        |
|------------------------------|---------------|--------|---|---|---|---|-----|--------|
| TRIO CLAMP<br>WITH NEMA PLUG | 01-TRIOCLAMPW | White  | 8 | 3 | 7 | 1 | 0.2 | \$ 743 |
|                              | 01-TRIOCLAMPB | Black  |   |   |   |   |     |        |
|                              | 01-TRIOCLAMPS | Silver |   |   |   |   |     |        |



#### Description

- Standard with: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications






|                             |              |        |    |    |    |   |     |        |
|-----------------------------|--------------|--------|----|----|----|---|-----|--------|
| DUO BEZEL<br>WITH NEMA PLUG | 01-DUOBEZELW | White  | 6½ | 2½ | 3¼ | 1 | 0.2 | \$ 748 |
|                             | 01-DUOBEZELB | Black  |    |    |    |   |     |        |
|                             | 01-DUOBEZELS | Silver |    |    |    |   |     |        |



#### Description


- For Use with Conference Tables
- Sits on Worksurface and Includes: Two (2) Power Outlet, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A, UL Approved for Horizontal and Vertical Applications

[See Arlington Intro Section for Ordering Options](#)

| Item  | Model No.     |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---|---------------|--------|-------|-------|--------|---------|----------|------------|
| TRIO BEZEL WITH NEMA PLUG<br>  | 01-TRIOBEZELW | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 803     |
|   | 01-TRIOBEZELB | Black  |       |       |        |         |          |            |
|   | 01-TRIOBEZELS | Silver |       |       |        |         |          |            |
| <b>Description</b>  |               |        |       |       |        |         |          |            |
| <ul style="list-style-type: none"> <li>• For Use with Conference Tables</li> <li>• Sits on Worksurface and Includes: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, and One (1) Open Data with 10' Cord</li> <li>• All Mounting Hardware</li> <li>• HDMI, VGA, or RJ45 Accessory for Open Data Port Specified Separately, See Below</li> <li>• Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post</li> <li>• FCC Part 15A, UL Approved for Horizontal and Vertical Applications</li> </ul> |               |        |       |       |        |         |          |            |
| HDMI DATA PORT ACCESSORY<br>   | 01-LCOMHDMI   |        | -     | -     | -      | 1       | 0.2      | \$ 183     |
| <b>Description</b>  |               |        |       |       |        |         |          |            |
| <ul style="list-style-type: none"> <li>• HDMI Port for Trio Bezel and Trio Clamp Units</li> </ul>   |               |        |       |       |        |         |          |            |
| OPEN MARKET ONLY  |               |        |       |       |        |         |          |            |
| VGA DATA PORT ACCESSORY<br>  | 01-LCOMVGA    |        | -     | -     | -      | 1       | 0.2      | \$ 134     |
| <b>Description</b>  |               |        |       |       |        |         |          |            |
| <ul style="list-style-type: none"> <li>• VGA Port for Trio Bezel and Trio Clamp Units</li> </ul>  |               |        |       |       |        |         |          |            |
| RJ45 DATA PORT ACCESSORY<br>   | 01-LCOMRJ45   |        | -     | -     | -      | 1       | 0.2      | \$ 88      |
| <b>Description</b>  |               |        |       |       |        |         |          |            |
| <ul style="list-style-type: none"> <li>• RJ45 Port for Trio Bezel and Trio Clamp Units</li> </ul>   |               |        |       |       |        |         |          |            |
| VESTA POWER CENTER<br>   | 01-PDCTR      |        | 10¾   | 12    | 28¾    | 14      | 2.5      | \$ 1968    |
| <b>Description</b>  |               |        |       |       |        |         |          |            |
| <ul style="list-style-type: none"> <li>• Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet</li> <li>• Available in White</li> <li>• 120" Power Cord</li> <li>• Built with Weight Distribution for Optimal Stability</li> <li>• Base is 5" Tall</li> </ul>  |               |        |       |       |        |         |          |            |

[See Arlington Intro Section for Ordering Options](#)


| Item                    | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|-----------|-------|-------|--------|---------|----------|------------|
| WIRE MANAGEMENT CHANNEL | 01-WMGR4  | 16    | 1½    | 1      | 1       | -        | \$ 129     |



**Description**

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- Ships via UPS Only



|              |          |    |    |   |     |     |        |
|--------------|----------|----|----|---|-----|-----|--------|
| WIRE CHANNEL | 01-32125 | 24 | 1⅝ | 1 | .25 | 0.3 | \$ 117 |
|--------------|----------|----|----|---|-----|-----|--------|



**Description**

- Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Easily Attach to an Iconic Leg to Route Wires/Cords from the Top to the Floor
- Open J Channel for Easy Storage of Cables


|            |           |    |    |   |   |   |       |
|------------|-----------|----|----|---|---|---|-------|
| CABLE GRIP | 01-WMGRCB | 5⅜ | 1½ | - | - | - | \$ 19 |
|------------|-----------|----|----|---|---|---|-------|



**Description**

- Under Surface Wire Management
- Black





|                        |                |        |    |    |       |   |     |        |
|------------------------|----------------|--------|----|----|-------|---|-----|--------|
| LINK 360 CABLE MANAGER | 01-0251LINKSLV | Silver | 5⅝ | 3⅝ | 30-51 | 4 | 3.0 | \$ 432 |
|                        | 01-0251LINKBLK | Black  | 5⅝ | 3⅝ | 30-51 | 4 | 3.0 | \$ 391 |



**Description**



- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, and One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use

[See Arlington Intro Section for Ordering Options](#)

| Item  | Model No.  |                    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |         |                   |        |
|---|--|--------------------|-------|-------|--------|---------|----------|------------|---------|-------------------|--------|
| HEIGHT ADJUSTABLE WORKSTATION   | 01-S2SBLK  | Black              | 35½   | 25    | 6-22   | 49      | 6.5      | \$ 1666    |         |                   |        |
|    | <b>Description</b> <ul style="list-style-type: none"> <li>• Height Adjustable</li> <li>• Weight Capacity: 35lbs</li> <li>• One-Handed Operation; Platforms Move Simultaneously</li> <li>• Keyboard Platform: 10½"D x 26½"W</li> <li>• Worksurface: 21"D x 35½"W</li> <li>• Can be Used on Worksurface 24"D x 35"W</li> </ul>   |                    |       |       |        |         |          |            |         |                   |        |
| KEYBOARD MECHANISM WITH KEYBOARD CLAMP  | 01-KB3   |                    | 26½   | 14    | 4.5    | 16      | 1.4      | \$ 1012    |         |                   |        |
|    | <b>Description</b> <ul style="list-style-type: none"> <li>• Standard With: 18.75" Platform with Swivel-Below Mouse Platform, +/- 15° Tilt Adjustment, 360° Rotation, 7" Lift and Lock Height Adjustment, Independent Tilt Adjustment, Palm Rest for Mousing Surface</li> <li>• Left or Right Handed Mouse Platform</li> <li>• Cannot Be Used on 20" or 21" Deep Unit</li> <li>• Not Available with Optional Center Grommet</li> <li>• Track Measures 21"</li> </ul> <b>Options: Specify &amp; Add</b> <table border="1"> <tr> <td>KB3</td> <td>Factory Installed</td> <td>\$ 231</td> </tr> </table> |                    |       |       |        |         |          |            | KB3     | Factory Installed | \$ 231 |
| KB3   | Factory Installed  | \$ 231             |       |       |        |         |          |            |         |                   |        |
| LED TASKLIGHTS  | TL-0824  | 84-LED, 7 Watts    | 22½   | 7/8   | 1½     | -       | -        | \$ 408     |         |                   |        |
|  | TL-0848  | 240-LED, 18 Watts  | 47½   | 7/8   | 1½     | -       | -        | \$ 493     |         |                   |        |
|   | <b>Description</b> <ul style="list-style-type: none"> <li>• Includes the Power Supply and Three (3) Upper Wire Management Grommet</li> <li>• Rocker Style On/Off Switch with a 10' Power Cord</li> <li>• Grommet Color will Match Lower Grommet Color</li> </ul>   |                    |       |       |        |         |          |            |         |                   |        |
| LED TASKLIGHTS  | 01-47LED17   | 24-LED, 9.1 Watts  | 16¾   | 2     | ¾      | -       | -        | \$ 765     |         |                   |        |
|  | 01-94LED31   | 48-LED, 17.6 Watts | 30¾   | 2     | ¾      | -       | -        | \$ 1323    |         |                   |        |
|   | 01-188LED58  | 96-LED, 33.7 Watts | 57¾   | 2     | ¾      | -       | -        | \$ 1825    |         |                   |        |
|   | <b>Description</b> <ul style="list-style-type: none"> <li>• Includes the Power Supply and Three (3) Upper Wire Management Grommet</li> <li>• 12' Power Cord</li> <li>• Grommet Color will Match Lower Grommet Color</li> <li>• Optional Occupancy Sensor Shuts Off After 30 Minutes of Inactivity and Turns On Immediately When Reentering the Detection Area</li> </ul> <b>Options: Specify &amp; Add</b> <table border="1"> <tr> <td>01-OSRP</td> <td>Occupancy Sensor</td> <td>\$ 405</td> </tr> </table>   |                    |       |       |        |         |          |            | 01-OSRP | Occupancy Sensor  | \$ 405 |
| 01-OSRP   | Occupancy Sensor   | \$ 405             |       |       |        |         |          |            |         |                   |        |


[See Arlington Intro Section for Ordering Options](#)

| Item   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--|-----------|-------|-------|--------|---------|----------|------------|
| MAGNETIC GLASS MARKER BOARD                              | GMB-2330W | 30    | ½     | 23     | 23      | 5.1      | \$ 1275    |
| FOR USE WITH 30"H DESKS, CREDENZA AND WALL MOUNT HUTCHES | GMB-2336W | 36    | ½     | 23     | 28      | 5.8      | \$ 1504    |
|  | GMB-2342W | 42    | ½     | 23     | 33      | 6.6      | \$ 1732    |
|  | GMB-2348W | 48    | ½     | 23     | 38      | 7.3      | \$ 2037    |
|  | GMB-2354W | 54    | ½     | 23     | 42      | 8.0      | \$ 2189    |
|  | GMB-2360W | 60    | ½     | 23     | 47      | 8.8      | \$ 2417    |
|  | GMB-2366W | 66    | ½     | 23     | 52      | 9.5      | \$ 2723    |
|  | GMB-2372W | 72    | ½     | 23     | 56      | 10.2     | \$ 2875    |
|  | GMB-4030W | 30    | ½     | 40¾    | 42      | 7.7      | \$ 2131    |
|  | GMB-4036W | 36    | ½     | 40¾    | 50      | 8.8      | \$ 2531    |
| GMB-4042W  | 42        | ½     | 40¾   | 58     | 9.9     | \$ 2929  |            |
| GMB-4048W  | 48        | ½     | 40¾   | 67     | 11.0    | \$ 3465  |            |



23"H Application

40¾"H Application




Must Specify (in this order):

Model #  
Color

**Description**

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches
- For Magnet, Marker and Eraser Sets Available ([See Set Details](#))

|                                   |           |    |   |     |    |      |         |
|-----------------------------------|-----------|----|---|-----|----|------|---------|
| GLASS MARKER BOARD                | GMB-7030W | 30 | ½ | 70¾ | 72 | 12.1 | \$ 3562 |
| FOR USE FROM FLOOR TO TOP OF UNIT | GMB-7036W | 36 | ½ | 70¾ | 87 | 13.8 | \$ 4248 |



**Description**

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use From Floor to Top of Unit
- For Magnet, Marker and Eraser Sets Available ([See Set Details](#))

Must Specify (in this order):

Model #  
Color



Magnet, Marker and Eraser Sets Available, [See Set Details](#)

[See Arlington Intro Section for Ordering Options](#)

| Item                  | Model No.    | Width  | Depth | Height | Ship Wt | Cubic Ft | List Price |        |
|-----------------------|--------------|--|-------|--------|---------|----------|------------|--------|
| MARKER AND ERASER SET | 01-MRKRSETBL | For Use with Black Marker Boards and Black Glass Doors |       |        |         |          |            | \$ 136 |
|                       | 01-MRKRSETWH | For Use with White Marker Boards and White Glass Doors |       |        |         |          |            |        |



**Description**

- 01-MRKRSETWH May Also be Used with Standard Dry Erase Doors and Boards
- Includes Four (4) Markers and an Eraser

|                       |          |               |  |  |  |  |  |        |
|-----------------------|----------|---------------|--|--|--|--|--|--------|
| RARE EARTH MAGNET SET | 01-MAGBL | Black Magnets |  |  |  |  |  | \$ 127 |
|                       | 01-MAGWH | White Magnets |  |  |  |  |  |        |




**Description**

- Includes Set of Five (5) Rare Earth Magnets
- To be Used with Tempered Glass Magnetic Marker Boards
- Comfort Grip with Stylish Protective Plastic Coating

[See Arlington Intro Section for Ordering Options](#)

### SURFACE MOUNT TACKBOARDS 23" H




| Model #  | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|          |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-2960H | 60"  | 2.00    | \$ 551            | 861    | 1007 | 1153 | 1363 | 1581 | 1837 | 2131 |
| TB-2966H | 66"  | 2.00    | \$ 591            | 901    | 1047 | 1193 | 1403 | 1621 | 1877 | 2171 |
| TB-2972H | 72"  | 2.25    | \$ 627            | 976    | 1140 | 1304 | 1541 | 1786 | 2074 | 2405 |

#### Description

- Coordinates with Surface Mount Hitches
- Factory Installed

### WALL MOUNT TACKBOARDS 23" H



| Model #  | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|          |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-6530W | 30"  | 1.00    | \$ 437            | 592    | 665  | 738  | 843  | 952  | 1080 | 1227 |
| TB-6536W | 36"  | 1.25    | \$ 480            | 674    | 765  | 856  | 988  | 1124 | 1284 | 1468 |
| TB-6542W | 42"  | 1.25    | \$ 494            | 688    | 779  | 870  | 1002 | 1138 | 1298 | 1482 |
| TB-6548W | 48"  | 1.50    | \$ 545            | 778    | 887  | 997  | 1154 | 1318 | 1510 | 1730 |
| TB-6554W | 54"  | 1.75    | \$ 597            | 868    | 996  | 1124 | 1308 | 1498 | 1722 | 1980 |
| TB-6560W | 60"  | 2.00    | \$ 627            | 937    | 1083 | 1229 | 1439 | 1657 | 1913 | 2207 |
| TB-6566W | 66"  | 2.00    | \$ 675            | 985    | 1131 | 1277 | 1487 | 1705 | 1961 | 2255 |
| TB-6572W | 72"  | 2.25    | \$ 711            | 1060   | 1224 | 1388 | 1625 | 1870 | 2158 | 2489 |

#### Description

- Coordinates with Wall Mount Hitches
- Field Installed


[See Arlington Intro Section for Ordering Options](#)



# Surface Materials


## Veneer Finishes, Laminate Colors + Leg/Wood Finish Options

Our veneer casegoods feature our UV topcoat finish, UVAdvantage. The result is a low-emitting finish that provides exceptional depth, clarity, durability and chemical resistance throughout the life of the product. Refer online for finish and color availability by product series.




\* Veneer/Wood Finish is Low Sheen


## Frosted + High Gloss Acrylics




## Solid Surfaces




## Metal Finishes



## Glass Options



## Acoustic/Surround Options



Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at [indianafurniture.com](http://indianafurniture.com). Graining and finish colors may vary, yet will continue to complement across Veneer, HPL, TFL and Seating products due to the inherent differences of these materials.

# Indiana<sup>®</sup>

FURNITURE

PO Box 270

1919 Hospitality Drive, Suite A  
Jasper, Indiana 47546

Tel 812.482.5727

Toll 800.422.5727

Fax 812.482.9035

[sales@indianafurniture.com](mailto:sales@indianafurniture.com)

[www.indianafurniture.com](http://www.indianafurniture.com)

**Federal Classification: Small Business**

©2026 Indiana Furniture 6/26

