



ACCESSORIES


PRICING EFFECTIVE JUNE 1, 2026

Indiana
FURNITURE

Accessories

The image displays 18 different electronic components, likely for a vehicle or industrial application, arranged in three rows. The components include:

- Row 1:** A large rectangular power supply unit with multiple output ports; a small rectangular component; a square component with a central port; a square component with a central port and a side port; a small rectangular component; a stack of three rectangular components; a square component with a central port; and a square component with a central port.
- Row 2:** A rectangular component with a cable; a rectangular component with a cable; a rectangular component with a cable; a multi-pin connector; and two long, thin cables with connectors.
- Row 3:** A rectangular component with a cable; a rectangular component with a cable; a long, thin cable with a connector; a small rectangular component; a multi-pin connector; and a rectangular component with a cable.

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
ROUND GROMMET COVER FIELD INSTALLED	01-GRMTBK	Black	-	-	-	-	-	\$ 12
	01-GRMTSL	Silver						
 OPEN MARKET ONLY (SILVER) Description • 60mm Round Grommet Cover • Field Installed								
RECTANGULAR GROMMET	01-HUGRMTSL	Silver	—	—	—	1	.1	\$ 12
 OPEN MARKET ONLY Description • For Use with Surface Mount Hatches Only • 70mm x 30mm Silver Rectangular Grommet with Cover • Field Installed								
DOCK 950 WIRELESS CHARGER	01-DOCK950W	White	3 $\frac{3}{4}$ "	3 $\frac{3}{4}$ "	-	1	0.2	\$ 294
	01-DOCK950B	Black						
 OPEN MARKET ONLY Description • For Use with Wireless Charging Enabled Devices • 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0 • Mounts in 76mm Round Cut-Out • LED will Confirm Pairing with Device and Begin Wireless Charging								
DOCK 150 WIRELESS AND USB CHARGER	01-DOCK150W	White	3	3	$\frac{3}{4}$ "	1	0.2	\$ 448
	01-DOCK150B	Black						
 OPEN MARKET ONLY Description • For Use with Wireless Charging Enabled Devices and USB Charging Devices • 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge) • Mounts in 76mm Round Cut-Out • Pop-Up is $\frac{3}{4}$"H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge) • LED Light will Confirm Pairing with Device and Begin Wireless Charging • UL and cUL Certified								

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
POWER 440	01-DATA440A	Aluminum	5 $\frac{5}{16}$	4 $\frac{3}{8}$	—	5	0.2	\$ 1068



01-DATA440B Black

Description

- One (1) USB A+C and One (1) Power Outlets
- Soft Touch Hinged Lid
- 6' Power Cord

INTERACT POWER AND DATA	01-INTERACTG2A	Aluminum	9	5 $\frac{3}{8}$	2 $\frac{3}{4}$	5	0.2	\$ 987
	01-INTERACTG2B	Black						



Description

- Two (2) Power Outlets, USB-A+C Charging Ports, One (1) Data, One (1) Voice Telecom Plate Included
- Shown with Optional Telecom Plates; Sold Separately ([See Telecom Plates](#))
- Convenience Plug on Bottom
- 6' Power Cord
- UL and CSA Recognized

POWER AND DATA VAULT	01-CVAULTG2A	Silver	4 $\frac{1}{3}$	15 $\frac{7}{8}$	4 $\frac{1}{16}$	10	0.4	\$ 2154
----------------------	--------------	--------	-----------------	------------------	------------------	----	-----	---------



OPEN MARKET ONLY


Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- Two (2) Data Ports, Three (3) Power Outlets, One (1) HDMI and Two (2) 5V USB
- 6' Power Cord

OASIS MINI POWER & DATA	01-OASISMA	Aluminum	15	9	4 $\frac{15}{16}$	7	0.7	\$ 3535
	01-OASISMB	Black						




Top View



Description

- Includes Four (4) Power Outlets, Two (2) Data Ports, and One (1) Voice Telecom Plate
- Soft Touch Hinged Lid
- 9' Cord with Nema Plug; Fits 15A/120V AC Receptacles
- UL Listed
- Opening for One (1) Additional Telecom Plate; Sold Separately ([See Telecom Plates](#))


Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
POWER CENTER	01-INTRFC1A	Aluminum	14 1/4	6 3/8	3 3/8	11	0.3	\$ 2287
	01-INTRFC1B	Black						

**Description**

- Four (4) Power Receptacles in Two (2) 15 Amp Duplexes
- One (1) 15 Amp Circuit Breaker
- One (1) Voice Port and Three (3) Data Ports
- One (1) Convenience Plug on Bottom
- 6' Foot Cord
- UL Listed/CSA Certified

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

DATA PORT 4	01-DPORT4A	Aluminum	8	4	—	7	0.2	\$ 1211
	01-DPORT4B	Black						

**Description**

- Includes: Two (2) Power Outlets, One (1) USB A+C, One (1) Open Port, 10' Power Cord, and Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- Retracts into Work Surface to Regain Productive Space; One-Touch Access to Power and Data
- Optional Telecom Port Components, See Compatible Units Below and On Next Page
- Water-Proof Simplex (Outlets)
- UL Recognized

USB PORT	01-USBPORT		-	-	-	-	-	\$ 178
----------	------------	--	---	---	---	---	---	--------

**Description**


- Passive USB-A Port with Increased Transfer Speed Up to 5 gbs/sec
- For Use with 01-DPORT4A and 01-DPORT4B
- Simultaneous Read/Write Capability
- Idle Device Power Saving State




PASSIVE USB-C ACCESSORY	01-PUSBC		-	-	-	1	0.2	\$ 105
-------------------------	----------	--	---	---	---	---	-----	--------


**Description**


- Passive USB-C Port ; Unit Provides Data Connection to Transfer Data Only, No Charging Capabilities
- Compatible with 01-DPORT4A and 01-DPORT4B
- Male/Female Connector

OPEN MARKET ONLY

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
CHARGING USB-A+C ACCESSORY	01-USBAC	-	-	1	0.2		\$ 313
 OPEN MARKET ONLY	Description						
	- For Charging Devices 20 Watt Power Supply - USB+C Charging Port for 01-DPORT4A and 01-DPORT4B						
VGA CONNECTOR ACCESSORY	01-VGACON	-	-	1	0.2		\$ 165
 OPEN MARKET ONLY	Description						
	- VGA Port for 01-DPORT4A and 01-DPORT4B - Enables Devices to Remote Display on Monitors 10' Cord - Male/Female Connector						
HDMI CONNECTOR ACCESSORY	01-HDMICON	-	-	1	0.2		\$ 137
 OPEN MARKET ONLY	Description						
	- HDMI Port for 01-DPORT4A and 01-DPORT4B - Connects to High Definition Displays - Female/Female Connector 18" Cord						
VOICE COUPLER	01-VOICE1	-	-	-	-	-	\$ 80
	Description						
	- For Use with 01-DPORT4A and 01-DPORT4B 6-Pin Modular Plug - Molded Black - Cord Not included						
DATA PORT	01-RJ4DATA	-	-	-	-	-	\$ 186
	Description						
	- For Use with 01-DPORT4A and 01-DPORT4B 8-Pin Modular Plug, Cat6 Ethernet Cable, Pre-terminated Cable 10' Cord						

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
DUO CLAMP WITH NEMA PLUG 	01-DUOCLAMPW	White	6½	3	7	1	0.2	\$ 634
	01-DUOCLAMPB	Black						
	01-DUOCLAMPS	Silver						
	Description - Standard with: Two (2) Power Outlet, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord - Clamps to Top and Features Silver Metal Trim - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - All Mounting Hardware Included - FCC Part 15A and UL Approved for Horizontal and Vertical Applications							
TRIO CLAMP WITH NEMA PLUG 	01-TRIOCLAMPW	White	9	3	7	1	0.2	\$ 743
	01-TRIOCLAMPB	Black						
	01-TRIOCLAMPS	Silver						
	Description - Standard with: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' Cord - Clamps to Top and Features Silver Metal Trim - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - HDMI, VGA, or RJ45 Sold Separately; See Accessories - All Mounting Hardware Included - FCC Part 15A and UL Approved for Horizontal and Vertical Applications							
UNDERMOUNT DUO WITH NEMA PLUG 	01-DUOUNDERW	White	6½	2½	3	1	0.2	\$ 605
	01-DUOUNDERB	Black						
	01-DUOUNDERS	Silver						
	Description - Sits Under Worksurface and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord - All Mounting Hardware - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - FCC Part 15A, UL Approved for Horizontal and Vertical Applications							
UNDERMOUNT TRIO WITH NEMA PLUG 	01-TRIOUNDERW	White	9	2½	3	1	0.2	\$ 726
	01-TRIOUNDERB	Black						
	01-TRIOUNDERS	Silver						
	Description - Sits Under Worksurfaces and Includes: Three (3) Power, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Port and 10' Cord, - All Mounting Hardware - HDMI, VGA, or RJ45 Accessory for Open Port Specified Separately, See Accessories - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - FCC Part 15A, UL Approved for Horizontal and Vertical Applications							

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
DUO BEZEL WITH NEMA PLUG 	01-DUOBEZELW	White	6½	2⅝	3	1	0.2	\$ 748
	01-DUOBEZELB	Black						
	01-DUOBEZELS	Silver						
	Description - Sits On Top of the Worksurface and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - All Mounting Hardware Included - FCC Part 15A and UL Approved for Horizontal and Vertical Applications							
TRIO BEZEL WITH NEMA PLUG 	01-TRIOBEZELW	White	9	2⅝	3	1	0.2	\$ 803
	01-TRIOBEZELB	Black						
	01-TRIOBEZELS	Silver						
	Description - Sits On Top of the Worksurface and Includes: Three (3) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data, and 10' Cord - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - HDMI, VGA, or RJ45 Sold Separately; See Accessories - All Mounting Hardware Included - FCC Part 15A and UL Approved for Horizontal and Vertical Applications							
DUO BEZEL WITH HARD WIRE CONNECTION 	Circuit 1							
	01-HWDUOBEZELW1	White	6½	2⅝	3	1	0.2	\$ 809
	01-HWDUOBEZELB1	Black						
	01-HWDUOBEZELS1	Silver						
	Circuit 2							
	01-HWDUOBEZELW2	White	6½	2⅝	3	1	0.2	\$ 809
	01-HWDUOBEZELB2	Black						
	01-HWDUOBEZELS2	Silver						
	Circuit 3							
	01-HWDUOBEZELW3	White	6½	2⅝	3	1	0.2	\$ 809
	01-HWDUOBEZELB3	Black						
	01-HWDUOBEZELS3	Silver						
	Circuit 4							
	01-HWDUOBEZELW4	White	6½	2⅝	3	1	0.2	\$ 809
	01-HWDUOBEZELB4	Black						
	01-HWDUOBEZELS4	Silver						
	Description - Must Specify Color and Circuit - Sits on worksurface and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, and All Mounting Hardware - Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post - FCC Part 15A and UL Approved for Horizontal and Vertical Applications - Maximum 10 Duo Units per Circuit - Eight (8) Wire/Four (4) Circuit Hard Wire Power Unit - See Power Entry, Jumper Cable, and Quad Block on Next Page							

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
TRIO BEZEL WITH HARD WIRE CONNECTION 	Circuit 1							
	01-HWTRIOBEZELW1	White	9	2 1/4	3	1	0.2	\$ 830
	01-HWTRIOBEZELB1	Black						
	01-HWTRIOBEZELS1	Silver						
	Circuit 2							
	01-HWTRIOBEZELW2	White	9	2 1/4	3	1	0.2	\$ 830
	01-HWTRIOBEZELB2	Black						
	01-HWTRIOBEZELS2	Silver						
	Circuit 3							
	01-HWTRIOBEZELW3	White	9	2 1/4	3	1	0.2	\$ 830
	01-HWTRIOBEZELB3	Black						
	01-HWTRIOBEZELS3	Silver						
	Circuit 4							
	01-HWTRIOBEZELW4	White	9	2 1/4	3	1	0.2	\$ 830
	01-HWTRIOBEZELB4	Black						
	01-HWTRIOBEZELS4	Silver						

Description

- Must Specify Color and Circuit
- Sits on Worksurface and Includes: Three (3) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, and All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Maximum 6 Trio Units per Circuit
- Eight (8) Wire/Four (4) Circuit Hard Wire Power Unit
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- See Power Entry, Jumper Cable, and Quad Block Below and on Next Page

POWER ENTRY FOR HARD WIRE CONNECTION

01-HWPOWERENTRY	72	-	-	1	0.2	\$ 357
-----------------	----	---	---	---	-----	--------

Description



- Eight (8) Wire/Four (4) Circuit Hard Wire Infeed
- UL183 Compliant

JUMPER CABLE FOR HARD WIRE CONNECTION


01-HW2JUMP	24	-	-	1	0.2	\$ 213
01-HW3JUMP	36	-	-	1	0.2	\$ 228
01-HW4JUMP	48	-	-	1	0.2	\$ 235
01-HW5JUMP	60	-	-	1	0.2	\$ 282
01-HW6JUMP	72	-	-	1	0.2	\$ 299

Description

- Eight (8) Wire/Four (4) Circuit Hard Wire Jumper
- UL183 Compliant


Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
QUAD BLOCK FOR HARD WIRE CONNECTION	01-HWQUADBLOCK					1	0.2	\$ 69
	Description • Eight (8) Wire/Four (4) Circuit Hard Wire Connector • UL183 Compliant • For Connecting Jumpers and Power Units • Quantity of Four (4) Female Inputs							
DUO BEZEL WITH PURL DAISY CHAIN PLUG	01-DCDUOBEZELW	White	6½	2¼	3	1	0.2	\$ 631
	01-DCDUOBEZELB	Black						
	01-DCDUOBEZELS	Silver						
	 Description • Standard with: Two (2) Tamper Resistant 15 Amp Power Outlets, One (1) USB-A Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, 10' Cord and All Mounting Hardware • Top Must Be Routed To Allow Unit to Sit Down Into the Top, Must Specify when Ordering Top • Unit Supported By Attractive Slim Fit Bezel • Requires Purl Daisy Chain Power Infeed, Specified Separately (See Details) • Non-Sequential System Allows up to Nine (9) Modules to be Connected with H-Block (See Below) and Jumper Cord (See Details) • Independent USB Circuit Controllers Deliver up to 2.4 Amps to Each Post • FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications • See How to Easily Incorporate the PURL™ Daisy Chain System into Your Space with Our Specifications and Guidelines							
TRIO BEZEL WITH PURL DAISY CHAIN PLUG	01-DCTRIOBEZELW	White	9	2¼	3	1	0.2	\$ 723
	01-DCTRIOBEZELB	Black						
	01-DCTRIOBEZELS	Silver						
	 Description • Standard with: Three (3) Tamper Resistant 15 Amp Power Outlets, One (1) USB-A Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data, 12" Cord and All Mounting Hardware • Top Must Be Routed To Allow Unit to Sit Down Into the Top, Must Specify when Ordering Top • Unit Supported By Attractive Slim Fit Bezel • Requires Purl Daisy Chain Power Infeed, Specified Separately (See Details) • Non-Sequential System Allows up to Nine (9) Modules to be Connected with H-Block and Jumper Cord (See Details) • Independent USB Circuit Controllers Deliver up to 2.4 Amps to Each Post • FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications HDMI, VGA, or RJ45 Sold Separately (See Accessories) • See How to Easily Incorporate the PURL™ Daisy Chain System into Your Space with Our Specifications and Guidelines							

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
PURL DAISY CHAIN POWER INFEEED	01-DCPOWER	-	-	-	1	0.2	\$ 227

**Description**


- One (1) Purl Connector Plug, 36" Daisy Chain Cord, One (1) 15 Amp Power Outlet, and a 120" Power Cord with a Nema Plug
- Powers up to Nine (9) Duo and Trio Purl Daisy Chain Units
- 15-Amp System Rating and Over-Current Protection
- System Requires H-BLOCK Connector Between Power Infeed and Each Jumper Cord, See Below For Purl Daisy Chain H-Block and Purl Daisy Chain Jumper Cords Details
- See How to Easily Incorporate the PURL™ Daisy Chain System into Your Space with [Our Specifications and Guidelines](#)

PURL DAISY CHAIN H-BLOCK	01-DCHBLOCK	-	-	-	1	0.2	\$ 40
--------------------------	-------------	---	---	---	---	-----	-------

**Description**


- Includes One (1) Power In and Three (3) Power Out Receptacles
- System Requires H-BLOCK Connector Between Power Infeed and Each Jumper Cord, See Purl Daisy Chain Power Infeed (Above) and Jumper Cords (See Below)
- See How to Easily Incorporate the PURL™ Daisy Chain System into Your Space with [Our Specifications and Guidelines](#)

PURL DAISY CHAIN JUMPER CORD	01-DC2JUMP	24" Long	-	-	-	1	0.2	\$ 72
	01-DC3JUMP	36" Long	-	-	-	1	0.2	\$ 77
	01-DC4JUMP	48" Long	-	-	-	1	0.2	\$ 82
	01-DC5JUMP	60" Long	-	-	-	1	0.2	\$ 87
	01-DC6JUMP	72" Long	-	-	-	1	0.2	\$ 92

**Description**






- Connects Duo and Trio Daisy Chain Units
- Non-Sequential System Allows up to Nine (9) Modules to be Connected
- See How to Easily Incorporate the PURL™ Daisy Chain System into Your Space with [Our Specifications and Guidelines](#)

HDMI DATA PORT ACCESSORY	01-LCOMHDMI	-	-	-	1	0.2	\$ 183
--------------------------	-------------	---	---	---	---	-----	--------


**Description**

- HDMI Port for Trio Clamp and Trio Bezel Units

OPEN MARKET ONLY


Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
VGA DATA PORT ACCESSORY	01-LCOMVGA	-	-	-	1	0.2	\$ 134
 Description VGA Port for Trio Clamp and Trio Bezel Units							
RJ45 DATA PORT ACCESSORY	01-LCOMRJ45	-	-	-	1	0.2	\$ 88
 Description RJ45 Port for Trio Clamp and Trio Bezel Units							
WIRE MANAGEMENT CHANNEL	01-WMGR4	16	1½	1	1	-	\$ 129
 Description - Set of Four (4) Black Plastic Wire Management Channels - Snap Lock Channel - Attaches with Adhesive Strips - Ships via UPS Only							
WIRE CHANNEL	01-32125	24	1 5/8	1	.25	0.3	\$ 117
 Description - Available in Black - Channels Attach with Two (2) Double-Sided Installation Tape - Open J Channel for Easy Storage of Cables							
CABLE GRIP	01-WMGRCB	5¾	1½	-	-	-	\$ 19
  INSTALLATION VIEW Description - Under Surface Wire Management - Black							

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
LINK 360 CABLE MANAGER	01-0251LINKSLV	Silver	5 3/16	3 3/16	30-51	4	3.0	\$ 432
	01-0251LINKBLK	Black	5 3/16	3 3/16	30-51	4	3.0	\$ 391

**Description**


- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use

HEIGHT ADJUSTABLE WORKSTATION	01-S2SBLK	Black	35 1/2	25	6-22	49	6.5	\$ 1666
-------------------------------	-----------	-------	--------	----	------	----	-----	---------

**Description**


- Height Adjustable
- Weight Capacity: 35lbs
- One-Handed Operation; Platforms Move Simultaneously
- Keyboard Platform: 10 1/2"D x 26 1/8"W
- Worksurface: 21"D x 35 1/2"W
- Can be Used on Worksurface 24"D x 35"W

28"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT	01-2854ELB	Black	54-78	28	22-48	30	2.4	\$ 2029
	01-2854ELA	Silver						

**Description**


- Standard with Up/Down Control Switch, 10.5' Power Cord, Integrated Anti-Collision Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 54-78"W and 30"-36"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

22"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT	01-2254ELB	Black	54-78	22	22-48	58	2.4	\$ 2029
	01-2254ELA	Silver						

**Description**

- Standard with Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 54-78"W and 24"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
22"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT	01-2242ELB	Black	42-48	22	22-48	55	2.4	\$ 2029
	01-2242ELA	Silver						



Description

- Standard with Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details
- Adjusts to Accommodate Tops 42-48"W and 24"D; Tops Sold Separately
- Lifting Capacity (Including Worksurface): 363 lbs
- Some Assembly Required; Installation Instructions Included

ELECTRIC HEIGHT ADJUSTABLE ADVANCED SWITCH WITH MEMORY	01-MSWCH		3⅞	4⅜	1⅞	½	0.8	\$ 247
--	----------	--	----	----	----	---	-----	--------




OPEN MARKET ONLY

Description





- Black Unit with Black Cord
- Bluetooth Capabilities
- Three Stand-Up Reminders
- Four Height Memory Positions

POWER STRIP	01-PRSP		9	2	2	1	-	\$ 227
-------------	---------	--	---	---	---	---	---	--------




Description

- Includes Four (4) Outlets and Two (2) Phone Jacks
- Black Plastic with Rocker On/Off Switch
- 13 Amp Circuit Breaker
- 10' Power Cord and Two (2) 14' Phone Hook Up Cords
- UL Listed and CSA Certified
- Suitable for Surface or Recessed Mounting

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
DUAL ARTICULATING MONITOR ARM	01-MLEDGE2A	Aluminum	-	-	-	15	1.4	\$ 1454
	01-MLEDGE2B	Black						
								
Description • Includes Desk Clamp and Grommet Mount • Dual Mount with Independent Adjustment • 180° Lockout Feature. 6.5"H to 19.5"H Adjustment • 21" Monitor Extension, 3.5" Monitor Retraction • +30/-25° Monitor Tilt; 360° Swivel at Two Points • 17.6lb Weight Capacity per Arm • Enclosed Cable Management • VESA 75mm and VESA 100mm Compatible with Quick Monitor Release								
SINGLE MONITOR ARM	01-MLEDGE1A	Aluminum	-	-	-	13	2.2	\$ 857
	01-MLEDGE1B	Black						
								
Description • Includes Desk Clamp and Grommet Mount • 180° Lockout Feature, 6.5"H to 19.5"H Adjustment • 21" Monitor Extension, 3.5" Monitor Retraction • +30/-25° Monitor Tilt • 17.6lb Weight Capacity • Enclosed Cable Management • VESA 75mm and VESA 100mm Compatible with Quick Monitor Release								
ARTICULATING KEYBOARD CORNER PLATFORM	01-KB2CC		25	10½	4½	16	1.4	\$ 921
	Description • Works with 17"+ Diagonal Work Surface; 25" Cut Corner Platform • Keyboard and Mouse on Same Level with Single Palm Rest on Both Sides • +/- 15° Tilt Adjustment & 360° Rotation • Independent Tilt Adjustment; Lift & Lock 7"H Adjustment • Cannot Be Used on 20"D Unit • Not Available with Optional Center Grommet • Track Measures 21"							
								
Options: Specify & Add								
KB2CC		Factory Installed						\$ 231
KEYBOARD MECHANISM WITH KEYBOARD PLATFORM AND MOUSE TRAY AND PALM REST	01-KB3		26½	14	4.5	16	1.4	\$ 1012
	Description • 18¾" Platform with Swivel-Below Mouse Platform • Palm Rest for Mousing Surface • +/- 15° Tilt Adjustment & 360° Rotation • Independent Tilt Adjustment; Lift & Lock 7"H Adjustment • Cannot Be Used on 20" Deep Unit • Left or Right Handed Mouse Platform • Not Available with Optional Center Grommet • Track Measures 21"							
								
Options: Specify & Add								
KB3		Factory Installed						\$ 231


Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
CPU HOLDER	01-CPUMINIA	Aluminum	-	-	-	16	.4	\$ 429



Description

- Vertically Mounts to Undersurface; No Tools Required for Adjustment
- 360° Swivel
- 13 $\frac{5}{8}$ " Ball Bearing Glide Track
- 3 $\frac{1}{4}$ "W-6"W and 16"H - 23"H Adjustment
- 55lb Load Capacity
- Fits CPU's 5"H - 20"H Overall Height


LED TASKLIGHT	TL-0824		22 $\frac{1}{2}$	$\frac{7}{8}$	1 $\frac{5}{8}$	-	-	\$ 408
	<i>84-LED, 7 Watts</i>							
	TL-0848		47 $\frac{1}{2}$	$\frac{7}{8}$	1 $\frac{5}{8}$	-	-	\$ 493
	<i>240-LED, 18 Watts</i>							



Description

- Includes the Power Supply and Three (3) Upper Wire Management Grommet
- Rocker Style On/Off Switch with 10' Power Cord
- Grommet Color will Match Lower Grommet Color

LED TASKLIGHT	01-47LED17		16 $\frac{3}{8}$	2	$\frac{3}{4}$	-	-	\$ 765
	<i>24-LED, 9.1 Watts</i>							
	01-94LED31		30 $\frac{1}{8}$	2	$\frac{3}{4}$	-	-	\$ 1323
	<i>48-LED, 17.6 Watts</i>							
	01-188LED58		57 $\frac{1}{8}$	2	$\frac{3}{4}$	-	-	\$ 1825
	<i>96-LED, 33.7 Watts</i>							



Description

- Includes the Power Supply and Three (3) Upper Wire Management Grommet
- 12' Power Cord
- Grommet Color will Match Lower Grommet Color
- Optional Occupancy Sensor Shuts Off After 30 Minutes of Inactivity and Turns On Immediately When Reentering the Detection Area

Options: Specify & Add

01-OSRP	Occupancy Sensor	\$ 405
---------	------------------	--------

Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
L SHELF 	66-1530LS	64 lbs Weight Limit	30	15	17	30	6.0	T\$ 592
	66-1536LS	64 lbs Weight Limit	36	15	17	35	7.1	T\$ 652
	66-1542LS	90 lbs Weight Limit	42	15	17	40	8.2	T\$ 712
	66-1548LS	90 lbs Weight Limit	48	15	17	45	9.3	T\$ 769
	66-1554LS	90 lbs Weight Limit	54	15	17	50	10.5	T\$ 825
	66-1560LS	128 lbs Weight Limit	60	15	17	55	11.6	T\$ 884
	66-1566LS	128lbs Weight Limit	66	15	17	60	12.7	T\$ 943
	66-1572LS	154 lbs Weight Limit	72	15	17	65	13.8	T\$ 1000
	66-1578LS	154 lbs Weight Limit	78	15	17	70	14.9	T\$ 1062
	66-1584LS	154 lbs Weight Limit	84	15	17	75	16.0	T\$ 1121
	66-1590LS	192 lbs Weight Limit	90	15	17	80	17.2	T\$ 1182
	66-1596LS	192 lbs Weight Limit	96	15	17	85	18.3	T\$ 1244

Must Specify (in this order):

Model #

Color

Description

- Weight Capacity is a Distributed Load
- Not Liable for Wall Mount Units that are not Properly Installed

FLOATING SHELF 	66-0930FS	40 lbs Weight Limit	30	9	1	6	0.7	T\$ 403
	66-0936FS	40 lbs Weight Limit	36	9	1	8	0.8	T\$ 446
	66-0942FS	57 lbs Weight Limit	42	9	1	9	0.9	T\$ 492
	66-0948FS	57 lbs Weight Limit	48	9	1	10	1.1	T\$ 536
	66-0954FS	57 lbs Weight Limit	54	9	1	12	1.3	T\$ 580
	66-0960FS	82 lbs Weight Limit	60	9	1	13	1.4	T\$ 621
	66-0966FS	82 lbs Weight Limit	66	9	1	14	1.5	T\$ 666
	66-0972FS	99 lbs Weight Limit	72	9	1	16	1.6	T\$ 711
	66-0978FS	99 lbs Weight Limit	78	9	1	16	1.8	T\$ 746
	66-0984FS	99 lbs Weight Limit	84	9	1	18	1.9	T\$ 780
	66-0990FS	123 lbs Weight Limit	90	9	1	19	2.1	T\$ 817
	66-0996FS	123 lbs Weight Limit	96	9	1	20	2.2	T\$ 852

Must Specify (in this order):

Model #

Color


Description

- Weight Capacity is a Distributed Load
- Not Liable for Wall Mount Units that are not Properly Installed

ACCESSORIES

MAGNETIC GLASS MARKER BOARDS

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
MAGNETIC GLASS MARKER BOARD	GMB-5230W	30	½	52⅞	54	9.5	\$ 2705
COORDINATES WITH 30"H DESKS AND CREDENZA AND TALL WALL MOUNT HUTCHES OR SHELVING	GMB-5236W	36	½	52⅞	65	10.8	\$ 3218
	GMB-5242W	42	½	52⅞	76	12.2	\$ 3732
	GMB-5248W	48	½	52⅞	86	13.5	\$ 4419




Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Mounting Brackets Included
- Coordinates With Tall Surface or Wall Mount Hutches
- See Rare Earth Magnets, Marker and Eraser Sets Below
- Find Additional Magnetic Glass Marker Boards in Casegoods Collections

Must Specify (in this order):

Model #
Color

MAGNETIC GLASS MARKER BOARD	GMB-5130W	30	½	51⅞	53	9.3	\$ 2608
FOR USE FROM FLOOR TO TOP OF UNIT	GMB-7030W	30	½	70⅞	72	12.1	\$ 3562
	GMB-8230W	30	½	82⅞	85	13.8	\$ 4132
	GMB-5136W	36	½	51⅞	63	10.6	\$ 3104
	GMB-7036W	36	½	70⅞	87	13.8	\$ 4248
	GMB-8236W	36	½	82⅞	102	15.8	\$ 4934



Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- See Rare Earth Magnets, Marker and Eraser Sets Below
- Find Additional Magnetic Glass Marker Boards in Casegoods Collections

Must Specify (in this order):

Model #
Color

MARKER AND ERASER SET	01-MRKRSETBL	For Use with Black Marker Boards and Black Glass Doors	\$ 136
	01-MRKRSETWH	For Use with White Marker Boards and White Glass Doors	



Description

- 01-MRKRSETWH May Also be Used with Standard Dry Erase Doors and Boards
- Includes Four (4) Markers and an Eraser

RARE EARTH MAGNET SET	01-MAGBL	Black Magnets	\$ 127
	01-MAGWH	White Magnets	




Description

- Includes Set of Five (5) Rare Earth Magnets
- To be Used with Tempered Glass Magnetic Marker Boards
- Comfort Grip with Stylish Protective Plastic Coating

23" TALL TOOL RAIL WORK WALL

FOR SURFACE OR WALL MOUNT
HUTCHES AND 30"H CREDENZA



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)


Model #	Size	COM ydg	COM, 1, 2 or 3	Grades						
				4	5	6	7	8	9	10
WW-2330TRH	30"	1.00	\$ 743	898	971	1044	1149	1258	1386	1533
WW-2336TRH	36"	1.25	\$ 805	999	1090	1181	1313	1449	1609	1793
WW-2342TRH	42"	1.25	\$ 826	1020	1111	1202	1334	1470	1630	1814
WW-2348TRH	48"	1.50	\$ 893	1126	1235	1345	1502	1666	1858	2078
WW-2354TRH	54"	1.75	\$ 982	1253	1381	1509	1693	1883	2107	2365
WW-2360TRH	60"	2.00	\$ 1008	1318	1464	1610	1820	2038	2294	2588
WW-2366TRH	66"	2.00	\$ 1071	1381	1527	1673	1883	2101	2357	2651
WW-2372TRH	72"	2.25	\$ 1134	1483	1647	1811	2048	2293	2581	2912
WW-2378TRH	78"	2.50	\$ 1423	1811	1993	2176	2438	2711	3031	3398
WW-2384TRH	84"	2.50	\$ 1478	1866	2048	2231	2493	2766	3086	3453
WW-2390TRH	90"	2.75	\$ 1630	2056	2257	2458	2747	3046	3398	3803
WW-2396TRH	96"	3.00	\$ 1734	2199	2418	2637	2952	3279	3663	4104
WW-23102TRH	102"	3.25	\$ 1811	2315	2552	2789	3131	3485	3901	4379
WW-23108TRH	108"	3.50	\$ 1900	2443	2698	2954	3321	3703	4151	4665

Description

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- See Work Wall Accessories on Next Page

31" TALL TOOL RAIL WORK WALL

FOR USE WITH WALL MOUNT
HUTCHES AND 21"H CREDENZA



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)

Model #	Size	COM ydg	COM, 1, 2 or 3	Grades						
				4	5	6	7	8	9	10
WW-3130TTRW	30"	1.00	\$ 959	1114	1187	1260	1365	1474	1602	1749
WW-3136TTRW	36"	1.25	\$ 1041	1235	1326	1417	1549	1685	1845	2029
WW-3142TTRW	42"	1.25	\$ 1064	1258	1349	1440	1572	1708	1868	2052
WW-3148TTRW	48"	1.50	\$ 1156	1389	1498	1608	1765	1929	2121	2341
WW-3154TTRW	54"	1.75	\$ 1260	1531	1659	1787	1971	2161	2385	2643
WW-3160TTRW	60"	2.00	\$ 1319	1629	1775	1921	2131	2349	2605	2899
WW-3166TTRW	66"	2.00	\$ 1402	1712	1858	2004	2214	2432	2688	2982
WW-3172TTRW	72"	2.25	\$ 1460	1809	1973	2137	2374	2619	2907	3238
WW-3178TTRW	78"	2.50	\$ 1756	2144	2326	2509	2771	3044	3364	3731
WW-3184TTRW	84"	2.50	\$ 1837	2225	2407	2590	2852	3125	3445	3812
WW-3190TTRW	90"	2.75	\$ 2054	2480	2681	2882	3171	3470	3822	4227
WW-3196TTRW	96"	3.00	\$ 2181	2646	2865	3084	3399	3726	4110	4551
WW-31102TTRW	102"	3.25	\$ 2264	2768	3005	3242	3584	3938	4354	4832
WW-31108TTRW	108"	3.50	\$ 2392	2935	3190	3446	3813	4195	4643	5157


Description

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- See Work Wall Accessories on Next Page


ACCESSORIES

TOOL RAIL ACCESSORIES


Item	Model No.		Width	Depth	Height	Ship Wt	Cubic Ft	List Price
LEGAL TRAY	01-LGLTRAYC	Clear	14 $\frac{7}{8}$	10 $\frac{1}{2}$	1 $\frac{1}{8}$			\$ 128



FOLDER SORTER	01-FLDRSRTRC	Clear	7 $\frac{1}{4}$	12 $\frac{3}{8}$	7 $\frac{1}{8}$			\$ 143
---------------	--------------	-------	-----------------	------------------	-----------------	--	--	--------



ACCESSORIES TRAY	01-ACCTRAYC	Clear	9 $\frac{1}{4}$	10 $\frac{1}{8}$	1 $\frac{1}{8}$			\$ 138
------------------	-------------	-------	-----------------	------------------	-----------------	--	--	--------




VESTA POWER CENTER	01-PDCTR		10 $\frac{3}{4}$	12	28 $\frac{1}{4}$	14	2.5	\$ 1968
--------------------	----------	--	------------------	----	------------------	----	-----	---------



Description

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall

Item	Model No.	Width	Depth	Height	Ship Wt	Cubic Ft	List Price
PLANTER BOX	01-1909PL	19¼	9½	6	16	2.0	T\$ 631

**Description**

- Material is TFL. Must Specify TFL (T) Color; [See Colors and Specify](#)
- Planter Will Ship with Attachment Hardware: Two (2) Black and Two (2) Nickel Bolts
- Horizontal Grain
- Planter Boxes Cannot be Installed on Both Sides of a Corner
- Optional Planter Box Insert Sold Separately


Option: Specify & Add

PBI	Planter Box Insert, Black Plastic	\$ 58
-----	-----------------------------------	-------

Must Specify (in this order):

Model #
TFL Color
Optional Planter Insert

VISUAL BOARD	66-4848VB	48	5	48	150	11.0	T\$ 3004
--------------	-----------	----	---	----	-----	------	----------

**Description**

- Standard with: Flipchart, Set of Four Dry Erase Markers, Eraser, Mounting Hardware, Tackboard on Each Door in Black Fabric, Display Rail with Adjustable Hooks for Flipchart
- Price Valid for Fabric Grades 1, 2, and 3, See Below For Higher Grade Fabric Pricing
- Does Not Feature Soft Close Hinges
- Magnetic Porcelain Non-Glare Writing Surface
- Find Textile Partners on Our Website; [Click Here](#)
- TFL Laminate Colors and Pulls can be Found Under Coordinating Casegoods Collections


Must Specify (in this order):

Model #
Color
Tackboard Fabric Vendor, Pattern, and Color
Pull
Projection Screen Installation

Options: Specify & Add

	GRADE	4	5	6	7	8	9	10
TB-4214	Tackboard	\$ 310	456	602	812	1030	1286	1580
1-PS	Optional Factory Installed Projection Screen						\$	1177

LECTERN STAND	88-2650LS	TFL+HPL	24	23	49	130	21.9	F, G, Y / T+P\$	2143
---------------	-----------	---------	----	----	----	-----	------	-----------------	------



H / T+P\$ 2154

Veneer+HPL F, G, Y / W+P\$ 3870

H / W+P\$ 3899

Veneer F, G, Y / W\$ 4022


H / W\$ 4038

Must Specify (in this order):

Model #
Color

Description

- Top Edge Profiled on Approach Side Only (See Edge Options); Must Specify Edge Selection
- Fixed Shelf Angled for User Comfort, One (1) Pullout Shelf, and Two (2) Adjustable Shelves
- Two (2) Locking and Two (2) Non-Locking Casters
- Wire Management Grommet on Second and Bottom Shelf, Middle Shelf Features Wire Management Grommet Cut Out

Item	Model No.		List Price
ECA TELECOM PLATES COMPATIBLE WITH:  Oasis Mini Power & Data 01-OASISMA, 01-OASISMB  Interact Power & Data 01-INTERACTG2A, 01-INTERACTG2B  Worksurface Power Center 01-INTRFCIA, 01-INTRFCIB	01-ABL	Telecom Plate, Blank Plate	\$ 45
	01-ABL737373	Telecom Plate, (3) RJ45 Cat 5e	\$ 406
	01-ABLAB	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 228
	01-ABLAB102	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3, (1) USB W/72" Patch Cord	\$ 355
	01-ABLABB	Telecom Plate, (2) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 355
	01-ABLB	Telecom Plate, (1) RJ45 Cat 6	\$ 165
	01-ABLBB	Telecom Plate, (2) RJ45 Cat 6	\$ 289
	01-ABLBBB	Telecom Plate, (3) RJ45 Cat 6	\$ 406
	01-ABLBBBB	Telecom Plate, (4) RJ45 Cat 6	\$ 528
	01-ABLBBC51	Telecom Plate, (2) RJ45 Cat 6, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 494
	01-ABLBC51L	Telecom Plate, (1) RJ45 Cat 6, (1) Mini Stereo Inline, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 455
	01-ABLC3811	Telecom Plate, (1) RJ45 Cat 6 Data Inline, (1) RJ11 Cat 3 Phone Inline	\$ 219
	01-ABLC45	Telecom Plate, (1) HDMI w/36" Patch Cord	\$ 327
	01-ABLC45C51L	Telecom Plate, (1) Mini Stereo Inline, (1) HDMI w/36" Patch Cord, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 618
	01-ABLC51L	Telecom Plate, (1) 15 Pin HD VGA & (1) Mini Stereo Inline Jack	\$ 330
	01-ABLCRDM	Telecom Plate, (3) Cord Bushings	\$ 106

PURL™ DAISY CHAIN SYSTEM

The PURL™ daisy chain system adapts to your unique space, allowing you to configure the ideal power setup based on your specific room layout and application.

PURL™ Daisy Chain System includes the following components:



Your choice of Power Units with PURL™ Daisy Chain Plug



PURL™ Daisy Chain Power Infeed



PURL™ Daisy Chain H-Block connects Power Infeed, Power Units, and Jumper Cord



PURL™ Daisy Chain Jumper Cords connects to H-Blocks and Power Units

GREAT SPACES START WITH A PLAN

Before you get started specifying, we have a few helpful recommendations and component guidelines.

We recommend you determine the following:


- Setup of the room
- Number of tops needed
- Number of Power Units per top

With multiple Power Unit locations available, understanding how your table tops will be used ensures you specify every component needed to seamlessly stay connected.

Components Guidelines:

- The Power Infeed and Power Units must connect to an H-Block
- When the Power Infeed plugs into the H-Block, two Power Units and a Jumper Cord may be used. Additional H-Blocks can be used with either two Power Units and two Jumper Cords or two Power Units and one Jumper Cord

Five (5) Power Unit System Example:




Shown with Duo Clamp. Also available with Duo Air, Duo Bezel and Trio Bezel with PURL™ Daisy Chain Plug

APPLICATION EXAMPLES OF THE PURL™ DAISY CHAIN SYSTEM

SYMBOL GUIDE:




THREE (3) POWER UNIT SYSTEM




- Components:
- 3 Power Units
 - 1 Power Infeed
 - 3 H-Blocks
 - 2 Jumper Cords

FOUR (4) POWER UNIT SYSTEM




- Components:
- 4 Power Units
 - 1 Power Infeed
 - 3 H-Blocks
 - 2 Jumper Cords

SIX (6) POWER UNIT SYSTEM




- Components:
- 6 Power Units
 - 1 Power Infeed
 - 3 H-Blocks
 - 2 Jumper Cords




- Components:
- 6 Power Units
 - 1 Power Infeed
 - 4 H-Blocks
 - 3 Jumper Cords

EIGHT (8) POWER UNIT SYSTEM



- Components:
- 8 Power Units
 - 1 Power Infeed
 - 5 H-Blocks
 - 4 Jumper Cords

NINE (9) POWER UNIT SYSTEM



- Components:
- 9 Power Units
 - 1 Power Infeed
 - 6 H-Blocks
 - 5 Jumper Cords

Indiana[®]

FURNITURE

PO Box 270

1919 Hospitality Drive, Suite A
Jasper, Indiana 47547-0270

Tel 812.482.5727

Tol 800.422.5727

Fax 812.482.9035

sales@indianafurniture.com

www.indianafurniture.com

Federal Classification: Small Business

©2026 Indiana Furniture 6/26

