

A modern office interior featuring a long white desk, a light green ergonomic chair, a laptop, and a monitor. In the background, there are bookshelves filled with books and a window looking out onto a city building.

# CANVAS CASEGOODS

PRICING EFFECTIVE JUNE 1, 2026

Indiana  
FURNITURE

## Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing, and reassembly.

100% of our product lines:

- Are manufactured and assembled in the USA,
- Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards and certification\*,
- Comply with TSCA Title VI (CARB) standards,
- and can contribute to LEED®, Green Globes®, and WELL® Sustainable Programs.



## Specification Made Easy.

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.



To learn more, simply go to [IndianaFurniture.com/resources](https://IndianaFurniture.com/resources).

Always stylish, comfortable, and effortlessly adaptable, Canvas enlivens environments with refined aesthetics born from an appealing mix of materials, finishes, and components. The redesign and expansion of integrated height adjustable units, white and black glass door options on hutch and storage units as well as a full line of white and black glass marker boards provide opportunities for more elegant and clean styling. Metal accents within the line include a broad scope of aluminum and black finishes with coordinating black, aluminum, chrome, and gold pull give you multiple choices to customize a look and feel for modern office environments.

### CONSTRUCTION

*Canvas Casegoods feature a TFL chassis with your choice of either a TFL or HPL top. Units ship assembled unless otherwise noted.*

#### LAMINATES

- Exposed surfaces are woodgrain and solid color laminates fused to particle-board core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

#### TOPS

- HPL tops are 1 $\frac{3}{8}$ " thick with a 3mm PVC edge bands and TFL tops are 1" thick with a 3mm PVC edge bands; Designer White, Sugar Maple, Williamsburg Cherry feature ABS edge bands
- Optional 1 $\frac{1}{2}$ " thick HPL worksurfaces are available in select colors. Please contact Customer Service or your local Sales Rep for pricing and lead times.
- Grain direction runs left-to-right unless otherwise noted

#### CHASSIS

- Chassis is securely fastened using high-quality European fastening systems and heavy-duty, 16-gauge joining brackets to assure maximum strength
- All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors
- All desks, non-lateral credenzas, and returns have wire management access from pedestal to kneespace

#### DRAWERS

- Drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Drawer fronts are 3-ply construction,  $\frac{3}{4}$ " thick with matched grain
- Drawer sides, back, and front are  $\frac{1}{2}$ " thick, woodgrain vinyl wrapped construction with mitered corners
- Box and file drawers feature full extension, progressive action slides with precision steel ball bearings allowing side-to-side and front-to-back
- Optional soft close on box and file drawers allows front-to-back filing in file drawers
- Optional wood dovetail construction with  $\frac{7}{16}$ " thick hardwood sides and backs, and  $\frac{5}{32}$ " thick hardboard bottoms
- Box and file drawers have  $\frac{1}{8}$ " thick hardboard bottoms and tested for 100lb capacity
- Lateral files feature  $\frac{1}{4}$ " thick bottoms. Drawers are tested for 200lb of equally distributed weight (ex: hanging file folders) and 65lbs of bottom load weight (ex: stacked catalogs)
- All suspensions have a limited lifetime warranty

#### FILING

- All file drawers are standard with filing systems designed to accommodate a variety of filing requirements
- Optional soft close on box and file drawers allows front-to-back filing in file drawer
- Letter width file drawers provide letter filing front-to-back and legal filing side-to-side
- Lateral file drawers provide legal or letter filing front-to-back or side-to-side

#### STORAGE

- All hinged doors include soft close hinges, unless noted
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

#### LOCKING

- All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date, if required
- Units are shipped randomly keyed as standard
- Keyed alike units available upon request at no additional charge
- Lock core is predetermined by pull color. Black lock cores are used with black and gold pulls while silver lock cores are used with chrome and aluminum pulls

#### CORD MANAGEMENT

- Grommets may be ordered in the tops of all assembled desks, returns, bridges, credenzas, and component worksurfaces
- All desks, returns, and credenzas (except lateral pedestals) have standard wire openings from inside the pedestal to the kneespace allowing quick access to technology below
- Additionally, returns, bridge units, kneespace credenzas, and hutch units have standard grommets in back panels
- Grommets are also standard in the tops of corner units and extended corner units
- Grommets are 2 $\frac{3}{8}$ " and are available in black or silver, must specify color
- [See all grommet options and locations](#)
- Undersurface Wire Manager (Q1-WMGR4) is available for additional cord management; See Accessories

#### HEIGHT ADJUSTABLE MECHANISMS

- Optional center drawer, Dock 950 and Dock 150,  $\frac{3}{4}$  modesty panels, and kneespace options are not available with height adjustable units
- Height adjustment range 30"H-47"H
- 5-year warranty
- [See additional Height Adjust information](#)
- Height Adjustable units begin on [here](#)

#### STUDIO LEGS


- For each of the Studio models, standard or shared legs will need to be specified
- Choose to use four standard, a combination of standard or shared, or all shared legs on each unit
- The below images will provide a guide to the aesthetics of single, double, and shared legs
- Studio components begin on [here](#)



Single Standard Leg



Shared Leg (used between two models)



Double Standard Leg (standard legs used on each model)

### INTERIOR DRAWER DIMENSIONS

#### Models

|               |                |                |
|---------------|----------------|----------------|
| 66-2515SHPD1  | 68-3072RPD     | 68-3672BRPSTS  |
| 66-2415PD1    | 68-3672DP      | 68-3672BDPS    |
| 66-1519MP     | 68-3672DPSTS   | 68-3672BDPSSTS |
| 66-1519MP1    | 68-3672LPS     | 68-3666BDP     |
| 68-4872CBLP   | 68-3672LPSSTS  | 68-3666BDPSTS  |
| 68-4872CBRP   | 68-3672RPS     | 68-3666LPD     |
| 68-4272CLP    | 68-3672RPSSTS  | 68-3666RPD     |
| 68-4272CRP    | 68-3672DPS     | 68-3072DP      |
| 68-3672BDP    | 68-3672DPSSTS  | 68-3072DPSTS   |
| 68-3672BDPSTS | 68-3672BLPS    | 68-3066DP      |
| 68-3672LP     | 68-3672BLPSSTS | 68-3066DPSTS   |
| 68-3672LPSTS  | 68-3672BRPS    | 68-3066RP      |
| 68-3672RP     | 68-3672BRPSSTS | 68-3066RPSTS   |
| 68-3672RPSTS  | 68-3672BLP     | 68-3066DP      |
| 68-3672LPD    | 68-3672BLPSTS  | 68-3066DPSTS   |
| 68-3672RPD    | 68-3066LP      | 68-3066LP      |
| 68-3072LP     | 68-3066LPSTS   | 68-3066LPSTS   |
| 68-3072LPSTS  | 68-3066LPD     | 68-3066RP      |
| 68-3072RP     | 68-3066RPD     | 68-3066RPSTS   |
| 68-3072LPD    | 68-3072RPSTS   |                |

#### Drawers

|      | W                  | L                   | D                  |
|------|--------------------|---------------------|--------------------|
| Box  | 12 $\frac{1}{8}$ " | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ "  |
| File | 12 $\frac{1}{8}$ " | 16 $\frac{3}{16}$ " | 9 $\frac{5}{16}$ " |

#### Models

|               |               |                |
|---------------|---------------|----------------|
| 68-4824RF2    | 68-2466RC2    | 68-2448RF2     |
| 68-4824RF2STS | 68-2466RC2STS | 68-2448RF2STS  |
| 68-4824LF2    | 68-2466LC2    | 68-2448RF2STS3 |
| 68-4824LF2STS | 68-2466LC2STS | 68-2448LF2     |
| 68-4224RF2    | 68-2472SC     | 68-2448LF2STS  |
| 68-4224RF2STS | 68-2472RC2    | 68-2448LF2STS3 |
| 68-4224LF2    | 68-2472RC2STS | 68-2442RF2     |
| 68-4224LF2STS | 68-2472LC2    | 68-2442RF2STS  |
| 66-1519MP2    | 68-2472LC2STS | 68-2442RF2STS3 |
| 68-2466KC     | 68-2472KC     | 68-2442LF2     |
| 68-2466KCSTS  | 68-2472KCSTS  | 68-2442LF2STS  |
| 66-2515SHPD2  | 66-2415PD2    | 68-2442LF2STS3 |

#### Drawer

|      | W                  | L                   | D                  |
|------|--------------------|---------------------|--------------------|
| File | 12 $\frac{1}{8}$ " | 16 $\frac{3}{16}$ " | 9 $\frac{5}{16}$ " |

#### Models

|               |                |                |
|---------------|----------------|----------------|
| 68-4824RF1    | 68-2466RC1STS  | 68-2442RF1     |
| 68-4824RF1STS | 68-2466LC1     | 68-2442RF1STS  |
| 68-4824LF1    | 68-2466LC1STS  | 68-2442WRTSL   |
| 68-4824LF1STS | 68-2448RF1     | 68-2442RF1STS3 |
| 68-4224RF1    | 68-2448RF1STS  | 68-2442WRR3    |
| 68-4224RF1STS | 68-2448WRTSL   | 68-2442LF1     |
| 68-4224LF1    | 68-2448RF1STS3 | 68-2442LF1STS  |
| 68-4224LF1STS | 68-2448WRL3    | 68-2442WRTSR   |
| 68-2472RC1    | 68-2448LF1     | 68-2442LF1STS3 |
| 68-2472RC1STS | 68-2448LF1STS  | 68-2442WRL3    |
| 68-2472LC1    | 68-2448WRTSL   |                |
| 68-2472LC1STS | 68-2448LF1STS3 |                |
| 68-2466RC1    | 68-2448WRR3    |                |

#### Drawers

|      | W                  | L                   | D                   |
|------|--------------------|---------------------|---------------------|
| Box  | 12 $\frac{1}{8}$ " | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ "   |
| File | 12 $\frac{1}{8}$ " | 16 $\frac{3}{16}$ " | 9 $\frac{15}{16}$ " |

#### Models

|              |              |            |
|--------------|--------------|------------|
| 66-3684WDS2L | 66-3672WDS2R | 66-2430LF3 |
| 66-3684WDS2R | 66-3084SU2   | 66-2430LF1 |
| 66-3672WDS2L | 66-3072SU2   |            |

#### Drawer

|          | W                   | L                   | D                  |
|----------|---------------------|---------------------|--------------------|
| Lat File | 26 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

#### Models

|            |           |            |
|------------|-----------|------------|
| 66-3684SU2 | 66-2466RL | 66-2436LF3 |
| 66-3672SU2 | 66-2466LL | 66-2436LF1 |

#### Drawer

|          | W                   | L                   | D                  |
|----------|---------------------|---------------------|--------------------|
| Lat File | 32 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

#### Models

|               |               |              |
|---------------|---------------|--------------|
| 66-2472L21OBF | 66-2072L21OBF | 66-2436L21BF |
| 66-2472L21OBF | 66-2072L21OBF | 66-2036L21BF |
| 66-2472L21DBF | 66-2072L21DBF |              |

#### Drawers

|      | W                   | L                   | D                  |
|------|---------------------|---------------------|--------------------|
| Box  | 32 $\frac{9}{32}$ " | 13 $\frac{5}{8}$ "  | 3 $\frac{1}{2}$ "  |
| File | 32 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

#### Models

|               |               |              |
|---------------|---------------|--------------|
| 66-2460L21OBL | 66-2060OBF    | 66-2430L21BF |
| 66-2460L21OBR | 66-2060OBF    | 66-2030L21BF |
| 66-2460L21DBF | 66-2060L21DBF |              |

#### Drawers

|      | W                   | L                   | D                  |
|------|---------------------|---------------------|--------------------|
| Box  | 26 $\frac{9}{32}$ " | 13 $\frac{3}{8}$ "  | 3 $\frac{1}{2}$ "  |
| File | 26 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

#### Models

|              |              |
|--------------|--------------|
| 66-2418L21BF | 66-2018L21BF |
|--------------|--------------|

#### Drawers

|      | W                   | L                  | D                  |
|------|---------------------|--------------------|--------------------|
| Box  | 14 $\frac{9}{32}$ " | 13 $\frac{3}{8}$ " | 3 $\frac{1}{2}$ "  |
| File | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{7}{32}$ " |

#### Model

66-2436OMF

#### Drawers

|              | W                   | L                   | D                  |
|--------------|---------------------|---------------------|--------------------|
| Box          | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ "  | 3 $\frac{1}{2}$ "  |
| Lateral File | 32 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

#### Model

66-2430OMF

#### Drawers

|              | W                   | L                   | D                  |
|--------------|---------------------|---------------------|--------------------|
| Box          | 11 $\frac{3}{4}$ "  | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ "  |
| Lateral File | 26 $\frac{9}{32}$ " | 15 $\frac{1}{16}$ " | 9 $\frac{7}{32}$ " |

#### Model

66-2472BF

#### Drawer

|     | W                  | L                   | D                 |
|-----|--------------------|---------------------|-------------------|
| Box | 32 $\frac{1}{8}$ " | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ " |



### INTERIOR DRAWER DIMENSIONS (CONTINUED)

#### Models

|            |            |            |
|------------|------------|------------|
| 66-2472RMR | 66-2472LMF | 66-2436MFL |
| 66-2472LMR | 66-2466RMF | 66-2436MFR |
| 66-2472RMF | 66-2466LMF | 66-2436LF2 |

| Drawers  | W                   | L                  | D                  |
|----------|---------------------|--------------------|--------------------|
| Box      | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 3 $\frac{1}{2}$ "  |
| File     | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |
| Lat File | 32 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{7}{32}$ " |

#### Model

|             |            |            |
|-------------|------------|------------|
| 66-2430LF2L | 66-2430MFL | 66-2430MFR |
| 66-2430LF2R |            |            |

| Drawers  | W                   | L                  | D                 |
|----------|---------------------|--------------------|-------------------|
| Box      | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 3 $\frac{1}{2}$ " |
| File     | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{1}{4}$ " |
| Lat File | 32 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{1}{4}$ " |

#### Models

|             |             |             |
|-------------|-------------|-------------|
| 66-2018PD2  | 66-2472WD2R | 66-1884WFO  |
| 66-2418PD2  | 66-2451WD2L | 66-1872DS2L |
| 66-3018PD2  | 66-2451WD2R | 66-1872DS2R |
| 66-3618PD2  | 66-1884DS2L | 66-1872WFL  |
| 66-2484WD2L | 66-1884DS2R | 66-1872WFR  |
| 66-2484WD2R | 66-1884WFL  | 66-1872WFO  |
| 66-2472WD2L | 66-1884WFR  |             |

| Drawer | W                   | L                  | D                  |
|--------|---------------------|--------------------|--------------------|
| File   | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

#### Models

|             |             |             |
|-------------|-------------|-------------|
| 66-2018PD1  | 66-2472WD1L | 66-1884WBO  |
| 66-2418PD1  | 66-2472WD1R | 66-1872DS1L |
| 66-2418SPD1 | 66-2451WD1L | 66-1872DS1R |
| 66-3018PD1  | 66-2451WD1R | 66-1872WBL  |
| 66-3018SPD1 | 66-1884DS1L | 66-1872WBR  |
| 66-3618SPD1 | 66-1884DS1R | 66-1872WBO  |
| 66-2484WD1L | 66-1884WBL  |             |
| 66-2484WD1R | 66-1884WBR  |             |

| Drawers | W                   | L                  | D                  |
|---------|---------------------|--------------------|--------------------|
| Box     | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 3 $\frac{1}{2}$ "  |
| File    | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

#### Models

|            |              |            |
|------------|--------------|------------|
| 66-2415PD2 | 66-2515SHPD2 | 66-1519MP2 |
|------------|--------------|------------|

| Drawer | W                  | L                  | D                  |
|--------|--------------------|--------------------|--------------------|
| File   | 12 $\frac{1}{8}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

#### Models

|            |             |             |
|------------|-------------|-------------|
| 66-2418STF | 66-1851SWBL | 66-1851SWBO |
|------------|-------------|-------------|

| Drawer | W                   | L                  | D                  |
|--------|---------------------|--------------------|--------------------|
| Tray   | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 2"                 |
| File   | 14 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

#### Models

66-2430STF

| Drawer | W                   | L                  | D                  |
|--------|---------------------|--------------------|--------------------|
| Tray   | 26 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 2"                 |
| File   | 26 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

#### Models

66-2436STF

| Drawer | W                   | L                  | D                  |
|--------|---------------------|--------------------|--------------------|
| Tray   | 32 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 2"                 |
| File   | 32 $\frac{9}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{5}{16}$ " |

#### Models

|           |           |           |
|-----------|-----------|-----------|
| 66-2430L4 | 66-2430L3 | 66-2430L2 |
|-----------|-----------|-----------|

| Drawer   | W                    | L                  | D                  |
|----------|----------------------|--------------------|--------------------|
| Lat File | 25 $\frac{17}{32}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{7}{32}$ " |

#### Models

|           |           |           |
|-----------|-----------|-----------|
| 66-2472RL | 66-2472DL | 66-2436L3 |
| 66-2472LL | 66-2436L4 | 66-2436L2 |

| Drawer   | W                  | L                  | D                  |
|----------|--------------------|--------------------|--------------------|
| Lat File | 31 $\frac{1}{2}$ " | 15 $\frac{1}{8}$ " | 9 $\frac{7}{32}$ " |

#### Model

|             |             |
|-------------|-------------|
| 66-2030LF2L | 66-2030LF2R |
|-------------|-------------|

| Drawers  | W                    | L                   | D                  |
|----------|----------------------|---------------------|--------------------|
| Box      | 11 $\frac{1}{16}$ "  | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ "  |
| File     | 12 $\frac{1}{8}$ "   | 16 $\frac{3}{16}$ " | 9 $\frac{5}{16}$ " |
| Lat File | 25 $\frac{17}{32}$ " | 15 $\frac{1}{8}$ "  | 9 $\frac{7}{32}$ " |

#### Model

|             |             |
|-------------|-------------|
| 66-2036LF2L | 66-2036LF2R |
|-------------|-------------|

| Drawers  | W                   | L                   | D                  |
|----------|---------------------|---------------------|--------------------|
| Box      | 14 $\frac{9}{32}$ " | 16 $\frac{3}{16}$ " | 3 $\frac{1}{2}$ "  |
| File     | 15 $\frac{1}{8}$ "  | 16 $\frac{3}{16}$ " | 9 $\frac{5}{16}$ " |
| Lat File | 31 $\frac{1}{2}$ "  | 15 $\frac{1}{8}$ "  | 9 $\frac{7}{32}$ " |


#### Model

66-1622CD

| Drawer | W                    | L                    | D                 |
|--------|----------------------|----------------------|-------------------|
| Center | 18 $\frac{15}{16}$ " | 14 $\frac{15}{16}$ " | 1 $\frac{3}{4}$ " |

FILING CAPABILITIES

Drawers with Dimensions: 11<sup>5</sup>/<sub>16</sub>"W x 16<sup>3</sup>/<sub>16</sub>"L




Letter or Legal Side to Side

Drawers with Dimensions: 12<sup>1</sup>/<sub>8</sub>"W x 16<sup>3</sup>/<sub>16</sub>"L




Letter Front to Back




Legal Side to Side

Drawers with Dimensions: 14<sup>3</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>8</sub>"L




Letter Front to Back




Legal Side to Side

Drawers with Dimensions: 25<sup>1</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>8</sub>"L




2 Rows Letter Front to Back




1 Row Letter or Legal Side to Side

Drawers with Dimensions: 26<sup>3</sup>/<sub>32</sub>"W x 15<sup>1</sup>/<sub>8</sub>"L




2 Rows Letter Front to Back




1 Row Legal Side to Side

Drawers with Dimensions: 31<sup>1</sup>/<sub>2</sub>"W x 15<sup>1</sup>/<sub>8</sub>"L




2 Rows Letter or Legal Front to Back




1 Row Letter or Legal Side to Side

Drawers with Dimensions: 31<sup>1</sup>/<sub>2</sub>"W x 15<sup>1</sup>/<sub>8</sub>"L



2 Rows Letter Front to Back



1 Row Legal Side to Side

HOW TO ORDER EXAMPLES

DESK WITH CREDENZA + HUTCH

|      | QTY | MODEL NO.  | DESCRIPTION                          | EXAMPLE    |
|------|-----|------------|--------------------------------------|------------|
| DESK | 1   | 68-3672DPS | Top Material                         | P          |
|      |     |            | Finish                               | WC         |
|      |     |            | Edge Profile                         | X          |
|      |     |            | Drawer Construction                  | DOV        |
|      |     |            | Drawer Track                         | SFTCL      |
|      |     |            | Grain Direction                      | VERTICAL   |
|      |     |            | Modesty Panel                        | 66-HGAF    |
|      |     |            | Modesty Color                        | GPA        |
|      |     |            | Grommet Location/<br>Wire Management | GL         |
|      |     |            | Grommet Color                        | BLK        |
|      |     |            | Power/Data                           | DOCK950B-R |
|      |     |            | Pull/Color                           | CFL        |
|      |     |            | Keyboard Option                      | N/A        |

|          |   |           |                     |          |
|----------|---|-----------|---------------------|----------|
| CREDENZA | 1 | 68-2472KC | Top Material        | P        |
|          |   |           | Finish              | WC       |
|          |   |           | Edge Profile        | X        |
|          |   |           | Drawer Construction | DOV      |
|          |   |           | Drawer Track        | SFTCL    |
|          |   |           | Drawer Color        | WC       |
|          |   |           | Grain Direction     | VERTICAL |
|          |   |           | Pull/Color          | CFL      |
|          |   |           | Back Panel Grommet  | SLV      |
|          |   |           | Grommets            | LR       |
|          |   |           | Power/Data          | NONE     |
|          |   |           | Grommet Color       | SLV      |
|          |   |           | Keyboard Option     | N/A      |

|       |   |             |                    |        |
|-------|---|-------------|--------------------|--------|
| HUTCH | 1 | 66-1572TWDS | Finish             | WC     |
|       |   |             | Door Style         | HGA    |
|       |   |             | Door Color         | GPA    |
|       |   |             | Locking            | NO     |
|       |   |             | Paper Slot Color   | WC     |
|       |   |             | Paper Slot Divider | CHROME |

## HOW TO ORDER EXAMPLES CONTINUED

## STUDIO DESK

|          | QTY | MODEL NO.    | DESCRIPTION         | EXAMPLE          |
|----------|-----|--------------|---------------------|------------------|
| DESK TOP | 1   | 66-3672TP    | Top Material        | P                |
|          |     |              | Finish              | WTA              |
|          |     |              | Edge Profile        | Y                |
|          |     |              | Grommet             | GL               |
|          |     |              | PDC Type            | 01-DUO<br>BEZELW |
|          |     |              | PDC Location        | PDC-C            |
|          |     |              | Grommet Color       | BLK              |
| PEDESTAL | 2   | 66-3618SPD1  | Finish              | WTA              |
|          |     |              | Grain Direction     | VERTICAL         |
|          |     |              | Pull/Color          | CST              |
|          |     |              | Drawer Construction | DOV              |
|          |     |              | Drawer Track        | SFTCL            |
|          |     |              | Wire Management     | NONE             |
| MODESTY  | 1   | 66-3624MDHGA | HGA Color           | WMA              |
|          |     |              | Grommet             | GRMT             |
|          |     |              | Grommet Color       | BLK              |
| LEGS     | 2   | 01-0404SL4   | Color               | CHRM             |

## HEIGHT ADJUSTABLE

|        | QTY | MODEL NO.     | DESCRIPTION           | EXAMPLE  |
|--------|-----|---------------|-----------------------|----------|
| DESK   | 1   | 68-3672LPSTS  | Top Material          | P        |
|        |     |               | Top Color             | SBP      |
|        |     |               | Edge Profile          | X        |
|        |     |               | Chassis Color         | WTA      |
|        |     |               | Drawer Color          | WTA      |
|        |     |               | Grain Direction       | VERTICAL |
|        |     |               | Pull/Color            | CFL      |
|        |     |               | Drawer Construction   | DOV      |
|        |     |               | Drawer Track          | SFTCL    |
|        |     |               | Moving Modesty        | MOVMOD   |
|        |     |               | Height Adjust         | MSWCH    |
|        |     |               | Switch                |          |
|        |     |               | Wire Management       | GL       |
| BRIDGE | 1   | 68-2448LF2STS | Grommet Color         | BLK      |
|        |     |               | Top Material          | P        |
|        |     |               | Top Color             | SBP      |
|        |     |               | Edge Profile          | X        |
|        |     |               | Chassis Color         | WTA      |
|        |     |               | Height Adjust         | MSWCH    |
|        |     |               | Switch                |          |
|        |     |               | Wire Management       | GR       |
|        |     |               | Grommet Color         | SLV      |
|        |     |               | Modesty Grommet/Color | GMBSV    |

|                   |   |               |                       |          |
|-------------------|---|---------------|-----------------------|----------|
| CREDENZA<br>RIGHT | 1 | 68-2472RC2STS | Top Material          | P        |
|                   |   |               | Top Color             | SBP      |
|                   |   |               | Edge Profile          | X        |
|                   |   |               | Chassis Color         | WTA      |
|                   |   |               | Drawer Color          | WTA      |
|                   |   |               | Grain Direction       | VERTICAL |
|                   |   |               | Pull/Color            | CFL      |
|                   |   |               | Drawer Construction   | DOV      |
|                   |   |               | Drawer Track          | SFTCL    |
|                   |   |               | Height Adjust         | MSWCH    |
|                   |   |               | Switch                |          |
|                   |   |               | Wire Management       | GL       |
|                   |   |               | Grommet Color         | SLV      |
|                   |   |               | Modesty Grommet/Color | GMBSV    |
|                   |   |               |                       |          |
|                   |   |               |                       |          |
|                   |   |               |                       |          |

## TFL (T) + HPL (P) LAMINATE OPTIONS

## WOODGRAIN

|     |                  |     |                     |
|-----|------------------|-----|---------------------|
| AS  | Asian Night      | PNW | Pinnacle Walnut     |
| BW  | Beigewood        | PTK | Portico Teak        |
| CO  | Columbian Walnut | RC  | River Cherry        |
| EF  | Espresso         | SCH | Select Cherry       |
| FLW | Florence Walnut  | SPW | Sepia Walnut        |
| GC  | Golden Cherry    | SKC | Shaker Cherry       |
| HVM | Harvest Maple    | SBP | Smoky Brown Pear    |
| KHE | Kirsche          | TK  | Studio Teak         |
| MW  | Mahogany Walnut  | SM  | Sugar Maple         |
| MNR | Midnight Run     | WTA | Weathered Ash       |
| NTM | Natural Marrone  | WNB | White Nebbia        |
| ORW | Oak Riftwood     | WC  | Williamsburg Cherry |

## SOLID COLORS

|    |                |     |               |
|----|----------------|-----|---------------|
| BL | Black          | FHG | Fashion Grey* |
| WH | Designer White | SG  | Slate Grey*   |

\* Not available on cylinder bases

## ICONIC WOOD FINISH LEG OPTIONS

|     |                    |     |                     |
|-----|--------------------|-----|---------------------|
| AW  | Artisan Walnut     | MTS | Metropolis Sky      |
| AS  | Asian Night        | MNR | Midnight Run        |
| BW  | Beigewood          | NTM | Natural Marrone     |
| CO  | Columbian Walnut   | ORW | Oak Riftwood*       |
| DC  | Dark Cherry        | PNW | Pinnacle Walnut     |
| DFW | Dark Forest Walnut | PTK | Portico Teak        |
| EW  | Espresso           | RC  | River Cherry        |
| FO  | Fawn Oak*          | SCH | Select Cherry       |
| FLW | Florence Walnut    | SPW | Sepia Walnut        |
| GC  | Golden Cherry      | SKC | Shaker Cherry       |
| HW  | Harvest Walnut     | SBP | Smoky Brown Pear    |
| HNW | Henna Walnut       | TK  | Studio Teak         |
| KHE | Kirsche            | SM  | Sugar Maple         |
| LW  | Legacy Walnut      | WTA | Weathered Ash*      |
| MW  | Mahogany Walnut    | WNB | White Nebbia        |
| MAS | Mesa Sunset*       | WC  | Williamsburg Cherry |

\* Low Sheen Finish

## SOLID COLORS

|    |       |    |                |
|----|-------|----|----------------|
| BL | Black | WH | Designer White |
|----|-------|----|----------------|

### 1½" THICK WORKSURFACE HPL (P) LAMINATE OPTIONS

Tops 1½" thick are available in the following HPL colors. Top thickness will affect overall height of other units such as surface mounted hutches. Please contact Customer Service or your local Sales Representative for pricing and lead times.

#### WOODGRAIN

|     |                  |     |                     |
|-----|------------------|-----|---------------------|
| AS  | Asian Night      | PNW | Pinnacle Walnut     |
| BW  | Beigewood        | PTK | Portico Teak        |
| CO  | Columbian Walnut | RC  | River Cherry        |
| EF  | Espresso         | SCH | Select Cherry       |
| FLW | Florence Walnut  | SPW | Sepia Walnut        |
| GC  | Golden Cherry    | SKC | Shaker Cherry       |
| HVM | Harvest Maple    | SBP | Smoky Brown Pear    |
| KHE | Kirsche          | TK  | Studio Teak         |
| MW  | Mahogany Walnut  | SM  | Sugar Maple         |
| MNR | Midnight Run     | WTA | Weathered Ash       |
| NTM | Natural Marrone  | WNB | White Nebbia        |
| ORW | Oak Riftwood     | WC  | Williamsburg Cherry |

#### SOLID

|    |                |     |              |
|----|----------------|-----|--------------|
| BL | Black          | FHG | Fashion Grey |
| WH | Designer White | SG  | Slate Grey   |

### EDGE PROFILES

|   |             |   |        |
|---|-------------|---|--------|
| F | Double Kerf | X | Flute  |
| G | Duo         | Y | Square |



Double Kerf



Duo




Flute



Square

### METAL FINISH OPTIONS

|      |          |      |        |
|------|----------|------|--------|
| ALUM | Aluminum | CHRM | Chrome |
| BLK  | Black    |      |        |



Aluminum




Chrome




Black

### ACRYLIC OPTIONS


|      |                                  |     |                             |
|------|----------------------------------|-----|-----------------------------|
| FSTA | Frosted Acrylic                  | BLA | Black High Gloss Acrylic    |
| WHA  | White High Gloss Acrylic         | GPA | Graphite High Gloss Acrylic |
| WMA  | Wired Mercury High Gloss Acrylic |     |                             |



White



Frosted



Wired Mercury



Graphite



Black

### PULL OPTIONS

Lock core color is predetermined by pull color.

|      |                  |     |                  |
|------|------------------|-----|------------------|
| AACE | Ace, Aluminum    | BBT | Bow Tie, Black   |
| BACE | Ace, Black       | NBT | Bow Tie, Nickel  |
| GACE | Ace, Gold        | AFL | Flair, Aluminum  |
| AAV  | Alcove, Aluminum | CFL | Flair, Chrome    |
| BAV  | Alcove, Black    | AQD | Quadra, Aluminum |
| CAV  | Alcove, Chrome   | BQD | Quadra, Black    |
| AAC  | Arc, Aluminum    | AST | Studio, Aluminum |
| BAC  | Arc, Black       | BST | Studio, Black    |
| ABM  | Beam, Aluminum   | CST | Studio, Chrome   |
| BBM  | Beam, Black      | GST | Studio, Gold     |



Ace - 6½"



Alcove - 5½"



Arc - 5"



Beam - 10¼"



Bow Tie - 5½"



Flair - 5½"



Quadra - 4"



Studio - 13"

### DRAWER CONSTRUCTION OPTIONS

Drawers come standard with woodgrain vinyl-wrapping and mitered corners. Optional wood dovetail construction for all box, file, and lateral file drawers is available. Must Specify when ordering.

**Pricing is per Drawer, not per Model/Unit**

|       |                             |       |
|-------|-----------------------------|-------|
| MITER | Mitered Fold Construction   | STD   |
| DOVE  | Wood Dove Tail Construction | \$ 49 |

### DRAWER TRACK OPTIONS


Soft close tracks are available on box and file drawers only. Soft close drawer tracks have many benefits including reduced stress on the unit, extends the life of the drawer, and ensures a gentle close so fingers don't accidentally get hurt. File drawers with the soft close option feature front-to-back filing. Must specify when ordering.

**Pricing is per Drawer, not per Model/Unit**

|       |                                                   |       |
|-------|---------------------------------------------------|-------|
| SFTCL | Soft Close Drawer Track (Box + File Drawers Only) | \$ 38 |
|-------|---------------------------------------------------|-------|

### LOCK CORE COLOR OPTIONS

|     |                                              |
|-----|----------------------------------------------|
| BLK | Black (Used with Black and Gold Pulls)       |
| SLV | Silver (Used with Aluminum and Chrome Pulls) |



Silver



Black

### GROMMET OPTIONS + POWER UNIT LOCATIONS

**Note: Wire Management Options for Integrated and Modular Height Adjustable Models may be found in their specific area within this section.**

Grommets are standard in the back panels of returns, bridges, and credenzas, and may be ordered without grommets at no additional charge. Please specify NO GROMMET on order.

Grommets are available on hutches in standard locations for task light management at no additional charge. Please specify WMHUBL (Black) or WMHUSV (Silver).

Power units, Dock 950 and Dock 150 must be specified separately with surface mount location. Dock 950 and Dock 150 are available on Modular Benching Desk Tops, Modular Cabinet Tops, Work Tables, and Tops, and where otherwise noted.

Grommets are available in standard locations. Please specify using info below. Multiple locations may be selected. Only one unit per location.

#### GROMMET LOCATIONS (Black = BLK and Silver = SLV)

|     |                                        |    |    |
|-----|----------------------------------------|----|----|
| GC  | Grommet, Center                        | \$ | 58 |
| GL  | Grommet, Left                          | \$ | 58 |
| GR  | Grommet, Right                         | \$ | 58 |
| GAL | Grommet, Approach Left - D-Tops Only   | \$ | 58 |
| GAR | Grommet, Approach Right - D-Tops Only  | \$ | 58 |
| GSL | Grommet, Seat Side Left - D-Tops Only  | \$ | 58 |
| GSR | Grommet, Seat Side Right - D-Tops Only | \$ | 58 |

#### DUO/TRIO BEZEL LOCATIONS

|       |               |
|-------|---------------|
| PDC-C | Bezel, Center |
| PDC-L | Bezel, Left   |
| PDC-R | Bezel, Right  |

#### DOCK 950 and DOCK 150 LOCATIONS (See Dock Units)

|           |                                       |    |     |
|-----------|---------------------------------------|----|-----|
| DOCK950-L | D950 Wireless Charger, Left           | \$ | 294 |
| DOCK950-C | D950 Wireless Charger, Center         | \$ | 294 |
| DOCK950-R | D950 Wireless Charger, Right          | \$ | 294 |
| DOCK150-L | D150 Wireless and USB Charger, Left   | \$ | 448 |
| DOCK150-C | D150 Wireless and USB Charger, Center | \$ | 448 |
| DOCK150-R | D150 Wireless and USB Charger, Right  | \$ | 448 |

Verify Grommet Option is available on the model(s) you are specifying using the following location information. Grommets, Power Units, Dock 950 and Dock 150 may be ordered in non-standard locations. Call Customer Service to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

#### PURL DAISY CHAIN UNITS:

The PURL™ daisy chain system adapts to your unique space allowing you to easily connect tops with the PURL™ system. and stay connected.

Prices reflect pricing for power units only. Power Infeed, Daisy Chain H-Block, and Jumper Cords are also required to complete the Daisy Chain system. [See details, planning suggestions and options.](#)



[H-Block](#)



[Power Infeed](#)



[Jumper Cords](#)

|              |                                                       |     |
|--------------|-------------------------------------------------------|-----|
| H-Block      | \$                                                    | 40  |
| Power Infeed | \$                                                    | 227 |
| Jumper Cords | <a href="#">See pricing for a variety of lengths.</a> |     |

#### [Duo Bezel Purl™ Daisy Chain](#)

Two (2) Electrical Power, (1) USB-A and (1) USB-C Outlets



|        |                |
|--------|----------------|
| Black  | 01-DCDUOBEZELB |
| Silver | 01-DCDUOBEZELS |
| White  | 01-DCDUOBEZELW |

\$ 631

#### [Trio Bezel Purl™ Daisy Chain](#)

Three (3) Electrical Power, (1) USB-A and (1) USB-C Outlets



|        |                 |
|--------|-----------------|
| Black  | 01-DCTRIOBEZELB |
| Silver | 01-DCTRIOBEZELS |
| White  | 01-DCTRIOBEZELW |

\$ 723

#### [Duo Undermount Purl™ Daisy Chain](#)

Two (2) Electrical Power, (1) USB-A and (1) USB-C Outlets



|        |               |
|--------|---------------|
| Black  | 01-DCDUOUNDRB |
| Silver | 01-DCDUOUNDRS |
| White  | 01-DCDUOUNDRW |

\$ 652

#### [Trio Undermount Purl™ Daisy Chain](#)

Three (3) Electrical Power, (1) USB-A and (1) USB-C Outlets




|        |                |
|--------|----------------|
| Black  | 01-DCTRIOUNDRB |
| Silver | 01-DCTRIOUNDRS |
| White  | 01-DCTRIOUNDRW |

\$ 758

Grommets and Power/Data Units may be ordered in non-standard locations. Call Sales Support to assist with specification and/or please attach a drawing to the PO showing the location of the grommet. Note additional charges and lead times may apply.

#### Models

|             |             |            |
|-------------|-------------|------------|
| 68-4872CBLP | 68-3672BLPS | 68-3672BDP |
| 68-4872CBRP | 68-3672BRPS | 68-3666BDP |
| 68-3672BDPS | 68-3672BRP  | 68-3672BLP |




GL/GR: Located 6" from ends and 22½" from user side

GC: Located 22½" from user side

### GROMMET OPTIONS + POWER UNIT LOCATIONS (CONTINUED)

#### Models

|            |            |           |
|------------|------------|-----------|
| 68-4272CLP | 68-3672RPS | 66-3672SH |
| 68-4272CRP | 68-3672LP  | 66-3666SH |
| 68-3672DPS | 68-3672RP  | 66-3660SH |
| 68-3672LPS | 68-3672DP  |           |




GL/GR: Located 6" from ends and 22½" from user side

GC: Located 22½" from user side

#### Models

|              |              |              |
|--------------|--------------|--------------|
| 68-3666RPD   | 66-3666LSHPD | 66-3672RSHPD |
| 68-3666LPD   | 68-3672RPD   | 66-3672LSHPD |
| 66-3666RSHPD | 68-3672LPD   |              |




GL/GR: Located 11" from ends and 28½" from user side

GC: Located 28½" from user side

Grommets Only

#### Models

|              |              |              |
|--------------|--------------|--------------|
| 68-3066RPD   | 66-3066LSHPD | 66-3072RSHPD |
| 68-3066LPD   | 68-3072RPD   | 66-3072LSHPD |
| 66-3066RSHPD | 68-3072LPD   |              |




GL/GR: Located 11" from ends and 22½" from user side

GC: Located 22½" from user side

Grommets Only

#### Models

|           |           |            |
|-----------|-----------|------------|
| 68-3072DP | 68-3060RP | 66-3072SH* |
| 68-3066DP | 68-3066LP | 66-3066SH* |
| 68-3060DP | 68-3066RP | 66-3060SH* |
| 68-3060LP | 68-3072RP | 68-3072LP  |




GL/GR: Located 6" from ends and 22½" from user side

GC: Located 22½" from user side

\*PDC-L/PDC-R/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R/PDC-C/DOCK950-C/DOCK150-C available only on Shell (SH) units in same locations

#### Models

|            |             |            |
|------------|-------------|------------|
| 68-2448LF1 | 66-2448UF   | 68-4824LF1 |
| 68-2448RF1 | 66-2448UFH  | 68-4824RF1 |
| 68-2448LF2 | 66-2442UF   | 68-4824LF2 |
| 68-2448RF2 | 66-2442UFH  | 68-4824RF2 |
| 68-2442LF1 | 66-2448RSHL | 68-4224LF1 |
| 68-2442RF1 | 66-2448RSHR | 68-4224RF1 |
| 68-2442LF2 | 66-2442RSHL | 68-4224LF2 |
| 68-2442RF2 | 66-2442RSHR | 68-4224RF2 |
| 66-2436UF  | 66-2436UFH  |            |




GL/GR: Located 6" from ends and 20" from user side

GC: Located 20" from user side

#### Models

|            |           |            |
|------------|-----------|------------|
| 66-2472LMR | 66-2472LL | 66-2472RMF |
| 66-2472RMR | 66-2472RL | 66-2472LMF |
| 66-2466LL  | 66-2466RL | 66-2466LMF |
| 66-2466RMF |           |            |




GL/GR: Located 6" from ends and 20" from user side

Grommets are only available on opposite side of pedestal

#### Models

|            |            |            |
|------------|------------|------------|
| 68-2472KC  | 68-2472RC2 | 68-2466RC1 |
| 68-2472LC1 | 68-2466KC  | 68-2466LC2 |
| 68-2472RC1 | 68-2466LC1 | 68-2466RC2 |
| 68-2472LC2 |            |            |




GL/GR: Located 6" from ends and 20" from user side

GC: Located 20" from user side

#### Models

|           |           |           |
|-----------|-----------|-----------|
| 66-2472SH | 66-2466SH | 66-2460SH |
|-----------|-----------|-----------|




GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 20" from user side  
GC/DOCK950-C/DOCK150-C: Located 20" from user side

PDC-L/PDC-R: Located 6" from ends and 21" from user side

PDC-C: Located 21" from user side

#### Models

|            |            |            |
|------------|------------|------------|
| 66-2048UF  | 66-2042UF  | 66-2036UF  |
| 66-2048UFH | 66-2042UFH | 66-2036UFH |



GL/GR: Located 6" from ends and 16" from user side


GC: Located 16" from user side



### GROMMET OPTIONS + POWER UNIT LOCATIONS (CONTINUED)

#### Models

|                |                |              |
|----------------|----------------|--------------|
| 66-2472L21DBF  | 66-2472L21OBFR | 66-2472L21DO |
| 66-2460L21DBF  | 66-2460L21OBFL | 66-2460L21DO |
| 66-2472L21OBFL | 66-2460L21OBFR |              |




PDC-L/PDC-R: Located 11" from ends and 21½" from user side  
PDC-C: Located 21½" from user side

GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 20" from user side

GC/DOCK950-C/DOCK150-C: Located 20" from user side

#### Models

|                |                |                |
|----------------|----------------|----------------|
| 66-2072L21DBF  | 66-2072L21OBFR | 66-2060L21OBFR |
| 66-2060L21DBF  | 66-2060L21OBFL | 66-2072L21DO   |
| 66-2072L21OBFL | 66-2060L21DO   |                |



PDC-L/PDC-R: Located 11" from ends and 17½" from user side



PDC-C: Located 17½" from user side

GL/GR/DOCK950-L/DOCK950-R/DOCK150-L/DOCK150-R: Located 6" from ends and 16" from user side

GC/DOCK950-C/DOCK150-C: Located 16" from user side

#### Models

|           |           |           |
|-----------|-----------|-----------|
| 66-4284PR | 66-4272PR | 66-4272PL |
| 66-4284TR | 66-4272TR | 66-4272TL |
| 66-4284PL | 66-4284TL |           |




GAL/R: Located 12" from approach or user side and 6" from end

GSL/R: Located 12" from approach or user side and 6" from end

#### Models

|            |            |
|------------|------------|
| 66-4272EDL | 66-4272EDR |
|------------|------------|





GAL/R: Located 12" from approach, 6" from end

GSL/R: Located 18" from approach, 6" from end

#### Models

|            |            |            |
|------------|------------|------------|
| 66-3684DUR | 66-3672DR  | 66-3066DUR |
| 66-3684DUL | 66-3084DUR | 66-3066DUL |
| 66-3672DUR | 66-3084DUL | 66-3066DR  |
| 66-3672DUL | 66-3072DUR |            |
| 66-3684DR  | 66-3072DUL |            |



GAL/GSL/GAR/GSR: Located 12" from approach or user side and 6" from end



### MODULAR RUN OFF TABLE DESK TOPS

Power units, Dock 950, Dock 150, DPORT4, DUO and TRIO Bezel must be specified separately with surface mount location (CEL/CER) specified on order.

Grommets are available in standard locations (L/C/R). Please specify using info below. Multiple locations may be selected. Only one unit per location.

#### Models

|              |              |              |
|--------------|--------------|--------------|
| 66-3066ROTDL | 66-3072ROTDR | 66-3672ROTDL |
| 66-3066ROTDR | 66-3666ROTDL | 66-3672ROTDR |
| 66-3072ROTDL | 66-3666ROTDR |              |





L/R: Located 11" from ends and 22½" from user side

C: Located 22½" from user side

CER: Located 3½" from ends and 18" from user side - *DOCK950, DOCK150, DPORT4, DUO and TRIO BEZEL Units Available at CEL/CER Location*

#### Models

|              |              |
|--------------|--------------|
| 66-2466ROTDL | 66-2472ROTDL |
| 66-2466ROTDR | 66-2472ROTDR |



L/R: Located 11" from ends and 21½" from user side

C: Located 21½" from user side




CER: Located 3½" from ends and 12" from user side - *DOCK950, DOCK150, DPORT4, DUO and TRIO BEZEL Units Available at CEL/CER Location*

GROMMET OPTIONS + POWER UNIT LOCATIONS (CONTINUED)

MODULAR DESK TOPS

Models

|           |           |           |
|-----------|-----------|-----------|
| 66-3684TP | 66-3648TP | 66-3066TP |
| 66-3678TP | 66-3642TP | 66-3060TP |
| 66-3672TP | 66-3084TP | 66-3054TP |
| 66-3666TP | 66-3078TP | 66-3048TP |
| 66-3660TP | 66-3072TP | 66-3042TP |
| 66-3654TP |           |           |




GL/GR/PDC-L/PDC-R/DOCK950-L/  
DOCK950-R/DOCK150-L/DOCK150-R:  
Located 11" from ends and 22½" from  
user side

GC/DOCK950-C/DOCK150-C: Located  
22½" from user side

MODULAR BENCHING DESK TOPS

Models

|           |           |           |
|-----------|-----------|-----------|
| 66-6072TP | 66-6066TP | 66-6060TP |
|-----------|-----------|-----------|



E = 11" from end  
C = 25¾" from user


Only one style of unit per location.

Locations:

- 1C: 2 Center Cutouts
- 1E: 2 End Cutouts
- 2E: 4 End Cutouts
- C1E: 2 Center and 2 End Cutouts
- C2E: 2 Center and 4 End Cutouts

Models

|           |           |           |
|-----------|-----------|-----------|
| 66-4872TP | 66-4866TP | 66-4860TP |
|-----------|-----------|-----------|



E = 11" from end  
C = 19¾" from user

Only one style of unit per location.


Locations:

- 1C: 2 Center Cutouts
- 1E: 2 End Cutouts
- 2E: 4 End Cutouts
- C1E: 2 Center and 2 End Cutouts
- C2E: 2 Center and 4 End Cutouts

MODULAR BRIDGE, RETURN, AND CREDENZA TOPS

Models

|            |           |           |
|------------|-----------|-----------|
| 66-20108TP | 66-2078TP | 66-2048TP |
| 66-20102TP | 66-2072TP | 66-2042TP |
| 66-2096TP  | 66-2066TP | 66-2036TP |
| 66-2090TP  | 66-2060TP | 66-2030TP |
| 66-2084TP  | 66-2054TP |           |



GL/GR/DOCK950-L/DOCK950-R/  
DOCK150-L/DOCK150-R: Located 11" from  
ends and 16" from user side


GC/DOCK950-C/DOCK150-C: Located 16"  
from user side

PDC-L/PDC-R: Located 11" from ends and 17½" from user side

PDC-C: Located 17½" from user side

Models

|            |           |           |
|------------|-----------|-----------|
| 66-24108TP | 66-2478TP | 66-2448TP |
| 66-24102TP | 66-2472TP | 66-2442TP |
| 66-2496TP  | 66-2466TP | 66-2436TP |
| 66-2490TP  | 66-2460TP | 66-2430TP |
| 66-2484TP  | 66-2454TP |           |



GL/GR/DOCK950-L/DOCK950-R/  
DOCK150-L/DOCK150-R: Located 11"  
from ends and 20" from user side


GC/DOCK950-C/DOCK150-C: Located  
20" from user side

PDC-L/PDC-R: Located 11" from ends and 21½" from user side

PDC-C: Located 21½" from user side

Model

66-2418TP




PDC-C: Located 21½" from user side

GC/DOCK950-C/DOCK150-C:  
Located 20" from user side

Model

66-2018TP



PDC-C: Located 17½" from user side

GC/DOCK950-C/DOCK150-C:  
Located 16" from user side

51" GALLERY SCREEN GROMMETS

Desk Height Grommets


DGL/R: Left; 6" from ends and 25¾" from bottom

DGC: Center; 25¾" from bottom

Bench Height Grommets

BGL/R: Left; 6" from ends and 15" from bottom

BGC: Center; 15" from bottom



### PURL™ DAISY CHAIN SYSTEM

The PURL™ daisy chain system adapts to your unique space, allowing you to configure the ideal power setup based on your specific room layout and application.

PURL™ Daisy Chain System includes the following components:



Your choice of Power Units with PURL™ Daisy Chain Plug



PURL™ Daisy Chain Power Infeed



PURL™ Daisy Chain H-Block connects Power Infeed, Power Units, and Jumper Cord



PURL™ Daisy Chain Jumper Cords connects to H-Blocks and Power Units

### GREAT SPACES START WITH A PLAN

Before you get started specifying, we have a few helpful recommendations and component guidelines.

We recommend you determine the following:


- Setup of the room
- Number of tops needed
- Number of Power Units per top

With multiple Power Unit locations available, understanding how your table tops will be used ensures you specify every component needed to seamlessly stay connected.

#### Components Guidelines:

- The Power Infeed and Power Units must connect to an H-Block
- When the Power Infeed plugs into the H-Block, two Power Units and a Jumper Cord may be used. Additional H-Blocks can be used with either two Power Units and two Jumper Cords or two Power Units and one Jumper Cord

#### Five (5) Power Unit System Example:



Shown with Duo Clamp. Also available with Duo Air, Duo Bezel and Trio Bezel with PURL™ Daisy Chain Plug

### APPLICATION EXAMPLES OF THE PURL™ DAISY CHAIN SYSTEM

#### SYMBOL GUIDE:



Power Unit



H-Block



Power Infeed



Jumper Cord


#### THREE (3) POWER UNIT SYSTEM



Components:

- 3 Power Units
- 1 Power Infeed
- 3 H-Blocks
- 2 Jumper Cords


#### FOUR (4) POWER UNIT SYSTEM



Components:


- 4 Power Units
- 1 Power Infeed
- 3 H-Blocks
- 2 Jumper Cords

#### SIX (6) POWER UNIT SYSTEM



Components:


- 6 Power Units
- 1 Power Infeed
- 3 H-Blocks
- 2 Jumper Cords



Components:

- 6 Power Units
- 1 Power Infeed
- 4 H-Blocks
- 3 Jumper Cords


#### EIGHT (8) POWER UNIT SYSTEM



Components:

- 8 Power Units
- 1 Power Infeed
- 5 H-Blocks
- 4 Jumper Cords

#### NINE (9) POWER UNIT SYSTEM



Components:


- 9 Power Units
- 1 Power Infeed
- 6 H-Blocks
- 5 Jumper Cords

## LAMINATE CASEGOODS + TABLES (6600/6800 SERIES) HEIGHT ADJUSTABLE


### HEIGHT ADJUSTABLE MECHANISMS

Height Adjust method that increases user kneespace, offers more stability for overall unit and top construction, and two worksurfaces can move from sitting to standing simultaneously with or without moving modesty panel.

- Height adjustable units are available as stand-alone height adjustable models or synchronized models (STS3) for connected tops
- Intuitively designed, all desks are compatible with either 2-channel or 3-channel returns and bridges
- Height adjustment range 30"-47"H, with a load capacity of more than 200lbs
- Gently adjust worksurface with a 1 second stop at each memory position
- The standard control switch is factory installed on all units; 3-channel returns/bridges will link to the desk control and 2-channel bridges are field installed for left/right application
- An optional advanced switch with Bluetooth capabilities, position memory, and stand-up reminders is available
- Grommets are optional in the back panels of bridges, returns, and credenzas
- Wire management mesh wrap included when worksurface grommet is selected
- One wire management channel provided to route wires from switch and control box



Height Adjustable  
User Side




Moving Modesty




Black wire  
management  
mesh sleeve

### HEIGHT ADJUST MOVING MODESTY PANEL


Height adjustable moving modesty panel available on double and single pedestal, D-top and P-Top desks. Moving modesty panels offer a clean aesthetic when seated or standing while giving more privacy to the user.



Stepped Front Desk with  
Moving Modesty



Recessed Front Desk  
with Moving Modesty



P-Top with Moving  
Modesty

MOVMOD      Moving Modesty Panel      \$      237


### HEIGHT ADJUST MODESTY PANEL GROMMET

Height adjustable credenza, bridge and return units feature a modesty panel grommet (3" down from top) option for accessing power to a wall. Must Specify on Order.


2-Channel units feature centered modesty grommet and grommet centered behind the pedestal on 3-Channel units.

GMBBL      Black Modesty Grommet


GMSBV      Silver Modesty Grommet



Credenza with  
Modesty Grommet



2-Channel Return with  
Modesty Grommet



3-Channel Return with  
Modesty Grommet

### HEIGHT ADJUST SWITCH CONTROL OPTIONS

Height adjust units offer two switch options. The standard switch is a simple up and down paddle style switch to move your worksurface from seated to standing height. The advanced switch features Bluetooth capabilities to connect to smart devices, three stand-up reminder intervals and four height adjustment memory positions.

|       |                              |             |
|-------|------------------------------|-------------|
| SWCH  | Standard Up/Down Switch      | STD         |
| MSWCH | Advanced Up/Down with Memory | \$      149 |



SWCH (standard)




MSWCH

### HEIGHT ADJUST GROMMET OPTIONS + POWER UNIT LOCATIONS

#### Ports, Locations and Wire Management:

- One data or wire management location per unit
- Order the port and then specify the location



Shown with Wire Management  
Box with Grommet

Wire Management Box with Grommet      Add \$      453

Specify Location and Grommet Color (Black = BLK or Silver = SLV)

| Specify | Units                   | Locations |
|---------|-------------------------|-----------|
| GC-BOX  | Desks/Credenzas/Bridges | Center    |
| GC-BOX  | Return (2-Channel Only) | Center    |

Grommet with Mesh Sleeve      Add \$      158

Specify Location and Grommet Color (Black = BLK or Silver = SLV)

| Specify   | Units                   | Locations             |
|-----------|-------------------------|-----------------------|
| GL-MESH   | Desks/Credenzas/Return  | Left                  |
| GR-MESH   | Desks/Credenzas/Return  | Right                 |
| GC-MESH   | Desks/Credenzas/Bridges | Center                |
| GCKS-MESH | Return/Return Shell     | Centered Between Legs |

Wire Management Box with DUOBEZEL      Add \$      1223

| Units                   | Locations             |
|-------------------------|-----------------------|
| Desks/Credenzas/Bridges | Center                |
| Return                  | Centered Between Legs |

#### Specify

|              |                        |
|--------------|------------------------|
| 01-DUOBEZELB | DUO with Bezel, Black  |
| 01-DUOBEZELS | DUO with Bezel, Silver |
| 01-DUOBEZELW | DUO with Bezel, White  |

Additional power units on following pages.

## LAMINATE CASEGOODS + TABLES (6600/6800 SERIES)

### HEIGHT ADJUSTABLE

#### HEIGHT ADJUST GROMMET OPTIONS + POWER UNIT LOCATIONS (CONTINUED)

##### Wire Management Box with TRIOBEZEL *Add \$ 1273*

| Units                   | Locations             |
|-------------------------|-----------------------|
| Desks/Credenzas/Bridges | Center                |
| Return                  | Centered Between Legs |

##### Specify Color

|               |                         |
|---------------|-------------------------|
| 01-TRIOBEZELB | TRIO with Bezel, Black  |
| 01-TRIOBEZELS | TRIO with Bezel, Silver |
| 01-TRIOBEZELW | TRIO with Bezel, White  |

##### Port Options for TRIOBEZEL - Must Specify

|             |                |                   |
|-------------|----------------|-------------------|
| 01-LCOMVGA  | VGA Date Port  | <i>Add \$ 134</i> |
| 01-LCOMHDMI | HDMI Data Port | <i>Add \$ 183</i> |
| 01-LCOMRJ45 | RJ45 Data Port | <i>Add \$ 88</i>  |

##### Wire Management Box with DPORT4 *Add \$ 1625*

| Units                   | Locations             |
|-------------------------|-----------------------|
| Desks/Credenzas/Bridges | Center                |
| Return                  | Centered Between Legs |

##### Specify Color


|            |                |
|------------|----------------|
| 01-DPORT4A | DPORT Aluminum |
| 01-DPORT4B | DPORT Black    |

##### Port Options for DPORT - Must Specify

|            |               |                   |
|------------|---------------|-------------------|
| 01-USBPORT | USB Port      | <i>Add \$ 178</i> |
| 01-VOICE1  | Voice Coupler | <i>Add \$ 80</i>  |
| 01-RJ4DATA | Data Port     | <i>Add \$ 186</i> |

#### Models


|               |                |                |
|---------------|----------------|----------------|
| 68-3672BDPSTS | 68-3672BRPSTS  | 68-3672BDPSSTS |
| 68-3666BDPSTS | 68-3672BRPSSTS |                |
| 68-3672BLPSTS | 68-3672BLPSSTS |                |



L/R: Located 6" from ends and 20" from user side  
Center: Located 20" from user side

#### Models


|              |               |               |
|--------------|---------------|---------------|
| 66-3060SHSTS | 68-3066DPSTS  | 68-3672RPSSTS |
| 68-3066RPSTS | 66-3072SHSTS  | 68-3672LPSSTS |
| 68-3060RPSTS | 68-3072RPSTS  | 66-3672SHSTS  |
| 68-3060LPSTS | 68-3672DPSTS  | 66-3666SHSTS  |
| 68-3060DPSTS | 68-3672DPSSTS | 66-3066SHSTS  |
| 66-3660SHSTS | 68-3672LPSTS  | 68-3072LPSTS  |
| 68-3066LPSTS | 68-3672RPSTS  | 68-3072DPSTS  |



L/R: Located 6" from ends and 22½" from user side  
Center: Located 25" from user side

#### Models


|               |               |
|---------------|---------------|
| 66-3666RPDSTS | 66-3672RPDSTS |
| 66-3666LPDSTS | 66-3672LPDSTS |




GC: Located 24½" from user side and centered between columns

#### Models


|               |               |               |
|---------------|---------------|---------------|
| 66-3684DURSTS | 66-3072DULSTS | 66-3072LPDSTS |
| 66-3684DULSTS | 66-3066DURSTS | 66-3084DULSTS |
| 66-3672DURSTS | 66-3066DULSTS | 66-4284PLSTS  |
| 66-3672DULSTS | 66-3066RPDSTS | 66-4284PRSTS  |
| 66-3084DURSTS | 66-3066LPDSTS | 66-4272PLSTS  |
| 66-3072DURSTS | 66-3072RPDSTS | 66-4272PRSTS  |




Center: Located 18½" from seated side and centered between legs



Right Unit / Center: Located 18½" from user side and centered between legs




Left Unit / Center: Located 18½" from user side and centered between legs



GC: Located 18½" from user side and centered between columns

#### Models (Grommet only available in ped space)

|                |                |                |
|----------------|----------------|----------------|
| 68-2448RF2STS3 | 68-2442LF2STS3 | 68-2442RF1STS3 |
| 68-2448LF2STS3 | 68-2448LF1STS3 | 68-2442LF1STS3 |
| 68-2442RF2STS3 | 68-2448RF1STS3 |                |





Grommet with Mesh Wire Management Sleeve only available in ped space

L/R: Located 6" from ends and 20" from user side

#### HEIGHT ADJUST GROMMET OPTIONS + POWER UNIT LOCATIONS (CONTINUED)

##### Models

|               |                 |               |
|---------------|-----------------|---------------|
| 68-4824RF2STS | 66-2448RSHRSTS* | 68-2448RF1STS |
| 68-4824LF2STS | 66-2448RSHLSTS* | 68-2448LF1STS |
| 68-4224RF2STS | 66-2442RSHRSTS* | 68-2442RF1STS |
| 68-4224LF2STS | 66-2442RSHLSTS* | 68-2442LF1STS |
| 68-2448RF2STS | 68-4824RF1STS   | 68-4224LF1STS |
| 68-2448LF2STS | 68-4824LF1STS   | 68-4224RF1STS |
| 68-2442RF2STS | 68-2442LF2STS   |               |




GL/GR-MESH: Located 6" from ends and 20" from user side

GCKS-MESH/GC-BOX: Centered between legs and 20" from user side

\* = Only Available with Centered Grommet (GCKS-MESH)

##### Models


|                |                |                |
|----------------|----------------|----------------|
| 66-2048UFSTS   | 66-2042UFSTS   | 66-2036UFSTS   |
| 66-2048UFSTSL3 | 66-2048UFSTSR3 | 66-2042UFSTSL3 |
| 66-2042UFSTSR3 | 66-2036UFSTSL3 | 66-2036UFSTSR3 |



Center: Located 16" from user side

##### Models


|                |                |                |
|----------------|----------------|----------------|
| 66-2448UFSTS   | 66-2442UFSTS   | 66-2436UFSTS   |
| 66-2448UFSTSL3 | 66-2448UFSTSR3 | 66-2442UFSTSL3 |
| 66-2442UFSTSR3 | 66-2436UFSTSL3 | 66-2436UFSTSR3 |



Center: Located 20" from user side

##### Models

|              |               |               |
|--------------|---------------|---------------|
| 66-2472SHSTS | 68-2472RC2STS | 68-2472LC1STS |
| 66-2466SHSTS | 68-2472LC2STS | 68-2466RC1STS |
| 66-2460SHSTS | 68-2466RC2STS | 68-2466LC1STS |
| 68-2466KCSTS | 68-2466LC2STS |               |
| 68-2472KCSTS | 68-2472RC1STS |               |




L/R: Located 6" from ends and 20" from user side

Center: Located 20" from user side

#### HEIGHT ADJUSTABLE UNITS WITH WATERFALL, PANEL + T-LEG AND COORDINATING UNITS GROMMET OPTIONS + POWER UNIT LOCATIONS

Grommets and Power Units are available in locations on top and secondary surfaces shown below.



Please specify and add upcharges for each unit's location. Multiple locations may be selected. Only one unit per location.

#### TOP SURFACE OPTIONS AND LOCATIONS

##### DOCK 950 and DOCK 150 LOCATIONS (See Dock Units)

|           |                                       |            |
|-----------|---------------------------------------|------------|
| DOCK950-L | D950 Wireless Charger, Left           | Add \$ 294 |
| DOCK950-C | D950 Wireless Charger, Center         | Add \$ 294 |
| DOCK950-R | D950 Wireless Charger, Right          | Add \$ 294 |
| DOCK150-L | D150 Wireless and USB Charger, Left   | Add \$ 448 |
| DOCK150-C | D150 Wireless and USB Charger, Center | Add \$ 448 |
| DOCK150-R | D150 Wireless and USB Charger, Right  | Add \$ 448 |

#### SECONDARY SURFACE OPTIONS

New secondary surface power and wire management options provide easy connection and keep work surfaces clean and free of obstacles.



##### Specify

SSL  
SSR



##### Locations

Secondary Surface, Left  
Secondary Surface Right

#### GROMMET (Black = BLK and Silver = SLV)

|                              |           |
|------------------------------|-----------|
| Grommet - Specify BLK or SLV | Add \$ 58 |
|------------------------------|-----------|

#### PDC OPTIONS

##### Specify

|              |                        |            |
|--------------|------------------------|------------|
| 01-DUOBEZELB | DUO with Bezel, Black  | Add \$ 748 |
| 01-DUOBEZELS | DUO with Bezel, Silver | Add \$ 748 |
| 01-DUOBEZELW | DUO with Bezel, White  | Add \$ 748 |


##### Specify

|               |                         |            |
|---------------|-------------------------|------------|
| 01-TRIOBEZELB | TRIO with Bezel, Black  | Add \$ 803 |
| 01-TRIOBEZELS | TRIO with Bezel, Silver | Add \$ 803 |
| 01-TRIOBEZELW | TRIO with Bezel, White  | Add \$ 803 |

### HEIGHT ADJUSTABLE UNITS WITH WATERFALL, PANEL + T-LEG GROMMET OPTIONS + POWER UNIT LOCATIONS

#### Models (Worksurface)

|                 |                 |                 |
|-----------------|-----------------|-----------------|
| 66-3066STSWD20L | 66-3072STSTL24L | 66-3672STSPL20L |
| 66-3066STSWD20R | 66-3072STSTL24R | 66-3672STSPL20R |
| 66-3066STSWD24L | 66-3066WWFDL    | 66-3672STSPL24L |
| 66-3066STSWD24R | 66-3066WWFDR    | 66-3672STSPL24R |
| 66-3072STSWD20L | 66-3666WWFDL    | 66-3666STSTL20L |
| 66-3072STSWD20R | 66-3666WWFDR    | 66-3666STSTL20R |
| 66-3072STSWD24L | 66-3072WWFDL    | 66-3666STSTL24L |
| 66-3072STSWD24R | 66-3072WWFDR    | 66-3666STSTL24R |
| 66-3666STSWD20L | 66-3672WWFDL    | 66-3672STSTL20L |
| 66-3666STSWD20R | 66-3672WWFDR    | 66-3672STSTL20R |
| 66-3666STSWD24L | 66-3066WPLDL    | 66-3672STSTL24L |
| 66-3666STSWD24R | 66-3066WPLDR    | 66-3672STSTL24R |
| 66-3672STSWD20L | 66-3066WPLDL    | 66-3066WTLDL    |
| 66-3672STSWD20R | 66-3666WPLDR    | 66-3066WTLDR    |
| 66-3672STSWD24L | 66-3072WPLDL    | 66-3666WTLDL    |
| 66-3672STSWD24R | 66-3072WPLDR    | 66-3666WTLDR    |
| 66-3066STSPL20L | 66-3672WPLDL    | 66-3072WTLDL    |
| 66-3066STSPL20R | 66-3672WPLDR    | 66-3072WTLDR    |
| 66-3066STSPL24L | 66-3072STSPL20L | 66-3672WTLDL    |
| 66-3066STSPL24R | 66-3072STSPL20R | 66-3672WTLDR    |
| 66-3066STSTL20L | 66-3072STSPL24L | 66-3066PLD      |
| 66-3066STSTL20R | 66-3072STSPL24R | 66-3666PLD      |
| 66-3066STSTL24L | 66-3666STSPL20L | 66-3072PLD      |
| 66-3066STSTL24R | 66-3666STSPL20R | 66-3672PLD      |
| 66-3072STSTL20L | 66-3666STSPL24L |                 |
| 66-3072STSTL20R | 66-3666STSPL24R |                 |




DOCK950-L/DOCK950-R/DOCK150-L/  
DOCK150-R:  
11" from ends and 22½" from user

DOCK950-C/DOCK150-C: 22½" from user

#### Models (Secondary Surface)

|                 |                 |                 |
|-----------------|-----------------|-----------------|
| 66-3066STSWD20L | 66-3072STSTL24L | 66-3672STSPL20L |
| 66-3066STSWD20R | 66-3072STSTL24R | 66-3672STSPL20R |
| 66-3066STSWD24L | 66-3066WWFDL    | 66-3672STSPL24L |
| 66-3066STSWD24R | 66-3066WWFDR    | 66-3672STSPL24R |
| 66-3072STSWD20L | 66-3666WWFDL    | 66-3666STSTL20L |
| 66-3072STSWD20R | 66-3666WWFDR    | 66-3666STSTL20R |
| 66-3072STSWD24L | 66-3072WWFDL    | 66-3666STSTL24L |
| 66-3072STSWD24R | 66-3072WWFDR    | 66-3666STSTL24R |
| 66-3666STSWD20L | 66-3672WWFDL    | 66-3672STSTL20L |
| 66-3666STSWD20R | 66-3672WWFDR    | 66-3672STSTL20R |
| 66-3666STSWD24L | 66-3066WPLDL    | 66-3672STSTL24L |
| 66-3666STSWD24R | 66-3066WPLDR    | 66-3672STSTL24R |
| 66-3672STSWD20L | 66-3666WPLDL    | 66-3066WTLDL    |
| 66-3672STSWD20R | 66-3666WPLDR    | 66-3066WTLDR    |
| 66-3672STSWD24L | 66-3072WPLDL    | 66-3666WTLDL    |
| 66-3672STSWD24R | 66-3072WPLDR    | 66-3666WTLDR    |
| 66-3066STSPL20L | 66-3672WPLDL    | 66-3072WTLDL    |
| 66-3066STSPL20R | 66-3672WPLDR    | 66-3072WTLDR    |
| 66-3066STSPL24L | 66-3072STSPL20L | 66-3672WTLDL    |
| 66-3066STSPL24R | 66-3072STSPL20R | 66-3672WTLDR    |
| 66-3066STSTL20L | 66-3072STSPL24L | 66-3066PLD      |
| 66-3066STSTL20R | 66-3072STSPL24R | 66-3666PLD      |
| 66-3066STSTL24L | 66-3666STSPL20L | 66-3072PLD      |
| 66-3066STSTL24R | 66-3666STSPL20R | 66-3672PLD      |
| 66-3072STSTL20L | 66-3666STSPL24L |                 |
| 66-3072STSTL20R | 66-3666STSPL24R |                 |



GSSR/GSSL/DOCK950-SSL/  
DOCK950-SSR/DOCK150-SSL/  
DOCK150-SSR:

5½" from ends and 4" from Back



#### Models (Secondary Surface)

|              |               |               |
|--------------|---------------|---------------|
| 68-2442WRL   | 68-2448WRL    | 68-2448WRTSL3 |
| 68-2442WRR   | 68-2448WRR    | 68-2448WRTSR3 |
| 68-2442WRTSL | 68-2442WRL3   | 68-2448WRL3   |
| 68-2442WRTSR | 68-2442WRR3   | 68-2448WRR3   |
| 68-2448WRTSL | 68-2442WRTSL3 |               |
| 68-2448WRTSR | 68-2442WRTSR3 |               |



GSSC/DOCK950-SSC/DOCK150-SSC:  
Centered from ends and 4" Front to Back

#### Models (Secondary Surface)

|            |            |           |
|------------|------------|-----------|
| 66-2442WBL | 66-2448WBR | 66-2448WB |
| 66-2442WBR | 66-2460WB  | 66-2442WB |
| 66-2448WBL | 66-2454WB  |           |



GSSC/DOCK950-SSC/DOCK150-SSC:  
Centered from ends and 4" Front to Back


### HEIGHT ADJUSTABLE WORKSURFACE MONITOR ARM LOCATIONS

Monitor Arm Grommets are available in locations shown below. Please specify and add upcharge for each grommet. [Dual Monitor and Single Monitor Arms sold separately](#)

Monitor Arm Grommet available in one location per unit; grommet is 2 $\frac{3}{8}$ ".


#### MONITOR ARM GROMMET LOCATIONS

|         |                         |    |    |
|---------|-------------------------|----|----|
| MGRMT-C | Monitor Grommet, Center | \$ | 58 |
| MGRMT-L | Monitor Grommet, Left   | \$ | 58 |
| MGRMT-R | Monitor Grommet, Right  | \$ | 58 |




MGRMT-L/MGRMT-R: Located 18" from ends and 31" from user side

MGRMT-C: Located 31" from user side



MGRMT-L/MGRMT-R: Located 18" from ends and 25" from user side

MGRMT-C: Located 25" from user side



MGRMT-L/MGRMT-R: Located 18" from ends and 19" from user side

MGRMT-C: Located 19" from user side

### CONFERENCE + MEETING TABLE GROMMET OPTIONS

Meeting and Conference Tables offer power and grommet locations at multiple locations.

**Must Specify Black (BLK) or Silver (SLV)**

#### Grommet

|                               |    |    |
|-------------------------------|----|----|
| Factory Installed Grommet     | \$ | 58 |
| Field Installed Grommet Cover | \$ | 12 |

#### Grommet + Power Locations

|    |                                   |    |                                   |
|----|-----------------------------------|----|-----------------------------------|
| OC | On Center                         | CL | 5 $\frac{1}{2}$ " Left of Center  |
| EL | 24 $\frac{1}{2}$ " from Left End  | CR | 5 $\frac{1}{2}$ " Right of Center |
| ER | 24 $\frac{1}{2}$ " from Right End | BB | Centered Between Bases            |


#### Location Availability by Top Size

|                 |                                |
|-----------------|--------------------------------|
| 72" + 96"W Tops | OC, EL+ER                      |
| 120"W Tops      | BB, CL, CR, CL+EL+ER, CR+EL+ER |

### BASE METAL ACCENT COLOR OPTIONS

Base Metal Accent Colors available on select models. Metal trim is  $\frac{5}{16}$ " thick. Must specify color.

|      |          |
|------|----------|
| ALUM | Aluminum |
| BLK  | Black    |
| PLAT | Platinum |
| GLD  | Gold     |



### LOCKING DOORS

Locking doors are available on select hinged doors. You must specify **WITH LOCKING** when ordering and add upcharge.

|        |                     |    |     |
|--------|---------------------|----|-----|
| LKT_HU | 18"W to 12"W Units  | \$ | 76  |
| LKT_HU | 42"W to 24"W Units  | \$ | 101 |
| LKT_HU | 78"W to 48"W Units  | \$ | 128 |
| LKT_HU | 108"W to 84"W Units | \$ | 149 |

### WIRE MANAGEMENT

Wire Management openings available for modular pedestals and U Support Wall Panel Legs.

|      |                      |    |     |
|------|----------------------|----|-----|
| WML  | Left Panel           | \$ | 58  |
| WMR  | Right Panel          | \$ | 58  |
| WMLR | Left and Right Panel | \$ | 116 |

### CERTIFICATIONS + COMPLIANCE

- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant® Certified
- TSCA Title VI (formerly CARB) Compliance
- Contributes to LEED®, Green Globes®, and WELL® Sustainable Programs



*Shown with Spirit Lite Seating*




## Standard Components




Double Ped Desks with or without Bow Tops  
(See Multiple Unit Details)



Single Ped Desks with or without Bow Tops  
(See Multiple Unit Details)




Curved Single Ped Desks with or without Bow Tops  
(See Multiple Unit Details)




P-Top and D-Tops  
(See Multiple Unit Details)




Returns  
(See Multiple Unit Details)




Bridges  
(See Multiple Unit Details)



Corner Units  
(See Multiple Unit Details)




Kneespace, Storage, and Single Ped Credenzas  
(See Multiple Unit Details)




21" Low Storage and Open Credenzas  
(See Multiple Unit Details)




Filing  
(See Multiple Unit Details)




Mobile Pedestals  
(See Multiple Unit Details)



Surface Mount and Wall Mount Hutches  
(See Multiple Unit Details)




Surface Mount Storage Towers  
(See Multiple Unit Details)



Surface Mount Bookcases  
(See Multiple Unit Details)




Storage Cabinets  
(See Multiple Unit Details)



Tower Wardrobe  
(See Multiple Unit Details)




Wardrobe/Storage Cabinet  
(See Multiple Unit Details)




Bookcases  
(See Multiple Unit Details)

## Tables



Occasional Tables  
(See Multiple Unit Details)



Rectangular Tops  
(See Details)  
Round Tops  
(See Details)



Strut Bases  
(See Details)



Cylinder Bases  
(See Details)




Metal Bases  
(See Details)




Rectangular with Door  
(See Details)

## Modular Components



Desk, Credenza and Return Shells  
(See Multiple Unit Details)




Rectangle, P-Tops and D-Tops Peninsula  
(See Multiple Unit Details)




Pedestals  
(See Multiple Unit Details)



Filing  
(See Multiple Unit Details)



Door and Open Bookcase Pedestals  
(See Multiple Unit Details)




21" Low Storage  
(See Multiple Unit Details)




Desk and Low Height Metal Supports  
(See Desk Height and Low Height Units)



Support Panels  
(See Standard Height and Low Height)



Floorstanding Gallery Screens  
(See Multiple Unit Details)




Modular Tops - Table, Desk, Benching Tops  
(See Multiple Unit Details)



Height Adjustable Worksurface Lifts  
(See Multiple Unit Details)


## Studio Components




Modular Tops - Table, Desk, Benching  
Tops ([See Multiple Unit Details](#))



Studio Pedestals  
([See Details](#))



Studio Low Pedestals  
([See Multiple Unit Details](#))



Studio Storage  
Cabinets  
([See Multiple Unit Details](#))



Kneespace  
Modesty Panels  
([See Multiple Unit Details](#))




Studio Single and  
Shared Legs  
([See Details](#))


## Height Adjustable Units and Components




Double Ped Desks  
([See Details](#))




Single Ped Desks  
([See Multiple Unit Details](#))




Waterfall Desks  
([See Multiple Unit Details](#))





Rectangle,  
P and D-Top  
([See Multiple Unit Details](#))




Returns  
([See Multiple Unit Details](#))




Bridge  
([See Multiple Unit Details](#))



Credenzas  
([See Multiple Unit Details](#))



Desk Shell ([See Details](#)),  
Return Shell ([See Details](#)) and  
Credenza Shell ([See Details](#))



Height Adjustable  
Worksurfaces  
([See Multiple Unit Details](#))



Height Adjustable  
Modesty Panels  
([See Multiple Unit Details](#))




Height Adjustable  
Privacy Screens  
([See Multiple Unit Details](#))



Height Adjustable  
Worksurface Lifts  
([See Multiple Unit Details](#))


## Tackboards, Work Walls, Marker Boards and Other Accessories




Tackboards  
([See Multiple Unit Details](#))



Work Walls and  
Accessories  
([See Multiple Unit Details](#))



Marker Boards  
([See Multiple Unit Details](#))



Wall Panel  
([See Multiple Unit Details](#))




Marker, Eraser and  
Magnet Sets  
([See Details](#))




Tasklights  
([See Multiple Unit Details](#))




Wire Management  
([See Multiple Unit Details](#))



Power Options ([See Multiple Unit Details](#))




Monitor Arms ([See Multiple Unit Details](#))




Kneespace  
Accessories  
([See Multiple Unit Details](#))




Cushion  
([See Details](#))




Floating and L Shelf  
([See Multiple Unit Details](#))



Visual Board  
([See Details](#))

| Item                                                                                                                                                                                                       | Model No.      | Width | Depth                                                                          | Height | Ship Wt | Cubic Ft | List Price             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------|--------------------------------------------------------------------------------|--------|---------|----------|------------------------|
|                                                                                                                           | 66-21          | 108   | 105                                                                            | 70 7/8 | 1418    | 200.5    | T\$ 23038<br>P\$ 23816 |
|                                                                                                                                                                                                            | CONSIST OF:    |       | QTY                                                                            |        |         |          |                        |
|                                                                                                                                                                                                            | 68-3672RPSTS   | 1     | Height Adjustable Single Ped Desk with Box/Box/File with Moving Modesty Option |        |         |          | T\$ 6506<br>P\$ 6821   |
|                                                                                                                                                                                                            | 68-2448LF2STS3 | 1     | Height Adjustable Return with File/File, 3-Channel                             |        |         |          | T\$ 3726<br>P\$ 3930   |
|                                                                                                                                                                                                            | GMB-2372W      | 1     | 72"W Glass Marker Board for Wall Mount Hutch                                   |        |         |          | \$ 2875                |
|                                                                                                                                                                                                            | 68-2472KC      | 1     | Kneespace Credenza Full Pedestal                                               |        |         |          | T\$ 2925<br>P\$ 3184   |
|                                                                                                                                                                                                            | 66-1572SWD     | 1     | 72"W Wall Mount Hutch with Sliding Door                                        |        |         |          | T\$ 2552               |
|                                                                                                                                                                                                            | 66-1872WR      | 1     | Wardrobe Storage Cabinet, Right                                                |        |         |          | T\$ 2227               |
|                                                                                                                                                                                                            | 66-1872WL      | 1     | Wardrobe Storage Cabinet, Left                                                 |        |         |          | T\$ 2227               |
| <i>Products are available as left or right, where applicable</i><br><i>Depth includes 42" between Double Ped Desk and Kneespace Credenza</i><br><i>List price does not include optional moving modesty</i> |                |       |                                                                                |        |         |          |                        |




|                                                                  |     |                                              |     |      |       |                        |
|------------------------------------------------------------------|-----|----------------------------------------------|-----|------|-------|------------------------|
| 66-25                                                            | 228 | 72                                           | 51½ | 1121 | 121.8 | T\$ 22725<br>P\$ 23841 |
| <hr/>                                                            |     |                                              |     |      |       |                        |
| <b>CONSIST OF:</b>                                               |     | <b>QTY</b>                                   |     |      |       |                        |
| 66-3072TP                                                        | 2   | Modular Desk Top                             |     |      |       | T\$ 1468<br>P\$ 2054   |
| 01-3028HL                                                        | 2   | H Modular Peninsula Support Seated Height    |     |      |       | \$ 2494                |
| 01-3007OL                                                        | 2   | Layer Support for Desk Top                   |     |      |       | T\$ 1234               |
| 66-2430SBC                                                       | 2   | 30"W Studio Low Mod Open Bookcase            |     |      |       | T\$ 2280               |
| 66-2418STF                                                       | 2   | 18"W Studio Low Mod Tray/File Ped            |     |      |       | T\$ 2200               |
| 66-1851SWBL                                                      | 1   | Studio Storage Cabinet Door/Tray/File, Left  |     |      |       | T\$ 1722               |
| 66-1851SWBR                                                      | 1   | Studio Storage Cabinet Door/Tray/File, Right |     |      |       | T\$ 1722               |
| 66-2430SDB                                                       | 2   | 30"W Studio Low Mod Door Bookcase            |     |      |       | T\$ 1990               |
| 66-2478TP                                                        | 2   | 78" Modular Top for Storage                  |     |      |       | T\$ 1326<br>P\$ 1856   |
| 66-2430CUSHION                                                   | 2   | 30"W Component Cushion for Door Bookcase     |     |      |       | GR1\$ 836              |
| 01-0404SSL4                                                      | 3   | Studio Shared Leg, 4 Pack                    |     |      |       | ALUM\$ 819             |
| 01-0404SL4                                                       | 2   | Studio Leg, 4 Pack                           |     |      |       | ALUM\$ 546             |
| GMB-5136W                                                        | 1   | 36"W Glass Marker Board From Floor           |     |      |       | \$ 3104                |
| 66-0942FS                                                        | 2   | 42"W Floating Shelf                          |     |      |       | T\$ 984                |
| <hr/>                                                            |     |                                              |     |      |       |                        |
| <i>Products are available as left or right, where applicable</i> |     |                                              |     |      |       |                        |

## Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                              | Model No.          | Width | Depth                                              | Height | Ship Wt | Cubic Ft | List Price             |
|-----------------------------------------------------------------------------------|--------------------|-------|----------------------------------------------------|--------|---------|----------|------------------------|
|  | 66-23              | 108   | 102                                                | 82 7/8 | 1127    | 152.3    | T\$ 18510<br>P\$ 19076 |
|                                                                                   | <b>CONSIST OF:</b> |       | <b>QTY</b>                                         |        |         |          |                        |
|                                                                                   | 66-3672TP          | 1     | Modular Desk Top                                   |        |         |          | T\$ 788<br>P\$ 1100    |
|                                                                                   | 66-2472TP          | 1     | Modular Cabinet Top                                |        |         |          | T\$ 646<br>P\$ 900     |
|                                                                                   | 01-0404SL4         | 2     | Single Studio Leg 4-Pack                           |        |         |          | ALUM\$ 546             |
|                                                                                   | 66-3618SPD1        | 2     | Studio Modular Desk Pedestal, Box/Box/File         |        |         |          | T\$ 3234               |
|                                                                                   | 66-3624MDHGA       | 1     | Studio Kneespace Modesty Panel, High Gloss Acrylic |        |         |          | \$ 638<br>+GPA\$ 733   |
|                                                                                   | 66-1572TWDS        | 1     | Tall Wall Mount Door Hutch with Paper Slots        |        |         |          | T\$ 3516               |
|                                                                                   | 66-2418PD1         | 2     | Modular Desk Pedestal, Box/Box/File                |        |         |          | T\$ 2704               |
|                                                                                   | 66-7228BP          | 1     | Modular Modesty Panel                              |        |         |          | T\$ 533                |
|                                                                                   | 66-1884WL          | 1     | Tall Wardrobe/Storage Cabinet, Left                |        |         |          | T\$ 2325               |
|                                                                                   | 66-1884WR          | 1     | Tall Wardrobe/Storage Cabinet, Right               |        |         |          | T\$ 2325               |
|                                                                                   | WW-1972TRWPS       | 1     | Tool Rail Work Wall                                |        |         |          | GR1\$ 1112             |
|                                                                                   | 01-FLDRSRTRC       | 1     | Folder Sorter for Tool Rail Work Wall, Clear       |        |         |          | \$ 143                 |


*Products are available as left or right, where applicable*

*Depth includes 42" between Modular Double Ped Desk and Modular Credenza*

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                              | Model No.          | Width | Depth                                          | Height | Ship Wt | Cubic Ft | List Price           |
|-----------------------------------------------------------------------------------|--------------------|-------|------------------------------------------------|--------|---------|----------|----------------------|
|  | 66-22              | 102   | 72                                             | 47½    | 508     | 56.9     | T\$ 8885<br>P\$ 9451 |
|                                                                                   | <b>CONSIST OF:</b> |       |                                                |        |         |          |                      |
|                                                                                   | 66-3072TP          | 1     | Modular Desk Top                               |        |         |          | T\$ 734<br>P\$ 1027  |
|                                                                                   | 66-2484TP          | 1     | Modular Cabinet Top                            |        |         |          | T\$ 677<br>P\$ 950   |
|                                                                                   | 01-3028BL          | 1     | Bar Modular Peninsula Support                  |        |         |          | ALUM\$ 713           |
|                                                                                   | 66-2430SBC         | 1     | Studio Modular Low Storage, Open Bookcase      |        |         |          | T\$ 1140             |
|                                                                                   | 66-2436STF         | 1     | Studio Modular Low Storage, Tray/File          |        |         |          | T\$ 1363             |
|                                                                                   | 66-2418SDBR        | 1     | Studio Modular Low Door Bookcase, Right Hinged |        |         |          | T\$ 895              |
|                                                                                   | 01-3007OL          | 1     | Layer Support for 21" Low Credenzas            |        |         |          | \$ 617               |
|                                                                                   | 66-1851SWR         | 1     | Studio Wardrobe, Right Hinged                  |        |         |          | \$ 1505              |
|                                                                                   | 01-0404SL4         | 1     | Single Studio Leg 4-Pack                       |        |         |          | ALUM\$ 273           |
|                                                                                   | 01-0404SSL2        | 1     | Shared Studio Leg 2-Pack                       |        |         |          | ALUM\$ 159           |
|                                                                                   | 01-0404SSL4        | 1     | Shared Studio Leg 4-Pack                       |        |         |          | ALUM\$ 273           |
|                                                                                   | 66-0948FS          | 1     | 48" Canvas Floating Shelf Display              |        |         |          | T\$ 536              |


Products are available as left or right, where applicable

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                        | Model No.   | Width | Depth | Height | K   | R | Ship Wt | Cubic Ft | List Price           |
|---------------------------------------------|-------------|-------|-------|--------|-----|---|---------|----------|----------------------|
| DOUBLE PED DESK<br>BOW TOP<br>STEPPED FRONT | 68-3672BDPS | 72    | 36-30 | 30     | 40½ | - | 410     | 50.0     | T\$ 3591<br>P\$ 3914 |



Stepped Front

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Construction  
Track  
Front  
Color  
Grain Direction  
(if applicable)  
Modesty/Color  
Drawer Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options


**Description**

- Standard With: Bow Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify + Add**

|         |                                                                    |          |
|---------|--------------------------------------------------------------------|----------|
| 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
| 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 1051  |
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|         | (GPA) Graphite Acrylic                                             | \$ 2076  |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1896  |


|                                                   |            |    |    |    |     |   |     |      |                      |
|---------------------------------------------------|------------|----|----|----|-----|---|-----|------|----------------------|
| DOUBLE PED DESK<br>RECTANGLE TOP<br>STEPPED FRONT | 68-3672DPS | 72 | 36 | 30 | 40½ | - | 425 | 50.0 | T\$ 3877<br>P\$ 4194 |
|---------------------------------------------------|------------|----|----|----|-----|---|-----|------|----------------------|



Stepped Front

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Construction  
Track  
Front  
Color  
Grain Direction  
(if applicable)  
Modesty/Color  
Drawer Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options

**Description**

- Standard With: Rectangle Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify + Add**


|         |                                                                    |          |
|---------|--------------------------------------------------------------------|----------|
| 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
| 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 1051  |
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|         | (GPA) Graphite Acrylic                                             | \$ 2076  |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1896  |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                         | Model No.  | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------|------------|-------|-------|--------|-----|----|---------|----------|------------|
| DOUBLE PED DESK<br>BOW TOP<br>RECESSED FRONT | 68-3666BDP | 66    | 30-36 | 30     | 34½ | 10 | 380     | 48.0     | T\$ 3323   |
|                                              |            |       |       |        |     |    |         |          | P\$ 3689   |
|                                              | 68-3672BDP | 72    | 36-30 | 30     | 40½ | 10 | 410     | 50.0     | T\$ 3449   |
|                                              |            |       |       |        |     |    |         |          | P\$ 3768   |



Recessed Front


Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Modesty/Color  
Drawer Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options

**Description**

- Standard With: Bow Top, Recessed Front, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                                                    |           |    |    |    |     |    |     |      |          |
|----------------------------------------------------|-----------|----|----|----|-----|----|-----|------|----------|
| DOUBLE PED DESK<br>RECTANGLE TOP<br>RECESSED FRONT | 68-3060DP | 60 | 30 | 30 | 28½ | 4  | 358 | 35.3 | T\$ 2676 |
|                                                    |           |    |    |    |     |    |     |      | P\$ 2939 |
|                                                    | 68-3066DP | 66 | 30 | 30 | 34½ | 4  | 390 | 38.7 | T\$ 2797 |
|                                                    |           |    |    |    |     |    |     |      | P\$ 3080 |
|                                                    | 68-3072DP | 72 | 30 | 30 | 40½ | 4  | 410 | 43.9 | T\$ 2902 |
|                                                    |           |    |    |    |     |    |     |      | P\$ 3194 |
|                                                    | 68-3672DP | 72 | 36 | 30 | 40½ | 10 | 425 | 50.0 | T\$ 3009 |
|                                                    |           |    |    |    |     |    |     |      | P\$ 3319 |



Recessed Front

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Modesty/Color  
Drawer Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options

**Description**

- Standard With: Rectangle Top, Recessed Front, Letter Width Locking Box/Box/File on Left Pedestal and File/File on Right, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                        | Model No.   | Width       | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price           |
|---------------------------------------------|-------------|-------------|-------|--------|----|-----|---------|----------|----------------------|
| SINGLE PED DESK<br>BOW TOP<br>STEPPED FRONT | LEFT PED    | RIGHT PED   |       |        |    |     |         |          |                      |
|                                             | 68-3672BLPS | 68-3672BRPS | 72    | 30-36  | 30 | 32¼ | -       | 320      | 50.0                 |
|                                             |             |             |       |        |    |     |         |          | T\$ 3222<br>P\$ 3544 |



Shown as Left



Stepped Front

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction  
(if applicable)  
Construction  
Track  
Modesty/Color  
Drawer Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options




### Description

- Standard With: Bow Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))


### Options: Specify + Add

|         |                                                                    |          |
|---------|--------------------------------------------------------------------|----------|
| 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
| 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 1051  |
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|         | (GPA) Graphite Acrylic                                             | \$ 2076  |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1896  |

|                                                   |            |            |    |    |    |     |   |     |      |          |
|---------------------------------------------------|------------|------------|----|----|----|-----|---|-----|------|----------|
| SINGLE PED DESK<br>RECTANGLE TOP<br>STEPPED FRONT | LEFT PED   | RIGHT PED  |    |    |    |     |   |     |      |          |
|                                                   | 68-3672LPS | 68-3672RPS | 72 | 36 | 30 | 32¼ | - | 330 | 50.0 | T\$ 2793 |
|                                                   |            |            |    |    |    |     |   |     |      | P\$ 3108 |



Shown as Left



Stepped Front

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction  
(if applicable)  
Construction  
Track  
Modesty/Color  
Drawer Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options



### Description

- Standard With: Rectangle Top, Stepped Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Modesty and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

### Options: Specify + Add

|         |                                                                    |          |
|---------|--------------------------------------------------------------------|----------|
| 66-TMD  | 18¼"H Laminate ¾ Modesty Panel - Must Specify Laminate Color       | Included |
| 66-TSC  | 18¼"H Aluminum Framed Satin Frosted Tempered Glass ¾ Modesty Panel | \$ 1051  |
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color          |          |
|         | (GPA) Graphite Acrylic                                             | \$ 2076  |
|         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic           | \$ 1896  |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                         | Model No.  | Width      | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price           |
|----------------------------------------------|------------|------------|-------|--------|----|-----|---------|----------|----------------------|
| SINGLE PED DESK<br>BOW TOP<br>RECESSED FRONT | LEFT PED   | RIGHT PED  |       |        |    |     |         |          |                      |
|                                              | 68-3672BLP | 68-3672BRP | 72    | 30-36  | 30 | 32¼ | 10      | 320      | 50.0                 |
|                                              |            |            |       |        |    |     |         |          | T\$ 3039<br>P\$ 3358 |



Shown as Left



Recessed Front


Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options


**Description**

- Standard With: Bow Top, Recessed Front, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                                                    |           |           |    |    |    |     |    |     |      |                      |
|----------------------------------------------------|-----------|-----------|----|----|----|-----|----|-----|------|----------------------|
| SINGLE PED DESK<br>RECTANGLE TOP<br>RECESSED FRONT | LEFT PED  | RIGHT PED |    |    |    |     |    |     |      |                      |
|                                                    | 68-3060LP | 68-3060RP | 60 | 30 | 30 | 20¼ | 4  | 150 | 35.0 | T\$ 2322<br>P\$ 2598 |
|                                                    | 68-3066LP | 68-3066RP | 66 | 30 | 30 | 26¼ | 4  | 180 | 38.7 | T\$ 2418<br>P\$ 2696 |
|                                                    | 68-3072LP | 68-3072RP | 72 | 30 | 30 | 32¼ | 4  | 210 | 43.0 | T\$ 2519<br>P\$ 2815 |
|                                                    | 68-3672LP | 68-3672RP | 72 | 36 | 30 | 32¼ | 10 | 330 | 50.0 | T\$ 2557<br>P\$ 2869 |
|                                                    |           |           |    |    |    |     |    |     |      |                      |



Shown as Left



Recessed Front

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Grommet Location  
Wire Management  
Grommet Style/Color  
Power/Data Options  
Kneespace Options




**Description**

- Standard With: Rectangle Top, Recessed Front, Letter Width Locking Box/Box/File on Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                           | Model No.       | Width            | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|-------|--------|---------|----------|------------|
| <b>SINGLE PED DESK WITH BOX/BOX/FILE</b><br><br>Shown as Left<br><br>Optional Base Accent<br><br>Approach with Optional Contrasting Modesty | <b>LEFT PED</b> | <b>RIGHT PED</b> |       |        |         |          |            |
|                                                                                                                                                                                                                                                                                                                                                                                                | 68-3066LPD      | 68-3066RPD       | 66    | 30     | 30      | 160      | 40.3       |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | T\$ 2459   |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | P\$ 2737   |
|                                                                                                                                                                                                                                                                                                                                                                                                | 68-3072LPD      | 68-3072RPD       | 72    | 30     | 30      | 168      | 43.8       |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | T\$ 2540   |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | P\$ 2833   |
|                                                                                                                                                                                                                                                                                                                                                                                                | 68-3666LPD      | 68-3666RPD       | 66    | 36     | 30      | 178      | 47.8       |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | T\$ 2596   |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | P\$ 2894   |
|                                                                                                                                                                                                                                                                                                                                                                                                | 68-3672LPD      | 68-3672RPD       | 72    | 36     | 30      | 187      | 52.0       |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | T\$ 2663   |
|                                                                                                                                                                                                                                                                                                                                                                                                |                 |                  |       |        |         |          | P\$ 2976   |

### Description

- Standard With: Rectangle Top, Recessed Front, Letter Width Locking Box/Box/File on Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts, and Modesty Available in Contrasting Colors; Must Specify Color of Each Component
- ⅝" Metal Accent on Base Available in Four (4) Colors: Aluminum, Black, Gold, and Platinum; [See Details, Must Specify Color](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options ([Sold Separately, See Unit Details](#))

### Must Specify (in this order):


Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
   Color  
   Grain Direction (if applicable)  
   Construction  
   Track  
   Pull  
 Power/Data Options  
 Worksurface Grommet/Color  
 Grommet/Power Location  
 Metal Accent Color  
 Kneespace Options

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                | Model No.   | Width       | Depth | Height | K  | R | Ship Wt | Cubic Ft | List Price           |
|-----------------------------------------------------|-------------|-------------|-------|--------|----|---|---------|----------|----------------------|
| CURVED SINGLE PED DESK<br>BOW TOP<br>RECESSED FRONT | LEFT PED    | RIGHT PED   |       |        |    |   |         |          |                      |
|                                                     | 68-4872CBLP | 68-4872CBRP | 72    | 48-30  | 30 | - | -       | 365      | 68.5                 |
|                                                     |             |             |       |        |    |   |         |          | T\$ 3455<br>P\$ 3801 |



Shown as Left



Recessed Front


Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Track  
 Pull  
 Grommet Location  
 Wire Management  
 Grommet Style/Color  
 Power/Data Options  
 Kneespace Options


**Description**

- Standard With: Bow Top, Recessed Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                                                           |            |            |    |       |    |   |   |     |                      |
|-----------------------------------------------------------|------------|------------|----|-------|----|---|---|-----|----------------------|
| CURVED SINGLE PED DESK<br>RECTANGLE TOP<br>RECESSED FRONT | LEFT PED   | RIGHT PED  |    |       |    |   |   |     |                      |
|                                                           | 68-4272CLP | 68-4272CRP | 72 | 42-30 | 30 | - | - | 350 | 65.8                 |
|                                                           |            |            |    |       |    |   |   |     | T\$ 3274<br>P\$ 3611 |



Shown as Left



Recessed Front

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Track  
 Pull  
 Grommet Location  
 Wire Management  
 Grommet Style/Color  
 Power/Data Options  
 Kneespace Options


**Description**

- Standard With: Rectangle Top, Recessed Front, Full Modesty, Letter Width Locking Box/Box/File in Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace, Black Utility Tray for Box Drawer
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Model No.       | Width                                                                | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------|-------|--------|---------|----------|----------------------|
| <b>P-TOP<br/>CYLINDER BASE</b><br><br><br>Shown as Left<br><br><u>Must Specify (in this order):</u><br>Model #<br>Top Material<br>Top Color<br>Edge Profile<br>Chassis Color<br>Modesty/Color<br>Leg Color<br>Power/Data Options<br>Grommet Style<br>Location<br>Grommet Color<br>Kneespace Options                                                                                                                                                                                                                       | <b>LEFT PED</b> | <b>RIGHT PED</b>                                                     |       |        |         |          |                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 66-4272PL       | 66-4272PR                                                            | 72    | 42-36  | 30      | 161      | 59.8                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                      |       |        |         |          | T\$ 2649<br>P\$ 3217 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 66-4284PL       | 66-4284PR                                                            | 84    | 42-36  | 30      | 161      | 59.8                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                      |       |        |         |          | T\$ 2888<br>P\$ 3617 |
| <b>Description</b> <ul style="list-style-type: none"> <li>Standard with: Left to Right Grain Direction on Worksurface, End Panel Support</li> <li>Available with TFL (T) or HPL (P) Top; Must Specify</li> <li>Metal Cylinder Base - 4½" Diameter. Must Specify: Black or Aluminum</li> <li>Not Recommended for Freestanding Applications</li> <li><a href="#">Height Adjustable Units Available</a></li> <li>Additional Options: Power and Grommet Options (<a href="#">See Options and Locations</a>); Kneespace Options (Sold Separately, Sold Separately, <a href="#">See Unit Details</a>)</li> </ul> |                 |                                                                      |       |        |         |          |                      |
| <b>Options: Specify + Add</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                                      |       |        |         |          |                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-HMD          | 10"H Half Modesty Panel - Must Specify Laminate Color                |       |        |         |          | 72" \$ 88            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                      |       |        |         |          | 84" \$ 98            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-FMD          | Full Modesty Panel - Must Specify Laminate Color                     |       |        |         |          | 72" \$ 165           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                      |       |        |         |          | 84" \$ 182           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-HSC          | 10"H Aluminum Framed Satin Frosted Tempered Glass Half Modesty Panel |       |        |         |          | 72" \$ 1066          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                      |       |        |         |          | 84" \$ 1183          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 66-HGAH         | 10"H High Gloss Acrylic Half Modesty Panel; Must Specify Color       |       |        |         |          |                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 | (GPA) Graphite Acrylic                                               |       |        |         |          | 72" \$ 1332          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             |       |        |         |          | 72" \$ 1212          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                      |       |        |         |          |                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 | (GPA) Graphite Acrylic                                               |       |        |         |          | 84" \$ 1482          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             |       |        |         |          | 84" \$ 1352          |

**Pricing Codes:**

T = TFL P = HPL


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Model No.   |                                                                      | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------|-------|-------|--------|---------|----------|----------------------|--|
| <b>D-TOP CYLINDER BASE</b><br><br>Shown as Left                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>LEFT</b> | <b>RIGHT</b>                                                         |       |       |        |         |          |                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-3066DUL  | 66-3066DUR                                                           | 66    | 30    | 30     | 146     | 40.0     | T\$ 2044<br>P\$ 2591 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-3072DUL  | 66-3072DUR                                                           | 72    | 30    | 30     | 160     | 44.0     | T\$ 2138<br>P\$ 2703 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-3084DUL  | 66-3084DUR                                                           | 84    | 30    | 30     | 190     | 51.0     | T\$ 2512<br>P\$ 3151 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-3672DUL  | 66-3672DUR                                                           | 72    | 36    | 30     | 160     | 50.0     | T\$ 2208<br>P\$ 2783 |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 66-3684DUL  | 66-3684DUR                                                           | 84    | 36    | 30     | 187     | 60.5     | T\$ 2595<br>P\$ 3304 |  |
| <b>Must Specify (in this order):</b><br>Model #<br>Top Material<br>Top Color<br>Edge Profile<br>Chassis Color<br>Modesty/Color<br>Leg Color<br>Power/Data Options<br>Grommet Style<br>Location<br>Grommet Color<br>Kneespace Options                                                                                                                                                                                                                                                                                                                                                      |             |                                                                      |       |       |        |         |          |                      |  |
| <b>Description</b> <ul style="list-style-type: none"> <li>Standard with: Left to Right Grain Direction on Worksurface, End Panel Support</li> <li>Available with TFL (T) or HPL (P) Top; Must Specify</li> <li>Metal Cylinder Base - 4½" Diameter. Must Specify: Black or Aluminum</li> <li>Not Recommended for Freestanding Applications</li> <li><a href="#">Height Adjustable Units Available</a></li> <li>Additional Options: Power and Grommet Options (<a href="#">See Options and Locations</a>); Kneespace Options (Sold Separately, <a href="#">See Unit Details</a>)</li> </ul> |             |                                                                      |       |       |        |         |          |                      |  |
| <b>Options: Specify + Add</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |             |                                                                      |       |       |        |         |          |                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 66-HMD      | 10"H Half Modesty Panel - Must Specify Laminate Color                |       |       |        |         |          | 66" \$ 77            |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             |                                                                      |       |       |        |         |          | 72" \$ 88            |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             |                                                                      |       |       |        |         |          | 84" \$ 98            |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 66-FMD      | Full Modesty Panel - Must Specify Laminate Color                     |       |       |        |         |          | 66" \$ 147           |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             |                                                                      |       |       |        |         |          | 72" \$ 165           |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             |                                                                      |       |       |        |         |          | 84" \$ 182           |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 66-HSC      | 10"H Aluminum Framed Satin Frosted Tempered Glass Half Modesty Panel |       |       |        |         |          | 66" \$ 978           |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             |                                                                      |       |       |        |         |          | 72" \$ 1066          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             |                                                                      |       |       |        |         |          | 84" \$ 1183          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 66-HGAH     | 10"H High Gloss Acrylic Half Modesty Panel; Must Specify Color       |       |       |        |         |          |                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             | (GPA) Graphite Acrylic                                               |       |       |        |         |          | 66" \$ 1185          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             |       |       |        |         |          | 66" \$ 1080          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             | (GPA) Graphite Acrylic                                               |       |       |        |         |          | 72" \$ 1332          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             |       |       |        |         |          | 72" \$ 1212          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             | (GPA) Graphite Acrylic                                               |       |       |        |         |          | 84" \$ 1482          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |             | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic             |       |       |        |         |          | 84" \$ 1352          |  |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                     | Model No.   | Width        | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------|-------------|--------------|-------|--------|---------|----------|------------|
| <b>EXTENDED D-TOP CYLINDER BASE</b><br> | <b>LEFT</b> | <b>RIGHT</b> |       |        |         |          |            |
|                                                                                                                          | 66-4272EDL  | 66-4272EDR   | 72    | 42-36  | 30      | 163      | T\$ 2227   |
|                                                                                                                          |             |              |       |        |         |          | P\$ 2846   |

Shown as Left

Must Specify (in this order):


Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Modesty/Color  
 Leg Color  
 Power/Data Options  
 Grommet Style  
 Location  
 Grommet Color  
 Kneespace Options

**Description**

- Standard with: Left to Right Grain Direction on Worksurface, End Panel Support
- Available with TFL (T) or HPL (P) Top; Must Specify
- Metal Cylinder Base - 4½" Diameter. Must Specify: Black or Aluminum
- Not Recommended for Freestanding Applications
- [Height Adjustable Units Available](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Options: Specify + Add**

|                                                                                   |         |                                                                                          |         |
|-----------------------------------------------------------------------------------|---------|------------------------------------------------------------------------------------------|---------|
|  | 66-HMD  | 10"H Half Modesty Panel - Must Specify Laminate Color                                    | \$ 88   |
|  | 66-FMD  | Full Modesty Panel - Must Specify Laminate Color                                         | \$ 165  |
|  | 66-HSC  | 10"H Aluminum Framed Satin Frosted Tempered Glass Half Modesty Panel                     | \$ 1066 |
|  | 66-HGAH | 10"H High Gloss Acrylic Half Modesty Panel; Must Specify Color<br>(GPA) Graphite Acrylic | \$ 1332 |
|                                                                                   |         | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic                                 | \$ 1212 |

**RETURN WITH FILE/FILE**

Shown as Right

| LEFT PED   | RIGHT PED  |    |    |    |     |   |     |      |          |  |
|------------|------------|----|----|----|-----|---|-----|------|----------|--|
| 68-2442LF2 | 68-2442RF2 | 42 | 24 | 30 | 26¼ | - | 133 | 20.4 | T\$ 1593 |  |
|            |            |    |    |    |     |   |     |      | P\$ 1773 |  |
| 68-4224LF2 | 68-4224RF2 | 42 | 24 | 30 | 26¼ | - | 133 | 20.4 | T\$ 1593 |  |
|            |            |    |    |    |     |   |     |      | P\$ 1773 |  |
| 68-2448LF2 | 68-2448RF2 | 48 | 24 | 30 | 32¼ | - | 151 | 23.1 | T\$ 1661 |  |
|            |            |    |    |    |     |   |     |      | P\$ 1860 |  |
| 68-4824LF2 | 68-4824RF2 | 48 | 24 | 30 | 32¼ | - | 151 | 23.1 | T\$ 1661 |  |
|            |            |    |    |    |     |   |     |      | P\$ 1860 |  |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Track  
 Pull  
 Back Panel Grommet  
 Worksurface Grommet Location  
 Grommet Color  
 Power/Data Options  
 Kneespace Options


**Description**

- Standard with: Letter Width Locking File/File Pedestal, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                       | Model No.                                                                         | Width      | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price |          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|-------|--------|----|-----|---------|----------|------------|----------|
| <div>RETURN WITH BOX/BOX/FILE</div> <div></div> <div>Shown as Right</div> | LEFT PED                                                                          | RIGHT PED  |       |        |    |     |         |          |            |          |
|                                                                                                                                                            | 68-2442LF1                                                                        | 68-2442RF1 | 42    | 24     | 30 | 26¼ | -       | 133      | 20.4       | T\$ 1593 |
|                                                                                                                                                            | Front to Back Grain Direction on Worksurface                                      |            |       |        |    |     |         |          |            | P\$ 1773 |
|                                                                                                                                                            | 68-4224LF1                                                                        | 68-4224RF1 | 42    | 24     | 30 | 26¼ | -       | 133      | 20.4       | T\$ 1593 |
|                                                                                                                                                            | Use with Extended Corner and Standard Corner Units; Left to Right Grain Direction |            |       |        |    |     |         |          |            | P\$ 1773 |
|                                                                                                                                                            | 68-2448LF1                                                                        | 68-2448RF1 | 48    | 24     | 30 | 32¼ | -       | 151      | 23.1       | T\$ 1661 |
|                                                                                                                                                            | Front to Back Grain Direction on Worksurface                                      |            |       |        |    |     |         |          |            | P\$ 1860 |
|                                                                                                                                                            | 68-4824LF1                                                                        | 68-4824RF1 | 48    | 24     | 30 | 32¼ | -       | 151      | 23.1       | T\$ 1661 |
| Use with Extended Corner and Standard Corner Units; Left to Right Grain Direction                                                                          |                                                                                   |            |       |        |    |     |         |          | P\$ 1860   |          |


Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Track  
 Pull  
 Back Panel Grommet  
 Worksurface Grommet Location  
 Grommet Color  
 Power/Data Options  
 Kneespace Options

**Description**

- Standard with: Letter Width Locking Box/Box/File Pedestal, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                                                                                                                                        |            |            |           |    |    |    |   |     |      |          |
|----------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-----------|----|----|----|---|-----|------|----------|
|  <p>MULTI-FILE RETURN WITH BOX/BOX/FILE/LATERAL</p> | LEFT PED   |            | RIGHT PED |    |    |    |   |     |      |          |
|                                                                                                                                        | 66-2472LMR | 66-2472RMR | 72        | 24 | 30 | 36 | - | 280 | 33.6 | T\$ 3148 |
|                                                                                                                                        |            |            |           |    |    |    |   |     |      | P\$ 3407 |

Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Track  
 Pull  
 Back Panel Grommet  
 Worksurface Grommet Location  
 Grommet Color  
 Power/Data Options  
 Kneespace Options


**Description**

- Standard with: Box/Box/File/Lateral Pedestal, Locking File Drawer, Side-to-Side Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                     | Model No. | Width | Depth | Height | K  | R | Ship Wt | Cubic Ft | List Price         |
|--------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|----|---|---------|----------|--------------------|
| <b>BRIDGE WITH FULL MODESTY</b><br><br> | 66-2036UF | 36    | 20    | 30     | 36 | - | 43      | 4.1      | T\$ 648<br>P\$ 790 |
|                                                                                                                          | 66-2042UF | 42    | 20    | 30     | 42 | - | 64      | 4.7      | T\$ 681<br>P\$ 844 |
|                                                                                                                          | 66-2048UF | 48    | 20    | 30     | 48 | - | 77      | 5.3      | T\$ 705<br>P\$ 881 |
|                                                                                                                          | 66-2436UF | 36    | 24    | 30     | 36 | - | 46      | 4.1      | T\$ 691<br>P\$ 855 |
|                                                                                                                          | 66-2442UF | 42    | 24    | 30     | 42 | - | 68      | 4.7      | T\$ 730<br>P\$ 910 |
|                                                                                                                          | 66-2448UF | 48    | 24    | 30     | 48 | - | 82      | 5.3      | T\$ 757<br>P\$ 959 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Back Panel Grommet  
Worksurface Grommet Location  
Grommet Color  
Power/Data Options

### Description

- Standard with: Front to Back Grain Direction on Worksurface, Hinged Back Panel
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation ([See Multiple Unit Details](#))
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

|                                                                                                                            |            |    |    |    |    |   |    |     |                    |
|----------------------------------------------------------------------------------------------------------------------------|------------|----|----|----|----|---|----|-----|--------------------|
| <b>BRIDGE WITH HALF MODESTY</b><br><br> | 66-2036UFH | 36 | 20 | 11 | 36 | - | 32 | 4.1 | T\$ 609<br>P\$ 751 |
|                                                                                                                            | 66-2042UFH | 42 | 20 | 11 | 42 | - | 61 | 4.7 | T\$ 637<br>P\$ 797 |
|                                                                                                                            | 66-2048UFH | 48 | 20 | 11 | 48 | - | 73 | 5.3 | T\$ 662<br>P\$ 840 |
|                                                                                                                            | 66-2436UFH | 36 | 24 | 11 | 36 | - | 35 | 4.1 | T\$ 649<br>P\$ 814 |
|                                                                                                                            | 66-2442UFH | 42 | 24 | 11 | 42 | - | 74 | 4.6 | T\$ 686<br>P\$ 866 |
|                                                                                                                            | 66-2448UFH | 48 | 24 | 11 | 48 | - | 78 | 5.3 | T\$ 717<br>P\$ 915 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Worksurface Grommet Location  
Grommet Color  
Power/Data Options

### Description


- Standard with: Front to Back Grain Direction on Worksurface, Hinged Back Panel
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Keyboard Accessories Cannot be Factory Installed but are Available for Field Installation ([See Multiple Unit Details](#))
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                     | Model No.                        | Width | Depth | Height | K                 | R | Ship Wt | Cubic Ft | List Price           |
|----------------------------------------------------------------------------------------------------------|----------------------------------|-------|-------|--------|-------------------|---|---------|----------|----------------------|
|  <p>Shown as Curved</p> | 66-3636CU                        | 36    | 36    | 30     | 17                | - | 109     | 26.3     | T\$ 1346<br>P\$ 1542 |
|                                                                                                          | 66-3636CCU<br>Curved Corner Unit | 36    | 36    | 30     | 17                | - | 109     | 26.3     | T\$ 1737<br>P\$ 1975 |
|                                                                                                          | 66-4242CU                        | 42    | 42    | 30     | 25 $\frac{7}{16}$ | - | 145     | 34.5     | T\$ 1621<br>P\$ 1866 |
|                                                                                                          | 66-4242CCU<br>Curved Corner Unit | 42    | 42    | 30     | 25 $\frac{7}{16}$ | - | 145     | 34.5     | T\$ 2002<br>P\$ 2300 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Worksurface Grommet Color

### Description

- Available with TFL (T) or HPL (P) Top; Must Specify
- Freestanding Support Unit
- Connects to 24" Deep Worksurfaces
- Surface Grommet Standard in Top; Must Specify: Black (BLK) or Silver (SLV)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Grain Direction Runs as Shown on Worksurface

| EXTENDED CORNER UNIT |             |             |    |    |    |   |   |     |      |     |      |  |
|----------------------|-------------|-------------|----|----|----|---|---|-----|------|-----|------|--|
|                      | LEFT        | RIGHT       |    |    |    |   |   |     |      |     |      |  |
|                      | 66-4854ECCL | 66-4854ECCR | 48 | 54 | 30 | - | - | 174 | 41.1 | T\$ | 2480 |  |
|                      |             |             |    |    |    |   |   |     |      | P\$ | 2831 |  |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Worksurface Grommet Color

### Description


- Available with TFL (T) or HPL (P) Top; Must Specify
- Surface Grommet Standard in Top; Must Specify: Black (BLK), Silver (SLV)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Grain Direction Runs as Shown on Worksurface

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                             | Model No.  | Width      | Depth | Height | K  | R   | Ship Wt | Cubic Ft | List Price           |
|----------------------------------|------------|------------|-------|--------|----|-----|---------|----------|----------------------|
| SINGLE PED CREDENZA<br>FILE/FILE | LEFT PED   | RIGHT PED  |       |        |    |     |         |          |                      |
|                                  | 68-2466LC2 | 68-2466RC2 | 66    | 24     | 30 | 26¼ | -       | 182      | 32.7                 |
|                                  |            |            |       |        |    |     |         |          | T\$ 2071<br>P\$ 2315 |
|                                  | 68-2472LC2 | 68-2472RC2 | 72    | 24     | 30 | 32¼ | -       | 199      | 35.6                 |
|                                  |            |            |       |        |    |     |         |          | T\$ 2093<br>P\$ 2349 |



Shown as Right

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Back Panel Grommet Color  
Worksurface Grommet Location  
Grommet Color  
Power/Data Options  
Kneespace Options


**Description**

- Standard with: Letter Width Locking File/File Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                              | Model No.  |            | Width | Depth | Height | K   | R | Ship Wt | Cubic Ft | List Price |      |
|-----------------------------------------------------------------------------------------------------------------------------------|------------|------------|-------|-------|--------|-----|---|---------|----------|------------|------|
| <div>SINGLE PED CREDENZA<br/>BOX/BOX/FILE</div>  |            |            |       |       |        |     |   |         |          |            |      |
|                                                                                                                                   | LEFT PED   | RIGHT PED  |       |       |        |     |   |         |          |            |      |
|                                                                                                                                   | 68-2466LC1 | 68-2466RC1 | 66    | 24    | 30     | 26¼ | - | 182     | 32.7     | T\$        | 2071 |
|                                                                                                                                   |            |            |       |       |        |     |   |         |          | P\$        | 2315 |
|                                                                                                                                   | 68-2472LC1 | 68-2472RC1 | 72    | 24    | 30     | 32¼ | - | 199     | 35.6     | T\$        | 2093 |
|                                                                                                                                   |            |            |       |       |        |     |   |         |          | P\$        | 2349 |


Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Track  
 Pull  
 Back Panel Grommet Color  
 Worksurface Grommet Location  
 Grommet Color  
 Power/Data Options  
 Kneespace Options

**Description**

- Standard with: Letter Width Locking Box/Box/File Pedestal, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                                                                                                                                |                 |                  |    |    |    |    |   |     |      |          |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------|----|----|----|----|---|-----|------|----------|
| <b>SINGLE PED CREDENZA LATERAL FILE</b><br> | <b>LEFT PED</b> | <b>RIGHT PED</b> |    |    |    |    |   |     |      |          |
|                                                                                                                                | 66-2466LL       | 66-2466RL        | 66 | 24 | 30 | 6  | - | 264 | 32.7 | T\$ 2712 |
|                                                                                                                                |                 |                  |    |    |    |    |   |     |      | P\$ 2957 |
|                                                                                                                                | 66-2472LL       | 66-2472RL        | 72 | 24 | 30 | 12 | - | 277 | 35.6 | T\$ 2748 |
|                                                                                                                                |                 |                  |    |    |    |    |   |     |      | P\$ 3008 |

Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Pull  
 Back Panel Grommet Color  
 Worksurface Grommet Location  
 Grommet Color  
 Power/Data Options

**Description**

- Standard with: Central Locking Lateral File, Left to Right Grain Direction on Worksurface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))


**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                           | Model No.  | Width      | Depth | Height | K  | R  | Ship Wt | Cubic Ft | List Price |                      |
|------------------------------------------------|------------|------------|-------|--------|----|----|---------|----------|------------|----------------------|
| MULTI-FILE CRENDENZA WITH BOX/BOX/FILE/LATERAL | LEFT PED   | RIGHT PED  |       |        |    |    |         |          |            |                      |
|                                                | 66-2466LMF | 66-2466RMF | 66    | 24     | 30 | 6  | -       | 264      | 32.7       | T\$ 2846<br>P\$ 3092 |
|                                                | 66-2472LMF | 66-2472RMF | 72    | 24     | 30 | 12 | -       | 277      | 35.6       | T\$ 2883<br>P\$ 3141 |
|                                                |            |            |       |        |    |    |         |          |            |                      |





Shown as Right


Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Box and File Drawer Track  
Pull  
Back Panel Grommet Color  
Worksurface Grommet Location  
Grommet Color  
Power/Data Options

**Description**

- Standard with: Letter Width Box/Box/File/Lateral Pedestal, Locking File Drawer, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Box and File Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

|                     |           |    |    |    |    |   |     |      |                      |
|---------------------|-----------|----|----|----|----|---|-----|------|----------------------|
| KNEESPACE CRENDENZA | 68-2466KC | 66 | 24 | 30 | 33 | - | 220 | 32.7 | T\$ 2721<br>P\$ 2964 |
|                     | 68-2472KC | 72 | 24 | 30 | 39 | - | 240 | 35.6 | T\$ 2925<br>P\$ 3184 |
|                     |           |    |    |    |    |   |     |      |                      |



Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Back Panel Grommet Color  
Worksurface Grommet Location  
Grommet Color  
Power/Data Options  
Kneespace Options

**Description**


- Standard with: Letter Width Locking File/File Pedestals, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Modesty Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Back Panel Grommet (NONE)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)); Power and Grommet Options ([See Options and Locations](#)); Kneespace Options (Sold Separately, [See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item            | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------|-----------|-------|-------|--------|---------|----------|------------|
| STORAGE CREENZA | 68-2466SC | 66    | 24    | 30     | 261     | 32.7     | T\$ 3033   |
|                 |           |       |       |        |         |          | P\$ 3276   |
|                 | 68-2472SC | 72    | 24    | 30     | 285     | 35.6     | T\$ 3159   |
|                 |           |       |       |        |         |          | P\$ 3418   |




Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Locking Doors

**Description**

- Standard with: Letter Width, File/File Locking Pedestals, One (1) Fixed Shelf Behind Doors, Top Profiles on Front Only Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer/Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer/Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Locking Doors, Must Specify (LKT-DB) and Add Upcharge; [See Locking Options](#) For More Details
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

|                   |           |    |    |    |     |      |          |
|-------------------|-----------|----|----|----|-----|------|----------|
| FOUR DOOR CREENZA | 66-2466CC | 66 | 24 | 30 | 246 | 33.0 | T\$ 2792 |
|                   |           |    |    |    |     |      | P\$ 3018 |
|                   | 66-2472CC | 72 | 24 | 30 | 290 | 34.2 | T\$ 2920 |
|                   |           |    |    |    |     |      | P\$ 3157 |




Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Door  
Color  
Grain Direction (if applicable)  
Pull  
Locking Doors

**Description**

- Standard with: Four (4) Doors, One (1) Adjustable Shelf Behind Each Set of Doors, Top Profiles on Front Only, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Locking Doors Available; [See Locking Options](#)

|                |           |    |    |    |     |      |          |
|----------------|-----------|----|----|----|-----|------|----------|
| BUFFET CREENZA | 66-2472BF | 72 | 24 | 36 | 342 | 45.5 | T\$ 3675 |
|                |           |    |    |    |     |      | P\$ 3932 |



Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Locking Doors

**Description**


- Standard with: Two (2) Drawers, Four (4) Doors, One (1) Adjustable Shelf Behind Doors Each Set of Doors, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Drawer/Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, and Drawer/Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Locking Doors Available; [See Locking Options](#) For More Details
- Additional Options: Dove Tail Drawer Construction and Soft Close Box Drawers ([See Drawer Options](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                    | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-------------------------|-----------|-------|-------|--------|---------|----------|----------------------|
| DOUBLE LATERAL CREDENZA | 66-2472DL | 72    | 24    | 30     | 360     | 35.7     | T\$ 3804<br>P\$ 4065 |




Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Pull

**Description**

- Standard with: Legal or Letter Filing, Dual Locking, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component

|                                                                                                                                        |               |    |    |     |     |      |                      |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------|----|----|-----|-----|------|----------------------|
| <b>21" LOW CREDENZA<br/>DOUBLE BOX/FILE</b><br><br> | 66-2060L21DBF | 60 | 20 | 21¾ | 210 | 18.9 | T\$ 3184<br>P\$ 3389 |
|                                                                                                                                        | 66-2072L21DBF | 72 | 20 | 21¾ | 240 | 21.1 | T\$ 3495<br>P\$ 3725 |
|                                                                                                                                        | 66-2460L21DBF | 60 | 24 | 21¾ | 230 | 22.4 | T\$ 3219<br>P\$ 3457 |
|                                                                                                                                        | 66-2472L21DBF | 72 | 24 | 21¾ | 250 | 25.6 | T\$ 3614<br>P\$ 3870 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Box Drawer Track  
Pull  
Power/Data Options  
Grommet Location/Color


**Description**

- Standard with: Legal or Letter Filing, Dual Locking Box/File Drawers, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Box Drawers ([See Drawer Options](#)), Power and Grommet Options ([See Options and Locations](#)); Dock 950 and Dock 150 Wireless Chargers ([See Multiple Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                                 | Model No.                                | Width          | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|----------------|-------|--------|---------|----------|----------------------|
| <b>21" LOW CREDENZA<br/>BOX/FILE/OPEN BOOKCASE</b>  | <b>LEFT BOX/FILE      RIGHT BOX/FILE</b> |                |       |        |         |          |                      |
|                                                                                                                                      | 66-2060L21OBFL                           | 66-2060L21OBFR | 60    | 20     | 21¾     | 200      | 18.9                 |
|                                                                                                                                      |                                          |                |       |        |         |          | T\$ 2386<br>P\$ 2594 |
|                                                                                                                                      | 66-2072L21OBFL                           | 66-2072L21OBFR | 72    | 20     | 21¾     | 220      | 21.1                 |
|                                                                                                                                      |                                          |                |       |        |         |          | T\$ 2624<br>P\$ 2854 |
| Shown as Right                                                                                                                       | 66-2460L21OBFL                           | 66-2460L21OBFR | 60    | 24     | 21¾     | 210      | 22.4                 |
|                                                                                                                                      |                                          |                |       |        |         |          | T\$ 2517<br>P\$ 2753 |
|                                                                                                                                      | 66-2472L21OBFL                           | 66-2472L21OBFR | 72    | 24     | 21¾     | 230      | 25.6                 |
|                                                                                                                                      |                                          |                |       |        |         |          | T\$ 2750<br>P\$ 3010 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Box Drawer Track  
Pull  
Power/Data Options  
Grommet Location/Color

### Description

- Standard with: Legal or Letter Filing, Locking Box/File with Open Bookcase, Adjustable Bookcase Shelf on Open Side, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- Back Panel Grommet Standard; Must Specify Black or Silver
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Soft Close Box Drawers ([See Soft Close Option](#)), Power and Grommet Options ([See Options and Locations](#)); Dock 950 and Dock 150 Wireless Chargers ([See Multiple Unit Details](#))

|                                                                                                                                      |              |    |    |     |     |      |                      |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------|----|----|-----|-----|------|----------------------|
| <b>21" LOW CREDENZA<br/>DOUBLE OPEN BOOKCASE</b>  | 66-2060L21DO | 60 | 20 | 21¾ | 190 | 18.9 | T\$ 1911<br>P\$ 2116 |
|                                                                                                                                      | 66-2072L21DO | 72 | 20 | 21¾ | 200 | 21.1 | T\$ 2095<br>P\$ 2324 |
|                                                                                                                                      | 66-2460L21DO | 60 | 24 | 21¾ | 200 | 22.4 | T\$ 2032<br>P\$ 2240 |
|                                                                                                                                      | 66-2472L21DO | 72 | 24 | 21¾ | 210 | 25.6 | T\$ 2247<br>P\$ 2505 |
|                                                                                                                                      |              |    |    |     |     |      |                      |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Power/Data Options  
Grommet Location/Color


### Description

- Standard with: Open Bookcases, One Adjustable Shelf on Each Side, Left to Right Grain Direction on Top Surface
- Available with TFL (T) or HPL (P) Top; Must Specify
- Back Panel Grommet Standard; Must Specify Black or Silver
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Dock 950 and Dock 150 Wireless Chargers ([See Multiple Unit Details](#))

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                     | Model No.             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------|-----------------------|-------|-------|--------|---------|----------|------------|
| <b>LATERAL FILE</b><br> | 66-2430L2             | 30    | 24    | 30     | 169     | 15.6     | T\$ 1685   |
|                                                                                                          | Two Lateral Drawers   |       |       |        |         |          | P\$ 1843   |
|                                                                                                          | 66-2436L2             | 36    | 24    | 30     | 204     | 18.3     | T\$ 1776   |
|                                                                                                          | Two Lateral Drawers   |       |       |        |         |          | P\$ 1937   |
|                                                                                                          | 66-2430L3             | 30    | 24    | 43¾    | 155     | 20.4     | T\$ 2548   |
|                                                                                                          | Three Lateral Drawers |       |       |        |         |          | P\$ 2707   |
|                                                                                                          | 66-2436L3             | 36    | 24    | 43¾    | 170     | 24.2     | T\$ 2687   |
|                                                                                                          | Three Lateral Drawers |       |       |        |         |          | P\$ 2852   |
|                                                                                                          | 66-2430L4             | 30    | 24    | 57½    | 260     | 27.5     | T\$ 3121   |
|                                                                                                          | Four Lateral Drawers  |       |       |        |         |          | P\$ 3274   |
|                                                                                                          | 66-2436L4             | 36    | 24    | 57½    | 312     | 32.6     | T\$ 3274   |
|                                                                                                          | Four Lateral Drawers  |       |       |        |         |          | P\$ 3432   |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Pull

### Description

- Standard with: Central Locking, Anti-Tilt System, Legal or Letter Filing Front to Back or Side to Side
- Available with TFL (T) or HPL (P) Top; Must Specify
- ¼" Thick Drawer Bottoms Allow for Storage Applications
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#))

| <b>MULTI-FILE</b><br> | LEFT FILE DRAWER | RIGHT FILE DRAWER | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------------------------------------------------------------|------------------|-------------------|-------|-------|--------|---------|----------|------------|
|                                                                                                         | 66-2430MFL       | 66-2430MFR        | 30    | 24    | 30     | 150     | 14.9     | T\$ 1787   |
|                                                                                                         |                  |                   |       |       |        |         |          | P\$ 1943   |
|                                                                                                         | 66-2436MFL       | 66-2436MFR        | 36    | 24    | 30     | 175     | 18.5     | T\$ 1860   |
|                                                                                                         |                  |                   |       |       |        |         |          | P\$ 2022   |


Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Color  
 Grain Direction (if applicable)  
 Construction  
 Box and File Drawer Track  
 Pull

### Description

- Standard with: Box/Box/File/Lateral File, Locking File Drawer, Lateral File Provides Legal or Letter Filing
- File Drawer Determines Handed Side
- Available with TFL (T) or HPL (P) Top; Must Specify
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Top, Chassis, Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Soft Close Box and File Drawers ([See Soft Close Option](#))

|                                                                                                             |            |    |    |    |     |      |          |
|-------------------------------------------------------------------------------------------------------------|------------|----|----|----|-----|------|----------|
| <b>DOOR BOOKCASE</b><br> | 66-2430DBC | 30 | 24 | 30 | 115 | 14.9 | T\$ 1402 |
|                                                                                                             |            |    |    |    |     |      | P\$ 1557 |
|                                                                                                             | 66-2436DBC | 36 | 24 | 30 | 128 | 18.5 | T\$ 1665 |
|                                                                                                             |            |    |    |    |     |      | P\$ 1826 |

### Description

- Standard with: One (1) 12" Deep Adjustable Shelf Behind Doors, Top Profiled on Front Edge, Left to Right Grain Direction on Top Surface
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Additional Options: Locking Door ([See Locking Options](#)) and Wire Management ([See Option Details](#))

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Door Front Color  
 Pull  
 Locking Doors


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                     | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------|-----------|-------|-------|--------|---------|----------|------------|
| MOBILE PEDESTAL BOX/FILE | 66-1519MP | 15¾   | 19    | 23     | 85      | 9.0      | T\$ 1329   |



Must Specify (in this order):

Model #  
Chassis  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull

**Description**

- Standard with: Locking Box/File Drawers, Black Plastic Pen Tray, Letter Width Pedestal, and Five Casters
- Fits Underneath 30"H Worksurface with Optional Cushion
- Optional Cushion Increases Height 2¼"; See [66-1519CUSHION](#)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

|                              |            |     |    |     |    |     |          |
|------------------------------|------------|-----|----|-----|----|-----|----------|
| MOBILE PEDESTAL BOX/BOX/FILE | 66-1519MP1 | 15¾ | 19 | 27½ | 90 | 9.0 | T\$ 1385 |
|------------------------------|------------|-----|----|-----|----|-----|----------|




Must Specify (in this order):

Model #  
Chassis  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull

**Description**

- Standard with: Locking Box/Box/File Drawers, Black Plastic Pen Tray, Letter Width Pedestal, and Five Casters
- Optional Cushion Increases Height 2¼"; See [66-1519CUSHION](#)
- Fits Underneath 30"H Worksurface without Optional Cushion
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

|                           |            |     |    |     |    |     |          |
|---------------------------|------------|-----|----|-----|----|-----|----------|
| MOBILE PEDESTAL FILE/FILE | 66-1519MP2 | 15¾ | 19 | 27½ | 90 | 9.0 | T\$ 1385 |
|---------------------------|------------|-----|----|-----|----|-----|----------|



Must Specify (in this order):

Model #  
Chassis  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull


**Description**

- Standard with: Locking File/File Drawers, Black Plastic Pen Tray, Letter Width Pedestal, and Five Casters
- Optional Cushion Increases Height 2¼"; See [66-1519CUSHION](#)
- Fits Underneath 30"H Worksurface without Optional Cushion
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

**Pricing Codes:**


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                | Model No.                    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------|-------|--------|---------|----------|------------|
| <b>SURFACE MOUNT HUTCH<br/>HINGED DOOR</b><br><br> | 66-1530HU<br>Two (2) Doors   | 30    | 15    | 40 7/8 | 85      | 14.6     | T\$ 1001   |
|                                                                                                                                     | 66-1536HU<br>Two (2) Doors   | 36    | 15    | 40 7/8 | 99      | 17.4     | T\$ 1154   |
|                                                                                                                                     | 66-1542HU<br>Two (2) Doors   | 42    | 15    | 40 7/8 | 116     | 20.2     | T\$ 1325   |
|                                                                                                                                     | 66-1548HU<br>Three (3) Doors | 48    | 15    | 40 7/8 | 133     | 22.9     | T\$ 1765   |
|                                                                                                                                     | 66-1554HU<br>Three (3) Doors | 54    | 15    | 40 7/8 | 150     | 25.7     | T\$ 1912   |
|                                                                                                                                     | 66-1560HU<br>Four (4) Doors  | 60    | 15    | 40 7/8 | 167     | 28.4     | T\$ 2056   |
|                                                                                                                                     | 66-1566HU<br>Four (4) Doors  | 66    | 15    | 40 7/8 | 175     | 32.1     | T\$ 2094   |
|                                                                                                                                     | 66-1572HU<br>Four (4) Doors  | 72    | 15    | 40 7/8 | 203     | 34.1     | T\$ 2167   |
|                                                                                                                                     | 66-1578HU<br>Four (4) Doors  | 78    | 15    | 40 7/8 | 210     | 36.7     | T\$ 2571   |
|                                                                                                                                     | 66-1584HU<br>Five (5) Doors  | 84    | 15    | 40 7/8 | 228     | 40.0     | T\$ 2639   |
|                                                                                                                                     | 66-1590HU<br>Five (5) Doors  | 90    | 15    | 40 7/8 | 243     | 44.3     | T\$ 3061   |
|                                                                                                                                     | 66-1596HU<br>Six (6) Doors   | 96    | 15    | 40 7/8 | 260     | 46.5     | T\$ 3275   |

Must Specify (in this order):

Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors  
Paperslots  
Paperslot Divider Material/Color  
Grommet Color  
Tackboard/Fabric  
Tasklights



Optional Paper Slots in laminate or chrome available;  
[See Paper Slot Options](#)

Also available as 52 7/8" H Tall Surface Mount

**Description**


- 23 3/4" Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Additional Support is Required when Surface Mounted Hutches Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

| Options: Specify + Add                                                                                                                                                                                                                                                                                                                                   |       |                                                                  | Per Door |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------------------------------------------------------------|----------|
| <br><br><br> | 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 475   |
|                                                                                                                                                                                                                                                                                                                                                          | 1-DEB | Dry Erase Board Doors                                            | \$ 30    |
|                                                                                                                                                                                                                                                                                                                                                          | WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 708   |
|                                                                                                                                                                                                                                                                                                                                                          | BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 942   |
|                                                                                                                                                                                                                                                                                                                                                          | 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|                                                                                                                                                                                                                                                                                                                                                          | (GPA) | Graphite Acrylic                                                 | \$ 292   |
|                                                                                                                                                                                                                                                                                                                                                          | (BLA) | Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 268   |

**Pricing Codes:**


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                              | Model No.                   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------|-------|--------|---------|----------|------------|
| <b>SURFACE MOUNT HUTCH WITH SLIDING DOOR</b><br> | 66-1560SHU<br>One (1) Door  | 60    | 15    | 40 7/8 | 172     | 28.4     | T\$ 2411   |
|                                                                                                                                   | 66-1566SHU<br>One (1) Door  | 66    | 15    | 40 7/8 | 190     | 39.7     | T\$ 2430   |
|                                                                                                                                   | 66-1572SHU<br>One (1) Door  | 72    | 15    | 40 7/8 | 208     | 43.3     | T\$ 2506   |
|                                                                                                                                   | 66-1578SHU<br>One (1) Door  | 78    | 15    | 40 7/8 | 226     | 46.7     | T\$ 2863   |
|                                                                                                                                   | 66-1584SHU<br>Two (2) Doors | 84    | 15    | 40 7/8 | 243     | 50.2     | T\$ 2990   |
|                                                                                                                                   | 66-1590SHU<br>Two (2) Doors | 90    | 15    | 40 7/8 | 260     | 53.7     | T\$ 3482   |
|                                                                                                                                   | 66-1596SHU<br>Two (2) Doors | 96    | 15    | 40 7/8 | 278     | 57.7     | T\$ 3567   |

Must Specify (in this order):


Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Paperslots  
Paperslot Divider Material/Color  
Grommet Color  
Tackboard/Fabric  
Tasklights



Optional Paper Slots in laminate or chrome available;  
[See Paper Slot Options](#)

### Description

- Non-Locking Sliding Doors
- 23 3/4" Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Safely Write on Dry Erase with Our Dry Erase Marker Set; [See Sets](#)
- Additional Support is Required when Surface Mounted Hutchies Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))




| Options: Specify + Add |                                                                  |  | Per Door |
|------------------------|------------------------------------------------------------------|--|----------|
| 1-AD                   | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) |  | \$ 809   |
| 1-DEB                  | Dry Erase Board Door (Non-Locking)                               |  | \$ 84    |
| 1-HGA                  | High Gloss Acrylic Door (Non-Locking); Must Specify Color        |  |          |
|                        | (GPA) Graphite Acrylic                                           |  | \$ 839   |
|                        | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         |  | \$ 764   |


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                     | Model No.                           | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>SURFACE MOUNT HUTCH OPEN</b><br><br> | 66-1530OH<br>One (1) Compartment    | 30    | 15    | 40⅞    | 61      | 13.5     | T\$ 981    |
|                                                                                                                          | 66-1536OH<br>One (1) Compartment    | 36    | 15    | 40⅞    | 69      | 16.0     | T\$ 1127   |
|                                                                                                                          | 66-1542OH<br>One (1) Compartment    | 42    | 15    | 40⅞    | 77      | 18.6     | T\$ 1300   |
|                                                                                                                          | 66-1548OH<br>Two (2) Compartments   | 48    | 15    | 40⅞    | 89      | 21.2     | T\$ 1447   |
|                                                                                                                          | 66-1554OH<br>Two (2) Compartments   | 54    | 15    | 40⅞    | 98      | 25.7     | T\$ 1566   |
|                                                                                                                          | 66-1560OH<br>Two (2) Compartments   | 60    | 15    | 40⅞    | 106     | 28.4     | T\$ 1687   |
|                                                                                                                          | 66-1566OH<br>Two (2) Compartments   | 66    | 15    | 40⅞    | 114     | 30.7     | T\$ 1715   |
|                                                                                                                          | 66-1572OH<br>Two (2) Compartments   | 72    | 15    | 40⅞    | 121     | 30.7     | T\$ 1779   |
|                                                                                                                          | 66-1578OH<br>Two (2) Compartments   | 78    | 15    | 40⅞    | 130     | 33.8     | T\$ 2108   |
|                                                                                                                          | 66-1584OH<br>Three (3) Compartments | 84    | 15    | 40⅞    | 142     | 36.7     | T\$ 2164   |
|                                                                                                                          | 66-1590OH<br>Three (3) Compartments | 90    | 15    | 40⅞    | 150     | 39.0     | T\$ 2512   |
|                                                                                                                          | 66-1596OH<br>Three (3) Compartments | 96    | 15    | 40⅞    | 158     | 41.5     | T\$ 2685   |

Must Specify (in this order):  
 Model #  
 Chassis  
 Paperslots  
 Paperslot Divider Material/Color  
 Grommet Color  
 Tackboard/Fabric  
 Tasklights



Optional Paper Slots in  
 laminate or chrome available;  
[See Paper Slot Options](#)

Also available as 52⅞" H  
 Tall Surface Mount


#### Description

- 23¾" Clearance Below Apron Rail
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Additional Support is Required when Surface Mounted Hutchers Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Set](#))

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                              | Model No.                    | Width | Depth | Height            | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------|-------|-------------------|---------|----------|------------|
| <b>WALL MOUNT HUTCH<br/>HINGED DOORS</b><br><br> | 66-1530WD<br>Two (2) Doors   | 30    | 15    | 17 $\frac{3}{16}$ | 48      | 5.6      | T\$ 900    |
|                                                                                                                                   | 66-1536WD<br>Two (2) Doors   | 36    | 15    | 17 $\frac{3}{16}$ | 58      | 6.7      | T\$ 1040   |
|                                                                                                                                   | 66-1542WD<br>Two (2) Doors   | 42    | 15    | 17 $\frac{3}{16}$ | 67      | 7.8      | T\$ 1193   |
|                                                                                                                                   | 66-1548WD<br>Three (3) Doors | 48    | 15    | 17 $\frac{3}{16}$ | 77      | 8.9      | T\$ 1593   |
|                                                                                                                                   | 66-1554WD<br>Three (3) Doors | 54    | 15    | 17 $\frac{3}{16}$ | 87      | 9.9      | T\$ 1719   |
|                                                                                                                                   | 66-1560WD<br>Four (4) Doors  | 60    | 15    | 17 $\frac{3}{16}$ | 96      | 11.0     | T\$ 1852   |
|                                                                                                                                   | 66-1566WD<br>Four (4) Doors  | 66    | 15    | 17 $\frac{3}{16}$ | 105     | 12.0     | T\$ 1883   |
|                                                                                                                                   | 66-1572WD<br>Four (4) Doors  | 72    | 15    | 17 $\frac{3}{16}$ | 118     | 13.1     | T\$ 1947   |
|                                                                                                                                   | 66-1578WD<br>Four (4) Doors  | 78    | 15    | 17 $\frac{3}{16}$ | 128     | 14.1     | T\$ 2321   |
|                                                                                                                                   | 66-1584WD<br>Five (5) Doors  | 84    | 15    | 17 $\frac{3}{16}$ | 138     | 15.2     | T\$ 2375   |
|                                                                                                                                   | 66-1590WD<br>Five (5) Doors  | 90    | 15    | 17 $\frac{3}{16}$ | 148     | 16.2     | T\$ 2753   |
|                                                                                                                                   | 66-1596WD<br>Six (6) Doors   | 96    | 15    | 17 $\frac{3}{16}$ | 158     | 17.3     | T\$ 2949   |

Must Specify (in this order):

Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors

Also available as 29 $\frac{3}{16}$ "H  
Tall Wall Mount

### Description


- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

| Options: Specify + Add                                                              |                                                                        | Per Door |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------|
|  | 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking)  | \$ 475   |
|  | 1-DEB Dry Erase Board Doors                                            | \$ 30    |
|  | WHGLS Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 708   |
|  | BLGLS Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 942   |
|                                                                                     | 1-HGA High Gloss Acrylic Doors; Must Specify Color                     |          |
|                                                                                     | (GPA) Graphite Acrylic                                                 | \$ 292   |
|                                                                                     | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 268   |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                    | Model No.                                             | Width | Depth | Height            | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------|-------|-------------------|---------|----------|------------|
| <b>WALL MOUNT HUTCH DOORS WITH PAPER SLOTS</b><br><br> | 66-1530WDS<br>Two (2) Doors / Two (2) Paper Slots     | 30    | 15    | 21 $\frac{1}{16}$ | 67      | 7.7      | T\$ 1479   |
|                                                                                                                                         | 66-1536WDS<br>Two (2) Doors / Two (2) Paper Slots     | 36    | 15    | 21 $\frac{1}{16}$ | 76      | 9.2      | T\$ 1672   |
|                                                                                                                                         | 66-1542WDS<br>Two (2) Doors / Two (2) Paper Slots     | 42    | 15    | 21 $\frac{1}{16}$ | 86      | 10.8     | T\$ 1881   |
|                                                                                                                                         | 66-1548WDS<br>Three (3) Doors / Three (3) Paper Slots | 48    | 15    | 21 $\frac{1}{16}$ | 99      | 12.3     | T\$ 2332   |
|                                                                                                                                         | 66-1554WDS<br>Three (3) Doors / Three (3) Paper Slots | 54    | 15    | 21 $\frac{1}{16}$ | 108     | 13.9     | T\$ 2518   |
|                                                                                                                                         | 66-1560WDS<br>Four (4) Doors / Four (4) Paper Slots   | 60    | 15    | 21 $\frac{1}{16}$ | 121     | 15.4     | T\$ 2708   |
|                                                                                                                                         | 66-1566WDS<br>Four (4) Doors / Four (4) Paper Slots   | 66    | 15    | 21 $\frac{1}{16}$ | 131     | 16.9     | T\$ 2795   |
|                                                                                                                                         | 66-1572WDS<br>Four (4) Doors / Four (4) Paper Slots   | 72    | 15    | 21 $\frac{1}{16}$ | 140     | 18.5     | T\$ 2915   |
|                                                                                                                                         | 66-1578WDS<br>Four (4) Doors / Four (4) Paper Slots   | 78    | 15    | 21 $\frac{1}{16}$ | 149     | 20.0     | T\$ 3352   |
|                                                                                                                                         | 66-1584WDS<br>Five (5) Doors / Five (5) Paper Slots   | 84    | 15    | 21 $\frac{1}{16}$ | 162     | 21.6     | T\$ 3469   |
|                                                                                                                                         | 66-1590WDS<br>Five (5) Doors / Five (5) Paper Slots   | 90    | 15    | 21 $\frac{1}{16}$ | 172     | 23.1     | T\$ 3917   |
|                                                                                                                                         | 66-1596WDS<br>Six (6) Doors / Six (6) Paper Slots     | 96    | 15    | 21 $\frac{1}{16}$ | 186     | 24.6     | T\$ 4163   |

Must Specify (in this order):


Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Paperslot Divider Material/Color

Also available as 33 $\frac{1}{8}$ "H  
Tall Wall Mount

### Description

- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

### Options: Specify + Add




|       |                                                                  | Per Door |
|-------|------------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 475   |
| 1-DEB | Dry Erase Board Doors                                            | \$ 30    |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 708   |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 942   |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic                                           | \$ 292   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 268   |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                               | Model No.                   | Width | Depth | Height                          | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------|-------|---------------------------------|---------|----------|------------|
| <b>WALL MOUNT HUTCH WITH SLIDING DOOR</b><br><br> | 66-1560SWD<br>One (1) Door  | 60    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 100     | 36.2     | T\$ 2390   |
|                                                                                                                                    | 66-1566SWD<br>One (1) Door  | 66    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 170     | 39.7     | T\$ 2452   |
|                                                                                                                                    | 66-1572SWD<br>One (1) Door  | 72    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 185     | 43.2     | T\$ 2552   |
|                                                                                                                                    | 66-1578SWD<br>One (1) Door  | 78    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 201     | 46.7     | T\$ 2748   |
|                                                                                                                                    | 66-1584SWD<br>Two (2) Doors | 84    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 217     | 50.2     | T\$ 2888   |
|                                                                                                                                    | 66-1590SWD<br>Two (2) Doors | 90    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 233     | 53.7     | T\$ 3178   |
|                                                                                                                                    | 66-1596SWD<br>Two (2) Doors | 96    | 15    | 17 <sup>3</sup> / <sub>16</sub> | 249     | 55.1     | T\$ 3395   |

Must Specify (in this order):

Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)

**Description**

- Non-Locking Sliding Doors
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches That are not Properly Installed
- Additional Options: Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

**Options: Specify + Add**
**Per Door**


|      |                                                                  |        |
|------|------------------------------------------------------------------|--------|
| 1-AD | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 809 |
|------|------------------------------------------------------------------|--------|



|       |                                    |       |
|-------|------------------------------------|-------|
| 1-DEB | Dry Erase Board Door (Non-Locking) | \$ 84 |
|-------|------------------------------------|-------|



|       |                                                           |  |
|-------|-----------------------------------------------------------|--|
| 1-HGA | High Gloss Acrylic Door (Non-Locking); Must Specify Color |  |
|-------|-----------------------------------------------------------|--|


|                        |        |
|------------------------|--------|
| (GPA) Graphite Acrylic | \$ 839 |
|------------------------|--------|

|                                                          |        |
|----------------------------------------------------------|--------|
| (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic | \$ 764 |
|----------------------------------------------------------|--------|

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                   | Model No.                                           | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>WALL MOUNT HUTCH<br/>SLIDING DOOR<br/>WITH PAPER SLOTS</b><br><br> | 66-1560SWDS<br>One (1) Door / Four (4) Paper Slots  | 60    | 15    | 21     | 121     | 15.4     | T\$ 3245   |
|                                                                                                                                                        | 66-1566SWDS<br>One (1) Door / Four (4) Paper Slots  | 66    | 15    | 21     | 131     | 16.9     | T\$ 3362   |
|                                                                                                                                                        | 66-1572SWDS<br>One (1) Door / Four (4) Paper Slots  | 72    | 15    | 21     | 140     | 18.5     | T\$ 3518   |
|                                                                                                                                                        | 66-1578SWDS<br>One (1) Door / Five (5) Paper Slots  | 78    | 15    | 21     | 149     | 20.0     | T\$ 3781   |
|                                                                                                                                                        | 66-1584SWDS<br>One (1) Door / Four (4) Paper Slots  | 84    | 15    | 21     | 140     | 18.5     | T\$ 3983   |
|                                                                                                                                                        | 66-1590SWDS<br>Two (2) Doors / Five (5) Paper Slots | 90    | 15    | 21     | 172     | 23.1     | T\$ 4341   |
|                                                                                                                                                        | 66-1596SWDS<br>Two (2) Doors / Six (6) Paper Slots  | 96    | 15    | 21     | 186     | 24.6     | T\$ 4612   |


Must Specify (in this order):

Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Paperslot Divider Material/Color

### Description

- Non-Locking Sliding Doors
- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify Color
- Safely Write on Dry Erase, White and Black Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches That are not Properly Installed
- Additional Options: Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

### Options: Specify + Add




|       |                                                                  | Per Door |
|-------|------------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 809   |
| 1-DEB | Dry Erase Board Door (Non-Locking)                               | \$ 84    |
| 1-HGA | High Gloss Acrylic Door (Non-Locking); Must Specify Color        |          |
|       | (GPA) Graphite Acrylic                                           | \$ 839   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 764   |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                                      | Model No.                           | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>WALL MOUNT HUTCH<br/>OPEN</b><br><br> | 66-1530OW<br>One (1) Compartment    | 30    | 14¼   | 17⅜    | 45      | 5.7      | T\$ 884    |
|                                                                                                                           | 66-1536OW<br>One (1) Compartment    | 36    | 14¼   | 17⅜    | 54      | 7.5      | T\$ 1014   |
|                                                                                                                           | 66-1542OW<br>One (1) Compartment    | 42    | 14¼   | 17⅜    | 63      | 8.6      | T\$ 1169   |
|                                                                                                                           | 66-1548OW<br>Two (2) Compartments   | 48    | 14¼   | 17⅜    | 73      | 9.7      | T\$ 1272   |
|                                                                                                                           | 66-1554OW<br>Two (2) Compartments   | 54    | 14¼   | 17⅜    | 83      | 10.5     | T\$ 1377   |
|                                                                                                                           | 66-1560OW<br>Two (2) Compartments   | 60    | 14¼   | 17⅜    | 92      | 12.1     | T\$ 1482   |
|                                                                                                                           | 66-1566OW<br>Two (2) Compartments   | 66    | 14¼   | 17⅜    | 100     | 13.3     | T\$ 1509   |
|                                                                                                                           | 66-1572OW<br>Two (2) Compartments   | 72    | 14¼   | 17⅜    | 112     | 14.5     | T\$ 1558   |
|                                                                                                                           | 66-1578OW<br>Two (2) Compartments   | 78    | 14¼   | 17⅜    | 122     | 15.7     | T\$ 1855   |
|                                                                                                                           | 66-1584OW<br>Three (3) Compartments | 84    | 14¼   | 17⅜    | 130     | 16.8     | T\$ 1899   |
|                                                                                                                           | 66-1590OW<br>Three (3) Compartments | 90    | 14¼   | 17⅜    | 140     | 17.9     | T\$ 2203   |
|                                                                                                                           | 66-1596OW<br>Three (3) Compartments | 96    | 14¼   | 17⅜    | 150     | 19.2     | T\$ 2357   |

Must Specify (in this order):  
Model #  
Color


**Description**

- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

**Pricing Codes:**


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                     | Model No.                    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------|-------|--------|---------|----------|------------|
| <b>TALL SURFACE MOUNT HUTCH<br/>HINGED DOOR</b><br><br> | 66-1560THU<br>Four (4) Doors | 60    | 15    | 52⅞    | 220     | 36.1     | T\$ 2632   |
|                                                                                                                                          | 66-1566THU<br>Four (4) Doors | 66    | 15    | 52⅞    | 242     | 39.7     | T\$ 2676   |
|                                                                                                                                          | 66-1572THU<br>Four (4) Doors | 72    | 15    | 52⅞    | 264     | 43.3     | T\$ 2767   |
|                                                                                                                                          | 66-1578THU<br>Four (4) Doors | 78    | 15    | 52⅞    | 226     | 46.7     | T\$ 3147   |
|                                                                                                                                          | 66-1584THU<br>Five (5) Doors | 84    | 15    | 52⅞    | 243     | 50.2     | T\$ 3210   |
|                                                                                                                                          | 66-1590THU<br>Five (5) Doors | 90    | 15    | 52⅞    | 260     | 53.7     | T\$ 3585   |
|                                                                                                                                          | 66-1596THU<br>Six (6) Doors  | 96    | 15    | 52⅞    | 278     | 57.7     | T\$ 3778   |

Must Specify (in this order):

Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors  
Paperslots  
Paperslot Divider Material/Color  
Grommet Color  
Tackboard/Fabric  
Tasklights



Optional Paper Slots in laminate or chrome available; [See Paper Slot Options](#)

Also available as 40⅞" H Standard Surface Mount

### Description


- 23¾" Clearance Below Apron Rail
- One (1) Fixed Shelf Behind Doors
- Lower Center Grommet Standard; Must Specify: Black (BLK) or Silver (SLV)
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Support is Required when Surface Mounted Hutchies Do Not Sit Directly Over an End Panel or Pedestal; [See 66-2812SP](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Paper Slots ([See Paper Slot Options](#)), Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

| Options: Specify + Add |                                                                  |  | Per Door |
|------------------------|------------------------------------------------------------------|--|----------|
| 1-AD                   | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) |  | \$ 673   |
| 1-DEB                  | Dry Erase Board Doors                                            |  | \$ 65    |
| WHGLS                  | Aluminum Framed Doors with White Tempered Glass (Non-locking)    |  | \$ 994   |
| BLGLS                  | Black Matte Framed Doors with Black Tempered Glass (Non-locking) |  | \$ 1313  |
| 1-HGA                  | High Gloss Acrylic Doors; Must Specify Color                     |  |          |
|                        | (GPA) Graphite Acrylic                                           |  | \$ 653   |
|                        | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         |  | \$ 592   |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                  | Model No.                     | Width | Depth | Height                          | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|-------|---------------------------------|---------|----------|------------|
| <b>TALL WALL MOUNT HUTCH<br/>HINGED DOOR</b><br><br> | 66-1530TWD<br>Two (2) Doors   | 30    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 77      | 9.1      | T\$ 1434   |
|                                                                                                                                       | 66-1536TWD<br>Two (2) Doors   | 36    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 93      | 12.3     | T\$ 1530   |
|                                                                                                                                       | 66-1542TWD<br>Two (2) Doors   | 42    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 109     | 12.3     | T\$ 1623   |
|                                                                                                                                       | 66-1548TWD<br>Three (3) Doors | 48    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 124     | 16.2     | T\$ 2000   |
|                                                                                                                                       | 66-1554TWD<br>Three (3) Doors | 54    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 140     | 18.1     | T\$ 2142   |
|                                                                                                                                       | 66-1560TWD<br>Four (4) Doors  | 60    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 155     | 20.1     | T\$ 2321   |
|                                                                                                                                       | 66-1566TWD<br>Four (4) Doors  | 66    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 170     | 22.0     | T\$ 2439   |
|                                                                                                                                       | 66-1572TWD<br>Four (4) Doors  | 72    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 185     | 43.2     | T\$ 2550   |
|                                                                                                                                       | 66-1578TWD<br>Four (4) Doors  | 78    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 201     | 46.7     | T\$ 2895   |
|                                                                                                                                       | 66-1584TWD<br>Five (5) Doors  | 84    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 217     | 50.2     | T\$ 2953   |
|                                                                                                                                       | 66-1590TWD<br>Five (5) Doors  | 90    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 233     | 53.7     | T\$ 3136   |
|                                                                                                                                       | 66-1596TWD<br>Six (6) Doors   | 96    | 15    | 29 <sup>3</sup> / <sub>16</sub> | 249     | 57.2     | T\$ 3451   |

Must Specify (in this order):

Model #

Chassis

Door

Style/Color

Grain (if applicable)


Locking Doors

Also available as 17<sup>3</sup>/<sub>16</sub>" H  
Standard Wall Mount

### Description

- One (1) Fixed Shelf Behind Doors
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Marker Boards, Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))


### Options: Specify + Add

|                                                                                     |                                                                        | Per Door |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------|
|  | 1-AD Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking)  | \$ 673   |
|                                                                                     | 1-DEB Dry Erase Board Doors                                            | \$ 65    |
|                                                                                     | WHGLS Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 994   |
|                                                                                     | BLGLS Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1313  |
|  | 1-HGA High Gloss Acrylic Doors; Must Specify Color                     |          |
|                                                                                     | (GPA) Graphite Acrylic                                                 | \$ 653   |
|                                                                                     | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic               | \$ 592   |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                   | Model No.                                              | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>TALL WALL MOUNT HUTCH<br/>HINGED DOOR WITH PAPER SLOTS</b><br><br> | 66-1530TWDS<br>Two (2) Doors / Two (2) Paper Slots     | 30    | 15    | 33%    | 81      | 12.3     | T\$ 2009   |
|                                                                                                                                                        | 66-1536TWDS<br>Two (2) Doors / Two (2) Paper Slots     | 36    | 15    | 33%    | 93      | 12.3     | T\$ 2161   |
|                                                                                                                                                        | 66-1542TWDS<br>Two (2) Doors / Two (2) Paper Slots     | 42    | 15    | 33%    | 109     | 14.2     | T\$ 2311   |
|                                                                                                                                                        | 66-1548TWDS<br>Three (3) Doors / Three (3) Paper Slots | 48    | 15    | 33%    | 124     | 16.2     | T\$ 2739   |
|                                                                                                                                                        | 66-1554TWDS<br>Three (3) Doors / Three (3) Paper Slots | 54    | 15    | 33%    | 140     | 18.1     | T\$ 2935   |
|                                                                                                                                                        | 66-1560TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 60    | 15    | 33%    | 155     | 20.1     | T\$ 3176   |
|                                                                                                                                                        | 66-1566TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 66    | 15    | 33%    | 170     | 22.0     | T\$ 3354   |
|                                                                                                                                                        | 66-1572TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 72    | 15    | 33%    | 185     | 43.2     | T\$ 3516   |
|                                                                                                                                                        | 66-1578TWDS<br>Four (4) Doors / Four (4) Paper Slots   | 78    | 15    | 33%    | 201     | 46.0     | T\$ 3927   |
|                                                                                                                                                        | 66-1584TWDS<br>Five (5) Doors / Five (5) Paper Slots   | 84    | 15    | 33%    | 217     | 50.2     | T\$ 4048   |
|                                                                                                                                                        | 66-1590TWDS<br>Five (5) Doors / Five (5) Paper Slots   | 90    | 15    | 33%    | 290     | 53.7     | T\$ 4303   |
|                                                                                                                                                        | 66-1596TWDS<br>Six (6) Doors / Six (6) Paper Slots     | 96    | 15    | 33%    | 320     | 57.2     | T\$ 4665   |

Must Specify (in this order):


Model #  
Chassis  
Door  
Style/Color  
Grain (if applicable)  
Paperslot Divider Material/Color

Also available as 21 $\frac{1}{4}$ " H  
Standard Wall Mount

### Description

- One (1) Fixed Shelf Behind Doors
- Paper Slot Divider Color Must Specify: Chrome (CHRM) or Laminate (T) and Color
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Indiana Furniture Will Not be Liable for Wall Mount Hutches that are not Properly Installed
- Additional Options: Locking Doors ([See Locking Door Options](#)), Work Wall, Tackboards, and Tasklights ([See Units](#)), Marker and Eraser Sets ([See Sets](#))

### Options: Specify + Add




|       |                                                                  | Per Door |
|-------|------------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 673   |
| 1-DEB | Dry Erase Board Doors                                            | \$ 65    |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 994   |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1313  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic                                           | \$ 653   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 592   |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                       | Model No.       | For Use With                          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>OPTIONAL PAPER SLOTS FOR SURFACE MOUNT HUTCH</b><br><br> <p>Laminate</p> <p>Chrome</p> | 01-PAPERSLOT 30 | For Use with 30" Unit Two (2) Slots   | 28½   | 11⅝   | 5¼     | -       | -        | \$ 564     |
|                                                                                                                                                                            | 01-PAPERSLOT 36 | For Use with 36" Unit Two (2) Slots   | 34½   | 11⅝   | 5¼     | -       | -        | \$ 617     |
|                                                                                                                                                                            | 01-PAPERSLOT 42 | For Use with 42" Unit Two (2) Slots   | 40½   | 11⅝   | 5¼     | -       | -        | \$ 669     |
|                                                                                                                                                                            | 01-PAPERSLOT 48 | For Use with 48" Unit Three (3) Slots | 46½   | 11⅝   | 5¼     | -       | -        | \$ 719     |
|                                                                                                                                                                            | 01-PAPERSLOT 54 | For Use with 54" Unit Three (3) Slots | 52½   | 11⅝   | 5¼     | -       | -        | \$ 778     |
|                                                                                                                                                                            | 01-PAPERSLOT 60 | For Use with 60" Unit Four (4) Slots  | 58½   | 11⅝   | 5¼     | -       | -        | \$ 831     |
|                                                                                                                                                                            | 01-PAPERSLOT 66 | For Use with 66" Unit Four (4) Slots  | 64½   | 11⅝   | 5¼     | -       | -        | \$ 891     |
|                                                                                                                                                                            | 01-PAPERSLOT 72 | For Use with 72" Unit Four (4) Slots  | 70½   | 11⅝   | 5¼     | -       | -        | \$ 944     |
|                                                                                                                                                                            | 01-PAPERSLOT 78 | For Use with 78" Unit Four (4) Slots  | 76½   | 11⅝   | 5¼     | -       | -        | \$ 1006    |
|                                                                                                                                                                            | 01-PAPERSLOT 84 | For Use with 84" Unit Five (5) Slots  | 82½   | 11⅝   | ¼      | -       | -        | \$ 1070    |
|                                                                                                                                                                            | 01-PAPERSLOT 90 | For Use with 90" Unit Five (5) Slots  | 88½   | 11⅝   | 5¼     | -       | -        | \$ 1131    |
|                                                                                                                                                                            | 01-PAPERSLOT 96 | For Use with 96" Unit Six (6) Slots   | 94½   | 11⅝   | 5¼     | -       | -        | \$ 1184    |

Must Specify (in this order):

Model #

Paperslot Divider Material


Paperslot Divider Color

#### Description

- Ships Factory Installed
- Paper Slot Divider Material and Color Must Specify: Chrome (CHRM) or Laminate (T) and Color

#### SURFACE MOUNT PAPER SLOT TOWER

66-1218HH 18 12 21 45 4.4 T\$ 898



#### Description

- Three (3) Adjustable Shelves and One (1) Fixed Shelf (Shaded)

Must Specify (in this order):

Model #


Color

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                          | Model No.      | Width           | Depth | Height | Ship Wt          | Cubic Ft | List Price   |
|---------------------------------------------------------------|----------------|-----------------|-------|--------|------------------|----------|--------------|
| SURFACE MOUNT<br>STORAGE TOWER WITH<br>DOOR AND OPEN SHELVING | Hinged on Left | Hinged on Right |       |        |                  |          |              |
|                                                               | 66-1518HL1     | 66-1518HR1      | 18    | 15     | 40 $\frac{1}{2}$ | 78       | 8.6 T\$ 1208 |




Shown as Left

Must Specify (in this order):


Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors

**Description**

- Storage Behind Door in Upper Section
- Three (3) Adjustable Shelves
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add****Per Door**

|       |                                                                  |        |
|-------|------------------------------------------------------------------|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 475 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 30  |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 708 |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 942 |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic                                           | \$ 292 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 268 |

**SURFACE MOUNT  
TALL STORAGE TOWER WITH  
DOOR AND OPEN SHELVING**


Shown as Left


Must Specify (in this order):

Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors

|                |                 |    |    |                  |    |      |          |
|----------------|-----------------|----|----|------------------|----|------|----------|
| Hinged on Left | Hinged on Right |    |    |                  |    |      |          |
| 66-1518THL1    | 66-1518THR1     | 18 | 15 | 52 $\frac{1}{2}$ | 95 | 11.0 | T\$ 1476 |

**Description**

- Storage Behind Door in Upper Section with One (1) Adjustable Shelf
- Three (3) Adjustable Shelves
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Set Options](#)
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add****Per Door**


|       |                                                                  |         |
|-------|------------------------------------------------------------------|---------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 673  |
| 1-DEB | Dry Erase Board Doors                                            | \$ 65   |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 994  |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 1313 |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |         |
|       | (GPA) Graphite Acrylic                                           | \$ 653  |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 592  |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                            | Model No.                                | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------|------------------------------------------|-------|-------|--------|---------|----------|------------|
| SURFACE MOUNT<br>STORAGE TOWER<br>OPEN BOOKCASE | 66-1518HB                                | 18    | 14¼   | 40⅞    | 62      | 8.6      | T\$ 879    |
|                                                 | 66-1549HB    Used with Low Storage Units | 18    | 14¼   | 49     | 95      | 9.7      | T\$ 1033   |




Must Specify (in this order):

Model #  
Color

#### Description

- Two (2) Adjustable Shelves

|                                                      |                                          |    |     |     |     |      |          |
|------------------------------------------------------|------------------------------------------|----|-----|-----|-----|------|----------|
| SURFACE MOUNT<br>TALL STORAGE TOWER<br>OPEN BOOKCASE | 66-1518THB                               | 18 | 14¼ | 52⅞ | 68  | 11.0 | T\$ 1043 |
|                                                      | 66-1561HB    Used with Low Storage Units | 18 | 14¼ | 61  | 101 | 12.1 | T\$ 1065 |




Must Specify (in this order):

Model #  
Color

#### Description

- Three (3) Adjustable Shelves

| SURFACE MOUNT<br>STORAGE TOWER WITH<br>FULL DOOR | HINGED ON LEFT      HINGED ON RIGHT |            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------|-------------------------------------|------------|-------|-------|--------|---------|----------|------------|
|                                                  | 66-1518HL3                          | 66-1518HR3 |       |       |        |         |          |            |
|                                                  | 66-1549HL3                          | 66-1549HR3 | 18    | 15    | 49     | 117     | 9.7      | T\$ 1356   |
|                                                  | For Use with Low Storage            |            |       |       |        |         |          |            |



Shown as Left and  
with Pull Option

Must Specify (in this order):


Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Door  
Pull

#### Description

- Standard with: Touch Latch Door with Three (3) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- TFL Door Front Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Feature Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Door ([See Locking Options](#))

#### Options: Specify + Add

|       |                                                                 | Per Unit |
|-------|-----------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 770   |
| 1-DEB | Dry Erase Board Door                                            | \$ 84    |
| WHGLS | Aluminum Framed Door with White Tempered Glass (Non-locking)    | \$ 1208  |
| BLGLS | Black Matte Framed Door with Black Tempered Glass (Non-locking) | \$ 1612  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic                                          | \$ 795   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 725   |




#### Pricing Codes:

T = TFL    P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                  | Model No.                           | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------|-------------------------------------|-------|-------|------------------|---------|----------|------------|
| SURFACE MOUNT<br>TALL STORAGE TOWER<br>WITH FULL DOOR | HINGED ON LEFT      HINGED ON RIGHT |       |       |                  |         |          |            |
|                                                       | 66-1518THL3      66-1518THR3        | 18    | 15    | 52 $\frac{7}{8}$ | 95      | 11.0     | T\$ 1371   |
|                                                       | 66-1561HL3      66-1561HR3          | 18    | 15    | 61               | 126     | 12.1     | T\$ 1406   |



Shown as Left and  
with Pull Option

Must Specify (in this order):

Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Door  
Pull


**Description**

- Standard with: Touch Latch Door with Four (4) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- TFL Door Front Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Door ([See Locking Options](#))


**Options: Specify + Add**

Per Unit

|       |                                                                 |         |
|-------|-----------------------------------------------------------------|---------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 921  |
| 1-DEB | Dry Erase Board Door                                            | \$ 104  |
| WHGLS | Aluminum Framed Door with White Tempered Glass (Non-locking)    | \$ 1461 |
| BLGLS | Black Matte Framed Door with Black Tempered Glass (Non-locking) | \$ 1948 |
| 1-HGA | High Gloss Acrylic; Must Specify Color                          |         |
|       | (GPA) Graphite Acrylic                                          | \$ 1042 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 950  |



|                                |             |    |    |                  |     |      |          |
|--------------------------------|-------------|----|----|------------------|-----|------|----------|
| SURFACE MOUNT<br>DOOR BOOKCASE | 66-1530TUDB | 30 | 15 | 40 $\frac{7}{8}$ | 140 | 13.4 | T\$ 1536 |
|                                | 66-1536TUDB | 36 | 15 | 40 $\frac{7}{8}$ | 168 | 16.1 | T\$ 1657 |



Shown with Pull  
Option

Must Specify (in this order):

Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors  
Pull


**Description**

- Standard with: Touch Latch Door with One (1) Fixed Shelf/Two (2) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- TFL Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pulls; Doors without Pulls Feature Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add**

Per Unit

|       |                                                                  |         |
|-------|------------------------------------------------------------------|---------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1540 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 161  |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 2417 |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 3227 |
| 1-HGA | High Gloss Acrylic; Must Specify Color                           |         |
|       | (GPA) Graphite Acrylic                                           | \$ 1586 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 1447 |




**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                | Model No.    | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-------------------------------------|--------------|-------|-------|------------------|---------|----------|------------|
| SURFACE MOUNT<br>TALL DOOR BOOKCASE | 66-1530TTUDB | 30    | 15    | 52 $\frac{7}{8}$ | 180     | 17.3     | T\$ 1765   |
|                                     | 66-1536TTUDB | 36    | 15    | 52 $\frac{7}{8}$ | 216     | 20.5     | T\$ 1944   |



Must Specify (in this order):

Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors  
Pull


### Description

- Standard with: Touch Latch Door with One (1) Fixed Shelf/Three (3) Adjustable Shelves Behind Door
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- TFL Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pulls; Doors without Pulls Feature Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))

### Options: Specify + Add

|       |                                                                  | Per Unit |
|-------|------------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1841  |
| 1-DEB | Dry Erase Board Doors                                            | \$ 209   |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 2920  |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 3892  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                           |          |
|       | (GPA) Graphite Acrylic                                           | \$ 2076  |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 1895  |

### SURFACE MOUNT DOOR BOOKCASE WITH SIDE SHELVING



Shown as Left + with  
Pull Option

Must Specify (in this order):

Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors  
Pull

| SHELVES ON LEFT | SHELVES ON RIGHT |    |    |                  |     |      |     |      |
|-----------------|------------------|----|----|------------------|-----|------|-----|------|
| 66-3015TUDBL    | 66-3015TUDBR     | 30 | 15 | 40 $\frac{7}{8}$ | 140 | 13.4 | T\$ | 2177 |
| 66-3615TUDBL    | 66-3615TUDBR     | 36 | 15 | 40 $\frac{7}{8}$ | 157 | 13.8 | T\$ | 2256 |

### Description

- Standard with: Touch Latch Door with Two (2) Adjustable Shelves Behind Doors
- Side Fixed Shelves; Top Shelf with 15" Clearance, Two (2) Remaining Shelves with 11 $\frac{1}{2}$ " Clearance
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- TFL Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pulls; Doors without Pulls Feature Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))

### Options: Specify + Add


|       |                                                                  | Per Unit |
|-------|------------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1540  |
| 1-DEB | Dry Erase Board Doors                                            | \$ 161   |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 2417  |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 3227  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                           |          |
|       | (GPA) Graphite Acrylic                                           | \$ 1586  |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 1447  |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                 | Model No.                             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------|---------------------------------------|-------|-------|--------|---------|----------|------------|
| SURFACE MOUNT<br>DOOR BOOKCASE<br>WITH SIDE SHELVING | SHELVES ON LEFT      SHELVES ON RIGHT |       |       |        |         |          |            |
|                                                      | 66-3015TTUDBL      66-3015TTUDBR      | 30    | 15    | 52     | 140     | 13.4     | T\$ 2478   |
|                                                      | 66-3615TTUDBL      66-3615TTUDBR      | 36    | 15    | 52     | 157     | 13.8     | T\$ 2568   |



Shown as Left

Must Specify (in this order):


Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors  
Pull

**Description**


- Standard with: Touch Latch Door with Three (3) Adjustable Shelves Behind Doors
- Side Fixed Shelves; Top Shelf with 15" Clearance, Two (2) Remaining Shelves with 12" Clearance
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- TFL Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pulls; Doors without Pulls Feature Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase, White and Black Tempered Glass Doors with Our Dry Erase Marker Set; [See Sets](#)
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add**

Per Unit



|       |                                                                  |         |
|-------|------------------------------------------------------------------|---------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1841 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 209  |
| WHGLS | Aluminum Framed Doors with White Tempered Glass (Non-locking)    | \$ 2920 |
| BLGLS | Black Matte Framed Doors with Black Tempered Glass (Non-locking) | \$ 3892 |
| 1-HGA | High Gloss Acrylic; Must Specify Color                           |         |
|       | (GPA) Graphite Acrylic                                           | \$ 2076 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 1895 |

**STORAGE CABINET WITH OPEN SHELVES AND BOX/BOX/FILE**Shown as Left with  
Door Pull OptionMust Specify (in this order):


Model #  
Chassis Color  
Door  
Style/Color  
Drawer  
Color  
Construction  
Track  
Door/Drawer Grain  
(if applicable)  
Locking Door  
Door/Drawer Pull

**Description**

- Standard with: Touch Latch Door with One (1) Fixed Shelf Behind Door and Two (2) Adjustable Shelves in Center
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Locking Drawers; File Drawer Provides Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; When Door Pull is Selected, Selection Must Match Drawer Pulls; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

**Options: Specify + Add**

Per Door




|       |                                                                  |        |
|-------|------------------------------------------------------------------|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 673 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 65  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic                                           | \$ 653 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 592 |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                    | Model No.      | Width           | Depth | Height | Ship Wt          | Cubic Ft | List Price    |
|---------------------------------------------------------|----------------|-----------------|-------|--------|------------------|----------|---------------|
| TALL STORAGE CABINET WITH OPEN SHELVES AND BOX/BOX/FILE | HINGED ON LEFT | HINGED ON RIGHT |       |        |                  |          |               |
|                                                         | 66-1884DSIL    | 66-1884DSIR     | 18    | 24     | 82 $\frac{7}{8}$ | 196      | 25.8 T\$ 2767 |



Shown as Left with Door Pull Option

Must Specify (in this order):


Model #  
Chassis Color  
Door  
Style/Color  
Drawer  
Color  
Construction  
Track  
Door/Drawer Grain  
(if applicable)  
Locking Door  
Door/Drawer Pull

### Description

- Standard with: Touch Latch Door with Two (2) Adjustable Shelf Behind Door and Two (2) Adjustable Shelves in Center
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Locking Drawers; File Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; When Door Pull is Selected, Selection Must Match Drawer Pulls; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))


### Options: Specify + Add

Per Unit



|       |                                                                 |        |
|-------|-----------------------------------------------------------------|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 770 |
| 1-DEB | Dry Erase Board Door                                            | \$ 84  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic                                          | \$ 795 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 725 |

|                                                 |                |                 |    |    |                  |     |               |
|-------------------------------------------------|----------------|-----------------|----|----|------------------|-----|---------------|
| STORAGE CABINET WITH OPEN SHELVES AND FILE/FILE | HINGED ON LEFT | HINGED ON RIGHT |    |    |                  |     |               |
|                                                 | 66-1872DS2L    | 66-1872DS2R     | 18 | 24 | 70 $\frac{7}{8}$ | 145 | 22.0 T\$ 2650 |



Shown as Left with Door Pull Option

Must Specify (in this order):


Model #  
Chassis Color  
Door  
Style/Color  
Drawer  
Color  
Construction  
Track  
Door/Drawer Grain  
(if applicable)  
Locking Door  
Door/Drawer Pull

### Description

- Standard with: Touch Latch Door with One (1) Adjustable Shelf Behind Door and Two (2) Adjustable Shelves in Center
- Locking File Drawers Provide Legal or Letter Filing
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; When Door Pull is Selected, Selection Must Match Drawer Pulls; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

### Options: Specify + Add

Per Door




|       |                                                                  |        |
|-------|------------------------------------------------------------------|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 673 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 65  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic                                           | \$ 653 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic         | \$ 592 |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                 | Model No.      |                 | Width | Depth | Height                         | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------|----------------|-----------------|-------|-------|--------------------------------|---------|----------|------------|
| TALL STORAGE CABINET WITH OPEN SHELVES AND FILE/FILE | HINGED ON LEFT | HINGED ON RIGHT |       |       |                                |         |          |            |
|                                                      | 66-1884DS2L    | 66-1884DS2R     | 18    | 24    | 82 <sup>7</sup> / <sub>8</sub> | 196     | 25.8     | T\$ 2767   |



Shown as Left with Door Pull Option


Must Specify (in this order):

Model #  
Chassis Color  
Door  
Style/Color  
Drawer  
Color  
Construction  
Track  
Door/Drawer Grain  
(if applicable)  
Locking Door  
Door/Drawer Pull

### Description


- Standard with: Touch Latch Door with Two (2) Adjustable Shelf Behind Door and Two (2) Adjustable Shelves in Center
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; When Door Pull is Selected, Selection Must Match Drawer Pulls; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

### Options: Specify + Add



|       |                                                                 | Per Unit |
|-------|-----------------------------------------------------------------|----------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 770   |
| 1-DEB | Dry Erase Board Door                                            | \$ 84    |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |          |
|       | (GPA) Graphite Acrylic                                          | \$ 795   |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic        | \$ 725   |

### STORAGE CABINET BOX/BOX/FILE



Shown as Left with Door Pull Option

Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Color  
Door/Drawer Grain (if applicable)  
Drawer  
Construction  
Track  
Door/Drawer Pull  
Locking Door

|  |                                          |                 |    |    |                  |     |      |          |
|--|------------------------------------------|-----------------|----|----|------------------|-----|------|----------|
|  | HINGED ON LEFT                           | HINGED ON RIGHT |    |    |                  |     |      |          |
|  | 66-1872WBL                               | 66-1872WBR      | 18 | 24 | 70 $\frac{7}{8}$ | 145 | 22.0 | T\$ 2462 |
|  | Two (2) Adjustable Shelves Behind Door   |                 |    |    |                  |     |      |          |
|  | 66-1884WBL                               | 66-1884WBR      | 18 | 24 | 82 $\frac{7}{8}$ | 166 | 25.7 | T\$ 2570 |
|  | Three (3) Adjustable Shelves Behind Door |                 |    |    |                  |     |      |          |

### Description


- Standard with: Touch Latch Door and Box/Box/File Drawers
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Door Available With or Without Pull; Door without Pull Features Touch Latch; When Door Pull is Selected, Selection Must Match Drawer Pulls; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                 | Model No.                                  | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|--------------------------------------|--------------------------------------------|-------|-------|------------------|---------|----------|------------|
| OPEN STORAGE CABINET<br>BOX/BOX/FILE | 66-1872WBO<br>Two (2) Adjustable Shelves   | 18    | 24    | 70 $\frac{7}{8}$ | 145     | 22.0     | T\$ 2264   |
|                                      | 66-1884WBO<br>Three (3) Adjustable Shelves | 18    | 24    | 82 $\frac{7}{8}$ | 166     | 25.7     | T\$ 2366   |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer  
Color  
Grain (if applicable)  
Construction  
Track  
Pull

**Description**

- Standard with: Box/Box/File Drawers
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

| STORAGE CABINET<br>FILE/FILE | HINGED ON LEFT                           |            | HINGED ON RIGHT |            | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|------------------------------|------------------------------------------|------------|-----------------|------------|-------|-------|------------------|---------|----------|------------|
|                              | 66-1872WFL                               | 66-1872WFR | 66-1884WFL      | 66-1884WFR |       |       |                  |         |          |            |
|                              | Two (2) Adjustable Shelves Behind Door   |            |                 |            | 18    | 24    | 70 $\frac{7}{8}$ | 145     | 22.0     | T\$ 2462   |
|                              | Three (3) Adjustable Shelves Behind Door |            |                 |            | 18    | 24    | 82 $\frac{7}{8}$ | 166     | 25.7     | T\$ 2570   |



Shown as Left with  
door pull option

Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Color  
Door/Drawer Grain (if applicable)  
Drawer  
Construction  
Track  
Door/Drawer Pull  
Locking Door

**Description**


- Standard with: Touch Latch Door and File/File Drawers
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer/Door Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Door Available With or Without Pull; Door without Pull Features Touch Latch; When Door Pull is Selected, Selection Must Match Drawer Pulls; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Door ([See Locking Options](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                              | Model No.                                  | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|--------------------------------------------|-------|-------|------------------|---------|----------|------------|
| OPEN STORAGE CABINET<br>FILE/FILE | 66-1872WFO<br>Two (2) Adjustable Shelves   | 18    | 24    | 70 $\frac{1}{8}$ | 145     | 22.0     | T\$ 2264   |
|                                   | 66-1884WFO<br>Three (3) Adjustable Shelves | 18    | 24    | 82 $\frac{7}{8}$ | 166     | 25.7     | T\$ 2366   |




### Description

- Standard with: Locking File/File Drawers
- Locking File Drawers Provide Legal or Letter Filing
- If Applicable, Drawer Fronts Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Drawer Fronts Available in Contrasting Colors; Must Specify
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))

Must Specify (in this order):

Model #  
Chassis Color  
Drawer  
Color  
Grain (if applicable)  
Construction  
Track  
Pull

| NARROW TOWER | HINGED ON LEFT | HINGED ON RIGHT |    |    |                  |    |      |          |
|--------------|----------------|-----------------|----|----|------------------|----|------|----------|
|              | 66-1251WD1L    | 66-1251WD1R     | 12 | 24 | 51 $\frac{1}{2}$ | 85 | 11.2 | T\$ 1839 |




Shown as Left  
without pull option

### Description

- Standard with: 10" Coat Rod, One (1) Adjustable Shelf, and Touch Latch Door
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- If Applicable, Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- If Applicable, Door Front Available in Contrasting Colors; Must Specify
- If Black or Gold Pull is Selected, Knob will be Black; If Chrome or Aluminum Pull is Selected, Knob will be Aluminum
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify Pull Selection
- Additional Options: Locking Door ([See Locking Options](#))

Must Specify (in this order):

Model #  
Chassis Color  
Door  
Style/Color  
Grain (if applicable)  
Pull  
Locking Door




### Options: Specify + Add

|       |                                                                 |        |
|-------|-----------------------------------------------------------------|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Door (Non-Locking) | \$ 735 |
| 1-DEB | Dry Erase Board Door                                            | \$ 65  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color                     |        |
|       | (GPA) Graphite Acrylic                                          | \$ 666 |
|       | (BLA) Black, Wired Mercury (WMA), or White (WHA) Acrylic        | \$ 607 |

### Pricing Codes:


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Model No.                                  | Width       | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------|-------|--------|------------------|----------|------------|
| <b>15"D STORAGE TOWER BOOKCASE WITH DOOR</b><br><br>Shown as Left<br><br>Black Hook Included                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>HINGED ON LEFT      HINGED ON RIGHT</b> |             |       |        |                  |          |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 66-1872BL15                                | 66-1872BR15 | 18    | 15     | 70 $\frac{7}{8}$ | 133      | 14.3       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Four (4) Adjustable or Removable Shelves   |             |       |        |                  |          |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 66-1884BL15                                | 66-1884BR15 | 18    | 15     | 82 $\frac{7}{8}$ | 144      | 16.8       |
| Five (5) Adjustable or Removable Shelves                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                            |             |       |        |                  |          |            |
| <b>Description</b> <ul style="list-style-type: none"> <li>Standard with: Touch Latch Door, Black Hook, Adjustable/Removable Shelves</li> <li>Shelves can be Removed and Black Hook Included for Wardrobe Application</li> <li>Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; <a href="#">See Set Options</a></li> <li>If Applicable, Door Front Available in Contrasting Colors; Must Specify</li> <li>If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used</li> <li>Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify Pull Selection</li> <li>Additional Options: Locking Door (<a href="#">See Locking Options</a>)</li> </ul> |                                            |             |       |        |                  |          |            |
| <b>Must Specify (in this order):</b><br>Model #<br>Chassis Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Pull<br>Locking Door                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                            |             |       |        |                  |          |            |

**Options: Specify + Add**

|                                                                                                                                                                        |       |                                                          |         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------------------------------|---------|
| <br> | 1-DEB | Dry Erase Board Door                                     | \$ 140  |
|                                                                                                                                                                        | 1-HGA | High Gloss Acrylic Door; Must Specify Color              |         |
|                                                                                                                                                                        |       | (GPA) Graphite Acrylic                                   | \$ 1383 |
|                                                                                                                                                                        |       | (BLA) Black, Wired Mercury (WMA), or White (WHA) Acrylic | \$ 1260 |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                      |             |    |    |                  |     |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-------------|----|----|------------------|-----|------|
| <b>20"D STORAGE TOWER BOOKCASE WITH DOOR</b><br><br>Shown as Left<br><br>Black Hook Included                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>HINGED ON LEFT      HINGED ON RIGHT</b>           |             |    |    |                  |     |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 66-1872BL20                                          | 66-1872BR20 | 18 | 20 | 70 $\frac{7}{8}$ | 157 | 18.8 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Four (4) Adjustable or Removable Shelves Behind Door |             |    |    |                  |     |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 66-1884BL20                                          | 66-1884BR20 | 18 | 20 | 82 $\frac{7}{8}$ | 183 | 21.9 |
| Five (5) Adjustable or Removable Shelves Behind Door                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                      |             |    |    |                  |     |      |
| <b>Description</b> <ul style="list-style-type: none"> <li>Standard with: Touch Latch Door, Black Hook, Adjustable/Removable Shelves</li> <li>Shelves can be Removed and Black Hook Included for Wardrobe Application</li> <li>Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; <a href="#">See Set Options</a></li> <li>If Applicable, Door Front Available in Contrasting Colors; Must Specify</li> <li>If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used</li> <li>Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify Pull Selection</li> <li>Additional Options: Locking Door (<a href="#">See Locking Options</a>)</li> </ul> |                                                      |             |    |    |                  |     |      |
| <b>Must Specify (in this order):</b><br>Model #<br>Chassis Color<br>Door<br>Style/Color<br>Grain (if applicable)<br>Pull<br>Locking Door                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                      |             |    |    |                  |     |      |

**Options: Specify + Add**


|                                                                                                                                                                            |       |                                                          |         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------------------------------|---------|
| <br> | 1-DEB | Dry Erase Board Door                                     | \$ 140  |
|                                                                                                                                                                            | 1-HGA | High Gloss Acrylic Door; Must Specify Color              |         |
|                                                                                                                                                                            |       | (GPA) Graphite Acrylic                                   | \$ 1383 |
|                                                                                                                                                                            |       | (BLA) Black, Wired Mercury (WMA), or White (WHA) Acrylic | \$ 1260 |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                     | Model No.                                | Width           | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|--------------------------|------------------------------------------|-----------------|-------|--------|------------------|----------|------------|
| WARDROBE/STORAGE CABINET | HINGED ON LEFT                           | HINGED ON RIGHT |       |        |                  |          |            |
|                          | 66-1872WL                                | 66-1872WR       | 18    | 24     | 70 $\frac{1}{2}$ | 153      | 19.2       |
|                          | Three (3) Adjustable Shelves Behind Door |                 |       |        |                  |          |            |
|                          | 66-1884WL                                | 66-1884WR       | 18    | 24     | 82 $\frac{1}{2}$ | 162      | 25.7       |
|                          | Four (4) Adjustable Shelves Behind Door  |                 |       |        |                  |          |            |



Shown as Left


Must Specify (in this order):

Model #  
Color  
Door  
Style/Color  
Grain (if applicable)  
Locking Doors

### Description


- Coat Rod Under Top Fixed Shelf
- Standard TFL, and Optional Dry Erase and High Gloss Acrylic Doors, Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify Pull Selection
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- If Applicable, Door Front Available in Contrasting Colors; Must Specify
- Adjustable Shelves can be Removed for Wardrobe Application
- Additional Options: Locking Door ([See Locking Options](#))

### Options: Specify + Add



|       |                                                          |    |      |
|-------|----------------------------------------------------------|----|------|
| 1-DEB | Dry Erase Board Door                                     | \$ | 140  |
| 1-HGA | High Gloss Acrylic Door; Must Specify Color              |    |      |
|       | (GPA) Graphite Acrylic                                   | \$ | 1383 |
|       | (BLA) Black, Wired Mercury (WMA), or White (WHA) Acrylic | \$ | 1260 |

|                                |                                          |                |    |    |                  |     |      |          |
|--------------------------------|------------------------------------------|----------------|----|----|------------------|-----|------|----------|
| TOWER WARDROBE<br>BOX/BOX/FILE | WARDROBE LEFT                            | WARDROBE RIGHT |    |    |                  |     |      |          |
|                                | 66-2451WD1L                              | 66-2451WD1R    | 24 | 24 | 51 $\frac{1}{2}$ | 172 | 20.7 | T\$ 2883 |
|                                | One (1) Adjustable Shelf Behind Door     |                |    |    |                  |     |      |          |
|                                | 66-2472WD1L                              | 66-2472WD1R    | 24 | 24 | 70 $\frac{1}{2}$ | 242 | 20.7 | T\$ 3251 |
|                                | Two (2) Adjustable Shelves Behind Door   |                |    |    |                  |     |      |          |
|                                | 66-2484WD1L                              | 66-2484WD1R    | 24 | 24 | 82 $\frac{1}{2}$ | 252 | 22.7 | T\$ 3499 |
|                                | Three (3) Adjustable Shelves Behind Door |                |    |    |                  |     |      |          |



Shown as Left with  
Knob and Touch  
Latch Door Option

Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Color  
Drawer  
Construction  
Track  
Door/Drawer Pulls  
Locking Doors

### Description

- Standard with: Wardrobe with Coat Rod, Touch Latch Cabinet Door and Box/Box/File Drawers
- Locking File Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- If Black and Gold Pulls are Selected, Black Lock Cores are Used ; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Doors Available With or Without Pulls; Cabinet Door without Pull will Feature Touch Latch; When Door Pulls are Selected, Selection Must Match Drawer Pulls; Must Specify
- Ace, Arc, Beam, Bow Tie, and Quadra Available for Both Doors and Drawers; Knob Pull will be Used on Wardrobe Door if Alcove, Flair, or Studio Pull is Selected for Drawers with Touch Latch Door Option
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                              | Model No.                                    | Width                 | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------|----------------------------------------------|-----------------------|-------|--------|---------|----------|------------|
| TOWER WARDROBE WITH OPEN STORAGE AND BOX/BOX/FILE | <b>WARDROBE LEFT</b>                         | <b>WARDROBE RIGHT</b> |       |        |         |          |            |
|                                                   | 66-2451WO1L                                  | 66-2451WO1R           | 24    | 24     | 51½     | 165      | T\$ 2690   |
|                                                   | One (1) Adjustable Shelf in Open Storage     |                       |       |        |         |          |            |
|                                                   | 66-2472WO1L                                  | 66-2472WO1R           | 24    | 24     | 70⅞     | 226      | T\$ 3025   |
|                                                   | Two (2) Adjustable Shelves in Open Storage   |                       |       |        |         |          |            |
|                                                   | 66-2484WO1L                                  | 66-2484WO1R           | 24    | 24     | 82⅞     | 231      | T\$ 3260   |
|                                                   | Three (3) Adjustable Shelves in Open Storage |                       |       |        |         |          |            |



Shown as Left


Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Color  
Drawer  
Construction  
Track  
Door/Drawer Pulls  
Locking Door

**Description**

- Standard with: Wardrobe Door with Coat Rod, Open Storage Shelving and Box/Box/File Drawers
- Locking File Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Ace, Arc, Beam, Bow Tie, and Quadra Available for Both Doors and Drawers; Knob Pull will be Used on Wardrobe Door if Alcove, Flair, or Studio Pull is Selected for Drawers
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

|                          |                                          |                       |    |    |     |     |          |
|--------------------------|------------------------------------------|-----------------------|----|----|-----|-----|----------|
| TOWER WARDROBE FILE/FILE | <b>WARDROBE LEFT</b>                     | <b>WARDROBE RIGHT</b> |    |    |     |     |          |
|                          | 66-2451WD2L                              | 66-2451WD2R           | 24 | 24 | 51½ | 172 | T\$ 2883 |
|                          | One (1) Adjustable Shelf Behind Door     |                       |    |    |     |     |          |
|                          | 66-2472WD2L                              | 66-2472WD2R           | 24 | 24 | 70⅞ | 242 | T\$ 3251 |
|                          | Two (2) Adjustable Shelves Behind Door   |                       |    |    |     |     |          |
|                          | 66-2484WD2L                              | 66-2484WD2R           | 24 | 24 | 82⅞ | 252 | T\$ 3499 |
|                          | Three (3) Adjustable Shelves Behind Door |                       |    |    |     |     |          |



Shown as Left with Door Pull Option

Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Color  
Drawer  
Construction  
Track  
Door/Drawer Pulls  
Locking Doors

**Description**


- Standard with: Wardrobe with Coat Rod, Touch Latch Cabinet Doors and File/File Drawers
- Locking File Drawers Provides Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Cabinet Door Available With or Without Pulls; Cabinet Door without Pulls Feature Touch Latch; When Door Pulls are Selected, Selection Must Match Drawer Pulls; Must Specify
- Ace, Arc, Beam, Bow Tie, and Quadra Available for Both Doors and Drawers; Knob Pull will be Used on Wardrobe Door if Alcove, Flair, or Studio Pull is Selected for Drawers
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                           | Model No.                                | Width                 | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------|------------------------------------------|-----------------------|-------|--------|---------|----------|------------|
| TOWER WARDROBE WITH OPEN STORAGE AND FILE/FILE | <b>WARDROBE LEFT</b>                     | <b>WARDROBE RIGHT</b> |       |        |         |          |            |
|                                                | 66-2451WO2L                              | 66-2451WO2R           | 24    | 24     | 51½     | 172      | T\$ 2690   |
|                                                | One (1) Adjustable Shelf Behind Door     |                       |       |        |         |          |            |
|                                                | 66-2472WO2L                              | 66-2472WO2R           | 24    | 24     | 70⅞     | 242      | T\$ 3025   |
|                                                | Two (2) Adjustable Shelves Behind Door   |                       |       |        |         |          |            |
|                                                | 66-2484WO2L                              | 66-2484WO2R           | 24    | 24     | 82⅞     | 252      | T\$ 3260   |
|                                                | Three (3) Adjustable Shelves Behind Door |                       |       |        |         |          |            |



Shown as Left with Knob


Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Color  
Drawer  
Construction  
Track  
Door/Drawer Pulls  
Locking Door

**Description**

- Standard with: Wardrobe Door with Coat Rod, Open Storage Shelving and File/File Drawers
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Locking File Drawers Provides Legal or Letter Filing
- Ace, Arc, Beam, Bow Tie, and Quadra Available for Wardrobe Door and Drawers; Knob Pull will be Used on Wardrobe Door if Alcove, Flair, or Studio Pull is Selected for Drawers
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

|                                 |                      |                       |    |    |     |     |      |          |
|---------------------------------|----------------------|-----------------------|----|----|-----|-----|------|----------|
| <b>WARDROBE/STORAGE CABINET</b> | <b>WARDROBE LEFT</b> | <b>WARDROBE RIGHT</b> |    |    |     |     |      |          |
|                                 | 66-3672WDS2L         | 66-3672WDS2R          | 36 | 24 | 70⅞ | 368 | 42.0 | T\$ 3655 |



Shown as Left


Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Drawer Front Color  
Drawer Construction  
Door and Drawer Pulls  
Locking Doors

**Description**

- Standard with: Wardrobe with Coat Rod, Touch Latch Cabinet Doors, Two (2) Adjustable Shelves in the Center, and Two (2) Lateral File Drawers
- Locking Lateral Drawers Provides Legal or Letter Filing
- Additional Hutch Doors Options Below; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Ace, Arc, Beam, Bow Tie, and Quadra Available for Doors and Drawers; Knob Pull will be Used on Wardrobe Door if Alcove, Flair, or Studio Pull is Selected for Drawers
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

**Hutch Door Options: Specify + Add**




|       |                                                                  |        |
|-------|------------------------------------------------------------------|--------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 951 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 59  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color (Non-Locking)       |        |
|       | (GPA) Graphite Acrylic                                           | \$ 581 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic         | \$ 528 |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                          | Model No.     |                | Width | Depth | Height                         | Ship Wt | Cubic Ft | List Price |
|-------------------------------|---------------|----------------|-------|-------|--------------------------------|---------|----------|------------|
| TALL WARDROBE/STORAGE CABINET | WARDROBE LEFT | WARDROBE RIGHT |       |       |                                |         |          |            |
|                               | 66-3684WDS2L  | 66-3684WDS2R   | 36    | 24    | 82 <sup>7</sup> / <sub>8</sub> | 368     | 49.2     | T\$ 3864   |




Shown as Left

Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Drawer Front Color  
Drawer Construction  
Door and Drawer Pulls  
Locking Doors

**Description**

- Standard with: Wardrobe with Coat Rod, Touch Latch Cabinet Doors, Two (2) Adjustable Shelves in the Center, and Two (2) Lateral File Drawers
- Locking Lateral Drawers Provides Legal or Letter Filing
- Additional Hutch Doors Options Below; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- If Applicable, When Black or Gold Pull is Selected, Lock Core and Knob will be Black; If Chrome or Aluminum Pull is Selected, Lock Core and Knob will be Aluminum
- Ace, Arc, Beam, Bow Tie, and Quadra Available for Wardrobe Door and Drawers; Knob Pull will be Used on Wardrobe Door if Alcove, Flair, or Studio Pull is Selected for Drawers
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

**Hutch Door Options: Specify + Add**

|       |                                                                  |         |
|-------|------------------------------------------------------------------|---------|
| 1-AD  | Aluminum Framed Satin Frosted Tempered Glass Doors (Non-Locking) | \$ 1348 |
| 1-DEB | Dry Erase Board Doors                                            | \$ 131  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color (Non-Locking)       |         |
|       | (GPA) Graphite Acrylic                                           | \$ 1302 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic         | \$ 1188 |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                           | Model No.                                  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>STORAGE CABINET WITH LATERAL FILES</b><br> | 66-3072SU2<br>Two (2) Adjustable Shelves   | 30    | 24    | 70⅞    | 251     | 35.7     | T\$ 3660   |
|                                                                                                                                | 66-3084SU2<br>Three (3) Adjustable Shelves | 30    | 24    | 82⅞    | 271     | 42.9     | T\$ 3870   |
|                                                                                                                                | 66-3672SU2<br>Two (2) Adjustable Shelves   | 36    | 24    | 70⅞    | 298     | 42.0     | T\$ 3750   |
|                                                                                                                                | 66-3684SU2<br>Three (3) Adjustable Shelves | 36    | 24    | 82⅞    | 318     | 49.2     | T\$ 3966   |

Must Specify (in this order):

Model #  
Chassis Color  
Door/Drawer Front Color  
Drawer Construction  
Door and Drawer Pulls  
Locking Doors

**Description**

- Standard with: Two (2) Touch Latch Doors with Adjustable Shelves in Top and Two (2) Locking Lateral File Drawers in Bottom
- Lateral File Drawers Provide Legal or Letter Filing
- Door/Drawer Fronts Available in Contrasting Colors; Must Specify
- Doors Available With or Without Pulls; Doors without Pulls Feature Touch Latch; When Door Pulls are Selected, Selection Must Match Drawer Pulls; Must Specify
- If Black or Gold Pull is Selected, Lock Core will be Black; If Chrome or Aluminum Pull is Selected, Lock Core will be Aluminum
- Additional Options: Dove Tail Drawer Construction ([See Drawer Options](#)), Locking Doors ([See Locking Options](#))

| WARDROBE AND OPEN STORAGE CABINET                                                   | WARDROBE LEFT | WARDROBE RIGHT |    |    |     |     |      |          |
|-------------------------------------------------------------------------------------|---------------|----------------|----|----|-----|-----|------|----------|
|  | 66-3072WOL    | 66-3072WOR     | 30 | 24 | 70⅞ | 220 | 35.7 | T\$ 3009 |
|                                                                                     | 66-3672WOL    | 66-3672WOR     | 36 | 24 | 70⅞ | 266 | 42.0 | T\$ 3091 |

Shown as Right


Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Door

**Description**

- Standard with: Touch Latch Wardrobe Door with One (1) Fixed Shelf and Coat Rod and Three (3) Adjustable Open Shelves and One (1) Fixed Shelf at Top on Opposite Side
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Door Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add**


|                                                                                     |       |                                                         |         |
|-------------------------------------------------------------------------------------|-------|---------------------------------------------------------|---------|
|  | 1-DEB | Dry Erase Board Doors                                   | \$ 278  |
|                                                                                     | 1-HGA | High Gloss Acrylic Doors; Must Specify Color            |         |
|                                                                                     |       | (GPA) Graphite Acrylic                                  | \$ 2767 |
|                                                                                     |       | (BLA) Black, (WMA) Wired Mercury or (WHA) White Acrylic | \$ 2526 |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                   | Model No.                         | Width      | Depth | Height | Ship Wt          | Cubic Ft | List Price |
|----------------------------------------|-----------------------------------|------------|-------|--------|------------------|----------|------------|
| TALL WARDROBE AND OPEN STORAGE CABINET | WARDROBE LEFT      WARDROBE RIGHT |            |       |        |                  |          |            |
|                                        | 66-3084WOL                        | 66-3084WOR | 30    | 24     | 82 $\frac{7}{8}$ | 297      | T\$ 2844   |
|                                        | 66-3684WOL                        | 66-3684WOR | 36    | 24     | 82 $\frac{7}{8}$ | 312      | T\$ 2912   |




Shown as Right

Must Specify (in this order):


Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Door

**Description**

- Standard with: Touch Latch Wardrobe Door with One (1) Fixed Shelf and Coat Rod and Four (4) Adjustable Shelves and One (1) Fixed Shelf at Top on Opposite Side
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Door Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add**


|       |                                                          |         |
|-------|----------------------------------------------------------|---------|
| 1-DEB | Dry Erase Board Doors                                    | \$ 278  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|       | (GPA) Graphite Acrylic                                   | \$ 2767 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2526 |

**WARDROBE/STORAGE CABINET**Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Doors

**Description**

- Standard with: Touch Latch Wardrobe Doors with One (1) Fixed Shelf and Coat Rod on Right and Three (3) Adjustable Shelves and One (1) Fixed Shelf at Top on Left Side
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Doors Available With or Without Pull; Doors without Pull Features Touch Latch; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

**Options: Specify + Add**


|       |                                                          |         |
|-------|----------------------------------------------------------|---------|
| 1-DEB | Dry Erase Board Doors                                    | \$ 278  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|       | (GPA) Graphite Acrylic                                   | \$ 2767 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2526 |

**Pricing Codes:**

T = TFL   P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                          | Model No. | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-------------------------------|-----------|-------|-------|------------------|---------|----------|------------|
| TALL WARDROBE/STORAGE CABINET | 66-3084WC | 30    | 24    | 82 $\frac{7}{8}$ | 320     | 41.4     | T\$ 3140   |
|                               | 66-3684WC | 36    | 24    | 82 $\frac{7}{8}$ | 340     | 49.2     | T\$ 3226   |




Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Doors

### Description



- Standard with: Touch Latch Wardrobe Doors with One (1) Fixed Shelf and Coat Rod on Right and Four (4) Adjustable Shelves and One (1) Fixed Shelf at Top on Left Side
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Door Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

### Options: Specify + Add



|       |                                                          |         |
|-------|----------------------------------------------------------|---------|
| 1-DEB | Dry Erase Board Doors                                    | \$ 278  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|       | (GPA) Graphite Acrylic                                   | \$ 2767 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2526 |

|                              |           |    |    |                  |     |      |          |
|------------------------------|-----------|----|----|------------------|-----|------|----------|
| STORAGE CABINET WITH SHELVES | 66-3072SU | 30 | 24 | 70 $\frac{7}{8}$ | 205 | 35.7 | T\$ 2725 |
|                              | 66-3672SU | 36 | 24 | 70 $\frac{7}{8}$ | 240 | 42.3 | T\$ 2856 |




Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Doors

### Description

- Standard with: Touch Latch Wardrobe Doors with One (1) Fixed Shelf and Three (3) Adjustable Shelves
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Door Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

### Options: Specify + Add





|       |                                                          |         |
|-------|----------------------------------------------------------|---------|
| 1-DEB | Dry Erase Board Doors                                    | \$ 278  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|       | (GPA) Graphite Acrylic                                   | \$ 2767 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2526 |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                              | Model No. | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-----------------------------------|-----------|-------|-------|------------------|---------|----------|------------|
| TALL STORAGE CABINET WITH SHELVES | 66-3084SU | 30    | 24    | 82 $\frac{7}{8}$ | 225     | 42.9     | T\$ 2977   |
|                                   | 66-3684SU | 36    | 24    | 82 $\frac{7}{8}$ | 260     | 49.2     | T\$ 3125   |




### Description

- Standard with: Touch Latch Wardrobe Doors with One (1) Fixed Shelf and Four (4) Adjustable Shelves
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Sets](#)
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Door Available With or Without Pull; Door without Pull Features Touch Latch; Must Specify
- Additional Options: Locking Doors ([See Locking Options](#))

Must Specify (in this order):


Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Doors

### Options: Specify + Add



|       |                                                          |         |
|-------|----------------------------------------------------------|---------|
| 1-DEB | Dry Erase Board Doors                                    | \$ 278  |
| 1-HGA | High Gloss Acrylic Doors; Must Specify Color             |         |
|       | (GPA) Graphite Acrylic                                   | \$ 2767 |
|       | (BLA) Black, (WMA), Wired Mercury or (WHA) White Acrylic | \$ 2526 |

|                        |           |    |    |                  |     |      |          |
|------------------------|-----------|----|----|------------------|-----|------|----------|
| BOOKCASE STORAGE TOWER | 66-3072DB | 30 | 15 | 70 $\frac{7}{8}$ | 165 | 23.3 | T\$ 1875 |
|                        | 66-3672DB | 36 | 15 | 70 $\frac{7}{8}$ | 195 | 26.9 | T\$ 2276 |



### Description

- Standard with: Two (2) Adjustable Shelves in Open Shelving and One (1) Adjustable Shelf Behind Doors on Bottom
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used Door
- Additional Options: Locking Doors ([See Locking Options](#))

Must Specify (in this order):


Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Doors

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                        | Model No. | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-----------------------------|-----------|-------|-------|------------------|---------|----------|------------|
| TALL BOOKCASE STORAGE TOWER | 66-3084DB | 30    | 15    | 82 $\frac{7}{8}$ | 200     | 25.5     | T\$ 2144   |
|                             | 66-3684DB | 36    | 15    | 82 $\frac{7}{8}$ | 229     | 30.3     | T\$ 2584   |



Must Specify (in this order):

Model #  
Chassis Color  
Door Style/Color  
Pull  
Locking Doors

### Description

- Standard with: Three (3) Adjustable Shelves in Open Shelving and One (1) Adjustable Shelf Behind Doors on Bottom
- If Applicable, Door Fronts Available in Contrasting Colors; Must Specify
- Door Available with or without Pull; Doors without Pulls Feature Touch Latch; Must Specify
- If Black and Gold Pulls are Selected, Black Lock Cores are Used; If Chrome and Aluminum Pulls are Selected, Silver Lock Cores are Used
- Additional Options: Locking Doors ([See Locking Options](#))

|          |                                                    |    |                  |                  |     |      |          |
|----------|----------------------------------------------------|----|------------------|------------------|-----|------|----------|
| BOOKCASE | 66-3030BC                                          | 30 | 14 $\frac{1}{4}$ | 30               | 62  | 10.1 | T\$ 1006 |
|          | One (1) Adjustable Shelf - Top Front Edge Profiled |    |                  |                  |     |      | P\$ 1147 |
|          | 66-3048BC                                          | 30 | 14 $\frac{1}{4}$ | 46 $\frac{7}{8}$ | 100 | 15.7 | T\$ 1222 |
|          | Two (2) Adjustable Shelves                         |    |                  |                  |     |      |          |
|          | 66-3060BC                                          | 30 | 14 $\frac{1}{4}$ | 58 $\frac{7}{8}$ | 122 | 19.5 | T\$ 1419 |
|          | Three (3) Adjustable Shelves                       |    |                  |                  |     |      |          |
|          | 66-3072BC                                          | 30 | 14 $\frac{1}{4}$ | 70 $\frac{7}{8}$ | 146 | 23.3 | T\$ 1616 |
|          | Three (3) Adjustable Shelves - One (1) Fixed Shelf |    |                  |                  |     |      |          |
|          | 66-3084BC                                          | 30 | 14 $\frac{1}{4}$ | 82 $\frac{7}{8}$ | 175 | 25.5 | T\$ 1876 |
|          | Four (4) Adjustable Shelves - One (1) Fixed Shelf  |    |                  |                  |     |      |          |
|          | 66-3630BC                                          | 36 | 14 $\frac{1}{4}$ | 30               | 75  | 11.9 | T\$ 1192 |
|          | One (1) Adjustable Shelf - Top Front Edge Profiled |    |                  |                  |     |      | P\$ 1339 |
|          | 66-3648BC                                          | 36 | 14 $\frac{1}{4}$ | 46 $\frac{7}{8}$ | 120 | 18.7 | T\$ 1574 |
|          | Two (2) Adjustable Shelves                         |    |                  |                  |     |      |          |
|          | 66-3660BC                                          | 36 | 14 $\frac{1}{4}$ | 58 $\frac{7}{8}$ | 147 | 23.2 | T\$ 1703 |
|          | Three (3) Adjustable Shelves                       |    |                  |                  |     |      |          |
|          | 66-3672BC                                          | 36 | 14 $\frac{1}{4}$ | 70 $\frac{7}{8}$ | 176 | 26.9 | T\$ 1976 |
|          | Three (3) Adjustable Shelves - One (1) Fixed Shelf |    |                  |                  |     |      |          |
|          | 66-3684BC                                          | 36 | 14 $\frac{1}{4}$ | 82 $\frac{7}{8}$ | 200 | 30.3 | T\$ 2293 |
|          | Four (4) Adjustable Shelves - One (1) Fixed Shelf  |    |                  |                  |     |      |          |

Must Specify (in this order):

Model #  
Chassis  
Color  
Edge

### Description


- 1" Thick Shelf

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                               | Model No.                                                | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>SURFACE MOUNT BOOKCASE</b><br> | 66-1530TU<br>One (1) Adjustable and One (1) Fixed Shelf  | 30    | 14¼   | 40⅞    | 98      | 15.9     | T\$ 1006   |
|                                                                                                                    | 66-1536TU<br>One (1) Adjustable and One (1) Fixed Shelf  | 36    | 14¼   | 40⅞    | 127     | 16.4     | T\$ 1089   |
|                                                                                                                    | 66-1530TTU<br>Two (2) Adjustable and One (1) Fixed Shelf | 30    | 14¼   | 52⅞    | 141     | 17.3     | T\$ 1255   |
|                                                                                                                    | 66-1536TTU<br>Two (2) Adjustable and One (1) Fixed Shelf | 36    | 14¼   | 52⅞    | 169     | 22.2     | T\$ 1377   |


**Description**

- For Use on Two Drawer Lateral Files
- 1" Thick Shelves

Must Specify (in this order):

Model #  
Color

|                       |           |    |    |    |    |      |                      |
|-----------------------|-----------|----|----|----|----|------|----------------------|
| <b>MAGAZINE TABLE</b> | 66-2442MT | 42 | 24 | 16 | 70 | 11.9 | T\$ 1052<br>P\$ 1232 |
|-----------------------|-----------|----|----|----|----|------|----------------------|


**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Slab Ends
- Apron Rail

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color

|                  |           |    |    |    |    |     |                     |
|------------------|-----------|----|----|----|----|-----|---------------------|
| <b>END TABLE</b> | 66-2424ET | 24 | 24 | 22 | 65 | 9.4 | T\$ 999<br>P\$ 1147 |
|------------------|-----------|----|----|----|----|-----|---------------------|

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- Slab Ends
- Apron Rail

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color

|                                                                                                         |                                                   |    |    |   |    |     |                     |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------|----|----|---|----|-----|---------------------|
| <b>ROUND TOP</b><br> | 66-3636CT<br><i>Accommodates Three (3) Chairs</i> | 36 | 36 | 1 | 37 | 2.5 | T\$ 672<br>P\$ 943  |
|                                                                                                         | 66-4242CT<br><i>Accommodates Four (4) Chairs</i>  | 42 | 42 | 1 | 70 | 3.4 | T\$ 769<br>P\$ 1073 |
|                                                                                                         | 66-4848CT<br><i>Accommodates Five (5) Chairs</i>  | 48 | 48 | 1 | 95 | 4.3 | T\$ 794<br>P\$ 1113 |
|                                                                                                         |                                                   |    |    |   |    |     |                     |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile

**Description**

- Single Base or Four (4) Strut Legs (on 48" Top Only) Required; Ordered Separately, See Next Page
- Power Options not Available

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                           | Model No.                |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------|--------------------------|----------|-------|-------|--------|---------|----------|------------|
| DISC BASE<br> | FOR 36" + 42" ROUND TOPS |          |       |       |        |         |          |            |
|                                                                                                | 01-2430DBB               | Black    | 24    | 24    | 27¾    | 32      | 3.2      | \$ 1701    |
|                                                                                                | 01-2430DBA               | Aluminum | 24    | 24    | 27¾    | 32      | 3.2      |            |
|                                                                                                | FOR 48" ROUND TOPS       |          |       |       |        |         |          |            |
|                                                                                                | 01-3230DBB               | Black    | 30    | 30    | 27¾    | 42      | 4.1      | \$ 2041    |
|                                                                                                | 01-3230DBA               | Aluminum | 30    | 30    | 27¾    | 42      | 4.1      |            |

**Description**

- 4" Diameter 14 Gauge Steel Column with 12"x12" Mounting Plate at Top of Column
- ¼" Thick Disc Plate with 5 Levelers
- Stiffener Bar Not Included; Must Order Separately ([See Stiffener Bars](#)) If Needed
- Some Assembly Required

| Table Widths             | Round | 72" | 84" | 96" |
|--------------------------|-------|-----|-----|-----|
| Number of Bases Required | 1     | 2   | 2   | 2   |

METAL X-BASE



| FOR USE WITH ROUND TOPS: 30" + 36" AND TOP SURFACES: 36"x84", 36"x72" |                 |          |     |     |    |    |      |    |      |
|-----------------------------------------------------------------------|-----------------|----------|-----|-----|----|----|------|----|------|
| 08-2030SXBB                                                           | For 30"H Tables | Black    | 29  | 29  | 28 | 21 | 11.6 | \$ | 1289 |
| 08-2030SXBA                                                           |                 | Aluminum |     |     |    |    |      |    |      |
| 08-2036SXBB                                                           | For 36"H Tables | Black    | 29  | 29  | 34 | 24 | 13.7 | \$ | 1342 |
| 08-2036SXBA                                                           |                 | Aluminum |     |     |    |    |      |    |      |
| 08-2042SXBB                                                           | For 42"H Tables | Black    | 29  | 29  | 40 | 27 | 15.9 | \$ | 1399 |
| 08-2042SXBA                                                           |                 | Aluminum |     |     |    |    |      |    |      |
| FOR USE WITH ROUND TOPS: 42" + 48" AND TOP SURFACES: 42"x96"          |                 |          |     |     |    |    |      |    |      |
| 08-2630LXBB                                                           | For 30"H Tables | Black    | 35½ | 35½ | 28 | 27 | 14.5 | \$ | 1380 |
| 08-2630LXBA                                                           |                 | Aluminum |     |     |    |    |      |    |      |
| 08-2636LXBB                                                           | For 36"H Tables | Black    | 35½ | 35½ | 34 | 30 | 17.2 | \$ | 1444 |
| 08-2636LXBA                                                           |                 | Aluminum |     |     |    |    |      |    |      |
| 08-2642LXBB                                                           | For 42"H Tables | Black    | 35½ | 35½ | 40 | 33 | 20.0 | \$ | 1496 |
| 08-2642LXBA                                                           |                 | Aluminum |     |     |    |    |      |    |      |

**Description**


- See Number of Bases Required Per Top Width Below
- Power Units Available On Center When Using Two Metal X-Bases
- Not Available to be Sold Separately
- Some Assembly Required


| Table Widths             | Round | 72" | 84" | 96" |
|--------------------------|-------|-----|-----|-----|
| Number of Bases Required | 1     | 2   | 2   | 2   |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                           | Model No.                                                                               | Width    | Depth | Height       | Ship Wt    | Cubic Ft   | List Price |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------|-------|--------------|------------|------------|------------|
| <b>TUBULAR X-BASE</b><br>                                                                                                                                     | FOR USE WITH ROUND TOPS: 36"+ 42", Square Tops: 36", and Top Surfaces: 36"x84", 36"x72" |          |       |              |            |            |            |
|                                                                                                                                                                                                                                                | 01-3230TXB                                                                              | Black    | 32    | 32           | 27¾        | 32         | \$ 701     |
|                                                                                                                                                                                                                                                | 01-3230TXA                                                                              | Aluminum |       |              |            |            |            |
|                                                                                                                                                                                                                                                | FOR USE WITH ROUND TOPS: 48" and Square Tops: 42"                                       |          |       |              |            |            |            |
|                                                                                                                                                                                                                                                | 01-3830TXB                                                                              | Black    | 38    | 38           | 27¾        | 40         | \$ 774     |
|                                                                                                                                                                                                                                                | 01-3830TXA                                                                              | Aluminum |       |              |            |            |            |
| <b>Description</b>                                                                                                                                                                                                                             |                                                                                         |          |       |              |            |            |            |
| <ul style="list-style-type: none"> <li>• 3" Diameter Column</li> <li>• See Number of Bases Required Per Top Width Below</li> <li>• Power Units Available On Center When Using Two Tubular X-Bases</li> <li>• Some Assembly Required</li> </ul> |                                                                                         |          |       |              |            |            |            |
| <b>Table Widths</b>                                                                                                                                                                                                                            |                                                                                         |          |       | <b>Round</b> | <b>72"</b> | <b>84"</b> | <b>96"</b> |
| <b>Number of Bases Required</b>                                                                                                                                                                                                                |                                                                                         |          |       | 1            | 2          | 2          | 2          |

|                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                            |          |    |              |            |            |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------|----|--------------|------------|------------|------------|
| <b>SQUARE BASE</b><br>                                                                                                                                                                                                                                                                                                    | FOR USE WITH ROUND TOPS: 36" AND SQUARE TOPS: 30"                          |          |    |              |            |            |            |
|                                                                                                                                                                                                                                                                                                                                                                                                             | 01-1630SBB                                                                 | Black    | 16 | 16           | 27¾        | 32         | \$ 995     |
|                                                                                                                                                                                                                                                                                                                                                                                                             | 01-1630SBA                                                                 | Aluminum |    |              |            |            |            |
|                                                                                                                                                                                                                                                                                                                                                                                                             | FOR USE WITH ROUND TOPS: 42", SQUARE TOPS: 36", AND TOPS: 36"x84", 36"x72" |          |    |              |            |            |            |
|                                                                                                                                                                                                                                                                                                                                                                                                             | 01-2030SBB                                                                 | Black    | 20 | 20           | 27¾        | 32         | \$ 1060    |
|                                                                                                                                                                                                                                                                                                                                                                                                             | 01-2030SBA                                                                 | Aluminum |    |              |            |            |            |
|                                                                                                                                                                                                                                                                                                                                                                                                             | FOR USE WITH ROUND TOPS: 48" AND SQUARE TOPS: 42"                          |          |    |              |            |            |            |
|                                                                                                                                                                                                                                                                                                                                                                                                             | 01-2630SBB                                                                 | Black    | 26 | 26           | 27¾        | 32         | \$ 1288    |
|                                                                                                                                                                                                                                                                                                                                                                                                             | 01-2630SBA                                                                 | Aluminum |    |              |            |            |            |
| <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                          |                                                                            |          |    |              |            |            |            |
| <ul style="list-style-type: none"> <li>• 2¾" Diameter Column</li> <li>• 12"x12" Mounting Plate at Top of Column</li> <li>• Stiffener Bar Not Included; Must Order Separately (<a href="#">See Stiffener Bars</a>) If Needed</li> <li>• See Number of Bases Required Per Top Width Below</li> <li>• Power Units Available On Center When Using Two Square Bases</li> <li>• Some Assembly Required</li> </ul> |                                                                            |          |    |              |            |            |            |
| <b>Table Widths</b>                                                                                                                                                                                                                                                                                                                                                                                         |                                                                            |          |    | <b>Round</b> | <b>72"</b> | <b>84"</b> | <b>96"</b> |
| <b>Number of Bases Required</b>                                                                                                                                                                                                                                                                                                                                                                             |                                                                            |          |    | 1            | 2          | 2          | 2          |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item             | Model No.   |                 | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------|-------------|-----------------|-------|-------|--------|---------|----------|------------|
| STRUT TABLE LEGS | 01-2228STR2 | 1 Pair (2 Legs) | 1½    | 22½   | 28⅞    | 32      | 4.5      | \$ 1433    |
|                  | 01-2228STR4 | 2 Pair (4 Legs) | 1½    | 22½   | 28⅞    | 64      | 9.0      | \$ 2866    |



Must Specify (in this order):

Model # and Quantity  
Color  
Optional Stiffener Bar and  
Quantity

#### Description

- Available in Aluminum (ALUM) or Black (BLK); Must Specify Color
- Built-In Wire Management Cover on Inside of Legs
- Each Leg has Adjustable Glides
- Legs not Available To Be Sold Separately
- For Use with Indiana Furniture 48" Round Tops Only


#### Options: Specify + Add

|            |               |        |
|------------|---------------|--------|
| 01-00048SB | Stiffener Bar | \$ 134 |
|------------|---------------|--------|

See Individual Tops for Recommended Number of Stiffener Bars

| Table Widths             | 48" CT | 72" | 84" | 120" |
|--------------------------|--------|-----|-----|------|
| Number of Bases Required | 4      | 4   | 4   | 6    |

#### CYLINDER BASE



Must Specify (in this order):

Model # and Quantity  
Finish  
Grommet Options

| FOR TABLES 36"D         |    |    |     |     |      |     |      |  |
|-------------------------|----|----|-----|-----|------|-----|------|--|
| 01-1616CB               | 16 | 16 | 28½ | 101 | 7.2  | W\$ | 1572 |  |
| FOR TABLES 42"D TO 48"D |    |    |     |     |      |     |      |  |
| 01-2020CB               | 20 | 20 | 28½ | 136 | 10.9 | W\$ | 1720 |  |

#### Description

- Standard with Two (2) Wire Management Access Points at Top Edge and 8" Access Point at Bottom
- Veneer Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Weighted for Stability
- See Below for Additional Options and Number of Bases Required

#### Additional Options: Must Specify


|       |                                       |
|-------|---------------------------------------|
| GCB1S | Only One (1) Access Point At Top Edge |
| NOGC  | No Access Points At Top Edge          |

| Table Widths             | Round | 72" | 96" | 120" |
|--------------------------|-------|-----|-----|------|
| Number of Bases Required | 1     | 2   | 2   | 3    |

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                    | Model No.                                                       | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-------|-------|--------|---------|----------|----------------------|
|  <p>Recessed Front</p> | 66-3060SH<br><i>Kneespace 58"; No Additional Support Needed</i> | 60    | 30    | 30     | 136     | 35.3     | T\$ 1671<br>P\$ 1931 |
|                                                                                                         | 66-3066SH                                                       | 66    | 30    | 30     | 141     | 39.0     | T\$ 1742<br>P\$ 2019 |
|                                                                                                         | 66-3072SH                                                       | 72    | 30    | 30     | 145     | 43.8     | T\$ 1782<br>P\$ 2076 |
|                                                                                                         | 66-3660SH<br><i>Kneespace 58"; No Additional Support Needed</i> | 60    | 36    | 30     | 139     | 43.7     | T\$ 1762<br>P\$ 2050 |
|                                                                                                         | 66-3666SH                                                       | 66    | 36    | 30     | 148     | 48.0     | T\$ 1809<br>P\$ 2108 |
|                                                                                                         | 66-3672SH                                                       | 72    | 36    | 30     | 154     | 50.0     | T\$ 1866<br>P\$ 2177 |
|                                                                                                         |                                                                 |       |       |        |         |          |                      |
|                                                                                                         |                                                                 |       |       |        |         |          |                      |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Grommet Location  
Grommet Color

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals; If Using with Pedestal, Surface Grommet Only Available on Opposite Side of Pedestal
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater When Surface is Not Supported by a Pedestal
- 10" Recessed Front on 36" Deep Units; 4" Recessed Front on 30" Deep Units
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- [Height Adjustable Units Available](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

|                                                                                     |                                                                 |    |    |    |     |      |                      |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|----|----|----|-----|------|----------------------|
|  | 66-2460SH<br><i>Kneespace 58"; No Additional Support Needed</i> | 60 | 24 | 30 | 111 | 29.8 | T\$ 1531<br>P\$ 1770 |
|                                                                                     | 66-2466SH<br><i>Kneespace 64"</i>                               | 66 | 24 | 30 | 118 | 32.7 | T\$ 1569<br>P\$ 1812 |
|                                                                                     | 66-2472SH<br><i>Kneespace 70"</i>                               | 72 | 24 | 30 | 125 | 34.6 | T\$ 1615<br>P\$ 1871 |
|                                                                                     |                                                                 |    |    |    |     |      |                      |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Grommet Location  
Grommet Color


**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater When Surface is Not Supported by a Pedestal
- [Height Adjustable Units Available](#)
- If Using with Pedestal, Surface Grommet Only Available Opposite Pedestal
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Modesty Panel Grommet Standard; Must Specify: Black (BLK), Silver (SLV) or No Modesty Panel Grommet (NONE)
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                 | Model No.   |             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |  |
|----------------------------------------------------------------------------------------------------------------------|-------------|-------------|-------|-------|--------|---------|----------|------------|--|
| <div>RETURN SHELL</div> <div></div> | LEFT SHELL  | RIGHT SHELL |       |       |        |         |          |            |  |
|                                                                                                                      | 66-2442RSHL | 66-2442RSHR | 42    | 24    | 30     | 60      | 20.4     | T\$ 1022   |  |
|                                                                                                                      |             |             |       |       |        |         |          | P\$ 1202   |  |
|                                                                                                                      | 66-2448RSHL | 66-2448RSHR | 48    | 24    | 30     | 70      | 24.2     | T\$ 1089   |  |
|                                                                                                                      |             |             |       |       |        |         |          | P\$ 1287   |  |


Shown as Right

Must Specify (in this order):


Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Grommet Location  
 Grommet Color

**Description**

- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals
- Optional Surface Grommet; Must Specify Black or Silver.
- Modesty Panel Grommet is Standard; Must Specify: Black (BLK), Silver (SLV) or No Modesty Panel Grommet (NONE)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

|                                                                                                                          |              |              |    |    |    |     |      |          |
|--------------------------------------------------------------------------------------------------------------------------|--------------|--------------|----|----|----|-----|------|----------|
| <b>SINGLE PENINSULA DESK SHELL</b><br> | <b>LEFT</b>  | <b>RIGHT</b> |    |    |    |     |      |          |
|                                                                                                                          | 66-3066LSHPD | 66-3066RSHPD | 66 | 30 | 30 | 125 | 40.3 | T\$ 1555 |
|                                                                                                                          |              |              |    |    |    |     |      | P\$ 1833 |
|                                                                                                                          | 66-3072LSHPD | 66-3072RSHPD | 72 | 30 | 30 | 134 | 43.9 | T\$ 1635 |
|                                                                                                                          |              |              |    |    |    |     |      | P\$ 1928 |
|                                                                                                                          | 66-3666LSHPD | 66-3666RSHPD | 66 | 36 | 30 | 135 | 47.9 | T\$ 1673 |
|                                                                                                                          |              |              |    |    |    |     |      | P\$ 1971 |
|                                                                                                                          | 66-3672LSHPD | 66-3672RSHPD | 72 | 36 | 30 | 148 | 52.0 | T\$ 1738 |
|                                                                                                                          |              |              |    |    |    |     |      | P\$ 2051 |

Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Modesty Color  
 Power/Data Options  
 Grommet Style  
 Location  
 Color  
 Metal Accent Color


**Description**

- Standard With: Rectangle Top, Recessed Front, Left to Right Grain Direction on Worksurface
- Available with TFL (T) or HPL (P) Top; Must Specify
- For Use With or Without Modular Pedestals
- Top, Chassis, and Modesty Available in Contrasting Colors; Must Specify Color of Each Component
- Optional 5/16" Metal Accent Available on Base in Four (4) Colors: Aluminum, Black, Gold, and Platinum; [See Details, Must Specify Color](#)
- Additional Options: Power and Grommet Options ([See Options and Locations](#)); Kneespace Options ([Sold Separately, See Unit Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                           | Model No.         | Width              | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------|-------|--------|---------|----------|----------------------|
| <b>P-TOP PENINSULA WITH CYLINDER BASE</b><br> | <b>LEFT P TOP</b> | <b>RIGHT P TOP</b> |       |        |         |          |                      |
|                                                                                                                                | 66-4272TL         | 66-4272TR          | 72    | 42-36  | 30      | 115      | 11.3                 |
|                                                                                                                                |                   |                    |       |        |         |          | T\$ 1820<br>P\$ 2387 |
|                                                                                                                                | 66-4284TL         | 66-4284TR          | 84    | 42-36  | 30      | 120      | 13.2                 |
|                                                                                                                                |                   |                    |       |        |         |          | T\$ 2217<br>P\$ 2948 |


Shown as Left

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Leg Color  
 Grommet  
 Grommet Color

**Description**

- Metal Cylinder Base Standard - 4" Diameter; Must Specify: Black or Aluminum
- 48" Stiffener Bar Required on 84" Units if Used as Runoff; [See Stiffener Bar Sizes](#)
- Some Assembly Required

|                                                                                                                                  |           |    |    |    |     |      |                      |
|----------------------------------------------------------------------------------------------------------------------------------|-----------|----|----|----|-----|------|----------------------|
| <b>D-TOP PENINSULA WITH CYLINDER BASE</b><br> | 66-3066DR | 66 | 30 | 30 | 120 | 7.5  | T\$ 1764<br>P\$ 2313 |
|                                                                                                                                  | 66-3672DR | 72 | 36 | 30 | 115 | 9.8  | T\$ 1835<br>P\$ 2412 |
|                                                                                                                                  | 66-3684DR | 84 | 36 | 30 | 134 | 13.2 | T\$ 2174<br>P\$ 2888 |
|                                                                                                                                  |           |    |    |    |     |      |                      |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Leg Color  
 Grommet  
 Grommet Color

**Description**

- Metal Cylinder Base Standard - 4" Diameter; Must Specify: Black or Aluminum
- 48" Stiffener Bar Required on 84" Units if Used as Runoff; [See Stiffener Bar Sizes](#)
- Some Assembly Required

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item              | Model No.                                              | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-------------------|--------------------------------------------------------|-------|-------|--------|---------|----------|----------------------|
| MODULAR DESK TOPS | 66-3042TP                                              | 42    | 30    | 1      | 38      | 2.9      | T\$ 519<br>P\$ 727   |
|                   | 66-3048TP                                              | 48    | 30    | 1      | 43      | 3.2      | T\$ 569<br>P\$ 796   |
|                   | 66-3054TP                                              | 54    | 30    | 1      | 48      | 3.6      | T\$ 616<br>P\$ 861   |
|                   | 66-3060TP                                              | 60    | 30    | 1      | 75      | 3.8      | T\$ 652<br>P\$ 914   |
|                   | 66-3066TP                                              | 66    | 30    | 1      | 58      | 4.4      | T\$ 710<br>P\$ 988   |
|                   | 66-3072TP                                              | 72    | 30    | 1      | 62      | 4.8      | T\$ 734<br>P\$ 1027  |
|                   | 66-3078TP                                              | 78    | 30    | 1      | 67      | 5.2      | T\$ 755<br>P\$ 1057  |
|                   | 66-3084TP                                              | 84    | 30    | 1      | 72      | 5.6      | T\$ 774<br>P\$ 1085  |
|                   | 66-3642TP                                              | 42    | 36    | 1      | 45      | 3.4      | T\$ 555<br>P\$ 779   |
|                   | 66-3648TP                                              | 48    | 36    | 1      | 51      | 3.8      | T\$ 613<br>P\$ 855   |
|                   | 66-3654TP                                              | 54    | 36    | 1      | 57      | 4.3      | T\$ 657<br>P\$ 923   |
|                   | 66-3660TP                                              | 60    | 36    | 1      | 63      | 4.8      | T\$ 717<br>P\$ 1004  |
|                   | 66-3666TP                                              | 66    | 36    | 1      | 68      | 5.2      | T\$ 751<br>P\$ 1049  |
|                   | 66-3672TP                                              | 72    | 36    | 1      | 74      | 5.7      | T\$ 788<br>P\$ 1100  |
|                   | 66-3678TP                                              | 78    | 36    | 1      | 80      | 6.2      | T\$ 809<br>P\$ 1128  |
|                   | 66-3684TP                                              | 84    | 36    | 1      | 85      | 6.6      | T\$ 825<br>P\$ 1156  |
|                   | 66-4860TP<br>For Use as a Desk Top With Benching Units | 60    | 48    | 1      | 86      | 7.0      | T\$ 895<br>P\$ 1257  |
|                   | 66-4866TP<br>For Use as a Desk Top With Benching Units | 66    | 48    | 1      | 94      | 7.8      | T\$ 941<br>P\$ 1316  |
|                   | 66-4872TP<br>For Use as a Desk Top With Benching Units | 72    | 48    | 1      | 102     | 8.6      | T\$ 982<br>P\$ 1378  |
|                   | 66-6060TP<br>For Use as a Desk Top With Benching Units | 60    | 60    | 1      | 100     | 9.0      | T\$ 1093<br>P\$ 1531 |
|                   | 66-6066TP<br>For Use as a Desk Top With Benching Units | 66    | 60    | 1      | 110     | 9.8      | T\$ 1146<br>P\$ 1601 |
|                   | 66-6072TP<br>For Use as a Desk Top With Benching Units | 72    | 60    | 1      | 120     | 10.6     | T\$ 1202<br>P\$ 1681 |

**Description**


- Left to Right Grain Direction on Top; For Front to Back Grain Direction See Next Page
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on Approach and User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                              | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price          |
|-------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|---------------------|
| <b>MODULAR DESK TOPS</b><br><br> | 66-4230TP | 42    | 30    | 1      | 38      | 2.9      | T\$ 519<br>P\$ 727  |
|                                                                                                                   | 66-4830TP | 48    | 30    | 1      | 43      | 3.2      | T\$ 569<br>P\$ 796  |
|                                                                                                                   | 66-5430TP | 54    | 30    | 1      | 48      | 3.6      | T\$ 616<br>P\$ 861  |
|                                                                                                                   | 66-6030TP | 60    | 30    | 1      | 75      | 3.8      | T\$ 652<br>P\$ 914  |
|                                                                                                                   | 66-4236TP | 42    | 36    | 1      | 45      | 3.4      | T\$ 555<br>P\$ 779  |
|                                                                                                                   | 66-4836TP | 48    | 36    | 1      | 51      | 3.8      | T\$ 613<br>P\$ 855  |
|                                                                                                                   | 66-5436TP | 54    | 36    | 1      | 57      | 4.3      | T\$ 657<br>P\$ 923  |
|                                                                                                                   | 66-6036TP | 60    | 36    | 1      | 63      | 4.8      | T\$ 717<br>P\$ 1004 |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile  
Grommet Location  
Grommet Color

### Description

- Front to Back Grain Direction on Top
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on Approach and User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

### Pricing Codes:


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                         | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|----------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|--------------------|
| <b>20"D MODULAR BRIDGE, RETURN AND CREDENZA TOPS</b><br><b>LEFT TO RIGHT GRAIN DIRECTION</b> | 66-2018TP | 18    | 20    | 1      | 28      | 1        | T\$ 320<br>P\$ 446 |
|                                                                                              | 66-2030TP | 30    | 20    | 1      | 36      | 1.6      | T\$ 344<br>P\$ 482 |
|                                                                                              | 66-2036TP | 36    | 20    | 1      | 45      | 2        | T\$ 356<br>P\$ 498 |
|                                                                                              | 66-2042TP | 42    | 20    | 1      | 50      | 2.2      | T\$ 404<br>P\$ 567 |
|                                                                                              | 66-2048TP | 48    | 20    | 1      | 44      | 2.5      | T\$ 445<br>P\$ 622 |
|                                                                                              | 66-2054TP | 54    | 20    | 1      | 65      | 2.8      | T\$ 479<br>P\$ 670 |
|                                                                                              | 66-2060TP | 60    | 20    | 1      | 70      | 3        | T\$ 523<br>P\$ 730 |
|                                                                                              | 66-2066TP | 66    | 20    | 1      | 75      | 3.4      | T\$ 548<br>P\$ 768 |
|                                                                                              | 66-2072TP | 72    | 20    | 1      | 80      | 3.7      | T\$ 572<br>P\$ 802 |
|                                                                                              | 66-2078TP | 78    | 20    | 1      | 85      | 4        | T\$ 589<br>P\$ 824 |
|                                                                                              | 66-2084TP | 84    | 20    | 1      | 90      | 4.3      | T\$ 603<br>P\$ 846 |
|                                                                                              | 66-2090TP | 90    | 20    | 1      | 95      | 4.6      | T\$ 660<br>P\$ 926 |
|                                                                                              | 66-2096TP | 96    | 20    | 1      | 100     | 4.9      | T\$ 673<br>P\$ 944 |

Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile  
Grommet Location  
Grommet Color



#### Description


- Left to Right Grain Direction on Top; [See Tops with Front to Back Grain Direction](#)
- For 20"D Bridge, Return and Credenza Modular Tops
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                         | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price          |
|----------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|---------------------|
| <b>24"D MODULAR BRIDGE, RETURN AND CREDENZA TOPS</b><br><b>LEFT TO RIGHT GRAIN DIRECTION</b> | 66-2418TP | 18    | 24    | 1      | 28      | 1        | T\$ 357<br>P\$ 500  |
|                                                                                              | 66-2430TP | 30    | 24    | 1      | 36      | 1.6      | T\$ 389<br>P\$ 544  |
|                                                                                              | 66-2436TP | 36    | 24    | 1      | 45      | 2        | T\$ 402<br>P\$ 563  |
|                                                                                              | 66-2442TP | 42    | 24    | 1      | 50      | 2.2      | T\$ 455<br>P\$ 636  |
|                                                                                              | 66-2448TP | 48    | 24    | 1      | 44      | 2.5      | T\$ 499<br>P\$ 699  |
|                                                                                              | 66-2454TP | 54    | 24    | 1      | 65      | 2.8      | T\$ 539<br>P\$ 754  |
|                                                                                              | 66-2460TP | 60    | 24    | 1      | 70      | 3        | T\$ 586<br>P\$ 824  |
|                                                                                              | 66-2466TP | 66    | 24    | 1      | 75      | 3.4      | T\$ 616<br>P\$ 859  |
|                                                                                              | 66-2472TP | 72    | 24    | 1      | 80      | 3.7      | T\$ 646<br>P\$ 900  |
|                                                                                              | 66-2478TP | 78    | 24    | 1      | 85      | 4        | T\$ 663<br>P\$ 928  |
|                                                                                              | 66-2484TP | 84    | 24    | 1      | 90      | 4.3      | T\$ 677<br>P\$ 950  |
|                                                                                              | 66-2490TP | 90    | 24    | 1      | 95      | 4.6      | T\$ 737<br>P\$ 1036 |
|                                                                                              | 66-2496TP | 96    | 24    | 1      | 100     | 4.9      | T\$ 757<br>P\$ 1062 |



Must Specify (in this order):

Model #  
Top Material  
Color  
Edge Profile  
Grommet Location  
Grommet Color


#### Description

- Left to Right Grain Direction on Top; See Next Page for Tops with Front to Back Grain Direction
- For 24"D Bridge, Return and Credenza Modular Tops
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar ([See Sizes](#)) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                                                                                                | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|--------------------|
| <b>20"D AND 24"D MODULAR BRIDGE, RETURN AND CREDENZA TOPS</b><br><br><b>FRONT AND BACK GRAIN DIRECTION</b><br><br> | 66-3020TP | 30    | 20    | 1      | 21      | 1.4      | T\$ 344<br>P\$ 482 |
|                                                                                                                                                                                                     | 66-3620TP | 36    | 20    | 1      | 25      | 1.7      | T\$ 356<br>P\$ 498 |
|                                                                                                                                                                                                     | 66-4220TP | 42    | 20    | 1      | 29      | 1.9      | T\$ 404<br>P\$ 567 |
|                                                                                                                                                                                                     | 66-4820TP | 48    | 20    | 1      | 33      | 2.3      | T\$ 445<br>P\$ 622 |
|                                                                                                                                                                                                     | 66-5420TP | 54    | 20    | 1      | 37      | 2.5      | T\$ 479<br>P\$ 670 |
|                                                                                                                                                                                                     | 66-6020TP | 60    | 20    | 1      | 41      | 2.7      | T\$ 523<br>P\$ 730 |
|                                                                                                                                                                                                     | 66-3024TP | 30    | 24    | 1      | 36      | 1.6      | T\$ 389<br>P\$ 544 |
|                                                                                                                                                                                                     | 66-3624TP | 36    | 24    | 1      | 45      | 2.0      | T\$ 402<br>P\$ 563 |
|                                                                                                                                                                                                     | 66-4224TP | 42    | 24    | 1      | 50      | 2.2      | T\$ 455<br>P\$ 636 |
|                                                                                                                                                                                                     | 66-4824TP | 48    | 24    | 1      | 44      | 2.5      | T\$ 499<br>P\$ 699 |
|                                                                                                                                                                                                     | 66-5424TP | 54    | 24    | 1      | 65      | 2.8      | T\$ 539<br>P\$ 754 |
|                                                                                                                                                                                                     | 66-6024TP | 60    | 24    | 1      | 70      | 3.0      | T\$ 586<br>P\$ 824 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Grommet Location  
Grommet Color

#### Description

- Front to Back Grain Direction on Top
- Optional Surface Grommet; Must Specify: Black (BLK) or Silver (SLV)
- Profiled on User Side
- Support Panel Required ([See 66-2812SP](#)), Stiffener Bar (See Below) Recommended in Kneespaces 60" or Greater and With Peninsula Application When Surface is Not Supported by a Pedestal
- Additional Options: Power and Grommet Options ([See Options and Locations](#))

|                                                                                                                 |            |    |    |   |   |     |        |
|-----------------------------------------------------------------------------------------------------------------|------------|----|----|---|---|-----|--------|
| <b>STIFFENER BAR</b><br><br> | 01-00048SB | 48 | 1¾ | ¾ | 5 | 0.3 | \$ 134 |
|                                                                                                                 | 01-00060SB | 60 | 1¾ | ¾ | 8 | 0.3 | \$ 143 |

#### Description

- Reinforces Worksurfaces with Large Kneespace Widths
- Includes End Caps to Cover Sharp Edges
- Recommended in Kneespaces 60" or Greater
- Field Installed

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                      | Model No.                                                   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>MODULAR PEDESTAL BOX/BOX/FILE</b><br> | 66-2015PD1<br>Use with 20"D Modular Cabinet Tops and Shells | 15¾   | 19¼   | 28¼    | 83      | 6.3      | \$ 1267    |
|                                                                                                                           | 66-2415PD1<br>Use with 24"D Modular Cabinet Tops and Shells | 15¾   | 23¼   | 28¼    | 93      | 7.8      | \$ 1281    |
|                                                                                                                           | 66-2515SHPD1<br>Use with Desk Shells Only                   | 15¾   | 25    | 28¼    | 96      | 8.4      | \$ 1236    |
|                                                                                                                           | 66-2018PD1<br>Use with 20"D Modular Tops                    | 18    | 19¼   | 28¼    | 98      | 9.6      | \$ 1339    |
|                                                                                                                           | 66-2418PD1<br>Use with 24"D Modular Cabinet Tops and Shells | 18    | 23¼   | 28¼    | 98      | 9.6      | \$ 1352    |
|                                                                                                                           | 66-3018PD1<br>Use with 30"D Modular Desk Tops               | 18    | 29¼   | 28¼    | 105     | 11.6     | \$ 1449    |
|                                                                                                                           | 66-3618PD1<br>Use with 36"D Modular Desk Tops               | 18    | 35¼   | 28¼    | 125     | 13.6     | \$ 1566    |

Must Specify (in this order):

Model #  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- Top is Required; [See Top Sizes](#)
- Letter Width Locking Pedestal
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

|                                                                                                                          |                                                             |     |     |     |     |      |         |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----|-----|-----|-----|------|---------|
| <b>MODULAR PEDESTAL FILE/FILE</b><br> | 66-2015PD2<br>Use with 20"D Modular Cabinet Tops and Shells | 15¾ | 19¼ | 28¼ | 83  | 6.3  | \$ 1267 |
|                                                                                                                          | 66-2415PD2<br>Use with 24"D Modular Cabinet Tops and Shells | 15¾ | 23¼ | 28¼ | 93  | 7.8  | \$ 1281 |
|                                                                                                                          | 66-2515SHPD2<br>Use with Desk Shells Only                   | 15¾ | 25  | 28¼ | 96  | 8.4  | \$ 1236 |
|                                                                                                                          | 66-2018PD2<br>Use with 20"D Modular Tops                    | 18  | 19¼ | 28¼ | 88  | 9.6  | \$ 1339 |
|                                                                                                                          | 66-2418PD2<br>Use with 24"D Modular Cabinet Tops and Shells | 18  | 23¼ | 28¼ | 98  | 9.6  | \$ 1352 |
|                                                                                                                          | 66-3018PD2<br>Use with 30"D Modular Desk Tops               | 18  | 29¼ | 28¼ | 105 | 11.6 | \$ 1449 |
|                                                                                                                          | 66-3618PD2<br>Use with 36"D Modular Desk Tops               | 18  | 35¼ | 28¼ | 125 | 13.6 | \$ 1566 |

Must Specify (in this order):

Model #  
Chassis Color  
Drawer  
Color  
Grain Direction (if applicable)  
Construction  
Track  
Pull  
Wire Management

**Description**


- Open Back; [See Back Panel Options](#)
- Top is Required; [See Top Sizes](#)
- Letter Width Locking Pedestal
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                           | Model No.   | Width       | Depth | Height | Ship Wt | Cubic Ft | List Price |         |
|--------------------------------|-------------|-------------|-------|--------|---------|----------|------------|---------|
| MODULAR PEDESTAL DOOR BOOKCASE | LEFT        | RIGHT       |       |        |         |          |            |         |
|                                | 66-2018PD4L | 66-2018PD4R | 18    | 19¼    | 28¼     | 80       | 6.3        | \$ 1069 |
|                                | 66-2418PD4L | 66-2418PD4R | 18    | 23¼    | 28¼     | 90       | 8.9        | \$ 1089 |




Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain Direction (if applicable)  
Pull  
Wire Management

#### Description

- Open Back; [See Back Panel Options](#)
- For Use with 20"D and 24"D Tops; Top is Required; [See Tops](#)
- Adjustable Shelf Behind Door
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Locking Door ([See Locking Options](#)) and Wire Management ([See Option Details](#))

|                             |             |             |    |     |     |     |      |         |
|-----------------------------|-------------|-------------|----|-----|-----|-----|------|---------|
| MODULAR PEDESTAL MULTI-FILE | LEFT        | RIGHT       |    |     |     |     |      |         |
|                             | 66-2030LF2L | 66-2030LF2R | 30 | 19¼ | 28¼ | 118 | 11.7 | \$ 1766 |
|                             | 66-2036LF2L | 66-2036LF2R | 36 | 19¼ | 28¼ | 143 | 15.5 | \$ 1826 |
|                             | 66-2430LF2L | 66-2430LF2R | 30 | 23¼ | 28¼ | 128 | 14.9 | \$ 1782 |
|                             | 66-2436LF2L | 66-2436LF2R | 36 | 23¼ | 28¼ | 153 | 18.5 | \$ 1854 |



Shown as Right

Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Construction  
Box and File Drawer Track  
Pull  
Wire Management

#### Description


- Open Back; [See Back Panel Options](#)
- For Use with 20"D and 24"D Tops; Top is Required; [See Tops](#)
- File Drawer Determines Handed Side
- Locking File Drawers; File and Lateral Drawer Provides Legal or Letter Filing Front to Back or Side to Side
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Soft Close Box and File Drawers ([See Soft Close Options](#)), Wire Management ([See Option Details](#))

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL<br>OPEN MULTI-FILE | 66-2430OMF | 30    | 23¼   | 28¼    | 128     | 18.5     | \$ 1708    |
|                                     | 66-2436OMF | 36    | 23¼   | 28¼    | 118     | 14.9     | \$ 1780    |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Construction  
Box Drawer Track  
Pull  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See Tops](#)
- Upper Section Provides Open Storage and Two Locking Box Drawers
- 13½" Open Storage Clearance for 66-2430OMF and 12¾" Open Storage Clearance for 66-2436OMF
- Locking Lateral Drawers Provide Legal or Letter Filing Front to Back or Side to Side
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Soft Close Box and File Drawers ([See Soft Close Options](#)), Wire Management ([See Option Details](#))

|                                   |           |    |     |     |     |      |         |
|-----------------------------------|-----------|----|-----|-----|-----|------|---------|
| MODULAR PEDESTAL<br>DOOR BOOKCASE | 66-2030DB | 30 | 19¼ | 28¼ | 77  | 11.7 | \$ 1202 |
|                                   | 66-2036DB | 36 | 19¼ | 28¼ | 95  | 13.8 | \$ 1513 |
|                                   | 66-2430DB | 30 | 23¼ | 28¼ | 87  | 14.9 | \$ 1211 |
|                                   | 66-2436DB | 36 | 23¼ | 28¼ | 105 | 18.5 | \$ 1532 |



Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain Direction (if applicable)  
Pull  
Locking Doors  
Wire Management

**Description**


- Open Back; [See Back Panel Options](#)
- For Use with 20"D and 24"D Tops; Top is Required; [See Tops](#)
- Adjustable Shelf Behind Doors
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Locking Door ([See Locking Options](#)) and Wire Management ([See Option Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                              | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL DOOR BOOKCASE W/OPEN COMPARTMENT | 66-2430ODB | 30    | 23¼   | 28¼    | 108     | 14.9     | \$ 1119    |
|                                                   | 66-2436ODB | 36    | 23¼   | 28¼    | 118     | 18.5     | \$ 1447    |




Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain Direction (if applicable)  
Pull  
Locking Doors  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See Tops](#)
- Upper Section Provides 12¾" Clearance for Open Storage
- Lower Section Provides Storage Behind Two Doors
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Additional Options: Locking Door and Wire Management ([See Option Details](#))

|                               |            |    |                                  |     |     |      |         |
|-------------------------------|------------|----|----------------------------------|-----|-----|------|---------|
| MODULAR PEDESTAL OPEN STORAGE | 66-2030MBC | 30 | 18½                              | 28¼ | 90  | 11.7 | \$ 1042 |
|                               | 66-2036MBC | 36 | 18½                              | 28¼ | 100 | 13.8 | \$ 1216 |
|                               | 66-2430MBC | 30 | 22 <sup>15</sup> / <sub>32</sub> | 28¼ | 108 | 14.9 | \$ 1062 |
|                               | 66-2436MBC | 36 | 22 <sup>15</sup> / <sub>32</sub> | 28¼ | 118 | 18.5 | \$ 1252 |



Must Specify (in this order):

Model #  
Chassis Color  
Wire Management

**Description**

- Open Back; [See Back Panel Options](#)
- For Use with 20"D and 24"D Tops; Top is Required; [See Tops](#)
- One Adjustable Shelf
- Optional Wire Management ([See Option Details](#))


**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                          | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------|------------|-------|-------|--------|---------|----------|------------|
| MODULAR PEDESTAL LATERAL FILE | 66-2430LF1 | 30    | 23¼   | 28¼    | 128     | 14.9     | \$ 1502    |
|                               | 66-2436LF1 | 36    | 23¼   | 28¼    | 154     | 18.5     | \$ 1615    |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front Color  
Grain Direction (if applicable)  
Drawer Construction  
Pull  
Wire Management

### Description

- Open Back; [See Back Panel Options](#)
- For Use with 24"D Tops; Top is Required; [See Tops](#)
- Locking Lateral Drawers Provide Legal or Letter Filing Front to Back or Side to Side
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Wire Management ([See Option Details](#))

|                                   |            |    |    |     |     |      |         |
|-----------------------------------|------------|----|----|-----|-----|------|---------|
| MODULAR THREE DRAWER LATERAL FILE | 66-2430LF3 | 30 | 24 | 42¾ | 120 | 20.4 | \$ 2323 |
|                                   | 66-2436LF3 | 36 | 24 | 42¾ | 130 | 24.2 | \$ 2448 |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front Color  
Grain Direction (if applicable)  
Construction  
Pull  
Wire Management

### Description

- Finished Back Panel Included
- For Use with 24"D Tops; Top is Required; [See Tops](#)
- Locking Lateral Drawers Provide Legal or Letter Filing Front to Back or Side to Side
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#))

|                          |              |    |     |     |    |      |         |
|--------------------------|--------------|----|-----|-----|----|------|---------|
| 21" LOW MODULAR BOX/FILE | 66-2018L21BF | 18 | 19¼ | 20¾ | 40 | 5.6  | \$ 1126 |
|                          | 66-2030L21BF | 30 | 19¼ | 20¾ | 72 | 9.4  | \$ 1330 |
|                          | 66-2036L21BF | 36 | 19¼ | 20¾ | 80 | 11.2 | \$ 1385 |
|                          | 66-2418L21BF | 18 | 23¼ | 20¾ | 42 | 6.6  | \$ 1188 |
|                          | 66-2430L21BF | 30 | 23¼ | 20¾ | 76 | 11.1 | \$ 1400 |
|                          | 66-2436L21BF | 36 | 23¼ | 20¾ | 84 | 13.2 | \$ 1457 |



Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front Color  
Grain Direction (if applicable)  
Construction  
Box Drawer Track  
Pull  
Wire Management


### Description

- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Locking Box/File Drawers; File Provides Legal or Letter Filing
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Dove Tail Drawer Construction ([See Drawer Construction Options](#)), Soft Close Box and File Drawers ([See Soft Close Options](#)), Wire Management ([See Option Details](#))

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                         | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------|--------------|-------|-------|--------|---------|----------|------------|
| <b>21" LOW MODULAR OPEN STORAGE</b><br><br> | 66-2018L21BC | 18    | 18 ½  | 20¾    | 50      | 5.9      | \$ 999     |
|                                                                                                                              | 66-2030L21BC | 30    | 18 ½  | 20¾    | 70      | 9.4      | \$ 1095    |
|                                                                                                                              | 66-2036L21BC | 36    | 18 ½  | 20¾    | 74      | 11.2     | \$ 1140    |
|                                                                                                                              | 66-2418L21BC | 18    | 22½   | 20¾    | 54      | 6.9      | \$ 1052    |
|                                                                                                                              | 66-2430L21BC | 30    | 22½   | 20¾    | 74      | 11.1     | \$ 1155    |
|                                                                                                                              | 66-2436L21BC | 36    | 22½   | 20¾    | 78      | 13.2     | \$ 1198    |

Must Specify (in this order):

Model #  
Chassis Color  
Wire Management

#### Description

- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Removable Wire Management Panel
- One Adjustable Shelf
- Optional Wire Management ([See Option Details](#))

|                                                                                                                                |              |    |     |     |    |      |         |
|--------------------------------------------------------------------------------------------------------------------------------|--------------|----|-----|-----|----|------|---------|
| <b>21" LOW MODULAR DOOR BOOKCASE</b><br><br> | 66-2030L21DB | 30 | 19¼ | 20¾ | 82 | 9.4  | \$ 1156 |
|                                                                                                                                | 66-2036L21DB | 36 | 19¼ | 20¾ | 89 | 11.2 | \$ 1299 |
|                                                                                                                                | 66-2430L21DB | 30 | 23¼ | 20¾ | 86 | 11.1 | \$ 1217 |
|                                                                                                                                | 66-2436L21DB | 36 | 23¼ | 20¾ | 93 | 13.2 | \$ 1366 |

Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain Direction (if applicable)  
Pull  
Locking Doors  
Wire Management


#### Description

- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Removable Wire Management Panel
- One Adjustable Shelf Behind Doors
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Additional Options: Locking Doors ([See Locking Options](#)), Wire Management ([See Option Details](#))

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                              | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------|-------|-------|--------|---------|----------|------------|
| <b>21" LOW MODULAR SLIDING DOOR BOOKCASE</b><br> | 66-2030L21SD | 30    | 19¼   | 20¾    | 82      | 9.4      | \$ 1302    |
|                                                                                                                                   | 66-2036L21SD | 36    | 19¼   | 20¾    | 89      | 11.2     | \$ 1483    |
|                                                                                                                                   | 66-2430L21SD | 30    | 23¼   | 20¾    | 86      | 11.1     | \$ 1371    |
|                                                                                                                                   | 66-2436L21SD | 36    | 23¼   | 20¾    | 93      | 13.2     | \$ 1560    |

Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain Direction (if applicable)  
Wire Management

### Description

- One Non-Locking Sliding Door with Storage Behind Door
- Open Back; [See Low Height Back Panel Options](#)
- For Low Height Credenzas or Benching Applications
- Removable Wire Management Panel
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Front Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Wire Management ([See Option Details](#))


|                                                                                                                                   |           |    |   |     |    |     |        |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|----|---|-----|----|-----|--------|
| <b>MODULAR PENINSULA SUPPORT DESK HEIGHT</b><br> | 66-2812SP | 12 | 1 | 28¾ | 12 | 0.8 | \$ 266 |
|                                                                                                                                   | 66-3030EP | 30 | 1 | 28¾ | 34 | 1.6 | \$ 406 |
|                                                                                                                                   | 66-3630EP | 36 | 1 | 28¾ | 40 | 2.0 | \$ 435 |

Must Specify (in this order):

Model #  
Color

### Description

- To Be Used with Modular Desk Tops at 30" High
- Required to Be Used with T Support or the Support Panel Perpendicular to 36" and 30" Unit

|                                                                                                                                       |                      |    |   |     |    |     |         |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------|----|---|-----|----|-----|---------|
| <b>H MODULAR PENINSULA SUPPORT DESK HEIGHT</b><br> | 01-2428HL            | 24 | 1 | 28¾ | 20 | 1.4 | \$ 938  |
|                                                                                                                                       | Single Mounted Plate |    |   |     |    |     |         |
|                                                                                                                                       | 01-3028HL            | 30 | 1 | 28¾ | 25 | 1.7 | \$ 1247 |
|                                                                                                                                       | Single Mounted Plate |    |   |     |    |     |         |
|                                                                                                                                       | 01-3628HL            | 36 | 1 | 28¾ | 30 | 2.0 | \$ 1269 |
|                                                                                                                                       | Single Mounted Plate |    |   |     |    |     |         |
|                                                                                                                                       | 01-2428TL            | 24 | 1 | 28¾ | 20 | 1.4 | \$ 971  |
|                                                                                                                                       | Double Mounted Plate |    |   |     |    |     |         |
|                                                                                                                                       | 01-3028TL            | 30 | 1 | 28¾ | 25 | 1.7 | \$ 1288 |
|                                                                                                                                       | Double Mounted Plate |    |   |     |    |     |         |
|                                                                                                                                       | 01-3628TL            | 36 | 1 | 28¾ | 30 | 2.0 | \$ 1310 |
|                                                                                                                                       | Double Mounted Plate |    |   |     |    |     |         |

Must Specify (in this order):

Model #  
Support Color  
Laminate Insert

### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately
- Double Mount Plate Required for Freestanding Table/Desk

### Leg Options: Specify + Add


|     |            |        |
|-----|------------|--------|
| HIM | TFL Insert | T\$ 67 |
|-----|------------|--------|

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                     | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| <b>O MODULAR PENINSULA</b><br><b>SUPPORT DESK HEIGHT</b> | 01-2428OL | 24    | 2     | 28¼    | 20      | 1.8      | \$ 538     |
|                                                          | 01-3028OL | 30    | 2     | 28¼    | 25      | 2.3      | \$ 611     |
|                                                          | 01-3628OL | 36    | 2     | 28¼    | 30      | 2.7      | \$ 733     |
|                                                          | 01-4828OL | 48    | 2     | 28¼    | 55      | 4.7      | \$ 875     |
|                                                          | 01-6028OL | 60    | 2     | 28¼    | 60      | 6.0      | \$ 1016    |



Must Specify (in this order):


Model #

Support Color

### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately

|                                                            |           |    |     |     |    |     |                               |
|------------------------------------------------------------|-----------|----|-----|-----|----|-----|-------------------------------|
| <b>BAR MODULAR PENINSULA</b><br><b>SUPPORT DESK HEIGHT</b> | 01-2428BL | 24 | 2 ½ | 28¼ | 20 | 1.8 | ALUM/BLK\$ 666<br>CHRM\$ 1106 |
|                                                            | 01-3028BL | 30 | 2 ½ | 28¼ | 25 | 2.3 | ALUM/BLK\$ 713<br>CHRM\$ 1151 |
|                                                            | 01-3628BL | 36 | 2 ½ | 28¼ | 30 | 2.7 | ALUM/BLK\$ 793<br>CHRM\$ 1373 |



Must Specify (in this order):


Model #

Support Color

### Description

- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM)
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately

|                                                 |            |    |   |     |    |     |        |
|-------------------------------------------------|------------|----|---|-----|----|-----|--------|
| <b>O SHARED METAL LEG</b><br><b>DESK HEIGHT</b> | 01-2428OLS | 24 | 2 | 28¼ | 45 | 2.5 | \$ 613 |
|                                                 | 01-3028OLS | 30 | 2 | 28¼ | 50 | 3.1 | \$ 697 |



Must Specify (in this order):

Model #

Support Color




### Description

- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Constructed of Tubular Steel
- Metal End Support to Be Used with Modular Desk Tops at 30" High - Not Available to be Sold Separately

### Pricing Codes:

T = TFL P = HPL


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Model No.  |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|-------|-------|--------|---------|----------|------------|
| 22"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 01-2242ELB | Black  | 42-48 | 22    | 22-48  | 55      | 2.4      | \$ 2029    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-2242ELA | Silver |       |       |        |         |          |            |
|  <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• Standard with Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides</li> <li>• Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details</li> <li>• Adjusts to Accommodate Tops 42-48"W and 24"D; Tops Sold Separately</li> <li>• Lifting Capacity (Including Worksurface): 363 lbs</li> <li>• Some Assembly Required; Installation Instructions Included</li> </ul>           |            |        |       |       |        |         |          |            |
| 22"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 01-2254ELB | Black  | 54-78 | 22    | 22-48  | 58      | 2.4      | \$ 2029    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-2254ELA | Silver |       |       |        |         |          |            |
|  <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• Standard with Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides</li> <li>• Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details</li> <li>• Adjusts to Accommodate Tops 54-78"W and 24"D; Tops Sold Separately</li> <li>• Lifting Capacity (Including Worksurface): 363 lbs</li> <li>• Some Assembly Required; Installation Instructions Included</li> </ul>           |            |        |       |       |        |         |          |            |
| 28"D ELECTRIC HEIGHT ADJUSTABLE TABLE LIFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 01-2854ELB | Black  | 54-78 | 28    | 22-48  | 30      | 2.4      | \$ 2029    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-2854ELA | Silver |       |       |        |         |          |            |
|  <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• Standard with Up/Down Control Switch, 10.5' Power Cord, Integrated Anti-Collision Feature, Leveling Glides</li> <li>• Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify and See Below for Details</li> <li>• Adjusts to Accommodate Tops 54-78"W and 30"-36"D; Tops Sold Separately</li> <li>• Lifting Capacity (Including Worksurface): 363 lbs</li> <li>• Some Assembly Required; Installation Instructions Included</li> </ul> |            |        |       |       |        |         |          |            |
| ELECTRIC HEIGHT ADJUSTABLE ADVANCED SWITCH WITH MEMORY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 01-MSWCH   |        | 3%    | 4%    | 1%     | ½       | 0.8      | \$ 247     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |        |       |       |        |         |          |            |
|  <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• Black Unit with Black Cord</li> <li>• Bluetooth Capabilities</li> <li>• Three Stand-Up Reminders</li> <li>• Four Height Memory Positions</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                      |            |        |       |       |        |         |          |            |

OPEN MARKET ONLY

**Pricing Codes:**  
T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                               | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| <b>LAYER SUPPORT FOR 21" LOW CREDENZA</b><br><br> | 01-2407OL | 24    | 2     | 7      | 15      | 0.7      | \$ 579     |
|                                                                                                                                    | 01-3007OL | 30    | 2     | 7      | 20      | 0.9      | \$ 617     |
|                                                                                                                                    | 01-3607OL | 36    | 2     | 7      | 25      | 1.1      | \$ 638     |

**Description**


- Available in Aluminum (ALUM) or Black (BLK), Must Specify
- Supports 30" High Worksurfaces Over Low Height Components - Not Available to be Sold Separately

Must Specify (in this order):

Model #

Support Color

|                                               |              |    |    |   |    |     |        |
|-----------------------------------------------|--------------|----|----|---|----|-----|--------|
| <b>LAYER SUPPORT OVER LOW HEIGHT CABINETS</b> | 66-1807USP21 | 18 | 5¾ | 7 | 20 | 1.2 | \$ 282 |
|-----------------------------------------------|--------------|----|----|---|----|-----|--------|

**Description**

- Supports 30"H Worksurfaces Over Low Height Components - Not Available to be Sold Separately
- Open Throughout and On Back Side to Manage Cables
- Rectangle Grommet Cover Included; Must Specify: Black (BLK) or Silver (SLV)

Must Specify (in this order):

Model #

Color

Grommet Color

|                                                                                                                |                                                     |   |   |     |   |     |        |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---|---|-----|---|-----|--------|
| <b>FILLER PANEL</b><br><br> | 66-2003FP                                           | 3 | ¾ | 20¾ | 4 | 0.9 | \$ 200 |
|                                                                                                                | For Low Height Credenzas or Benching Applications   |   |   |     |   |     |        |
|                                                                                                                | 66-2803FP                                           | 3 | ¾ | 28¾ | 6 | 0.5 | \$ 216 |
|                                                                                                                | For Standard Height Modular Pedestals and Credenzas |   |   |     |   |     |        |

**Description**

- Used to Fill Gap Behind Modular Pedestals with a Modular Top

Must Specify (in this order):


Model #

Color

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                              | Model No.                            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------|--------------------------------------|-------|-------|--------|---------|----------|------------|
|  | MODULAR MODESTY/BACK PANEL 66-1528BP | 15¾   | ¾     | 28¼    | 18      | 1.0      | \$ 252     |
|                                                                                   | 66-1828BP                            | 18    | ¾     | 28¼    | 19      | 1.0      | \$ 273     |
|                                                                                   | 66-3028BP                            | 30    | ¾     | 28¼    | 30      | 1.6      | \$ 320     |
|                                                                                   | 66-3628BP                            | 36    | ¾     | 28¼    | 45      | 2.0      | \$ 348     |
|                                                                                   | 66-4228BP                            | 42    | ¾     | 28¼    | 50      | 2.2      | \$ 403     |
|                                                                                   | 66-4828BP                            | 48    | ¾     | 28¼    | 55      | 2.5      | \$ 463     |
|                                                                                   | 66-5428BP                            | 54    | ¾     | 28¼    | 60      | 2.8      | \$ 485     |
|                                                                                   | 66-6028BP                            | 60    | ¾     | 28¼    | 65      | 3.7      | \$ 508     |
|                                                                                   | 66-6628BP                            | 66    | ¾     | 28¼    | 79      | 3.4      | \$ 519     |
|                                                                                   | 66-7228BP                            | 72    | ¾     | 28¼    | 86      | 3.7      | \$ 533     |
|                                                                                   | 66-7828BP                            | 78    | ¾     | 28¼    | 94      | 4.0      | \$ 551     |
|                                                                                   | 66-8428BP                            | 84    | ¾     | 28¼    | 101     | 4.3      | \$ 566     |
|                                                                                   | 66-9028BP                            | 90    | ¾     | 28¼    | 108     | 4.6      | \$ 585     |
|                                                                                   | 66-9628BP                            | 96    | ¾     | 28¼    | 115     | 5.0      | \$ 602     |

Must Specify (in this order):


Model #  
Color  
Grommet  
Grommet Color

#### Description

- For Use as a Modesty Panel to Create Bridges, Returns, or Credenzas, or as a Back Panel on Modular Units
- Grain Runs Vertically Up to 60" - All Larger Sizes are Horizontal Grain Patterns

#### Leg Options: Specify + Add

|        |                                                                        |       |
|--------|------------------------------------------------------------------------|-------|
| 1-GRMT | Optional Top-Center Grommet, Must Specify: Black (BLK) or Silver (SLV) | \$ 58 |
|--------|------------------------------------------------------------------------|-------|

|                                                                                     |                                   |    |    |     |    |     |        |
|-------------------------------------------------------------------------------------|-----------------------------------|----|----|-----|----|-----|--------|
|  | FLIPDOWN MODESTY PANEL 66-2830FDM | 30 | 3½ | 28¼ | 30 | 2.7 | \$ 866 |
|                                                                                     | 66-2836FDM                        | 36 | 3½ | 28¼ | 35 | 3.3 | \$ 981 |

#### Description

- Modesty Panel with 3" Deep Case Allows Room for Plugs
- Does Not Feature Soft Close Hinges
- Upper Panel: Open at Top, Hinged and Opens Fully for Easy Access to Ports and Cord Management


Must Specify (in this order):

Model #  
Color

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                              | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
|  | 66-1930EP | 19¼   | 1     | 28¼    | 15      | 1.6      | \$ 364     |
|                                                                                   | 66-2330EP | 23¼   | 1     | 28¼    | 27      | 1.6      | \$ 385     |
|                                                                                   | 66-2930EP | 29¼   | 1     | 28¼    | 34      | 2.2      | \$ 404     |
|                                                                                   | 66-3530EP | 35¼   | 1     | 28¼    | 41      | 2.6      | \$ 429     |

Must Specify (in this order):

Model #  
Color

#### Description

- Must Be Used with a Back Panel


|                                                                                   |           |    |   |     |    |     |        |
|-----------------------------------------------------------------------------------|-----------|----|---|-----|----|-----|--------|
|  | 66-2810SP | 0  | 1 | 28¼ | 10 | 0.9 | \$ 257 |
|                                                                                   | 66-2812SP | 12 | 1 | 28¼ | 12 | 1   | \$ 266 |

Must Specify (in this order):

Model #  
Color

#### Description

- Required to be Used Perpendicular to Full Back Panels to Support Kneespace Areas of 60" or Longer


|                                                                                     |                                              |    |    |     |    |     |        |
|-------------------------------------------------------------------------------------|----------------------------------------------|----|----|-----|----|-----|--------|
|  | 66-1010SP                                    | 10 | 10 | 28¼ | 20 | 0.8 | \$ 389 |
|                                                                                     | 66-1010SPW<br>Support T with Wire Management | 10 | 10 | 28¼ | 20 | 0.8 | \$ 389 |

Must Specify (in this order):

Model #  
Color

#### Description

- Supports Worksurfaces
- Required on Kneespace Areas of 60" or More Where Back Panels are Not Used

|                                                                                     |           |    |   |     |    |     |        |
|-------------------------------------------------------------------------------------|-----------|----|---|-----|----|-----|--------|
|  | 01-1228OL | 12 | 2 | 28¼ | 20 | 1.2 | \$ 490 |
|-------------------------------------------------------------------------------------|-----------|----|---|-----|----|-----|--------|

Must Specify (in this order):

Model #  
Color  
Wire Management Cover

#### Description


- Available in Aluminum or Black; Must Specify Color
- Provides Additional Support Under Tops Greater Than 60"- Not Available to be Sold Separately


#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                                               | Model No.                            | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>MODULAR TABLE DESK LEG</b><br>                 | 01-0400MLA Aluminum Leg with Caster  | 2     | 2     | 28¾    | 10      | 0.5      | \$ 301     |
|                                                                                                                                    | 01-0400MLB Black Leg with Caster     |       |       |        |         |          |            |
|                                                                                                                                    | 01-0401MLA Aluminum Leg with Leveler | 2     | 2     | 28¾    | 10      | 0.5      | \$ 355     |
|                                                                                                                                    | 01-0401MLB Black Leg with Leveler    |       |       |        |         |          |            |
| <b>Description</b> <ul style="list-style-type: none"> <li>Available in Adjustable Black Leveler or Locking Black Caster</li> </ul> |                                      |       |       |        |         |          |            |

|                                                                                                                                                                                                        |           |    |   |     |    |     |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|---|-----|----|-----|--------|
| <b>LOW HEIGHT BACK PANEL</b><br><br><br>Must Specify (in this order):<br>Model #<br>Color<br>Grommet<br>Grommet Color | 66-1820BP | 18 | ¾ | 20¾ | 15 | 2.3 | \$ 257 |
|                                                                                                                                                                                                        | 66-2420BP | 24 | ¾ | 20¾ | 15 | 2.3 | \$ 264 |
|                                                                                                                                                                                                        | 66-3020BP | 30 | ¾ | 20¾ | 15 | 2.3 | \$ 290 |
|                                                                                                                                                                                                        | 66-3620BP | 36 | ¾ | 20¾ | 17 | 2.4 | \$ 311 |
|                                                                                                                                                                                                        | 66-4220BP | 42 | ¾ | 20¾ | 20 | 2.5 | \$ 333 |
|                                                                                                                                                                                                        | 66-4820BP | 48 | ¾ | 20¾ | 22 | 2.6 | \$ 368 |
|                                                                                                                                                                                                        | 66-5420BP | 54 | ¾ | 20¾ | 24 | 2.7 | \$ 377 |
|                                                                                                                                                                                                        | 66-6020BP | 60 | ¾ | 20¾ | 27 | 2.8 | \$ 402 |
|                                                                                                                                                                                                        | 66-6620BP | 66 | ¾ | 20¾ | 29 | 2.9 | \$ 453 |
|                                                                                                                                                                                                        | 66-7220BP | 72 | ¾ | 20¾ | 31 | 3.0 | \$ 463 |
|                                                                                                                                                                                                        | 66-7820BP | 78 | ¾ | 20¾ | 34 | 3.1 | \$ 481 |
|                                                                                                                                                                                                        | 66-8420BP | 84 | ¾ | 20¾ | 36 | 3.2 | \$ 503 |
|                                                                                                                                                                                                        | 66-9020BP | 90 | ¾ | 20¾ | 38 | 3.3 | \$ 517 |
|                                                                                                                                                                                                        | 66-9620BP | 96 | ¾ | 20¾ | 40 | 3.4 | \$ 531 |

**Description**

- For Use as a Back Panels to Create Low Height Returns, Credenzas, or Benches
- Grain Runs Vertically Up to 60" - All Larger Sizes are Horizontal Grain Patterns

**Leg Options: Specify + Add**


|        |                                                            |       |
|--------|------------------------------------------------------------|-------|
| 1-GRMT | Optional Top-Center Grommet, Must Specify: Black or Silver | \$ 58 |
|--------|------------------------------------------------------------|-------|

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                 | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------|-----------|-------|-------|--------|---------|----------|------------|
| LOW HEIGHT END PANEL | 66-2020EP | 19¼   | 1     | 20¾    | 15      | 0.8      | \$ 275     |
|                      | 66-2420EP | 23¼   | 1     | 20¾    | 15      | 0.8      | \$ 336     |


**Description**

- Must Be Used with a Back Panel

Must Specify (in this order):

Model #  
Color

|                          |           |    |   |     |   |     |        |
|--------------------------|-----------|----|---|-----|---|-----|--------|
| LOW HEIGHT SUPPORT PANEL | 66-2012SP | 12 | 1 | 20¾ | 7 | 0.4 | \$ 240 |
|--------------------------|-----------|----|---|-----|---|-----|--------|


**Description**

- Required to be Used Perpendicular to Full Back Panels to Support Kneespace Areas of 60" or Longer

Must Specify (in this order):

Model #  
Color

|                      |                                              |    |    |     |    |     |        |
|----------------------|----------------------------------------------|----|----|-----|----|-----|--------|
| LOW HEIGHT SUPPORT T | 66-2010SP                                    | 10 | 10 | 20¾ | 11 | 2.3 | \$ 343 |
|                      | 66-2010SPW<br>Support T with Wire Management | 10 | 10 | 20¾ | 11 | 2.3 | \$ 347 |

**Description**

- Supports Worksurfaces
- Required on Kneespace Areas of 60" or More Where Back Panels are Not Used


Must Specify (in this order):

Model #  
Color

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                       | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| <b>21" ABOVE AND BELOW SCREEN TFL</b><br> | 66-4421AB | 44    | ¾     | 21     | 31      | 2.2      | \$ 442     |
|                                                                                                                            | 66-5021AB | 50    | ¾     | 21     | 34      | 2.4      | \$ 461     |
|                                                                                                                            | 66-5621AB | 56    | ¾     | 21     | 36      | 2.7      | \$ 479     |
|                                                                                                                            | 66-6221AB | 62    | ¾     | 21     | 39      | 3.0      | \$ 498     |
|                                                                                                                            | 66-6821AB | 68    | ¾     | 21     | 41      | 3.3      | \$ 511     |

Must Specify (in this order):

Model #  
Color

### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 10¾" Modesty Below


|                                                                                                                                        |            |    |   |    |    |     |         |
|----------------------------------------------------------------------------------------------------------------------------------------|------------|----|---|----|----|-----|---------|
| <b>21" ABOVE AND BELOW SCREEN FROSTED ACRYLIC</b><br> | 66-4421ABA | 44 | ¾ | 21 | 8  | 1.2 | \$ 1083 |
|                                                                                                                                        | 66-5021ABA | 50 | ¾ | 21 | 9  | 2.2 | \$ 1180 |
|                                                                                                                                        | 66-5621ABA | 56 | ¾ | 21 | 10 | 2.8 | \$ 1277 |
|                                                                                                                                        | 66-6221ABA | 62 | ¾ | 21 | 12 | 2.8 | \$ 1372 |
|                                                                                                                                        | 66-6821ABA | 68 | ¾ | 21 | 14 | 3.3 | \$ 1467 |

Must Specify (in this order):

Model #  
Decorative Hardware Color

### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 10¾" Modesty Below
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|                                                                                                                                             |             |    |   |    |    |     |            |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------|----|---|----|----|-----|------------|
| <b>21" ABOVE AND BELOW SCREEN HIGH GLOSS ACRYLIC</b><br> | 66-4421ABGA | 44 | ¾ | 21 | 33 | 2.2 | \$ 1140    |
|                                                                                                                                             |             |    |   |    |    |     | GPA\$ 1446 |
|                                                                                                                                             | 66-5021ABGA | 50 | ¾ | 21 | 36 | 2.4 | \$ 1244    |
|                                                                                                                                             |             |    |   |    |    |     | GPA\$ 1595 |
|                                                                                                                                             | 66-5621ABGA | 56 | ¾ | 21 | 38 | 2.7 | \$ 1351    |
|                                                                                                                                             |             |    |   |    |    |     | GPA\$ 1742 |
|                                                                                                                                             | 66-6221ABGA | 62 | ¾ | 21 | 41 | 3.0 | \$ 1457    |
|                                                                                                                                             |             |    |   |    |    |     | GPA\$ 1895 |
|                                                                                                                                             | 66-6821ABGA | 68 | ¾ | 21 | 44 | 3.3 | \$ 1570    |
|                                                                                                                                             |             |    |   |    |    |     | GPA\$ 2045 |

Must Specify (in this order):

Model #  
Color


### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 10¾" Modesty Below
- Available in Black (BLA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                             | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| <b>7" MODESTY PANEL TFL</b><br> | 66-5607MOD | 56    | ¾     | 7      | 16      | 1.1      | \$ 423     |
|                                                                                                                  | 66-6207MOD | 62    | ¾     | 7      | 16      | 1.2      | \$ 435     |
|                                                                                                                  | 66-6807MOD | 68    | ¾     | 7      | 17      | 1.3      | \$ 440     |

Must Specify (in this order):

Model #  
Color

#### Description

- Works With Low Storage; [See Low Credenzas](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets


|                                                                                                                               |             |    |   |   |    |     |        |
|-------------------------------------------------------------------------------------------------------------------------------|-------------|----|---|---|----|-----|--------|
| <b>7" MODESTY PANEL FROSTED ACRYLIC</b><br> | 66-5607MODA | 56 | ¾ | 7 | 10 | 1.1 | \$ 672 |
|                                                                                                                               | 66-6207MODA | 62 | ¾ | 7 | 11 | 1.2 | \$ 708 |
|                                                                                                                               | 66-6807MODA | 68 | ¾ | 7 | 12 | 1.3 | \$ 764 |

Must Specify (in this order):

Model #  
Decorative Hardware Color

#### Description

- Works With Low Storage; [See Low Credenzas](#) and Modular Units; [See Modular Units](#)
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|                                                                                                                                   |              |    |   |   |    |     |                     |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------|----|---|---|----|-----|---------------------|
| <b>7" MODESTY PANEL HIGH GLOSS ACRYLIC</b><br> | 66-5607MODGA | 56 | ¾ | 7 | 16 | 1.1 | \$ 749<br>GPA\$ 800 |
|                                                                                                                                   | 66-6207MODGA | 62 | ¾ | 7 | 16 | 1.2 | \$ 767<br>GPA\$ 846 |
|                                                                                                                                   | 66-6807MODGA | 68 | ¾ | 7 | 17 | 1.3 | \$ 786<br>GPA\$ 896 |

#### Description

- Works With Low Storage; [See Low Credenzas](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)


Must Specify (in this order):

Model #  
Color

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| <b>51" GALLERY SCREEN<br/>STRAIGHT FLOORSTANDING</b>  | 66-5118GS | 18    | 1     | 51¼    | 42      | 2.2      | \$ 654     |
|                                                                                                                                        | 66-5119GS | 19    | 1     | 51¼    | 42      | 2.2      | \$ 665     |
|                                                                                                                                        | 66-5124GS | 24    | 1     | 51¼    | 48      | 2.8      | \$ 708     |
|                                                                                                                                        | 66-5125GS | 25    | 1     | 51¼    | 48      | 2.8      | \$ 718     |
|                                                                                                                                        | 66-5130GS | 30    | 1     | 51¼    | 54      | 3.5      | \$ 774     |
|                                                                                                                                        | 66-5131GS | 31    | 1     | 51¼    | 54      | 3.5      | \$ 785     |
|                                                                                                                                        | 66-5136GS | 36    | 1     | 51¼    | 60      | 4.1      | \$ 837     |
|                                                                                                                                        | 66-5137GS | 37    | 1     | 51¼    | 60      | 4.1      | \$ 862     |
|                                                                                                                                        | 66-5142GS | 42    | 1     | 51¼    | 80      | 4.7      | \$ 990     |
|                                                                                                                                        | 66-5143GS | 43    | 1     | 51¼    | 80      | 4.7      | \$ 998     |
|                                                                                                                                        | 66-5148GS | 48    | 1     | 51¼    | 86      | 5.4      | \$ 1038    |
|                                                                                                                                        | 66-5149GS | 49    | 1     | 51¼    | 86      | 5.4      | \$ 1046    |
|                                                                                                                                        | 66-5154GS | 54    | 1     | 51¼    | 92      | 6.1      | \$ 1088    |
|                                                                                                                                        | 66-5155GS | 55    | 1     | 51¼    | 92      | 6.1      | \$ 1095    |
|                                                                                                                                        | 66-5160GS | 60    | 1     | 51¼    | 98      | 6.7      | \$ 1140    |
|                                                                                                                                        | 66-5161GS | 61    | 1     | 51¼    | 98      | 6.7      | \$ 1147    |
|                                                                                                                                        | 66-5166GS | 66    | 1     | 51¼    | 104     | 7.3      | \$ 1189    |
|                                                                                                                                        | 66-5167GS | 67    | 1     | 51¼    | 104     | 7.3      | \$ 1196    |
|                                                                                                                                        | 66-5172GS | 72    | 1     | 51¼    | 110     | 7.9      | \$ 1236    |
|                                                                                                                                        | 66-5173GS | 73    | 1     | 51¼    | 110     | 7.9      | \$ 1244    |

Must Specify (in this order):

Model #

Color

Grommet

Grommet Color

### Description

- Horizontal Woodgrain
- Mounts to Back of Modular Credenza for Space Division
- Extend up to 24" Beyond Workstation without Additional Support
- Six (6) Wire Management Grommet Location Options: [See Locations](#) and Specify Location Selections


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

## Studio Components

Boutique-inspired options to give all your working environments a fresh look with a subtle touch of home. Integrated into our ever-popular Canvas and Gesso Casegood lines, Studio models build upon simplicity and flexibility while allowing you to create eye-catching spaces. Whether you're looking to outfit an executive's office, team space, collaborative area, or anything in between, our Studio desk and storage components have the look and feel you desire.



Studio components work with existing Canvas Tops, Peninsula Tops, and accessories such as Tackboards, Work Walls, Marker Boards, and Cushions to build the perfect workspace. The slim leg design provides an upscale feel for all of the Studio components. Storage units such as standard height pedestals offer the flexibility to build single or double pedestal desks or credenzas and low height pedestals allow you to create bench style credenzas.

The Studio pull features a clean application.



### How to Use Studio


Start with a Modular Top to build a Desk, Peninsula Desk, Benching or Credenza  
([See Modular Tops](#))




Next, choose from a number of Studio Pedestals options in Standard or Low Height. ([See Next Page for Studio Peds](#))



Kneespace Modesty Panels are available in standard height in TFL or High Gloss Acrylic or low height in TFL ([See Modesty Panels](#))



Add additional storage with Studio Storage Cabinets and the full door storage cabinet features high gloss acrylic and dry erase door options ([See Storage Cabinets](#))



Studio Single and Shared Legs images below provide a simple and clean aesthetic. See below for a guide to the aesthetics of single, double, and shared legs ([See Leg Options](#))



Single Standard Leg



Shared Leg (used between two models)




Double Standard Leg (standard legs used on each model)

| Item                                                  | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------|-------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>MODULAR PEDESTAL<br>BOX/BOX/FILE | 66-2418SPD1 | 18    | 24    | 24¼    | 54      | 8.4      | \$ 1370    |
|                                                       | 66-3018SPD1 | 18    | 30    | 24¼    | 61      | 10.4     | \$ 1484    |
|                                                       | 66-3618SPD1 | 18    | 36    | 24¼    | 68      | 11.4     | \$ 1617    |



Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain (if applicable)  
Pull  
Drawer Construction  
Drawer Track  
Wire Management



Legs Must be Ordered  
Separately; [See Leg  
Options](#)

**Description**


- For Use With Other Studio Components
- Standard Locking Pedestal; File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Finished Back Panel Included
- Height of Unit with Legs: 28¼; **Legs Must be Ordered Separately; [See Leg Options](#)**
- Worksurface Required; [See Worksurface Sizes](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

|                                                        |            |    |    |     |    |      |         |
|--------------------------------------------------------|------------|----|----|-----|----|------|---------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>TRAY/FILE | 66-2418STF | 18 | 24 | 16¾ | 37 | 5.6  | \$ 1100 |
|                                                        | 66-2430STF | 30 | 24 | 16¾ | 51 | 8.9  | \$ 1316 |
|                                                        | 66-2436STF | 36 | 24 | 16¾ | 59 | 10.6 | \$ 1363 |



Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain (if applicable)  
Pull  
Drawer Construction  
Drawer Track  
Wire Management



Legs Must be Ordered  
Separately; [See Leg  
Options](#)

**Description**


- For Use With Other Studio Components
- Standard Locking Pedestal; File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Finished Back Panel Included
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately; [See Leg Options](#)**
- Worksurface Required; [See Worksurface Sizes](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#)), Wire Management ([See Option Details](#))

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                       | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>OPEN BOOKCASE | 66-2418SBC | 18    | 24    | 16¾    | 45      | 5.6      | \$ 1042    |
|                                                            | 66-2430SBC | 30    | 24    | 16¾    | 59      | 8.9      | \$ 1140    |
|                                                            | 66-2436SBC | 36    | 24    | 16¾    | 67      | 10.6     | \$ 1188    |




Must Specify (in this order):

Model #  
Chassis Color  
Wire Management


### Description

- For Use With Other Studio Components
- One Adjustable Shelf
- Finished Back Panel Included
- Removable Wire Management Panel
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately; [See Leg Options](#)**
- Worksurface Required; [See Worksurface Sizes](#)
- Optional Wire Management ([See Option Details](#))



Legs Must be Ordered Separately; [See Leg Options](#)

|                                                                   |            |    |    |     |    |      |         |
|-------------------------------------------------------------------|------------|----|----|-----|----|------|---------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>DOUBLE DOOR BOOKCASE | 66-2430SDB | 30 | 24 | 16¾ | 67 | 8.9  | \$ 995  |
|                                                                   | 66-2436SDB | 36 | 24 | 16¾ | 77 | 10.6 | \$ 1136 |




Must Specify (in this order):

Model #  
Chassis Color  
Door Color  
Grain (if applicable)  
Pull  
Locking Doors  
Wire Management

### Description

- For Use With Other Studio Components
- 16" Deep Adjustable Shelf Behind Touch Latch Doors
- Finished Back Panel Included
- Removable Wire Management Panel
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Chassis and Door Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately; [See Leg Options](#)**
- Worksurface Required; [See Worksurface Sizes](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Optional Wire Management ([See Option Details](#))



Legs Must be Ordered Separately; [See Leg Options](#)


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                              | Model No.   |             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------------|-------------|-------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>LOW MODULAR PEDESTAL<br>SINGLE DOOR BOOKCASE | LEFT        | RIGHT       |       |       |        |         |          |            |
|                                                                   | 66-2418SDBL | 66-2418SDBR | 18    | 24    | 16¾    | 51      | 5.6      | \$ 895     |




Must Specify (in this order):

Model #  
Chassis Color  
Door  
Color  
Grain (if applicable)  
Pull  
Wire Management


**Description**

- For Use With Other Studio Components
- 16" Deep Adjustable Shelf Behind Touch Latch Door
- Finished Back Panel Included
- Removable Wire Management Panel
- Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Front Available in Contrasting Colors; Must Specify
- Height of Unit with Legs: 20¾; **Legs Must be Ordered Separately; [See Leg Options](#)**
- Worksurface Required; [See Worksurface Sizes](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Optional Wire Management ([See Option Details](#))



Legs Must be Ordered Separately; [See Leg Options](#)

| STUDIO COMPONENT,<br>STORAGE CABINET<br>DOOR/TRAY/FILE | LEFT        | RIGHT       |    |    |     |     |      |         |
|--------------------------------------------------------|-------------|-------------|----|----|-----|-----|------|---------|
|                                                        | 66-1851SWBL | 66-1851SWBR | 18 | 24 | 47½ | 120 | 15.9 | \$ 1722 |




Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front/Door  
Color  
Grain (if applicable)  
Door Locking  
Pull

**Description**

- For Use With Other Studio Components
- One Adjustable Shelf Behind Touch Latch Door
- Locking File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- Drawer/Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer/Door Fronts Available in Contrasting Colors; Must Specify
- Height of Unit with Legs: 51½; **Legs Must be Ordered Separately; [See Leg Options](#)**
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))




Legs Must be Ordered Separately; [See Leg Options](#)

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                   | Model No.   | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------|-------------|-------|-------|--------|---------|----------|------------|
| STUDIO COMPONENT,<br>OPEN STORAGE CABINET<br>TRAY/FILE | 66-1851SWBO | 18    | 24    | 47½    | 109     | 15.9     | \$ 1645    |




### Description

- For Use With Other Studio Components
- One Adjustable Shelf
- Locking File Drawer Provides Legal or Letter Filing
- Studio Pulls Are Installed on Left Aligned Position; Drawers Feature a ¾ Extension
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Drawer Fronts Available in Contrasting Colors; Must Specify
- Height of Unit with Legs: 51½; **Legs Must be Ordered Separately;** [See Leg Options](#)
- Additional Options: Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))


Must Specify (in this order):

Model #  
Chassis Color  
Drawer Front  
Color  
Grain (if applicable)  
Pull



Legs Must be Ordered Separately; [See Leg Options](#)

| STUDIO COMPONENT,<br>WARDROBE | LEFT       | RIGHT      | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------|------------|------------|-------|-------|--------|---------|----------|------------|
|                               | 66-1851SWL | 66-1851SWR | 18    | 24    | 47½    | 108     | 15.9     | \$ 1505    |



### Description

- For Use With Other Studio Components
- Includes Coat Rod and (2) Adjustable Shelves Behind Touch Latch Door
- TFL Door Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Door Fronts Available in Contrasting Colors; Must Specify
- Safely Write on Dry Erase Doors with Our Dry Erase Marker Set; [See Set Options](#)
- Height of Unit with Legs: 51½; **Legs Must be Ordered Separately;** [See Leg Options](#)
- Optional Locking Door Available; [See Locking Options](#) and Specify Lock Color
- Optional Wire Management ([See Option Details](#))

Must Specify (in this order):


Model #  
Chassis Color  
Door  
Color  
Grain (if applicable)  
Door Locking  
Pull



### Options: Specify + Add



|       |                                                          |         |
|-------|----------------------------------------------------------|---------|
| 1-DEB | Dry Erase Board                                          | \$ 104  |
| 1-HGA | High Gloss Acrylic; Must Specify Color                   |         |
|       | (GPA) Graphite Acrylic                                   | \$ 1042 |
|       | (BLA) Black, (WMA) Wired Mercury, or (WHA) White Acrylic | \$ 950  |




Legs Must be Ordered Separately; [See Leg Options](#)

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                                       | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| <b>STUDIO COMPONENT, KNEESPACE MODESTY PANEL, TFL</b><br> | 66-3024MD | 30    | ¾     | 24½    | 19      | 1.4      | \$ 303     |
|                                                                                                                                            | 66-3624MD | 36    | ¾     | 24½    | 22      | 1.7      | \$ 330     |
|                                                                                                                                            | 66-4224MD | 42    | ¾     | 24½    | 26      | 2.0      | \$ 370     |
|                                                                                                                                            | 66-4824MD | 48    | ¾     | 24½    | 30      | 2.3      | \$ 418     |
|                                                                                                                                            | 66-5424MD | 54    | ¾     | 24½    | 33      | 2.6      | \$ 435     |
|                                                                                                                                            | 66-6024MD | 60    | ¾     | 24½    | 37      | 2.9      | \$ 455     |

Must Specify (in this order):

Model #  
Color  
Grommet

### Description

- For Use Between Two Studio Pedestals
- Attaches with L Bracket (Included)
- Optional Center Panel Grommet; Must Specify


|                                                                                                                                                            |              |    |   |     |    |     |           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----|---|-----|----|-----|-----------|
| <b>STUDIO COMPONENT, KNEESPACE MODESTY PANEL, HIGH GLOSS ACRYLIC</b><br> | 66-3024MDHGA | 30 | ¾ | 24½ | 19 | 1.4 | \$ 557    |
|                                                                                                                                                            |              |    |   |     |    |     | GPA\$ 638 |
|                                                                                                                                                            | 66-3624MDHGA | 36 | ¾ | 24½ | 26 | 2.0 | \$ 638    |
|                                                                                                                                                            |              |    |   |     |    |     | GPA\$ 733 |
|                                                                                                                                                            | 66-4224MDHGA | 42 | ¾ | 24½ | 30 | 2.1 | \$ 759    |
|                                                                                                                                                            |              |    |   |     |    |     | GPA\$ 874 |
|                                                                                                                                                            | 66-4824MDHGA | 48 | ¾ | 24½ | 30 | 2.3 | \$ 840    |
|                                                                                                                                                            |              |    |   |     |    |     | GPA\$ 968 |

Must Specify (in this order):

Model #  
Color  
Grommet

### Description

- For Use Between Two Studio Pedestals
- Attaches with L Bracket (Included)
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

|                                                                                                                                                               |           |    |   |     |    |     |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|---|-----|----|-----|---------|
| <b>STUDIO COMPONENT, KNEESPACE MODESTY PANEL, FOR LOW STORAGE, TFL</b><br> | 66-3016MD | 30 | ¾ | 16¼ | 13 | 1.0 | T\$ 276 |
|                                                                                                                                                               | 66-3616MD | 36 | ¾ | 16¼ | 15 | 1.2 | T\$ 290 |
|                                                                                                                                                               | 66-4216MD | 42 | ¾ | 16¼ | 18 | 1.4 | T\$ 298 |
|                                                                                                                                                               | 66-4816MD | 48 | ¾ | 16¼ | 20 | 1.6 | T\$ 320 |
|                                                                                                                                                               | 66-5416MD | 54 | ¾ | 16¼ | 23 | 1.8 | T\$ 326 |
|                                                                                                                                                               | 66-6016MD | 60 | ¾ | 16¼ | 25 | 2.0 | T\$ 347 |

Must Specify (in this order):

Model #  
Color  
Grommet


### Description

- For Use Between Two Studio Pedestals
- Attaches with L Bracket (Included)
- Optional Center Panel Grommet; Must Specify

### Pricing Codes:

T = TFL P = HPL


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                 | Model No.  |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price  |
|----------------------------------------------------------------------------------------------------------------------|------------|--------|-------|-------|--------|---------|----------|-------------|
| STUDIO COMPONENT,<br>SINGLE LEG<br> | 01-0404SL2 | 2-pack | 1     | 1     | 4      | 5       | 0.5      | ALUM \$ 159 |
|                                                                                                                      |            |        |       |       |        |         |          | BLK \$ 159  |
|                                                                                                                      |            |        |       |       |        |         |          | CHRM \$ 195 |
|                                                                                                                      | 01-0404SL4 | 4-pack | 1     | 1     | 4      | 10      | 1        | ALUM \$ 273 |
|                                                                                                                      |            |        |       |       |        |         |          | BLK \$ 273  |
|                                                                                                                      |            |        |       |       |        |         |          | CHRM \$ 336 |

**Description**

- For Use With Studio Components
- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM); Must Specify

Must Specify (in this order):  
Model #  
Color

|                                                                                                                      |             |        |   |   |   |    |     |             |
|----------------------------------------------------------------------------------------------------------------------|-------------|--------|---|---|---|----|-----|-------------|
| STUDIO COMPONENT,<br>SHARED LEG<br> | 01-0404SSL2 | 2-pack | 1 | 1 | 4 | 5  | 0.5 | ALUM \$ 159 |
|                                                                                                                      |             |        |   |   |   |    |     | BLK \$ 159  |
|                                                                                                                      |             |        |   |   |   |    |     | CHRM \$ 195 |
|                                                                                                                      | 01-0404SSL4 | 4-pack | 1 | 1 | 4 | 10 | 1   | ALUM \$ 273 |
|                                                                                                                      |             |        |   |   |   |    |     | BLK \$ 273  |
|                                                                                                                      |             |        |   |   |   |    |     | CHRM \$ 336 |

**Description**

- For Use With Studio Components
- Available in Aluminum (ALUM), Black (BLK) or Chrome (CHRM); Must Specify
- Connects Two Storage or Pedestal Units Together

Must Specify (in this order):  
Model #  
Color

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

## Height Adjustable Components


We've enhanced our height adjustable options to include a better integrated and easier to specify solution. These new models coupled with our existing modular height adjustable, and all of our standard models and storage options, provide you with the ultimate flexibility to meet the needs of your space and, more importantly, the needs of the user. And, we've made these new models more cost effective for you and more functional and spacious for the user.

### Some Highlights of Our Integrated Solutions:


- Adjustable from 30"H-47"H, with a load capacity of more than 200lbs
- Gently adjust one worksurface or multiple worksurfaces with a 1 second stop at each memory position
- All Desks and Credenza units are compatible with 2-channel and 3-channel returns and bridges. Two-channel models allow workspaces to work independently of each other. Three-Channel models connect to 2-channel models to raise worksurfaces simultaneously.
- Two height adjustable control switches available. Standard up/down switch (SWCH) and advanced switch features Bluetooth capabilities, three stand-up reminder intervals and four height memory positions (MSWCH)
- Moving Modesty (MOVMOD) option creates a clean aesthetic when seated or standing
- Height adjust control switch is factory installed on all units except Desk Shells, Bridges or 3-Channel units
- Bridges, returns, and credenzas have an optional grommet on the back panel
- New black wire management mesh wrap included when worksurface grommet is selected
- Grommets and one Latch Duct wire management channel provided within knee space to manage wires from switch and control box. Two Latch Duct wire management channels will be shipped with Desk Shells



Black wire management mesh sleeve included with worksurface grommet



Standard 2-Channel Height Adjustable




2-Channel Height Adjustable with Box



Standard (SWCH) and Advanced Switch (MSWCH)



If you prefer our original solution or have specified it previously, and would like to do so again, simply contact our Customer Service team for assistance. We can make that happen for you!

| Item                                                                                                                                          | Model No.      | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------|-------|--------|-----|----|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE<br/>DOUBLE PED BOW TOP DESK</b><br><br> | 68-3666BDPSTS  | 66    | 30-36 | 30-47  | 34½ | 4  | 480     | 48.0     | T\$ 7274   |
|                                                                                                                                               | Recessed Front |       |       |        |     |    |         |          | P\$ 7638   |
|                                                                                                                                               | 68-3672BDPSTS  | 72    | 30-36 | 30-47  | 40½ | 10 | 510     | 50.0     | T\$ 7400   |
|                                                                                                                                               | Recessed Front |       |       |        |     |    |         |          | P\$ 7718   |
|                                                                                                                                               | 68-3672BDPSSTS | 72    | 30-36 | 30-47  | 40½ | -  | 510     | 50.0     | T\$ 7540   |
|                                                                                                                                               | Stepped Front  |       |       |        |     |    |         |          | P\$ 7860   |

### Description

- Standard with: Controls, Letter Width Locking Box/Box/File on Left and File/File on Right, Bow Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below or [TFL Color Options](#)
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)


### High Gloss Acrylic Modesty Options for Stepped Front Desks (68-3672BDPSSTS Only): Specify + Add

|         |                                                                                                      |         |
|---------|------------------------------------------------------------------------------------------------------|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic                                                                               | \$ 2076 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)                                                     | \$ 1896 |


### Moving Modesty Options: Specify + Add

|        |                                                                |        |
|--------|----------------------------------------------------------------|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 237 |
|--------|----------------------------------------------------------------|--------|

Optional Moving Modesty:



Shown with  
Rectangle Top,  
Stepped Front,  
Moving Modesty  
and Top Up



Shown with  
Bow Top,  
Recessed Front,  
Moving Modesty  
and Top Up




Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Drawer Pull  
Drawer Construction  
Drawer Track  
Moving Modesty  
Height Adjust Switch  
Grommet Location  
Power/Data/Wire Management

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                               | Model No.      | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------|-------|--------|-----|----|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE DOUBLE PED DESK</b><br><br> <p>Shown with Wire Management Box and Top Up</p>                                                                                                                                                                 | 68-3060DPSTS   | 60    | 30    | 30-47  | 28½ | 4  | 458     | 35.3     | T\$ 6627   |
|                                                                                                                                                                                                                                                                                                                                                    | Recessed Front |       |       |        |     |    |         |          | P\$ 6888   |
|                                                                                                                                                                                                                                                                                                                                                    | 68-3066DPSTS   | 66    | 30    | 30-47  | 34½ | 4  | 490     | 38.7     | T\$ 6749   |
|                                                                                                                                                                                                                                                                                                                                                    | Recessed Front |       |       |        |     |    |         |          | P\$ 7029   |
|                                                                                                                                                                                                                                                                                                                                                    | 68-3072DPSTS   | 72    | 30    | 30-47  | 40½ | 4  | 510     | 43.9     | T\$ 6855   |
|                                                                                                                                                                                                                                                                                                                                                    | Recessed Front |       |       |        |     |    |         |          | P\$ 7147   |
|                                                                                                                                                                                                                                                                                                                                                    | 68-3672DPSTS   | 72    | 36    | 30-47  | 40½ | 10 | 525     | 50.0     | T\$ 6962   |
| Optional Moving Modesty:<br><br>  <p>Shown with Rectangle Top, Stepped Front, Moving Modesty and Top Up</p> <p>Shown with Bow Top, Recessed Front, Moving Modesty and Top Up</p> | Recessed Front |       |       |        |     |    |         |          | P\$ 7272   |
|                                                                                                                                                                                                                                                                                                                                                    | 68-3672DPSSTS  | 72    | 36    | 30-47  | 40½ | -  | 525     | 50.0     | T\$ 7829   |
|                                                                                                                                                                                                                                                                                                                                                    | Stepped Front  |       |       |        |     |    |         |          | P\$ 8142   |

### Description

- Standard with: Controls, Letter Width Locking Box/Box/File on Left and File/File on Right, Rectangle Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- If Applicable, Drawer Front Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below or [TFL Color Options](#)
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

### Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Drawer Pull  
Drawer Construction  
Drawer Track  
Moving Modesty  
Height Adjust Switch  
Grommet Location  
Power/Data/Wire Management

### High Gloss Acrylic Modesty Options for Stepped Front Desks (68-3672BDPSSTS Only): Specify + Add

|         |                                                                                                      |         |
|---------|------------------------------------------------------------------------------------------------------|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic                                                                               | \$ 2076 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)                                                     | \$ 1896 |

### Moving Modesty Options: Specify + Add


|        |                                                                |        |
|--------|----------------------------------------------------------------|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 237 |
|--------|----------------------------------------------------------------|--------|

### Pricing Codes:


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                                                    | Model No.      |                | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|-------|-------|--------|-----|----|---------|----------|------------|
| HEIGHT ADJUSTABLE<br>SINGLE PED, BOW TOP DESK<br>WITH BOX/BOX/FILE<br> | LEFT           | RIGHT          |       |       |        |     |    |         |          |            |
|                                                                                                                                                         | 68-3672BLPSTS  | 68-3672BRPSTS  | 72    | 30-36 | 30-47  | 32¼ | 10 | 420     | 50.0     | T\$ 6992   |
|                                                                                                                                                         | Recessed Front |                |       |       |        |     |    |         |          | P\$ 7308   |
|                                                                                                                                                         | 68-3672BLPSSTS | 68-3672BRPSSTS | 72    | 30-36 | 30-47  | 32¼ | 10 | 420     | 50.0     | T\$ 7174   |
|                                                                                                                                                         | Stepped Front  |                |       |       |        |     |    |         |          | P\$ 7491   |



Optional Moving Modesty:



Shown with Rectangle Top, Stepped Front, Moving Modesty and Top Up



Shown with Bow Top, Recessed Front, Moving Modesty and Top Up

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Drawer Pull  
Drawer  
Construction  
Track  
Moving Modesty  
Modesty Color  
Height Adjust Switch  
Grommet Location  
Power/Data/Wire Management



Support Panel  
(66-2812RSP)  
Needed When  
Connecting  
to Stationary  
Return or Bridge

### Description

- Standard with: Controls, Letter Width Locking Box/Box/File in Pedestal, Bow Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Support Panel ([66-2812RSP](#)) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below or [TFL Color Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

### High Gloss Acrylic Modesty Options for Stepped Front Desks (68-3672BDPSSTS Only): Specify + Add

|         |                                                                                                      |         |
|---------|------------------------------------------------------------------------------------------------------|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic                                                                               | \$ 2076 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)                                                     | \$ 1896 |

### Moving Modesty Options: Specify + Add




|        |                                                                |        |
|--------|----------------------------------------------------------------|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 237 |
|--------|----------------------------------------------------------------|--------|

### Pricing Codes:


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)




| Item                                                                                                                                                        | Model No.                                                                                                                                                                     |               | Width | Depth | Height | K   | R  | Ship Wt | Cubic Ft | List Price           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------|-------|--------|-----|----|---------|----------|----------------------|
| <div>HEIGHT ADJUSTABLE SINGLE PED DESK WITH BOX/BOX/FILE</div> <div></div> | LEFT                                                                                                                                                                          | RIGHT         |       |       |        |     |    |         |          |                      |
|                                                                                                                                                             | 68-3060LPSTS<br>Recessed Front                                                                                                                                                | 68-3060RPSTS  | 60    | 30    | 30-47  | 20¾ | 4  | 250     | 35.0     | T\$ 6272<br>P\$ 6532 |
|                                                                                                                                                             | 68-3066LPSTS<br>Recessed Front                                                                                                                                                | 68-3066RPSTS  | 66    | 30    | 30-47  | 26¾ | 4  | 280     | 38.7     | T\$ 6367<br>P\$ 6645 |
|                                                                                                                                                             | 68-3072LPSTS<br>Recessed Front                                                                                                                                                | 68-3072RPSTS  | 72    | 30    | 30-47  | 32¾ | 4  | 310     | 43.0     | T\$ 6470<br>P\$ 6764 |
|                                                                                                                                                             | 68-3672LPSTS<br>Recessed Front                                                                                                                                                | 68-3672RPSTS  | 72    | 36    | 30-47  | 32¾ | 10 | 430     | 50.0     | T\$ 6506<br>P\$ 6821 |
|                                                                                                                                                             | 68-3672LPSSTS<br>Stepped Front                                                                                                                                                | 68-3672RPSSTS | 72    | 36    | 30-47  | 32¾ | 10 | 420     | 50.0     | T\$ 6744<br>P\$ 7058 |
|                                                                                                                                                             | Optional Moving Modesty:                                                                                                                                                      |               |       |       |        |     |    |         |          |                      |
|                                                                                                                                                             | <div></div> |               |       |       |        |     |    |         |          |                      |

Optional Moving Modesty:



Shown with  
Rectangle Top,  
Stepped Front,  
Moving Modesty  
and Top Up



Shown with  
Bow Top,  
Recessed Front,  
Moving Modesty  
and Top Up

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer Front  
Color  
Grain Direction (if applicable)  
Drawer Pull  
Drawer  
Construction  
Track  
Moving Modesty  
Modesty Color  
Height Adjust Switch  
Grommet Location  
Power/Data/Wire Management



Support Panel  
(66-2812RSP)  
Needed When  
Connecting  
to Stationary  
Return or Bridge

**Description**

- Standard with: Controls, Letter Width Locking Box/Box/File in Pedestal, Rectangle Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface, Wire Management from Pedestal to Kneespace
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Stepped Front Units Available with Contrasting Modesty Panel; See High Gloss Acrylic Below and TFL Colors ([See Color Options](#))
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**High Gloss Acrylic Modesty Options for Stepped Front Desks: Specify + Add**

|         |                                                                                                      |         |
|---------|------------------------------------------------------------------------------------------------------|---------|
| 66-HGAF | High Gloss Acrylic Full Modesty Panel; Must Specify Color ( <i>Not Available as Moving Modesty</i> ) |         |
|         | (GPA) Graphite Acrylic                                                                               | \$ 2076 |
|         | (BLA) Black, (WMA) Wired Mercury, or White (WHA)                                                     | \$ 1896 |


**Moving Modesty Options: Specify + Add**

|        |                                                                |        |
|--------|----------------------------------------------------------------|--------|
| MOVMOD | Moving Modesty (Available in Contrasting Colors; Must Specify) | \$ 237 |
|--------|----------------------------------------------------------------|--------|


**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                         | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|------------------------------------------------------------------------------------------------------------------------------|--------------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE DESK SHELL</b><br><br> | 66-3060SHSTS | 60    | 30    | 30-47  | 256     | 35.3     | T\$ 5621<br>P\$ 5880 |
|                                                                                                                              | 66-3066SHSTS | 66    | 30    | 30-47  | 261     | 39.0     | T\$ 5694<br>P\$ 5972 |
|                                                                                                                              | 66-3072SHSTS | 72    | 30    | 30-47  | 265     | 43.0     | T\$ 5733<br>P\$ 6027 |
|                                                                                                                              | 66-3660SHSTS | 60    | 36    | 30-47  | 259     | 43.7     | T\$ 5712<br>P\$ 5998 |
|                                                                                                                              | 66-3666SHSTS | 66    | 36    | 30-47  | 268     | 48.0     | T\$ 5760<br>P\$ 6059 |
|                                                                                                                              | 66-3672SHSTS | 72    | 36    | 30-47  | 274     | 50.0     | T\$ 5815<br>P\$ 6131 |
|                                                                                                                              |              |       |       |        |         |          |                      |

Optional Moving Modesty:

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Moving Modesty  
Height Adjust Switch  
Grommet Color  
Power/Data/Wire Management




Support Panel  
(66-2812RSP)  
Needed When  
Connecting to  
Stationary  
Return or Bridge

**Description**

- Standard with: Includes Controls, Recessed Front, Left to Right Grain Direction on Worksurface, Profiled on Approach and User Side
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Modular Pedestals not Applicable
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Moving Modesty Options: Specify + Add**

MOVMOD Moving Modesty \$ 237

| HEIGHT ADJUSTABLE<br>PENINSULA DESK                                                 |                         | LEFT          | RIGHT         |    |    |       |     |      |          |
|-------------------------------------------------------------------------------------|-------------------------|---------------|---------------|----|----|-------|-----|------|----------|
|  |                         | 66-3066LPDSTS | 66-3066RPDSTS | 66 | 30 | 30-47 | 223 | 40.3 | T\$ 5021 |
|                                                                                     |                         |               |               |    |    |       |     |      | P\$ 5299 |
|                                                                                     |                         | 66-3072LPDSTS | 66-3072RPDSTS | 72 | 30 | 30-47 | 236 | 43.9 | T\$ 5160 |
|                                                                                     |                         |               |               |    |    |       |     |      | P\$ 5453 |
|                                                                                     |                         | 66-3666LPDSTS | 66-3666RPDSTS | 66 | 36 | 30-47 | 246 | 47.9 | T\$ 5085 |
| Shown as Right                                                                      |                         |               |               |    |    |       |     |      | P\$ 5383 |
|  | Optional Base<br>Accent | 66-3672LPDSTS | 66-3672RPDSTS | 72 | 36 | 30-47 | 260 | 52.0 | T\$ 5222 |
|                                                                                     |                         |               |               |    |    |       |     |      | P\$ 5535 |

**Description**

- Standard With: Rectangle Top, Recessed Front, Left to Right Grain Direction on Worksurface, Wire Management from Panel to Kneespace
- Available with TFL (T) or HPL (P) Top; Must Specify
- Top, Chassis, and Modesty Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Optional 5/16" Metal Accent Available on Base in Four (4) Colors: Aluminum, Black, Gold, and Platinum; [See Details, Must Specify Color](#)
- Black Height Adjustable Leg will be Selected When Black, Platinum, and Gold Metal Accent is Chosen; Aluminum Height Adjustable Leg will be Selected When Aluminum Metal Accent is Chosen
- Additional Options Including Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)


**Moving Modesty Options: Specify + Add**

MOVMOD Moving Modesty (Available in Contrasting Colors; Must Specify) \$ 237

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                 | Model No.     |               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |  |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|-------|-------|--------|---------|----------|----------------------|--|
| <b>HEIGHT ADJUSTABLE D-TOP</b><br><br>Shown as Left | <b>LEFT</b>   | <b>RIGHT</b>  |       |       |        |         |          |                      |  |
|                                                                                                                                      | 66-3066DULSTS | 66-3066DURSTS | 66    | 30    | 30-47  | 246     | 40.0     | T\$ 5993<br>P\$ 6543 |  |
|                                                                                                                                      | 66-3072DULSTS | 66-3072DURSTS | 72    | 30    | 30-47  | 260     | 50.0     | T\$ 6089<br>P\$ 6651 |  |
|                                                                                                                                      | 66-3084DULSTS | 66-3084DURSTS | 84    | 30    | 30-47  | 290     | 51.0     | T\$ 6464<br>P\$ 7102 |  |
|                                                                                                                                      | 66-3672DULSTS | 66-3672DURSTS | 72    | 36    | 30-47  | 260     | 50.0     | T\$ 6157<br>P\$ 6735 |  |
|                                                                                                                                      | 66-3684DULSTS | 66-3684DURSTS | 84    | 36    | 30-47  | 287     | 60.5     | T\$ 6544<br>P\$ 7259 |  |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Moving Modesty  
 Height Adjust Switch  
 Grommet Location  
 Power/Data/Wire Management



Support Panel  
 (66-2812RSP)  
 Needed When  
 Connecting  
 to Stationary  
 Return or Bridge

**Description**

- Standard with: Includes Controls, Left to Right Grain Direction on Worksurface
- Must be Used with Stationary or Height Adjustable Return or Bridge with Credenza
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)


**Moving Modesty Options: Specify + Add**

|        |                |        |
|--------|----------------|--------|
| MOVMOD | Moving Modesty | \$ 237 |
|--------|----------------|--------|


**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                | Model No.    | Width        | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---------------------------------------------------------------------------------------------------------------------|--------------|--------------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE P-TOP</b><br> | <b>LEFT</b>  | <b>RIGHT</b> |       |        |         |          |                      |
|                                                                                                                     | 66-4272PLSTS | 66-4272PRSTS | 72    | 42-36  | 30-47   | 261      | 60.3                 |
|                                                                                                                     |              |              |       |        |         |          | T\$ 6601<br>P\$ 7167 |
|                                                                                                                     | 66-4284PLSTS | 66-4284PRSTS | 84    | 42-36  | 30-47   | 270      | 70.0                 |
|                                                                                                                     |              |              |       |        |         |          | T\$ 6838<br>P\$ 7564 |

Shown as Left

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Moving Modesty  
 Height Adjust Switch  
 Grommet Location  
 Power/Data/Wire Management


**Description**

- Standard with: Includes Controls, Left to Right Grain Direction on Worksurface
- Must be Used with Stationary or Height Adjustable Return, Bridge or Credenza
- Support Panel ([66-2812RSP](#)) Needed When Connecting to Stationary Return or Bridge
- Optional Worksurface Center Grommet Only; Must Specify: Black (BLK), Silver (SLV) or None (NONE)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Moving Modesty; Must Specify; Some Assembly Required, [See Below and Option Details](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- For Additional Information Including Worksurface Materials, Worksurface Center Grommet and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Moving Modesty Options: Specify + Add**

|        |                |    |     |
|--------|----------------|----|-----|
| MOVMOD | Moving Modesty | \$ | 237 |
|--------|----------------|----|-----|



|                                                                                                                                                                                    |               |               |    |    |       |     |      |                      |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|----|----|-------|-----|------|----------------------|--|
| <b>HEIGHT ADJUSTABLE RETURN WITH FILE/FILE</b><br><br><b>2-CHANNEL, FOR ONE WORKSURFACE</b><br> | <b>LEFT</b>   | <b>RIGHT</b>  |    |    |       |     |      |                      |  |
|                                                                                                                                                                                    | 68-2442LF2STS | 68-2442RF2STS | 42 | 24 | 30-47 | 233 | 20.4 | T\$ 5543<br>P\$ 5725 |  |
|                                                                                                                                                                                    |               |               |    |    |       |     |      |                      |  |
|                                                                                                                                                                                    | 68-2448LF2STS | 68-2448RF2STS | 48 | 24 | 30-47 | 251 | 23.1 | T\$ 5611<br>P\$ 5813 |  |
|                                                                                                                                                                                    |               |               |    |    |       |     |      |                      |  |
|                                                                                                                                                                                    | 68-4224LF2STS | 68-4224RF2STS | 42 | 24 | 30-47 | 233 | 20.4 | T\$ 5543<br>P\$ 5725 |  |
|                                                                                                                                                                                    | 68-4824LF2STS | 68-4824RF2STS | 48 | 24 | 30-47 | 251 | 23.1 | T\$ 5611<br>P\$ 5813 |  |

Shown as Right

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Edge Profile  
 Chassis Color  
 Drawer  
 Front Color  
 Grain Direction (if applicable)  
 Pull  
 Construction  
 Track  
 Height Adjust Switch  
 Grommet Location  
 Power/Data/Wire Management  
 Modesty Grommet  
 Grommet Color


**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Letter Width Locking File/File in Pedestal, Top Profiled on User Side, Wire Management from Pedestal to Kneespace
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMSBV) or None (NONE); [See Wire Management Options](#)
- Optional Worksurface Grommet with Mesh Wire Management Sleeve or Wire Management Boxes Available Centered Between Height Adjustable Legs (CKS) and Over Peds and 6" from End (GL or GR); Must Specify Location and Color: GL-MESH for Left or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Pricing Codes:**



T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                      | Model No.                                    | Width         | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------|-------|--------|---------|----------|------------|
| <b>HEIGHT ADJUSTABLE RETURN WITH BOX/BOX/FILE</b><br><br><b>2-CHANNEL, FOR ONE WORKSURFACE</b><br><br><br>Shown as Right | <b>LEFT</b>                                  | <b>RIGHT</b>  |       |        |         |          |            |
|                                                                                                                                                                                                           | 68-2442LF1STS                                | 68-2442RF1STS | 42    | 24     | 30-47   | 233      | T\$ 5543   |
|                                                                                                                                                                                                           | Front to Back Grain Direction on Worksurface |               |       |        |         |          | P\$ 5725   |
|                                                                                                                                                                                                           | 68-2448LF1STS                                | 68-2448RF1STS | 48    | 24     | 30-47   | 251      | T\$ 5611   |
|                                                                                                                                                                                                           | Front to Back Grain Direction on Worksurface |               |       |        |         |          | P\$ 5813   |
|                                                                                                                                                                                                           | 68-4224LF1STS                                | 68-4224RF1STS | 42    | 24     | 30-47   | 233      | T\$ 5543   |
|                                                                                                                                                                                                           | Left to Right Grain Direction on Worksurface |               |       |        |         |          | P\$ 5725   |
|                                                                                                                                                                                                           | 68-4824LF1STS                                | 68-4824RF1STS | 48    | 24     | 30-47   | 251      | T\$ 5611   |
|                                                                                                                                                                                                           | Left to Right Grain Direction on Worksurface |               |       |        |         |          | P\$ 5813   |

### Description

- Standard with: Includes Controls, Letter Width Locking Box/Box/File in Pedestal, Top Profiled on User Side, Wire Management from Pedestal to Kneespace
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Worksurface Grommet with Mesh Wire Management Sleeve or Wire Management Boxes Available Centered Between Height Adjustable Legs (CKS) and Over Peds and 6" from End (GL or GR); Must Specify Location and Color: GL-MESH for Left or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

|                                                                                                                                                                                                                                                                                                                                             |                                              |                |    |    |       |     |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------|----|----|-------|-----|----------|
| <b>HEIGHT ADJUSTABLE RETURN WITH FILE/FILE</b><br><br><b>3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES</b><br><br><br>Shown as Left<br><br><br>Shown as Left<br>Top Up | <b>LEFT</b>                                  | <b>RIGHT</b>   |    |    |       |     |          |
|                                                                                                                                                                                                                                                                                                                                             | 68-2442LF2STS3                               | 68-2442RF2STS3 | 42 | 24 | 30-47 | 183 | T\$ 3658 |
|                                                                                                                                                                                                                                                                                                                                             | Front to Back Grain Direction on Worksurface |                |    |    |       |     | P\$ 3840 |
|                                                                                                                                                                                                                                                                                                                                             | 68-2448LF2STS3                               | 68-2448RF2STS3 | 48 | 24 | 30-47 | 201 | T\$ 3726 |
|                                                                                                                                                                                                                                                                                                                                             | Front to Back Grain Direction on Worksurface |                |    |    |       |     | P\$ 3930 |

### Description

- Standard with: 3-Channel Leg Configuration for Multiple Worksurface Height Adjustment, Letter Width Locking File/File in Pedestal, Top Profiled on User Side, Wire Management from Pedestal to Kneespace
- Must be Used with Height Adjustable Single Ped Desk, Height Adjustable D-Top or P-Top
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Worksurface Grommet with Mesh Wire Management Sleeve Available Over Ped Only; 6" from Ends and 20" from User; Must Specify Location and Color: GL-MESH for Left or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Monitor Arms not Available on this Unit
- Optional Modesty/Pedestal Grommet for Wire Management to Wall Centered on Pedestal Only; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

### Must Specify (in this order):


Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Front Color  
Grain Direction (if applicable)  
Pull  
Construction  
Track  
Height Adjust Switch  
Grommet  
Power/Data/Wire Management  
Modesty Grommet  
Grommet Color

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                         | Model No.                                    | Width          | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|----------------------------------------------|----------------------------------------------|----------------|-------|--------|---------|----------|----------------------|
| HEIGHT ADJUSTABLE RETURN WITH BOX/BOX/FILE   | LEFT                                         | RIGHT          |       |        |         |          |                      |
|                                              | 68-2442LF1STS3                               | 68-2442RF1STS3 | 42    | 24     | 30-47   | 183      | T\$ 3658<br>P\$ 3840 |
| Front to Back Grain Direction on Worksurface |                                              |                |       |        |         |          |                      |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES | 68-2448LF1STS3                               | 68-2448RF1STS3 | 48    | 24     | 30-47   | 201      | T\$ 3726<br>P\$ 3930 |
|                                              | Front to Back Grain Direction on Worksurface |                |       |        |         |          |                      |




Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Front Color  
Grain Direction (if applicable)  
Pull  
Construction  
Track  
Height Adjust Switch  
Grommet  
Power/Data/Wire Management  
Modesty Grommet  
Grommet Colors.

**Description**

- Standard with: 3-Channel Leg Configuration for Multiple Worksurface Height Adjustment, Letter Width Locking Box/Box/File in Pedestal, Top Profiled on User Side
- Must be Used with Height Adjustable Single Ped Desk, Height Adjustable D-Top or P-Top
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty/Pedestal Grommet for Wire Management to Wall Centered on Pedestal Only; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Worksurface Grommet with Mesh Wire Management Sleeve Available Over Ped Only; 6" from Ends and 20" from User; Must Specify Location and Color: GL-MESH for Left or GR-MESH for Right; Color Options: Black (BLK) or Silver (SLV); [See Grommet Options](#)
- Monitor Arms not Available on this Unit
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Pulls, Grommets, Power Locations, and More can be Found in the [Intro Section](#)

| HEIGHT ADJUSTABLE RETURN SHELL | END PANEL ON LEFT | END PANEL ON RIGHT |    |    |       |     |      |                      |
|--------------------------------|-------------------|--------------------|----|----|-------|-----|------|----------------------|
|                                | 66-2442RSHLSTS    | 66-2442RSHRSTS     | 42 | 24 | 30-47 | 250 | 24.0 | T\$ 4973<br>P\$ 5156 |
|                                | 66-2448RSHLSTS    | 66-2448RSHRSTS     | 48 | 24 | 30-47 | 280 | 24.0 | T\$ 5042<br>P\$ 5242 |



Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Height Adjust Switch  
Grommet  
Power/Data/Wire Management  
Modesty Grommet  
Grommet Color

**Description**

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Top Profiled on User Side
- Optional Worksurface Center Grommet Only; Must Specify: Black (BLK), Silver (SLV) or None (NONE); [See Grommet Options](#)
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- For Additional Information Including Worksurface Materials, Grommets and Wire Management Boxes, Power Locations, and More can be Found in the [Intro Section](#)

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                         | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|------------------------------------------------------------------------------|--------------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE BRIDGE</b><br><br><b>2-CHANNEL, FOR ONE WORKSURFACE</b> | 66-2036UFSTS | 36    | 20    | 30-47  | 143     | 15.0     | T\$ 4599<br>P\$ 4741 |
|                                                                              | 66-2042UFSTS | 42    | 20    | 30-47  | 167     | 18.0     | T\$ 4633<br>P\$ 4794 |
|                                                                              | 66-2048UFSTS | 48    | 20    | 30-47  | 177     | 20.0     | T\$ 4656<br>P\$ 4833 |
|                                                                              | 66-2436UFSTS | 36    | 24    | 30-47  | 146     | 18.0     | T\$ 4643<br>P\$ 4805 |
|                                                                              | 66-2442UFSTS | 42    | 24    | 30-47  | 168     | 21.0     | T\$ 4682<br>P\$ 4864 |
|                                                                              | 66-2448UFSTS | 48    | 24    | 30-47  | 182     | 24.0     | T\$ 4707<br>P\$ 4909 |
|                                                                              |              |       |       |        |         |          |                      |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Height Adjust Switch  
Grommet  
Power/Data/Wire Management  
Modesty Grommet  
Grommet Color

### Description

- Standard with: 2-Channel Leg Configuration for Single Surface Height Adjustment, Includes Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Optional Worksurface Grommet and Power Units Available on Center Only; [See Options](#)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

| <b>HEIGHT ADJUSTABLE BRIDGE FOR MULTIPLE SURFACES</b><br><br><b>3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES</b> | LEFT           | RIGHT          |    |    |       |     |      |                      |
|------------------------------------------------------------------------------------------------------------------|----------------|----------------|----|----|-------|-----|------|----------------------|
|                                                                                                                  | 66-2036UFSTSL3 | 66-2036UFSTSR3 | 36 | 20 | 30-47 | 133 | 15.0 | T\$ 3352<br>P\$ 3493 |
|                                                                                                                  | 66-2042UFSTSL3 | 66-2042UFSTSR3 | 42 | 20 | 30-47 | 154 | 18.0 | T\$ 3385<br>P\$ 3547 |
|                                                                                                                  | 66-2048UFSTSL3 | 66-2048UFSTSR3 | 48 | 20 | 30-47 | 167 | 20.0 | T\$ 3408<br>P\$ 3586 |
|                                                                                                                  | 66-2436UFSTSL3 | 66-2436UFSTSR3 | 36 | 24 | 30-47 | 136 | 18.0 | T\$ 3396<br>P\$ 3557 |
|                                                                                                                  | 66-2442UFSTSL3 | 66-2442UFSTSR3 | 42 | 24 | 30-47 | 158 | 21.0 | T\$ 3436<br>P\$ 3616 |
|                                                                                                                  | 66-2448UFSTSL3 | 66-2448UFSTSR3 | 48 | 24 | 30-47 | 172 | 24.0 | T\$ 3460<br>P\$ 3661 |

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Grommet  
Power/Data/Wire Management  
Modesty Grommet  
Grommet Color

### Description

- Standard with: 3-Channel Leg Configuration for Multiple Surface Height Adjustment, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Optional Worksurface Grommet and Power Units Available on Center Only; [See Options](#)
- Control Switch Not Included; Control Switch will be on Adjoining Worksurface
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                          | Model No.     | Width         | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---------------------------------------------------------------|---------------|---------------|-------|--------|---------|----------|----------------------|
| HEIGHT ADJUSTABLE<br>SINGLE PED CREDENZA<br>WITH BOX/BOX/FILE | LEFT          | RIGHT         |       |        |         |          |                      |
|                                                               | 68-2466LC1STS | 68-2466RC1STS | 66    | 24     | 30-47   | 282      | 32.7                 |
|                                                               |               |               |       |        |         |          | T\$ 6023<br>P\$ 6264 |
|                                                               | 68-2472LC1STS | 68-2472RC1STS | 72    | 24     | 30-47   | 300      | 35.6                 |
|                                                               |               |               |       |        |         |          | T\$ 6043<br>P\$ 6298 |



Shown as Left

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Front Color  
Grain Direction (if applicable)  
Pull  
Construction  
Track  
Height Adjust Switch  
Grommet Color  
Power/Data/Wire Management


**Description**

- Standard with: Includes Controls, Letter Width Locking Box/Box/File in Pedestal, Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface
- Support Panel ([66-2812RSP](#)) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet on Approach for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Grommet and Wire Management Box Locations, Pulls, Power Availability, and More can be Found in the [Intro Section](#)



Support Panel  
([66-2812RSP](#))  
Needed When  
Connecting to  
Stationary Return  
or Bridge

|                                                            |               |               |    |    |       |     |      |                      |
|------------------------------------------------------------|---------------|---------------|----|----|-------|-----|------|----------------------|
| HEIGHT ADJUSTABLE<br>SINGLE PED CREDENZA<br>WITH FILE/FILE | LEFT          | RIGHT         |    |    |       |     |      |                      |
|                                                            | 68-2466LC2STS | 68-2466RC2STS | 66 | 24 | 30-47 | 282 | 32.7 | T\$ 6023<br>P\$ 6264 |
|                                                            |               |               |    |    |       |     |      |                      |
|                                                            | 68-2472LC2STS | 68-2472RC2STS | 72 | 24 | 30-47 | 300 | 35.6 | T\$ 6043<br>P\$ 6298 |



Shown as Left

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Front Color  
Grain Direction (if applicable)  
Pull  
Construction  
Track  
Height Adjust Switch  
Grommet Color  
Power/Data/Wire Management

**Description**

- Standard with: Letter Width Locking File/File in Pedestal, Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface
- Support Panel ([66-2812RSP](#)) Needed When Connecting to Stationary Return or Bridge
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Materials, Grommets, Power Locations, and More can be Found in the [Intro Section](#)



Support Panel  
([66-2812RSP](#))  
Needed When  
Connecting to  
Stationary Return  
or Bridge


**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                     | Model No.    | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|----------------------------------------------------------|--------------|-------|-------|--------|---------|----------|----------------------|
| HEIGHT ADJUSTABLE KNEESPACE CREDENZA WITH FILE/FILE PEDS | 68-2466KCSTS | 66    | 24    | 30-47  | 320     | 32.7     | T\$ 6673<br>P\$ 6914 |
|                                                          | 68-2472KCSTS | 72    | 24    | 30-47  | 340     | 35.6     | T\$ 6874<br>P\$ 7133 |




Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Drawer  
Front Color  
Grain Direction (if applicable)  
Pull  
Construction  
Track  
Height Adjust Switch  
Grommet Color  
Power/Data/Wire Management

**Description**

- Standard with: Controls, Letter Width Locking File/File in Pedestals, Top Profiled on Approach and User Side, Left to Right Grain Direction on Worksurface
- Control Switch Standard (SWCH-Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); [See Switch Options](#)
- Top, Chassis, and Drawer Fronts Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Modesty Grommet for Wire Management to Wall; Must Specify: Black (GMBBL), Silver (GMBSV) or None (NONE); [See Wire Management Options](#)
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- For Additional Information Including Worksurface Grommet and Wire Management Box Locations, Pulls, Power Availability, and More can be Found in the [Intro Section](#)

|                                  |              |    |    |       |     |      |                      |
|----------------------------------|--------------|----|----|-------|-----|------|----------------------|
| HEIGHT ADJUSTABLE CREDENZA SHELL | 66-2460SHSTS | 60 | 24 | 30-47 | 280 | 30.0 | T\$ 5483<br>P\$ 5719 |
|                                  | 66-2466SHSTS | 66 | 24 | 30-47 | 287 | 33.0 | T\$ 5521<br>P\$ 5766 |
|                                  | 66-2472SHSTS | 72 | 24 | 30-47 | 294 | 36.0 | T\$ 5566<br>P\$ 5821 |



Must Specify (in this order):

Model #  
Top Material  
Top Color  
Edge Profile  
Chassis Color  
Height Adjust Switch  
Grommet Color  
Power/Data/Wire Management

**Description**

- Standard with: Controls, Profiled on User Side, and Modesty Grommet
- Modular Pedestals not Applicable
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Support Panel (66-2812RSP) Needed When Connecting to Stationary Return or Bridge; See Below
- Optional Worksurface Grommet; Must Specify: Black (BLK), Silver (SLV) or None (NONE); [See Grommet Options](#)
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed
- For Additional Information Including Worksurface Grommet and Wire Management Box Locations, Power Availability, and More can be Found in the [Intro Section](#)

|               |            |    |   |        |    |     |        |
|---------------|------------|----|---|--------|----|-----|--------|
| SUPPORT PANEL | 66-2812RSP | 12 | 1 | 28 3/4 | 12 | 0.8 | \$ 266 |
|---------------|------------|----|---|--------|----|-----|--------|



Must Specify (in this order):

Model #  
Finish



**Description**

- To be Used to Support Stationary Returns and Bridges Worksurfaces with Height Adjustable Units
- Required to be Used Perpendicular to Full Back Panels for Support of Kneespace Areas 60" or Longer

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                          | Model No.                                  |                 | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-----------------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE WATERFALL DESK WITH BOOKCASE</b><br><br><br><br>Shown as Right<br><br><br><br>Open Back on Bookcase<br><br><br><br>Vertical Square (H) on Worksurface | <b>WATERFALL LEFT      WATERFALL RIGHT</b> |                 |       |       |        |         |          |                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3066STSWD20L                            | 66-3066STSWD20R | 66    | 30    | 30-47  | 225     | 40.8     | T\$ 5707<br>P\$ 5985 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3072STSWD20L                            | 66-3072STSWD20R | 72    | 30    | 30-47  | 240     | 42.5     | T\$ 5763<br>P\$ 6056 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3666STSWD20L                            | 66-3666STSWD20R | 66    | 36    | 30-47  | 230     | 46.4     | T\$ 5943<br>P\$ 6241 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3672STSWD20L                            | 66-3672STSWD20R | 72    | 36    | 30-47  | 240     | 52.0     | T\$ 6004<br>P\$ 6317 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3066STSWD24L                            | 66-3066STSWD24R | 66    | 30    | 30-47  | 230     | 40.8     | T\$ 5762<br>P\$ 6041 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3072STSWD24L                            | 66-3072STSWD24R | 72    | 30    | 30-47  | 240     | 42.5     | T\$ 5819<br>P\$ 6112 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3666STSWD24L                            | 66-3666STSWD24R | 66    | 36    | 30-47  | 235     | 46.4     | T\$ 6006<br>P\$ 6304 |
|                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3672STSWD24L                            | 66-3672STSWD24R | 72    | 36    | 30-47  | 245     | 52.0     | T\$ 6068<br>P\$ 6381 |

Must Specify (in this order):

Model #  
 Top Material  
 Top/Waterfall Color  
 Secondary Top Color  
 Secondary Top Edge Profile  
 Chassis Color  
 Leg Color  
 Height Adjust Switch  
 Grommet Location/Color  
 Power/Data/Wire Management  
 Grommet Color



**Description**

- Standard with: Height Adjust Controls, Secondary Top Profiled on User Side, Left to Right Grain Direction and Vertical Square (H) Edge Profile on Worksurface
- Waterfall Leg 5¾"D
- 20" and 24" Bookcase has One (1) Adjustable Shelf and Open Back for Easy Wall Access to Organize Wires and Cables
- Top/Waterfall, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Worksurface and Secondary Top on Bookcase Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet, Monitor Arm, Power/Data Options, and More can be Found in the [Intro Section](#)

**Pricing Codes:**

T = TFL    P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Model No.                                      |                 | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----------------|-------|-------|--------|---------|----------|------------|----------|
| <b>HEIGHT ADJUSTABLE<br/>PANEL LEG DESK WITH BOOKCASE</b>  <p>Shown as Right</p>  <p>Open Back on Bookcase</p> <p><u>Must Specify (in this order):</u><br/>           Model #<br/>           Top Material<br/>           Top Color<br/>           Top Edge Profile<br/>           Secondary Top Color<br/>           Secondary Top Edge Profile<br/>           Chassis Color<br/>           Leg Color<br/>           Height Adjust Switch<br/>           Grommet Location/Color<br/>           Power/Data/Wire Management<br/>           Grommet Color</p> | <b>PANEL LEG ON LEFT    PANEL LEG ON RIGHT</b> |                 |       |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3066STSPL20L                                | 66-3066STSPL20R | 66    | 30    | 30-47  | 225     | 40.8     | T\$ 5104   | P\$ 5382 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3072STSPL20L                                | 66-3072STSPL20R | 72    | 30    | 30-47  | 235     | 42.5     | T\$ 5164   | P\$ 5457 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3666STSPL20L                                | 66-3666STSPL20R | 66    | 36    | 30-47  | 235     | 46.4     | T\$ 5294   | P\$ 5592 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3672STSPL20L                                | 66-3672STSPL20R | 72    | 36    | 30-47  | 240     | 52.0     | T\$ 5350   | P\$ 5663 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3066STSPL24L                                | 66-3066STSPL24R | 66    | 30    | 30-47  | 230     | 40.8     | T\$ 5158   | P\$ 5436 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3072STSPL24L                                | 66-3072STSPL24R | 72    | 30    | 30-47  | 240     | 42.5     | T\$ 5216   | P\$ 5509 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3666STSPL24L                                | 66-3666STSPL24R | 66    | 36    | 30-47  | 235     | 46.4     | T\$ 5354   | P\$ 5652 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 66-3672STSPL24L                                | 66-3672STSPL24R | 72    | 36    | 30-47  | 245     | 52.0     | T\$ 5411   | P\$ 5724 |



### Description

- Standard with: Height Adjust Controls, Secondary Top Profiled on User Side, Left to Right Grain Direction
- 8"D Panel Leg and 20" and 24" Bookcase has One (1) Adjustable Shelf and Open Back for Easy Wall Access to Organize Wires and Cables
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Worksurface and Secondary Top on Bookcase Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet, Monitor Arm, Power/Data Options, and More can be Found in the [Intro Section](#)

### Pricing Codes:

T = TFL    P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                               | Model No.       |                 | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE<br/>T LEG DESK WITH BOOKCASE</b><br><br><br>Shown as Right<br><br><br>Open Back on Bookcase | T LEG ON LEFT   | T LEG ON RIGHT  |       |       |        |         |          |                      |
|                                                                                                                                                                                                                                                                                    | 66-3066STSTL20L | 66-3066STSTL20R | 66    | 30    | 30-47  | 215     | 40.8     | T\$ 5707<br>P\$ 5985 |
|                                                                                                                                                                                                                                                                                    | 66-3072STSTL20L | 66-3072STSTL20R | 72    | 30    | 30-47  | 225     | 42.5     | T\$ 5763<br>P\$ 6056 |
|                                                                                                                                                                                                                                                                                    | 66-3666STSTL20L | 66-3666STSTL20R | 66    | 36    | 30-47  | 220     | 46.4     | T\$ 5943<br>P\$ 6241 |
|                                                                                                                                                                                                                                                                                    | 66-3672STSTL20L | 66-3672STSTL20R | 72    | 36    | 30-47  | 230     | 52.0     | T\$ 6004<br>P\$ 6317 |
|                                                                                                                                                                                                                                                                                    | 66-3066STSTL24L | 66-3066STSTL24R | 66    | 30    | 30-47  | 220     | 40.8     | T\$ 5762<br>P\$ 6041 |
|                                                                                                                                                                                                                                                                                    | 66-3072STSTL24L | 66-3072STSTL24R | 72    | 30    | 30-47  | 230     | 42.5     | T\$ 5819<br>P\$ 6112 |
|                                                                                                                                                                                                                                                                                    | 66-3666STSTL24L | 66-3666STSTL24R | 66    | 36    | 30-47  | 225     | 46.4     | T\$ 6006<br>P\$ 6304 |
|                                                                                                                                                                                                                                                                                    | 66-3672STSTL24L | 66-3672STSTL24R | 72    | 36    | 30-47  | 235     | 52.0     | T\$ 6068<br>P\$ 6381 |

Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Top Edge Profile  
 Secondary Top Color  
 Secondary Top Edge Profile  
 Chassis Color  
 Leg Color  
 Height Adjust Switch  
 Grommet Location/Color  
 Power/Data/Wire Management  
 Grommet Color


### Description



- Standard with: Height Adjust Controls, Secondary Top Profiled on User Side, Left to Right Grain Direction
- 20" and 24" Bookcase has One (1) Adjustable Shelf and Open Back for Easy Wall Access to Organize Wires and Cables
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Worksurface and Secondary Top on Bookcase Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet, Monitor Arm, Power/Data Options, and More can be Found in the [Intro Section](#)

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                | Model No.      |                 | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------|-------|-------|--------|---------|----------|----------------------|--|
| <br>HEIGHT ADJUSTABLE<br>WALL WATERFALL DESK<br>WITH 8"D PANEL LEG | WATERFALL LEFT | WATERFALL RIGHT |       |       |        |         |          |                      |  |
|                                                                                                                                                     | 66-3066WWFDL   | 66-3066WWFDR    | 66    | 30    | 30-47  | 225     | 40.8     | T\$ 5295<br>P\$ 5573 |  |
|                                                                                                                                                     | 66-3072WWFDL   | 66-3072WWFDR    | 72    | 30    | 30-47  | 230     | 42.5     | T\$ 5353<br>P\$ 5646 |  |
|                                                                                                                                                     | 66-3666WWFDL   | 66-3666WWFDR    | 66    | 36    | 30-47  | 230     | 40.8     | T\$ 5502<br>P\$ 5800 |  |
|                                                                                                                                                     | 66-3672WWFDL   | 66-3672WWFDR    | 72    | 36    | 30-47  | 235     | 52.0     | T\$ 5564<br>P\$ 5877 |  |



Open Back on  
Panel Leg



Vertical Square (H)  
on Worksurface



Must Specify (in this order):

Model #  
Top Material  
Top/Waterfall Color  
Secondary Top Color  
Secondary Top Edge Profile  
Chassis Color  
Leg Color  
Height Adjust Switch  
Primary Grommet Location/Color  
Primary Power/Data/Monitor Arm/  
Wire Management  
Secondary Grommet Location/Color  
Secondary Power/Data/  
Wire Management

### Description

- Standard with: Height Adjust Controls, Left to Right Grain Direction and Vertical Square (H) Edge Profile on Worksurface
- Waterfall Leg 5¾"D and Open Back on 8"D Panel Leg for Easy Wall Access to Organize Wires and Cables
- Top/Waterfall, Secondary Top on Panel Leg, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Worksurface and Secondary Top on Panel Legs Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Primary and Secondary Worksurface Materials, Grommet, Power/Data Options, and More can be Found in the [Intro Section](#)

| HEIGHT ADJUSTABLE WALL<br>PANEL LEG DESK | LEFT         |              |    |    |       |     |      |                      |
|------------------------------------------|--------------|--------------|----|----|-------|-----|------|----------------------|
|                                          | RIGHT        |              |    |    |       |     |      |                      |
|                                          | 66-3066WPLDL | 66-3066WPLDR | 66 | 30 | 30-47 | 215 | 40.8 | T\$ 4685<br>P\$ 4963 |
|                                          | 66-3072WPLDL | 66-3072WPLDR | 72 | 30 | 30-47 | 220 | 42.5 | T\$ 4742<br>P\$ 5035 |
|                                          | 66-3666WPLDL | 66-3666WPLDR | 66 | 36 | 30-47 | 220 | 46.4 | T\$ 4857<br>P\$ 5156 |
|                                          | 66-3672WPLDL | 66-3672WPLDR | 72 | 36 | 30-47 | 225 | 52.0 | T\$ 4915<br>P\$ 5228 |



Open Back on  
Panel Leg

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Top Edge Profile  
Secondary Top Edge Profile  
Chassis Color  
Leg Color  
Height Adjust Switch  
Primary Grommet Location/Color  
Primary Power/Data/Monitor Arm/  
Wire Management  
Secondary Grommet Location/Color  
Secondary Power/Data/  
Wire Management


### Description

- Standard with: Height Adjust Controls, 5"D Panel Leg + 8"D Wall Access Panel Leg, Top Profiled on User Side, Left to Right Grain Direction on Worksurface
- 8"D Panel Leg with Open Back for Easy Wall Access to Organize Wires and Cables
- For Closed Back Units Ideal for Freestanding Applications, [See Height Adjustable Panel Leg Desk](#)
- Top, Secondary Top on Panel Legs, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Worksurface and Secondary Top on Panel Legs Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Primary and Secondary Worksurface Materials, Grommet, and Power/Data Options, and More can be Found in the [Intro Section](#)

### Pricing Codes:

T = TFI    P = HPI

See Canvas Intro Section for Ordering Options


| Item                                                                                                                                                                                                                                                                                          | Model No.     | Width          | Depth | Height | Ship Wt | Cubic Ft | List Price |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|-------|--------|---------|----------|------------|----------------------|
| <div>HEIGHT ADJUSTABLE<br/>WALL T LEG DESK</div> <div><div>Shown as<br/>Right</div><div><div>Open Back on</div></div></div> | T LEG ON LEFT | T LEG ON RIGHT |       |        |         |          |            |                      |
|                                                                                                                                                                                                                                                                                               | 66-3066WTLDL  | 66-3066WTLDR   | 66    | 30     | 30-47   | 200      | 40.8       | T\$ 4007<br>P\$ 4285 |
|                                                                                                                                                                                                                                                                                               | 66-3072WTLDL  | 66-3072WTLDR   | 72    | 30     | 30-47   | 205      | 42.5       | T\$ 4064<br>P\$ 4356 |
|                                                                                                                                                                                                                                                                                               | 66-3666WTLDL  | 66-3666WTLDR   | 66    | 36     | 30-47   | 205      | 46.4       | T\$ 4138<br>P\$ 4436 |
|                                                                                                                                                                                                                                                                                               | 66-3672WTLDL  | 66-3672WTLDR   | 72    | 36     | 30-47   | 210      | 52.0       | T\$ 4200<br>P\$ 4513 |

### Description

- Standard with: Height Adjust Controls, Top Profiled on User Side, Left to Right Grain Direction on Worksurface
- Open Back on 8"D Panel Leg for Easy Wall Access to Organize Wires and Cables
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Optional Worksurface and Secondary Top on Panel Leg Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Primary and Secondary Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

### Must Specify (in this order):

Model #  
Top Material  
Top Color  
Top Edge Profile  
Secondary Top Color  
Secondary Top Edge Profile  
Chassis Color  
Leg Color  
Height Adjust Switch  
Primary Grommet Location/Color  
Primary Power/Data/Monitor Arm/  
Wire Management  
Secondary Grommet Location/Color  
Secondary Power/Data/  
Wire Management

|                                                                                                                                    |            |    |    |       |     |      |                      |
|------------------------------------------------------------------------------------------------------------------------------------|------------|----|----|-------|-----|------|----------------------|
| <b>HEIGHT ADJUSTABLE PANEL LEG DESK</b><br><br> | 66-3066PLD | 66 | 30 | 30-47 | 210 | 40.8 | T\$ 4361<br>P\$ 4639 |
|                                                                                                                                    | 66-3072PLD | 72 | 30 | 30-47 | 215 | 42.5 | T\$ 4419<br>P\$ 4712 |
|                                                                                                                                    | 66-3666PLD | 66 | 36 | 30-47 | 215 | 46.4 | T\$ 4519<br>P\$ 4817 |
|                                                                                                                                    | 66-3672PLD | 72 | 36 | 30-47 | 220 | 52.0 | T\$ 4583<br>P\$ 4896 |

### Description

- Standard with: Height Adjust Controls, Top Profiled on User Side, Left to Right Grain Direction on Worksurface
- Closed Back on Both Panel Legs for Freestanding Applications, Panel Legs are 5"D
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Top, Secondary Top on Panel Legs, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Worksurface and Secondary Top on Panel Legs Grommet and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Primary and Secondary Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

### Must Specify (in this order):


Model #  
Top Material  
Top Color  
Top Edge Profile  
Secondary Top Color  
Secondary Top Edge Profile  
Chassis Color  
Leg Color  
Height Adjust Switch  
Primary Grommet Location/Color  
Primary Power/Data/Monitor Arm/  
Wire Management  
Secondary Grommet Location/Color  
Secondary Power/Data/  
Wire Management

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                        | Model No.  | Width      | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|---------------------------------------------|------------|------------|-------|--------|---------|----------|----------------------|
| HEIGHT ADJUSTABLE WALL RETURN WITH BOX/FILE | LEFT       | RIGHT      |       |        |         |          |                      |
|                                             | 68-2442WRL | 68-2442WRR | 42    | 24     | 30-47   | 137      | T\$ 4895<br>P\$ 5077 |
| 2-CHANNEL, FOR ONE WORKSURFACE              | 68-2448WRL | 68-2448WRR | 48    | 24     | 30-47   | 157      | T\$ 4996<br>P\$ 5196 |



Shown as Left  
and Open Back


Must Specify (in this order):

Model #  
Top Material  
Top Color  
Top Edge Profile  
Secondary Top Color  
Secondary Top Edge Profile  
Chassis Color  
Drawer  
Front Color  
Front Grain Direction  
Construction  
Track  
Pull  
Leg Color  
Height Adjust Switch  
Primary Grommet Location/Color  
Primary Power/Data/Monitor Arm/Wire Management  
Secondary Grommet Location/Color  
Secondary Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration with Height Adjust Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Open Back on Pedestal and Panel for Easy Wall Access Organize Wires and Cables
- When Used With Height Adjustable Waterfall, Wall Panel Leg, and Modular Run Off Table Desks, the H Edge Profile is Recommended
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- Optional Secondary Top Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

|                                                 |              |              |    |    |       |     |      |                      |
|-------------------------------------------------|--------------|--------------|----|----|-------|-----|------|----------------------|
| HEIGHT ADJUSTABLE WALL RETURN WITH TECH STORAGE | LEFT         | RIGHT        |    |    |       |     |      |                      |
|                                                 | 68-2442WRTSL | 68-2442WRTSR | 42 | 24 | 30-47 | 123 | 20.4 | T\$ 5099<br>P\$ 5280 |
| 2-CHANNEL, FOR ONE WORKSURFACE                  | 68-2448WRTSL | 68-2448WRTSR | 48 | 24 | 30-47 | 157 | 24.1 | T\$ 5200<br>P\$ 5400 |



Shown as Right  
and Open Back

Must Specify (in this order):

Model #  
Top Material  
Top Color  
Top Edge Profile  
Secondary Top Color  
Secondary Top Edge Profile  
Chassis Color  
Door  
Color  
Grain Direction  
Pull  
Leg Color  
Height Adjust Switch  
Primary Grommet Location/Color  
Primary Power/Data/Monitor Arm/Wire Management  
Secondary Grommet Location/Color  
Secondary Power/Data/Wire Management

**Description**


- Standard with: 2-Channel Leg Configuration with Height Adjust Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface, and One (1) Adjustable Shelf Behind Door
- Open Back on Pedestal and Panel for Easy Wall Access Organize Wires and Cables
- When Used With Height Adjustable Waterfall, Wall Panel Leg, and Modular Run Off Table Desks, the H Edge Profile is Recommended
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Door Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Must Specify Door Pull, [See Pull Options](#)
- Optional Secondary Top Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

**Pricing Codes:**


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                         | Model No.   | Width       | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------|-------------|-------------|-------|--------|---------|----------|------------|
| HEIGHT ADJUSTABLE WALL RETURN WITH BOX/FILE  | LEFT        | RIGHT       |       |        |         |          |            |
|                                              | 68-2442WRL3 | 68-2442WRR3 | 42    | 24     | 30-47   | 123      | 20.4       |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES | 68-2448WRL3 | 68-2448WRR3 | 48    | 24     | 30-47   | 143      | 24.1       |
|                                              |             |             |       |        |         |          |            |



Shown as Right and Open Back




Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Top Edge Profile  
 Secondary Top Color  
 Secondary Top Edge Profile  
 Chassis Color  
 Drawer  
 Front Color  
 Front Grain Direction  
 Construction  
 Track  
 Pull  
 Leg Color  
 Height Adjust Switch  
 Primary Grommet Location/Color  
 Primary Power/Data/Monitor Arm/Wire Management  
 Secondary Grommet Location/Color  
 Secondary Power/Data/Wire Management


### Description

- Standard with: 3-Channel Leg Configuration with Height Adjust Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Open Back on Pedestal and Panel for Easy Wall Access Organize Wires and Cables
- When Used With Height Adjustable Waterfall, Wall Panel Leg, and Modular Run Off Table Desks, the H Edge Profile is Recommended
- Top Field Installed; Some Assembly Required
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Dove Tail Drawer Construction and Soft Close Drawers ([See Drawer Options](#))
- Optional Secondary Top Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

|                                                 |               |               |    |    |       |     |      |          |
|-------------------------------------------------|---------------|---------------|----|----|-------|-----|------|----------|
| HEIGHT ADJUSTABLE WALL RETURN WITH TECH STORAGE | LEFT          | RIGHT         |    |    |       |     |      |          |
|                                                 | 68-2442WRTSL3 | 68-2442WRTSR3 | 42 | 24 | 30-47 | 123 | 20.4 | T\$ 3943 |
| 3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES    | 68-2448WRTSL3 | 68-2448WRTSR3 | 48 | 24 | 30-47 | 135 | 24.1 | P\$ 4124 |
|                                                 |               |               |    |    |       |     |      | T\$ 4046 |
|                                                 |               |               |    |    |       |     |      | P\$ 4246 |



Shown as Right and Open Back



Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Top Edge Profile  
 Secondary Top Color  
 Secondary Top Edge Profile  
 Chassis Color  
 Door  
 Color  
 Grain Direction  
 Pull  
 Leg Color  
 Height Adjust Switch  
 Primary Grommet Location/Color  
 Primary Power/Data/Monitor Arm/Wire Management  
 Secondary Grommet Location/Color  
 Secondary Power/Data/Wire Management

### Description

- Standard with: 3-Channel Leg Configuration with Height Adjust Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface, and One (1) Adjustable Shelf Behind Door
- Open Back on Pedestal and Panel for Easy Wall Access Organize Wires and Cables
- When Used With Height Adjustable Waterfall, Wall Panel Leg, and Modular Run Off Table Desks, the H Edge Profile is Recommended
- Top Field Installed; Some Assembly Required
- Top, Secondary Top, and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Door Grain Direction Vertical Standard; Optional Horizontal Grain Direction
- Must Specify Door Pull, [See Pull Options](#)
- Optional Secondary Top Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                              | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price           |
|-----------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|----------------------|
| <b>HEIGHT ADJUSTABLE WALL BRIDGE</b><br><br><b>2-CHANNEL, FOR ONE WORKSURFACE</b> | 66-2442WB | 42    | 24    | 30-47  | 98      | 20.4     | T\$ 3608<br>P\$ 3789 |
|                                                                                   | 66-2448WB | 48    | 24    | 30-47  | 114     | 24.1     | T\$ 3680<br>P\$ 3881 |
|                                                                                   | 66-2454WB | 54    | 24    | 30-47  | 130     | 26.9     | T\$ 3777<br>P\$ 3992 |
|                                                                                   | 66-2460WB | 60    | 24    | 30-47  | 146     | 29.8     | T\$ 3860<br>P\$ 4098 |
|                                                                                   |           |       |       |        |         |          |                      |




Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Top Edge Profile  
 Secondary Top Color  
 Secondary Top Edge Profile  
 Chassis Color  
 Leg Color  
 Height Adjust Switch  
 Primary Grommet Location/Color  
 Primary Power/Data/Monitor Arm/Wire Management  
 Secondary Grommet Location/Color  
 Secondary Power/Data/Wire Management

**Description**

- Standard with: 2-Channel Leg Configuration with Height Adjust Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Open Back on Panel for Easy Wall Access to Organize Wires and Cables
- When Used With Height Adjustable Waterfall, Wall Panel Leg, and Modular Run Off Table Desks, the H Edge Profile is Recommended
- Control Switch Standard (Up/Down) or Upgrade to Advanced Switch (MSWCH-Up/Down/Memory); Switch is Field Installed; [See Switch Options](#)
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Secondary Top Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

| HEIGHT ADJUSTABLE WALL BRIDGE WITH TECH STORAGE     | LEFT        | RIGHT       |    |    |       |     |      |          |          |
|-----------------------------------------------------|-------------|-------------|----|----|-------|-----|------|----------|----------|
|                                                     | 66-2442WBL3 | 66-2442WBR3 | 42 | 24 | 30-47 | 84  | 13.1 | T\$ 2742 | P\$ 2923 |
| <b>3-CHANNEL, FOR TWO SIMULTANEOUS WORKSURFACES</b> | 66-2448WBL3 | 66-2448WBR3 | 48 | 24 | 30-47 | 100 | 14.8 | T\$ 2766 | P\$ 2966 |
|                                                     |             |             |    |    |       |     |      |          |          |



Must Specify (in this order):

Model #  
 Top Material  
 Top Color  
 Top Edge Profile  
 Chassis Color  
 Leg Color  
 Height Adjust Switch  
 Primary Grommet Location/Color  
 Primary Power/Data/Monitor Arm/Wire Management  
 Secondary Grommet Location/Color  
 Secondary Power/Data/Wire Management



**Description**

- Standard with: 3-Channel Leg Configuration with Height Adjust Controls, Top Profiled on User Side, Front to Back Grain Direction on Worksurface
- Open Back on Panel for Easy Wall Access to Organize Wires and Cables
- When Used With Height Adjustable Waterfall, Wall Panel Leg, and Modular Run Off Table Desks, the H Edge Profile is Recommended
- Top Field Installed; Some Assembly Required
- Top and Chassis Available in Contrasting Colors; Must Specify Color of Each Component
- Optional Secondary Top Grommets and Power Units Available; [See Options](#)
- Height Adjustable Leg Available in Black (BLK) or Silver (SLV); Must Specify
- For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the [Intro Section](#)

**Pricing Codes:**

T = TFL P = HPL


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Model No.                                                                                              | Width                                                           | Depth | Height | Ship Wt | Cubic Ft | List Price |          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-------|--------|---------|----------|------------|----------|
| <div>MODULAR RUN OFF TABLE DESK</div> <div><div>Shown as Left with Iconic Leg</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LEFT                                                                                                   | RIGHT                                                           |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-2466ROTDL                                                                                           | 66-2466ROTDR                                                    | 66    | 24     | 30      | 105      | 4.4        | T\$ 992  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        |                                                                 |       |        |         |          |            | P\$ 1235 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-2472ROTDL                                                                                           | 66-2472ROTDR                                                    | 72    | 24     | 30      | 108      | 4.7        | T\$ 1277 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        |                                                                 |       |        |         |          |            | P\$ 1277 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3066ROTDL                                                                                           | 66-3066ROTDR                                                    | 66    | 30     | 30      | 115      | 5.2        | T\$ 1077 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        |                                                                 |       |        |         |          |            | P\$ 1356 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3072ROTDL                                                                                           | 66-3072ROTDR                                                    | 72    | 30     | 30      | 119      | 5.6        | T\$ 1113 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        |                                                                 |       |        |         |          |            | P\$ 1406 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 66-3666ROTDL                                                                                           | 66-3666ROTDR                                                    | 66    | 36     | 30      | 125      | 6.2        | T\$ 1240 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        |                                                                 |       |        |         |          | P\$ 1538   |          |
| 66-3672ROTDL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 66-3672ROTDR                                                                                           | 72                                                              | 36    | 30     | 130     | 7.2      | T\$ 1283   |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        |                                                                 |       |        |         |          | P\$ 1596   |          |
| <div>Must Specify (in this order):</div> <div>Model #</div> <div>Top Material</div> <div>Top Color</div> <div>Top Edge Profile</div> <div>Leg Option</div> <div>Leg Selection</div> <div>Color</div> <div>Laminate Insert (H Leg)</div> <div>Grommet Location/Color</div> <div>Power/Data/Monitor Arm/</div> <div>Wire Management</div>                                                                                                                                                                                                                                                                                                                                       |                                                                                                        |                                                                 |       |        |         |          |            |          |
| <div>Description</div> <div><div><div>• Standard with: Left to Right Grain Direction on Worksurface</div><div>• For Run Off Applications</div><div>• Optional Worksurface Grommet and Power Units Available; <a href="#">See Options</a></div><div>• Leg Options Include Bar, H, O, Iconic, and Strut Leg; Strut Leg Only Available on 30"D and 36"D; Must Specify, See Leg Details Below</div><div>• Top and Legs Available in Contrasting Colors; Must Specify Color of Each Component</div><div>• For Additional Information Including Worksurface Materials, Grommet and Power/Data Options, and More can be Found in the <a href="#">Intro Section</a></div></div></div> |                                                                                                        |                                                                 |       |        |         |          |            |          |
| <div>Options: Specify + Add</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                        |                                                                 |       |        |         |          |            |          |
| <div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Bar Leg - Must Specify Leg Color: Aluminum (ALUM), Black (BLK) or Chrome (CHRM)                        |                                                                 |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BL24                                                                                                   | Bar Leg For 24"D - Aluminum (ALUM) and Black (BLK)              |       |        |         |          | \$ 219     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        | Bar Leg For 24"D - Chrome (CHRM)                                |       |        |         |          | \$ 650     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BL30                                                                                                   | Bar Leg For 30"D - Aluminum (ALUM) and Black (BLK)              |       |        |         |          | \$ 266     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        | Bar Leg For 30"D - Chrome (CHRM)                                |       |        |         |          | \$ 694     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BL36                                                                                                   | Bar Leg For 36"D - Aluminum (ALUM) and Black (BLK)              |       |        |         |          | \$ 343     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                        | Bar Leg For 36"D - Chrome (CHRM)                                |       |        |         |          | \$ 911     |          |
| <div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | H Leg - Must Specify Leg Color: Aluminum (ALUM) or Black (BLK) + Laminate Insert Color (See Colors)    |                                                                 |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | HL24                                                                                                   | H Leg For 24"D - Must Specify Leg Color + Laminate Insert Color |       |        |         |          | \$ 486     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | HL30                                                                                                   | H Leg For 30"D - Must Specify Leg Color + Laminate Insert Color |       |        |         |          | \$ 789     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | HL36                                                                                                   | H Leg For 36"D - Must Specify Leg Color + Laminate Insert Color |       |        |         |          | \$ 810     |          |
| <div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | O Leg - Must Specify: Aluminum (ALUM) or Black (BLK)                                                   |                                                                 |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OL24                                                                                                   | O Leg For 24"D - Must Specify Leg Color                         |       |        |         |          | \$ 95      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OL30                                                                                                   | O Leg For 30"D - Must Specify Leg Color                         |       |        |         |          | \$ 166     |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OL36                                                                                                   | O Leg For 36"D - Must Specify Leg Color                         |       |        |         |          | \$ 285     |          |
| <div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Iconic Leg - (Set of 2) Must Specify Leg Color (See Colors)                                            |                                                                 |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ITL2                                                                                                   | Iconic Leg - Must Specify Color                                 |       |        |         |          | \$ N/C     |          |
| <div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Strut Leg - (Set of 2) Must Specify Leg Color: Aluminum (ALUM) or Black (BLK) - Available on 30" + 36" |                                                                 |       |        |         |          |            |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | STR2                                                                                                   | Strut Leg - Must Specify Color                                  |       |        |         |          | \$ 970     |          |

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                        | Model No.   |             | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|-------|-------|--------|---------|----------|------------|
| <b>U SUPPORT WALL PANEL LEG WITH TECH STORAGE</b><br><br> <p>Open Back</p> | Left        | Right       |       |       |        |         |          |            |
|                                                                                                                                                             | 66-2428UPTL | 66-2428UPTR | 24    | 8     | 28¼    | 47      | 6.0      | T\$ 1292   |
|                                                                                                                                                             | 66-3028UPTL | 66-3028UPTR | 30    | 8     | 28¼    | 47      | 6.0      | T\$ 1318   |
|                                                                                                                                                             | 66-3628UPTL | 66-3628UPTR | 36    | 8     | 28¼    | 49      | 7.0      | T\$ 1345   |

**Description**


- Standard with: Grommet at Top for Wire Management
- Open Back on Pedestal and Panel for Easy Access to Organize Wires and Cables
- For Use With Height Adjustable Modular Run Off Table Desks
- Wire Management Access from Pedestal to Kneespace; Specify Left (WML), Right (WMR) or Left and Right (WMLR)

Must Specify (in this order):

Model #  
Color  
Wire Management

|                                 |           |    |   |     |    |     |         |
|---------------------------------|-----------|----|---|-----|----|-----|---------|
| <b>U SUPPORT WALL PANEL LEG</b> | 66-2428UP | 24 | 8 | 28¼ | 35 | 4.5 | T\$ 780 |
|                                 | 66-3028UP | 30 | 8 | 28¼ | 40 | 5.6 | T\$ 804 |
|                                 | 66-3628UP | 36 | 8 | 28¼ | 44 | 6.6 | T\$ 827 |

Shown as Left  
and Open Back

Must Specify (in this order):

Model #  
Color  
Wire Management


**Description**

- Standard with: Grommet at Top for Wire Management
- Open Back Panel for Easy Wall Access to Organize Wires and Cables
- For Use With Height Adjustable Modular Run Off Table Desks
- Wire Management Access from Pedestal to Kneespace; Specify Left (WML), Right (WMLR) or Left and Right (WMLR)

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                                           | Model No.   |              | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------|-------|-------|--------|---------|----------|------------|----------|
| <b>HEIGHT ADJUSTABLE EXTENDED CURVED CORNER SURFACE</b><br><br>Shown as Left  | <b>Left</b> | <b>Right</b> |       |       |        |         |          |            |          |
|                                                                                                                                                                | 66-3660ETL  | 66-3660ETR   | 36-24 | 60    | 1      | 66      | 4.2      | T\$ 788    | P\$ 1074 |
|                                                                                                                                                                | 66-3666ETL  | 66-3666ETR   | 36-24 | 66    | 1      | 72      | 5.2      | T\$ 819    | P\$ 1117 |
|                                                                                                                                                                | 66-3672ETL  | 66-3672ETR   | 36-24 | 72    | 1      | 78      | 6.2      | T\$ 855    | P\$ 1168 |
|                                                                                                                                                                | 66-3678ETL  | 66-3678ETR   | 36-24 | 78    | 1      | 84      | 7.2      | T\$ 885    | P\$ 1204 |
|                                                                                                                                                                | 66-4260ETL  | 66-4260ETR   | 42-30 | 60    | 1      | 75      | 4.7      | T\$ 897    | P\$ 1221 |
|                                                                                                                                                                | 66-4266ETL  | 66-4266ETR   | 42-30 | 66    | 1      | 81      | 5.7      | T\$ 933    | P\$ 1271 |
|                                                                                                                                                                | 66-4272ETL  | 66-4272ETR   | 42-30 | 72    | 1      | 87      | 6.7      | T\$ 973    | P\$ 1328 |
|                                                                                                                                                                | 66-4278ETL  | 66-4278ETR   | 42-30 | 78    | 1      | 94      | 7.7      | T\$ 1024   | P\$ 1386 |
|                                                                                                                                                                | 66-4860ETL  | 66-4860ETR   | 48-36 | 60    | 1      | 84      | 5.2      | T\$ 972    | P\$ 1335 |
|                                                                                                                                                                | 66-4866ETL  | 66-4866ETR   | 48-36 | 66    | 1      | 91      | 6.2      | T\$ 1026   | P\$ 1401 |
|                                                                                                                                                                | 66-4872ETL  | 66-4872ETR   | 48-36 | 72    | 1      | 98      | 7.2      | T\$ 1066   | P\$ 1462 |
|                                                                                                                                                                | 66-4878ETL  | 66-4878ETR   | 48-36 | 78    | 1      | 106     | 7.7      | T\$ 1096   | P\$ 1500 |

Must Specify (in this order):

Model #  
Top Material  
Finish/Color  
Edge Profile

#### Description

- Profiled on Approach and User Side
- For Use With Height Adjustable Three Column System Bases, See Below and Next Page

#### HEIGHT ADJUSTABLE THREE COLUMN SYSTEM FOR 24"D

|            |          |       |    |       |    |     |         |
|------------|----------|-------|----|-------|----|-----|---------|
| 01-2278ELB | Black    | 60-78 | 22 | 22-48 | 58 | 3.4 | \$ 2937 |
| 01-2278ELA | Aluminum |       |    |       |    |     |         |



Advanced Memory Switch (01-MSWCH)

#### Description

- Standard with: Three Column System, Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch (01-MSWCH with Memory, Reminders, and Bluetooth), Must Specify
- For Use with Desk and Return 24"D Worksurfaces; Worksurfaces Sold Separately
- Creates a 60"-78"Wx60"-78"D Footprint
- Some Assembly Required
- Lifting Capacity 363lbs Including Worksurface

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                        | Model No.  |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------|------------|----------|-------|-------|--------|---------|----------|------------|
| HEIGHT ADJUSTABLE<br>THREE COLUMN SYSTEM<br>FOR 30 AND 36"D | 01-2878ELB | Black    | 60-78 | 28    | 22-48  | 65      | 3.9      | \$ 2949    |
|                                                             | 01-2878ELA | Aluminum |       |       |        |         |          |            |



Advanced Memory  
Switch (01-MSWCH)

### Description

- Standard with: Three Column System, Up/Down Control Switch, 10.5' Power Cord, Anti-Collision Safety Feature, Leveling Glides
- Standard Up/Down Control Switch can be Mounted for Left or Right Users; Upgrade to Advanced Memory Switch ([01-MSWCH](#) with Memory, Reminders, and Bluetooth), Must Specify
- For Use with 30"D and 36"D Desk Worksurfaces with 24"D Returns; Worksurfaces Sold Separately
- Creates a 60"-78"Wx60"-78"D Footprint
- Some Assembly Required
- Lifting Capacity 363lbs Including Worksurface

|                        |            |                                            |    |   |    |    |     |        |
|------------------------|------------|--------------------------------------------|----|---|----|----|-----|--------|
| 10" MODESTY PANEL, TFL | 66-2910MOD | For Use with 58" Surface with 24" Credenza | 29 | ¾ | 10 | 14 | 0.8 | \$ 404 |
|                        | 66-3310MOD | For Use with 58" Surface with 20" Credenza | 33 | ¾ | 10 | 14 | 0.9 | \$ 410 |
|                        | 66-3510MOD | For Use with 64" Surface with 24" Credenza | 35 | ¾ | 10 | 15 | 1.0 | \$ 413 |
|                        | 66-3910MOD | For Use with 64" Surface with 20" Credenza | 39 | ¾ | 10 | 16 | 1.1 | \$ 417 |
|                        | 66-4110MOD | For Use with 70" Surface with 24" Credenza | 41 | ¾ | 10 | 16 | 1.2 | \$ 420 |
|                        | 66-4510MOD | For Use with 70" Surface with 20" Credenza | 45 | ¾ | 10 | 17 | 1.3 | \$ 424 |
|                        | 66-5110MOD | For Use with 64" Surface with Panel Leg    | 51 | ¾ | 10 | 18 | 1.5 | \$ 433 |
|                        | 66-5710MOD | For Use with 70" Surface with Panel Leg    | 57 | ¾ | 10 | 19 | 1.6 | \$ 440 |

Must Specify (in this order):

Model #  
Color

### Description

- Works With Modular Run Off Table Desks (See Units)
- Attaches with Aluminum Mounting Brackets

|                                       |           |                                            |    |   |    |    |     |        |
|---------------------------------------|-----------|--------------------------------------------|----|---|----|----|-----|--------|
| 10" MODESTY PANEL,<br>FROSTED ACRYLIC | MD-2910FA | For Use with 58" Surface with 24" Credenza | 29 | ¼ | 10 | 9  | 0.7 | \$ 643 |
|                                       | MD-3310FA | For Use with 58" Surface with 20" Credenza | 33 | ¼ | 10 | 9  | 0.8 | \$ 654 |
|                                       | MD-3510FA | For Use with 64" Surface with 24" Credenza | 35 | ¼ | 10 | 10 | 0.9 | \$ 662 |
|                                       | MD-3910FA | For Use with 64" Surface with 20" Credenza | 39 | ¼ | 10 | 10 | 1.0 | \$ 671 |
|                                       | MD-4110FA | For Use with 70" Surface with 24" Credenza | 41 | ¼ | 10 | 11 | 1.1 | \$ 680 |
|                                       | MD-4510FA | For Use with 70" Surface with 20" Credenza | 45 | ¼ | 10 | 11 | 1.2 | \$ 686 |
|                                       | MD-5110FA | For Use with 64" Surface with Panel Leg    | 51 | ¼ | 10 | 12 | 1.4 | \$ 697 |
|                                       | MD-5710FA | For Use with 70" Surface with Panel Leg    | 57 | ¼ | 10 | 12 | 1.5 | \$ 710 |

Must Specify (in this order):

Model #  
Decorative Hardware Color


### Description

- Works With Modular Run Off Table Desks (See Units)
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                              | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| <b>7" MODESTY PANEL, TFL</b><br> | 66-2907MOD | 29    | ¾     | 7      | 15      | 0.8      | T\$ 389    |
|                                                                                                                   | 66-3307MOD | 33    | ¾     | 7      | 15      | 0.8      | T\$ 394    |
|                                                                                                                   | 66-3507MOD | 35    | ¾     | 7      | 15      | 0.9      | T\$ 401    |
|                                                                                                                   | 66-3907MOD | 39    | ¾     | 7      | 15      | 0.9      | T\$ 404    |
|                                                                                                                   | 66-4107MOD | 41    | ¾     | 7      | 15      | 1        | T\$ 407    |
|                                                                                                                   | 66-4507MOD | 45    | ¾     | 7      | 15      | 1        | T\$ 410    |
|                                                                                                                   | 66-5107MOD | 51    | ¾     | 7      | 16      | 1.1      | T\$ 421    |
|                                                                                                                   | 66-5707MOD | 57    | ¾     | 7      | 16      | 1.1      | T\$ 429    |

Must Specify (in this order):

Model #  
Color

### Description

- Works With Low Storage; [See Low Storage](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets

|                                                                                                                                 |           |    |   |   |    |     |        |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|----|---|---|----|-----|--------|
| <b>7" MODESTY PANEL, FROSTED ACRYLIC</b><br> | MD-2907FA | 29 | ¼ | 7 | 6  | 0.5 | \$ 612 |
|                                                                                                                                 | MD-3307FA | 33 | ¼ | 7 | 7  | 0.6 | \$ 623 |
|                                                                                                                                 | MD-3507FA | 35 | ¼ | 7 | 7  | 0.7 | \$ 630 |
|                                                                                                                                 | MD-3907FA | 39 | ¼ | 7 | 8  | 0.8 | \$ 639 |
|                                                                                                                                 | MD-4107FA | 41 | ¼ | 7 | 8  | 0.9 | \$ 648 |
|                                                                                                                                 | MD-4507FA | 45 | ¼ | 7 | 9  | 1   | \$ 653 |
|                                                                                                                                 | MD-5107FA | 51 | ¼ | 7 | 9  | 1   | \$ 664 |
|                                                                                                                                 | MD-5707FA | 57 | ¼ | 7 | 10 | 1.1 | \$ 676 |

Must Specify (in this order):

Model #  
Decorative Hardware Color


### Description

- Works With Low Storage; [See Low Storage](#) and Modular Units; [See Modular Units](#)
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

### Pricing Codes:

T = TFL P = HPL


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                             | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| <b>7" MODESTY PANEL, HIGH GLOSS ACRYLIC</b><br> | MD-2907HGA | 29    | ¾     | 7      | 12      | 0.5      | \$ 680     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 727  |
|                                                                                                                                  | MD-3307HGA | 33    | ¾     | 7      | 13      | 0.6      | \$ 691     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 737  |
|                                                                                                                                  | MD-3507HGA | 35    | ¾     | 7      | 13      | 0.7      | \$ 698     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 749  |
|                                                                                                                                  | MD-3907HGA | 39    | ¾     | 7      | 14      | 0.8      | \$ 711     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 761  |
|                                                                                                                                  | MD-4107HGA | 41    | ¾     | 7      | 14      | 0.9      | \$ 717     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 767  |
|                                                                                                                                  | MD-4507HGA | 45    | ¾     | 7      | 15      | 1        | \$ 725     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 775  |
|                                                                                                                                  | MD-5107HGA | 51    | ¾     | 7      | 15      | 1        | \$ 737     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 792  |
|                                                                                                                                  | MD-5707HGA | 57    | ¾     | 7      | 16      | 1.1      | \$ 752     |
|                                                                                                                                  |            |       |       |        |         |          | GPA\$ 803  |

Must Specify (in this order):  
 Model #  
 Color  
 Decorative Hardware Color

### Description


- Works With Low Storage; [See Low Storage](#) and Modular Units; [See Modular Units](#)
- Attaches with Aluminum Mounting Brackets
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite (GPA); Graphite Acrylic Pricing (GPA\$)

|                                                                                                                    |            |    |   |   |    |     |         |
|--------------------------------------------------------------------------------------------------------------------|------------|----|---|---|----|-----|---------|
| <b>4" MODESTY PANEL, TFL</b><br> | 66-5604MOD | 56 | ¾ | 4 | 16 | 1.1 | T\$ 404 |
|                                                                                                                    | 66-6204MOD | 62 | ¾ | 4 | 16 | 1.2 | T\$ 408 |
|                                                                                                                    | 66-6804MOD | 68 | ¾ | 4 | 17 | 1.3 | T\$ 421 |

Must Specify (in this order):  
 Model #  
 Color

### Description


- Attaches with Aluminum Mounting Brackets

|                                                                                                                                 |           |    |   |   |    |     |        |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|----|---|---|----|-----|--------|
| <b>4" MODESTY PANEL, FROSTED ACRYLIC</b><br> | MD-5604FA | 56 | ¼ | 4 | 10 | 1.1 | \$ 638 |
|                                                                                                                                 | MD-6204FA | 62 | ¼ | 4 | 11 | 1.2 | \$ 671 |
|                                                                                                                                 | MD-6804FA | 68 | ¼ | 4 | 12 | 1.3 | \$ 726 |

Must Specify (in this order):  
 Model #  
 Color  
 Decorative Hardware Color

### Description

- Attaches with Aluminum Mounting Brackets
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|                                                                                                                                    |            |    |   |   |    |     |           |
|------------------------------------------------------------------------------------------------------------------------------------|------------|----|---|---|----|-----|-----------|
| <b>4" MODESTY PANEL, HIGH GLOSS ACRYLIC</b><br> | MD-5604HGA | 56 | ¾ | 4 | 16 | 1.1 | \$ 710    |
|                                                                                                                                    |            |    |   |   |    |     | GPA\$ 758 |
|                                                                                                                                    | MD-6204HGA | 62 | ¾ | 4 | 16 | 1.2 | \$ 752    |
|                                                                                                                                    |            |    |   |   |    |     | GPA\$ 804 |
|                                                                                                                                    | MD-6804HGA | 68 | ¾ | 4 | 17 | 1.3 | \$ 792    |
|                                                                                                                                    |            |    |   |   |    |     | GPA\$ 847 |

Must Specify (in this order):  
 Model #  
 Color

### Description

- Attaches with Aluminum Mounting Brackets
- Available in Black (BLA), Wired Mercury (WMA), White (WHA) or Graphite (GPA); Graphite Acrylic Pricing (GPA\$)

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

## CANVAS™

### HEIGHT ADJUSTABLE COMPONENTS (6600/6800 SERIES)


| Item                                                                                                                             | Model No.                                               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>20"H ABOVE/BELOW PRIVACY SCREEN, TFL</b><br> | 66-2920PS<br>For Use with 58" Surface with 24" Credenza | 29    | ¾     | 20     | 26      | 1.9      | \$ 363     |
|                                                                                                                                  | 66-3320PS<br>For Use with 58" Surface with 20" Credenza | 33    | ¾     | 20     | 27      | 2.1      | \$ 377     |
|                                                                                                                                  | 66-3520PS<br>For Use with 64" Surface with 24" Credenza | 35    | ¾     | 20     | 28      | 2.1      | \$ 393     |
|                                                                                                                                  | 66-3920PS<br>For Use with 64" Surface with 20" Credenza | 39    | ¾     | 20     | 29      | 2.2      | \$ 406     |
|                                                                                                                                  | 66-4120PS<br>For Use with 70" Surface with 24" Credenza | 41    | ¾     | 20     | 30      | 2.2      | \$ 422     |
|                                                                                                                                  | 66-4520PS<br>For Use with 70" Surface with 20" Credenza | 45    | ¾     | 20     | 32      | 2.3      | \$ 439     |
|                                                                                                                                  | 66-5120PS<br>For Use with 64" Surface with Panel Leg    | 51    | ¾     | 20     | 34      | 2.5      | \$ 456     |
|                                                                                                                                  | 66-5720PS<br>For Use with 70" Surface with Panel Leg    | 57    | ¾     | 20     | 36      | 2.7      | \$ 475     |
|                                                                                                                                  |                                                         |       |       |        |         |          |            |

Must Specify (in this order):

Model #  
Color

#### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below

|                                                                                                                                         |                                                         |    |   |    |    |     |              |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|---|----|----|-----|--------------|
| <b>20"H ABOVE/BELOW PRIVACY SCREEN, TACKBOARD</b><br> | PS-2920TB<br>For Use with 58" Surface with 24" Credenza | 29 | ⅝ | 20 | 10 | 1.5 | \$ See Below |
|                                                                                                                                         | PS-3320TB<br>For Use with 58" Surface with 20" Credenza | 33 | ⅝ | 20 | 10 | 1.5 | \$ See Below |
|                                                                                                                                         | PS-3520TB<br>For Use with 64" Surface with 24" Credenza | 35 | ⅝ | 20 | 11 | 1.5 | \$ See Below |
|                                                                                                                                         | PS-3920TB<br>For Use with 64" Surface with 20" Credenza | 39 | ⅝ | 20 | 11 | 1.8 | \$ See Below |
|                                                                                                                                         | PS-4120TB<br>For Use with 70" Surface with 24" Credenza | 41 | ⅝ | 20 | 12 | 1.8 | \$ See Below |
|                                                                                                                                         | PS-4520TB<br>For Use with 70" Surface with 20" Credenza | 45 | ⅝ | 20 | 12 | 2   | \$ See Below |
|                                                                                                                                         | PS-5120TB<br>For Use with 64" Surface with Panel Leg    | 51 | ⅝ | 20 | 13 | 2.2 | \$ See Below |
|                                                                                                                                         | PS-5720TB<br>For Use with 70" Surface with Panel Leg    | 57 | ⅝ | 20 | 14 | 2.2 | \$ See Below |

Must Specify (in this order):

Model #  
Fabric Vendor, Pattern, and Color

#### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below

| Model     | Ydg  |    | Grades<br>1,2,3 | Grade<br>4 | Grade<br>5 | Grade<br>6 | Grade<br>7 | Grade<br>8 | Grade<br>9 | Grade<br>10 |
|-----------|------|----|-----------------|------------|------------|------------|------------|------------|------------|-------------|
| PS-2920TB | 1.25 | \$ | 425             | 619        | 710        | 801        | 933        | 1069       | 1229       | 1413        |
| PS-3320TB | 1.25 | \$ | 447             | 641        | 732        | 823        | 955        | 1091       | 1251       | 1435        |
| PS-3520TB | 1.50 | \$ | 491             | 724        | 833        | 943        | 1100       | 1264       | 1456       | 1676        |
| PS-3920TB | 1.50 | \$ | 508             | 741        | 850        | 960        | 1117       | 1281       | 1473       | 1693        |
| PS-4120TB | 1.50 | \$ | 524             | 757        | 866        | 976        | 1133       | 1297       | 1489       | 1709        |
| PS-4520TB | 1.75 | \$ | 568             | 839        | 967        | 1095       | 1279       | 1469       | 1693       | 1951        |
| PS-5120TB | 2.00 | \$ | 640             | 950        | 1096       | 1242       | 1452       | 1670       | 1926       | 2220        |
| PS-5720TB | 2.00 | \$ | 691             | 1001       | 1147       | 1293       | 1503       | 1721       | 1977       | 2271        |

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                                                             | Model No.                                               | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------|-------|--------|---------|----------|------------|
| <b>20"H ABOVE/BELOW PRIVACY SCREEN, FROSTED ACRYLIC</b><br><br> | PS-2920FA<br>For Use with 58" Surface with 24" Credenza | 29    | ¼     | 20     | 16      | 1.5      | \$ 883     |
|                                                                                                                                                  | PS-3320FA<br>For Use with 58" Surface with 20" Credenza | 33    | ¼     | 20     | 17      | 1.6      | \$ 921     |
|                                                                                                                                                  | PS-3520FA<br>For Use with 64" Surface with 24" Credenza | 35    | ¼     | 20     | 17      | 1.7      | \$ 956     |
|                                                                                                                                                  | PS-3920FA<br>For Use with 64" Surface with 20" Credenza | 39    | ¼     | 20     | 18      | 1.8      | \$ 995     |
|                                                                                                                                                  | PS-4120FA<br>For Use with 70" Surface with 24" Credenza | 41    | ¼     | 20     | 18      | 1.9      | \$ 1031    |
|                                                                                                                                                  | PS-4520FA<br>For Use with 70" Surface with 20" Credenza | 45    | ¼     | 20     | 19      | 2        | \$ 1072    |
|                                                                                                                                                  | PS-5120FA<br>For Use with 64" Surface with Panel Leg    | 51    | ¼     | 20     | 19      | 2.1      | \$ 1166    |
|                                                                                                                                                  | PS-5720FA<br>For Use with 70" Surface with Panel Leg    | 57    | ¼     | 20     | 20      | 2.2      | \$ 1261    |
|                                                                                                                                                  |                                                         |       |       |        |         |          |            |

Must Specify (in this order):

Model #

Decorative Hardware Color

**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|                                                                                                                                                       |                                                          |    |   |    |    |     |                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|---|----|----|-----|-----------------------|
| <b>20"H ABOVE/BELOW PRIVACY SCREEN, HIGH GLOSS ACRYLIC</b><br><br> | PS-2920HGA<br>For Use with 58" Surface with 24" Credenza | 29 | ¾ | 20 | 26 | 1.9 | \$ 923<br>GPA\$ 1179  |
|                                                                                                                                                       | PS-3320HGA<br>For Use with 58" Surface with 20" Credenza | 33 | ¾ | 20 | 27 | 2.1 | \$ 964<br>GPA\$ 1229  |
|                                                                                                                                                       | PS-3520HGA<br>For Use with 64" Surface with 24" Credenza | 35 | ¾ | 20 | 29 | 2.2 | \$ 1000<br>GPA\$ 1274 |
|                                                                                                                                                       | PS-3920HGA<br>For Use with 64" Surface with 20" Credenza | 39 | ¾ | 20 | 29 | 2.2 | \$ 1042<br>GPA\$ 1322 |
|                                                                                                                                                       | PS-4120HGA<br>For Use with 70" Surface with 24" Credenza | 41 | ¾ | 20 | 30 | 2.2 | \$ 1074<br>GPA\$ 1368 |
|                                                                                                                                                       | PS-4520HGA<br>For Use with 70" Surface with 20" Credenza | 45 | ¾ | 20 | 32 | 2.3 | \$ 1119<br>GPA\$ 1424 |
|                                                                                                                                                       | PS-5120HGA<br>For Use with 64" Surface with Panel Leg    | 51 | ¾ | 20 | 34 | 2.5 | \$ 1226<br>GPA\$ 1574 |
|                                                                                                                                                       | PS-5720HGA<br>For Use with 70" Surface with Panel Leg    | 57 | ¾ | 20 | 36 | 2.7 | \$ 1335<br>GPA\$ 1720 |
|                                                                                                                                                       |                                                          |    |   |    |    |     |                       |

Must Specify (in this order):

Model #

Color


**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 7" Modesty Below
- Available in Available in Black (BLA), White (WHA) or Graphite (GPA); Graphite Acrylic Pricing (GPA\$)

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                     | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| <b>17"H ABOVE/BELOW<br/>PRIVACY SCREEN, TFL</b><br><br> | 66-4417PS | 44    | ¾     | 17     | 16      | 2.3      | \$ 423     |
|                                                                                                                                          | 66-5017PS | 50    | ¾     | 17     | 18      | 2.5      | \$ 439     |
|                                                                                                                                          | 66-5617PS | 56    | ¾     | 17     | 20      | 2.7      | \$ 455     |
|                                                                                                                                          | 66-6217PS | 62    | ¾     | 17     | 22      | 3.1      | \$ 474     |
|                                                                                                                                          | 66-6817PS | 68    | ¾     | 17     | 24      | 3.3      | \$ 488     |


Must Specify (in this order):

Model #

Color

### Description

- Aluminum Hardware Used to Mount Screen to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below

|                                                                                                                                                 |           |    |   |    |    |     |              |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|---|----|----|-----|--------------|
| <b>17"H ABOVE/BELOW PRIVACY<br/>SCREEN, TACKBOARD</b><br><br> | PS-4417TB | 44 | ⅝ | 17 | 11 | 1.8 | \$ See Below |
|                                                                                                                                                 | PS-5017TB | 50 | ⅝ | 17 | 12 | 2   | \$ See Below |
|                                                                                                                                                 | PS-5617TB | 56 | ⅝ | 17 | 13 | 2.2 | \$ See Below |
|                                                                                                                                                 | PS-6217TB | 62 | ⅝ | 17 | 14 | 2.5 | \$ See Below |
|                                                                                                                                                 | PS-6817TB | 68 | ⅝ | 17 | 15 | 2.5 | \$ See Below |

Must Specify (in this order):

Model #

Fabric Vendor, Pattern, and Color

### Description

- Mounts to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below
- Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)


| Model     | Ydg  |    | Grades<br>1,2,3 | Grade<br>4 | Grade<br>5 | Grade<br>6 | Grade<br>7 | Grade<br>8 | Grade<br>9 | Grade<br>10 |
|-----------|------|----|-----------------|------------|------------|------------|------------|------------|------------|-------------|
| PS-4417TB | 1.75 | \$ | 518             | 789        | 917        | 1045       | 1229       | 1419       | 1643       | 1901        |
| PS-5017TB | 2.00 | \$ | 576             | 886        | 1032       | 1178       | 1388       | 1606       | 1862       | 2156        |
| PS-5617TB | 2.00 | \$ | 608             | 918        | 1064       | 1210       | 1420       | 1638       | 1894       | 2188        |
| PS-6217TB | 2.00 | \$ | 667             | 977        | 1123       | 1269       | 1479       | 1697       | 1953       | 2247        |
| PS-6817TB | 2.00 | \$ | 711             | 1021       | 1167       | 1313       | 1523       | 1741       | 1997       | 2291        |

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                             | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| 17"H ABOVE/BELOW PRIVACY SCREEN, FROSTED ACRYLIC | PS-4417FA | 44    | ¼     | 17     | 12      | 2.5      | \$ 1034    |
|                                                  | PS-5017FA | 50    | ¼     | 17     | 13      | 2.7      | \$ 1124    |
|                                                  | PS-5617FA | 56    | ¼     | 17     | 13      | 2.9      | \$ 1216    |
|                                                  | PS-6217FA | 62    | ¼     | 17     | 14      | 3.1      | \$ 1258    |
|                                                  | PS-6817FA | 68    | ¼     | 17     | 14      | 3.3      | \$ 1297    |



Must Specify (in this order):


Model #

Decorative Hardware Color

**Description**

- Mounts to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below
- Exposed Decorative Hardware; Must Specify: Aluminum (ALUM) or Chrome (CHRM)

|                                                     |            |    |   |    |    |     |            |
|-----------------------------------------------------|------------|----|---|----|----|-----|------------|
| 17"H ABOVE/BELOW PRIVACY SCREEN, HIGH GLOSS ACRYLIC | PS-4417HGA | 44 | ¾ | 17 | 16 | 2.3 | \$ 1079    |
|                                                     |            |    |   |    |    |     | GPA\$ 1374 |
|                                                     | PS-5017HGA | 50 | ¾ | 17 | 18 | 2.5 | \$ 1180    |
|                                                     |            |    |   |    |    |     | GPA\$ 1513 |
|                                                     | PS-5617HGA | 56 | ¾ | 17 | 20 | 2.7 | \$ 1280    |
|                                                     |            |    |   |    |    |     | GPA\$ 1650 |
|                                                     | PS-6217HGA | 62 | ¾ | 17 | 22 | 3.1 | \$ 1326    |
|                                                     |            |    |   |    |    |     | GPA\$ 1713 |
|                                                     | PS-6817HGA | 68 | ¾ | 17 | 24 | 3.3 | \$ 1367    |
|                                                     |            |    |   |    |    |     | GPA\$ 1765 |



Must Specify (in this order):

Model #

Color

**Description**


- Mounts to Worksurface
- Provides Privacy 12" Above and 4" Modesty Below
- Available in Available in Black (BLA), White (WHA) or Graphite Acrylic (GPA); Graphite Acrylic Pricing (GPA\$)

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item            | Model No.               | Width | Depth | Height           | Ship Wt | Cubic Ft | List Price |
|-----------------|-------------------------|-------|-------|------------------|---------|----------|------------|
| RECTANGULAR TOP | 72" OR 6' - 1 PIECE TOP |       |       |                  |         |          |            |
|                 | 94-3672RT               | 72    | 36    | 1 $\frac{3}{16}$ | 100     | 6.2      | P\$ 1703   |




Must Specify (in this order):

Model #  
Color  
Edge Profile  
Grommet/Power/Data Location

#### Description

- Grain Runs the Width of the Table
- See Rectangle Box Base and Number Required For Each Top Size Below; Must Order Bases/Legs Separately
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

|          |                            |     |    |                  |     |      |          |
|----------|----------------------------|-----|----|------------------|-----|------|----------|
| BOAT TOP | 96" OR 8' - 1 PIECE TOP    |     |    |                  |     |      |          |
|          | 94-4296BT                  | 96  | 42 | 1 $\frac{3}{16}$ | 180 | 9.4  | P\$ 2686 |
|          | 120" OR 10' - 2 PIECE TOPS |     |    |                  |     |      |          |
|          | 94-48120BT                 | 120 | 48 | 1 $\frac{3}{16}$ | 225 | 10.3 | P\$ 4146 |




Must Specify (in this order):

Model #  
Color  
Edge Profile  
Grommet/Power/Data Location

#### Description

- Grain Runs the Width of the Table
- See Rectangle Box Base and Number Required For Each Top Size Below; Must Order Bases/Legs Separately
- Optional Grommets and Power/Data Units; [See Location Options](#), [See Power Units Available](#)

|                                   |            |    |    |                  |    |     |         |
|-----------------------------------|------------|----|----|------------------|----|-----|---------|
| RECTANGULAR BOX<br>BASE WITH DOOR | 01-1220RBD | 20 | 12 | 28 $\frac{1}{2}$ | 50 | 5.4 | T\$ 669 |
|-----------------------------------|------------|----|----|------------------|----|-----|---------|



Must Specify (in this order):

Model # and Quantity  
Primary Color  
Accent Color

#### Description


- Rectangular Base with Lift-Off Removable Panel
- Available in Single or Contrasting Colors; Must Indicate Accent Selection and Primary Selection on Order ([See Color Options](#))
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom

| Table Widths             | 72" | 96" | 120" |
|--------------------------|-----|-----|------|
| Number of Bases Required | 2   | 2   | 3    |



#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Model No.   |        | Width            | Depth            | Height        | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|------------------|------------------|---------------|---------|----------|------------|
| ROUND GROMMET COVER<br>FIELD INSTALLED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 01-GRMTBK   | Black  | -                | -                | -             | -       | -        | \$ 12      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-GRMTSL   | Silver |                  |                  |               |         |          |            |
|  <p>OPEN MARKET ONLY<br/>(SILVER)</p> <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• 60mm Round Grommet Cover</li> <li>• Field Installed</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                        |             |        |                  |                  |               |         |          |            |
| RECTANGULAR GROMMET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 01-HUGRMTSL | Silver | —                | —                | —             | 1       | .1       | \$ 12      |
|  <p>OPEN MARKET ONLY</p> <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• For Use with Surface Mount Hitches Only</li> <li>• 70mm x 30mm Silver Rectangular Grommet with Cover</li> <li>• Field Installed</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                         |             |        |                  |                  |               |         |          |            |
| DOCK 950<br>WIRELESS CHARGER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 01-DOCK950W | White  | 3 $\frac{3}{10}$ | 3 $\frac{3}{10}$ | -             | 1       | 0.2      | \$ 294     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-DOCK950B | Black  |                  |                  |               |         |          |            |
|  <p>OPEN MARKET ONLY</p> <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• For Use with Wireless Charging Enabled Devices</li> <li>• 5 Watts Maximum Output with a Direct Current of 5V 2A and 10 Watts Maximum with Quick Charge 2.0</li> <li>• Mounts in 76mm Round Cut-Out</li> <li>• LED will Confirm Pairing with Device and Begin Wireless Charging</li> </ul>                                                                                                                                                                                                                                        |             |        |                  |                  |               |         |          |            |
| DOCK 150<br>WIRELESS AND USB CHARGER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 01-DOCK150W | White  | 3                | 3                | $\frac{3}{4}$ | 1       | 0.2      | \$ 448     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-DOCK150B | Black  |                  |                  |               |         |          |            |
|  <p>OPEN MARKET ONLY</p> <p><b>Description</b></p> <ul style="list-style-type: none"> <li>• For Use with Wireless Charging Enabled Devices and USB Charging Devices</li> <li>• 5 Watt Maximum Output with a Direct Current Input of 5V 6A (Wireless Fast Charge)</li> <li>• Mounts in 76mm Round Cut-Out</li> <li>• Pop-Up is <math>\frac{3}{4}</math>"H and Includes Three (3) USB Ports; One (1) 12 Watt Maximum with 2.4A (USB Fast Charge) and Two (2) 5 Watt with 1A (USB Standard Charge)</li> <li>• LED Light will Confirm Pairing with Device and Begin Wireless Charging</li> <li>• UL and cUL Certified</li> </ul> |             |        |                  |                  |               |         |          |            |

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                | Model No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|-------|--------|---------|----------|------------|
| POWER DATA PORT                                                                     | 01-DPORT4A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Aluminum | 8     | 4     | -      | 7       | 0.2      | \$ 1211    |
|                                                                                     | 01-DPORT4B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Black    |       |       |        |         |          |            |
|    | <b>Description</b> <ul style="list-style-type: none"><li>Includes: Two (2) Power Outlets, One (1) USB A+C, One (1) Open Port, 10' Power Cord, and Voice/Data Adapter Kit to Accept Couplers and Jacks When Required</li><li>Retracts into Work Surface to Regain Productive Space; One-Touch Access to Power and Data</li><li>Optional Telecom Port Components, See Compatible Units Below and On Next Page</li><li>Water-Proof Simplex (Outlets)</li><li>UL Recognized</li><li>Available on Modular Desktops (<a href="#">See Modular Tops</a>)</li></ul> |          |       |       |        |         |          |            |
| USB PORT                                                                            | 01-USBPORT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          | -     | -     | -      | -       | -        | \$ 178     |
|    | <b>Description</b> <ul style="list-style-type: none"><li>For Use with 01-DPORT4A and 01-DPORT4B</li><li>Passive USB-A Port with Increased Transfer Speed Up to 5 gbs/sec</li><li>Simultaneous Read/Write Capability</li><li>Idle Device Power Saving State</li><li>6' Cord</li><li>See Voice Coupler and Data Port on Next Page</li></ul>                                                                                                                                                                                                                  |          |       |       |        |         |          |            |
| VOICE COUPLER                                                                       | 01-VOICE1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          | -     | -     | -      | -       | -        | \$ 80      |
|  | <b>Description</b> <ul style="list-style-type: none"><li>For Use with 01-DPORT4A and 01-DPORT4B</li><li>6-Pin Modular Plug</li><li>Molded Black</li><li>Cord Not included</li></ul>                                                                                                                                                                                                                                                                                                                                                                        |          |       |       |        |         |          |            |
| DATA PORT                                                                           | 01-RJ4DATA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          | -     | -     | -      | -       | -        | \$ 186     |
|  | <b>Description</b> <ul style="list-style-type: none"><li>For Use with 01-DPORT4A and 01-DPORT4B</li><li>8-Pin Modular Plug; Cat6 Ethernet Cable; Pre-terminated Cable</li><li>10' Cord</li></ul>                                                                                                                                                                                                                                                                                                                                                           |          |       |       |        |         |          |            |
| OPEN MARKET ONLY                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |       |       |        |         |          |            |

[See Canvas Intro Section for Ordering Options](#)

| Item                    | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|-----------|-------|-------|--------|---------|----------|------------|
| VGA CONNECTOR ACCESSORY | 01-VGACON | -     | -     | -      | 1       | 0.2      | \$ 165     |



OPEN MARKET ONLY

**Description**

- VGA Port for 01-DPORT4A and 01-DPORT4B
- Enables Devices to Remote Display on Monitors
- 10' Cord
- Male/Female Connector

|                          |            |   |   |   |   |     |        |
|--------------------------|------------|---|---|---|---|-----|--------|
| HDMI CONNECTOR ACCESSORY | 01-HDMICON | - | - | - | 1 | 0.2 | \$ 137 |
|--------------------------|------------|---|---|---|---|-----|--------|



OPEN MARKET ONLY

**Description**

- HDMI Port for 01-DPORT4A and 01-DPORT4B
- Connects to High Definition Displays
- Female/Female Connector
- 18" Cord

|                       |                |          |   |                 |                 |   |     |        |
|-----------------------|----------------|----------|---|-----------------|-----------------|---|-----|--------|
| INTERACT POWER + DATA | 01-INTERACTG2A | Aluminum | 9 | 5 $\frac{3}{8}$ | 2 $\frac{3}{4}$ | 5 | 0.2 | \$ 987 |
|                       | 01-INTERACTG2B | Black    |   |                 |                 |   |     |        |


**Description**

- Includes: Two (2) Power Outlets, USB-A+C Charging Ports, One (1) Telecom Plate Opening; Two (2) Keystone Openings for Voice/Data Jacks, 6' Power Cord on Bottom
- One (1) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack)
- UL and CSA Recognized
- See Optional Telecom Plates in the Table and Space Division Price List
- For Use with Rectangle and Boat Table Tops

|                         |            |          |                  |                 |                 |    |     |         |
|-------------------------|------------|----------|------------------|-----------------|-----------------|----|-----|---------|
| OASIS MINI POWER + DATA | 01-OASISMA | Aluminum | 14 $\frac{1}{4}$ | 6 $\frac{3}{8}$ | 2 $\frac{7}{8}$ | 11 | 0.3 | \$ 3535 |
|                         | 01-OASISMB | Black    |                  |                 |                 |    |     |         |




Top View

**Description**

- For Use with Conference Tables
- Plate Includes: Two (2) Data, One (1) Voice Telecom Plates, Four (4) Power Outlets, 9' Power Cord
- Opening for One (1) Additional Plate Sold Separately
- Soft Touch Hinged Lid
- 9' Cord with Nema Plug; Fits 15A/120V AC Receptacles
- UL Listed
- See Optional Telecom Plates in the Table and Space Division Price List

[See Canvas Intro Section for Ordering Options](#)


| Item                        | Model No.    |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------|--------------|--------|-------|-------|--------|---------|----------|------------|
| DUO CLAMP<br>WITH NEMA PLUG | 01-DUOCLAMPW | White  | 6½    | 3     | 7      | 1       | 0.2      | \$ 634     |
|                             | 01-DUOCLAMPB | Black  |       |       |        |         |          |            |
|                             | 01-DUOCLAMPS | Silver |       |       |        |         |          |            |



### Description

- Standard with: Two (2) Power Outlet, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|                              |               |        |   |   |   |   |     |        |
|------------------------------|---------------|--------|---|---|---|---|-----|--------|
| TRIO CLAMP<br>WITH NEMA PLUG | 01-TRIOCLAMPW | White  | 9 | 3 | 7 | 1 | 0.2 | \$ 743 |
|                              | 01-TRIOCLAMPB | Black  |   |   |   |   |     |        |
|                              | 01-TRIOCLAMPS | Silver |   |   |   |   |     |        |



### Description

- Standard with: Three (3) Power Outlets, One (1) USB Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data with 10' Cord
- Clamps to Top and Features Silver Metal Trim
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

|                             |              |        |    |    |   |   |     |        |
|-----------------------------|--------------|--------|----|----|---|---|-----|--------|
| DUO BEZEL<br>WITH NEMA PLUG | 01-DUOBEZELW | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 748 |
|                             | 01-DUOBEZELB | Black  |    |    |   |   |     |        |
|                             | 01-DUOBEZELS | Silver |    |    |   |   |     |        |



### Description

- Sits On Top of the Worksurface and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology with 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications




| Item                         | Model No.     |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------|---------------|--------|-------|-------|--------|---------|----------|------------|
| TRIO BEZEL<br>WITH NEMA PLUG | 01-TRIOBEZELW | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 803     |
|                              | 01-TRIOBEZELB | Black  |       |       |        |         |          |            |
|                              | 01-TRIOBEZELS | Silver |       |       |        |         |          |            |



### Description

- Sits On Top of the Worksurface and Includes: Three (3) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data, and 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

### DUO BEZEL WITH HARD WIRE CONNECTION



### Circuit 1

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW1 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 809 |
| 01-HWDUOBEZELB1 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS1 | Silver |    |    |   |   |     |        |

### Circuit 2

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW2 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 809 |
| 01-HWDUOBEZELB2 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS2 | Silver |    |    |   |   |     |        |

### Circuit 3

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW3 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 809 |
| 01-HWDUOBEZELB3 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS3 | Silver |    |    |   |   |     |        |


### Circuit 4

|                 |        |    |    |   |   |     |        |
|-----------------|--------|----|----|---|---|-----|--------|
| 01-HWDUOBEZELW4 | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 809 |
| 01-HWDUOBEZELB4 | Black  |    |    |   |   |     |        |
| 01-HWDUOBEZELS4 | Silver |    |    |   |   |     |        |

### Description


- Must Specify Color and Circuit
- Sits on worksurface and Includes: Two (2) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, and All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Maximum 10 Duo Units per Circuit
- Eight (8) Wire/Four (4) Circuit Hard Wire Power Unit
- See Power Entry, Jumper Cable, and Quad Block on Next Page


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                     | Model No.        |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------|-------|-------|--------|---------|----------|------------|
| <b>TRIO BEZEL<br/>WITH HARD WIRE CONNECTION</b><br><br> | <b>Circuit 1</b> |        |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELW1 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 830     |
|                                                                                                                                          | 01-HWTRIOBEZELB1 | Black  |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELS1 | Silver |       |       |        |         |          |            |
|                                                                                                                                          | <b>Circuit 2</b> |        |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELW2 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 830     |
|                                                                                                                                          | 01-HWTRIOBEZELB2 | Black  |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELS2 | Silver |       |       |        |         |          |            |
|                                                                                                                                          | <b>Circuit 3</b> |        |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELW3 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 830     |
|                                                                                                                                          | 01-HWTRIOBEZELB3 | Black  |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELS3 | Silver |       |       |        |         |          |            |
|                                                                                                                                          | <b>Circuit 4</b> |        |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELW4 | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 830     |
|                                                                                                                                          | 01-HWTRIOBEZELB4 | Black  |       |       |        |         |          |            |
|                                                                                                                                          | 01-HWTRIOBEZELS4 | Silver |       |       |        |         |          |            |


**Description**

- Must Specify Color and Circuit
- Sits on Worksurface and Includes: Three (3) Power, One (1) USB Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, and All Mounting Hardware
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Maximum 6 Trio Units per Circuit
- Eight (8) Wire/Four (4) Circuit Hard Wire Power Unit
- HDMI, VGA, or RJ45 Sold Separately; [See Accessories](#)
- See Power Entry, Jumper Cable, and Quad Block Below and on Next Page

|                                                                                                                                                                                                                                                       |                |  |   |   |   |   |     |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--|---|---|---|---|-----|-------|
| <b>QUAD BLOCK HARD WIRED</b>                                                                                                                                                                                                                          | 01-HWQUADBLOCK |  | - | - | - | 1 | 0.2 | \$ 69 |
|                                                                                                                                                                    |                |  |   |   |   |   |     |       |
| <b>Description</b> <ul style="list-style-type: none"> <li>• Eight (8) Wire/Four (4) Circuit Hard Wire Connector</li> <li>• UL183 Compliant</li> <li>• For Connecting Jumpers and Power Units</li> <li>• Quantity of Four (4) Female Inputs</li> </ul> |                |  |   |   |   |   |     |       |

|                                                                                                                                                    |                 |  |    |   |   |   |     |        |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--|----|---|---|---|-----|--------|
| <b>POWER ENTRY HARD WIRED</b>                                                                                                                      | 01-HWPOWERENTRY |  | 72 | - | - | 1 | 0.2 | \$ 357 |
|                                                                 |                 |  |    |   |   |   |     |        |
| <b>Description</b> <ul style="list-style-type: none"> <li>• Eight (8) Wire/Four (4) Circuit Hard Wire Infeed</li> <li>• UL183 Compliant</li> </ul> |                 |  |    |   |   |   |     |        |

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                     | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|----------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
|  JUMPER HARD WIRE CABLE | 01-HW2JUMP | 24    | -     | -      | 1       | 0.2      | \$ 213     |
|                                                                                                          | 01-HW3JUMP | 36    | -     | -      | 1       | 0.2      | \$ 228     |
|                                                                                                          | 01-HW4JUMP | 48    | -     | -      | 1       | 0.2      | \$ 235     |
|                                                                                                          | 01-HW5JUMP | 60    | -     | -      | 1       | 0.2      | \$ 282     |
|                                                                                                          | 01-HW6JUMP | 72    | -     | -      | 1       | 0.2      | \$ 299     |


**Description**

- Eight (8) Wire/Four (4) Circuit Hard Wire Jumper
- UL183 Compliant

|                                                                                                                            |                |        |    |    |   |   |     |        |
|----------------------------------------------------------------------------------------------------------------------------|----------------|--------|----|----|---|---|-----|--------|
|  DUO BEZEL<br>WITH PURL™ DAISY CHAIN PLUG | 01-DCDUOBEZELW | White  | 6½ | 2½ | 3 | 1 | 0.2 | \$ 631 |
|                                                                                                                            | 01-DCDUOBEZELB | Black  |    |    |   |   |     |        |
|                                                                                                                            | 01-DCDUOBEZELS | Silver |    |    |   |   |     |        |

**Description**



- Standard with: Two (2) Tamper Resistant 15 Amp Power Outlets, One (1) USB-A Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, 10' Cord, Slim Fit Bezel and All Mounting Hardware
- Top Must Be Routed To Allow Unit to Sit Down Into the Top, Must Specify when Ordering Top
- Requires Purl™ Daisy Chain Power Infeed and H-Block Specified Separately ([See Details](#))
- Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord ([See Details and Planning Suggestions](#))
- Independent USB Circuit Controllers Deliver up to 2.4 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications

|                                                                                                                               |                 |        |   |    |   |   |     |        |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|---|----|---|---|-----|--------|
|  TRIO BEZEL<br>WITH PURL™ DAISY CHAIN PLUG | 01-DCTRIOBEZELW | White  | 9 | 2½ | 3 | 1 | 0.2 | \$ 723 |
|                                                                                                                               | 01-DCTRIOBEZELB | Black  |   |    |   |   |     |        |
|                                                                                                                               | 01-DCTRIOBEZELS | Silver |   |    |   |   |     |        |


**Description**

- Standard with: Three (3) Tamper Resistant 15 Amp Power Outlets, One (1) USB-A Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data, 12" Cord, Slim Fit Bezel, and All Mounting Hardware
- Top Must Be Routed To Allow Unit to Sit Down Into the Top, Must Specify when Ordering Top
- Requires Purl™ Daisy Chain Power Infeed and H-Block Specified Separately ([See Details](#))
- Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord ([See Details and Planning Suggestions](#))
- Independent USB Circuit Controllers Deliver up to 2.4 Amps to Each Post
- FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications HDMI, VGA, or RJ45 Sold Separately ([See Accessories](#))

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                    | Model No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |        | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------|-------|--------|---------|----------|------------|
| <b>UNDERMOUNT DUO WITH PURL™ DAISY CHAIN PLUG</b><br>  | 01-DCDUOUNDRW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | White  | 6½    | 2½    | 3      | 1       | 0.2      | \$ 652     |
|                                                                                                                                         | 01-DCDUOUNDRB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Black  |       |       |        |         |          |            |
|                                                                                                                                         | 01-DCDUOUNDRS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Silver |       |       |        |         |          |            |
|                                                                                                                                         | <b>Description</b> <ul style="list-style-type: none"> <li>Sits Under Top and Includes: Two (2) Tamper Resistant 15 Amp Power Outlets, One (1) USB-A Charging Port and One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, 10' Cord and All Mounting Hardware</li> <li>Requires Purl™ Daisy Chain Power Infeed and H-Block Specified Separately (See Details Below)</li> <li>Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord (<a href="#">See Details and Planning Suggestions</a>)</li> <li>Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post</li> <li>FCC Part 15A, RU Listed and UL Recognized for Horizontal Applications</li> </ul>                                                                      |        |       |       |        |         |          |            |
| <b>UNDERMOUNT TRIO WITH PURL™ DAISY CHAIN PLUG</b><br> | 01-DCTRIOUNDRW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | White  | 9     | 2½    | 3      | 1       | 0.2      | \$ 758     |
|                                                                                                                                         | 01-DCTRIOUNDRB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Black  |       |       |        |         |          |            |
|                                                                                                                                         | 01-DCTRIOUNDRS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Silver |       |       |        |         |          |            |
|                                                                                                                                         | <b>Description</b> <ul style="list-style-type: none"> <li>Sits Under Top and Includes: Three (3), Power, One (1) USB-A Charging Port, One (1) 60-Watt USB-C Power Delivery Port with GaN Technology, One (1) Open Data; 12" Cord and All Mounting Hardware</li> <li>Requires Purl™ Daisy Chain Power Infeed and H-Block Specified Separately (See Details Below)</li> <li>Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord (<a href="#">See Details and Planning Suggestions</a>)</li> <li>Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post</li> <li>FCC Part 15A, RU Listed and UL Recognized for Horizontal and Vertical Applications HDMI, VGA, or RJ45 Sold Separately (<a href="#">See Accessories</a>)</li> </ul> |        |       |       |        |         |          |            |
| <b>PURL™ DAISY CHAIN POWER INFEEED</b><br>           | 01-DCPOWER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        | -     | -     | -      | 1       | 0.2      | \$ 227     |
|                                                                                                                                         | <b>Description</b> <ul style="list-style-type: none"> <li>One (1) Purl™ Connector Plug, 36" Daisy Chain Cord, One (1) 15 Amp Power Outlet, and a 120" Power Cord with a Nema Plug</li> <li>15-Amp System Rating and Over-Current Protection</li> <li>System Requires H-Block Connector Between Power Infeed and Each Jumper Cord, See Below For Purl™ Daisy Chain H-Block and Purl™ Daisy Chain Jumper Cords on Next Page</li> <li>Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord (<a href="#">See Details and Planning Suggestions</a>)</li> </ul>                                                                                                                                                                                          |        |       |       |        |         |          |            |
| <b>PURL™ DAISY CHAIN H-BLOCK</b><br>                 | 01-DCHBLOCK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |        | -     | -     | -      | 1       | 0.2      | \$ 40      |
|                                                                                                                                         | <b>Description</b> <ul style="list-style-type: none"> <li>Includes One (1) Power In and Three (3) Power Out Receptacles</li> <li>System Requires H-Block Connector Between Power Infeed and Each Jumper Cord, See Below For Purl™ Daisy Chain H-Block and Purl™ Daisy Chain Jumper Cords on Next Page</li> <li>Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord (<a href="#">See Details and Planning Suggestions</a>)</li> </ul>                                                                                                                                                                                                                                                                                                              |        |       |       |        |         |          |            |


[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                          | Model No.  |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------------------------------------------------------------------------------------------------------------|------------|----------|-------|-------|--------|---------|----------|------------|
| <b>PURL™ DAISY CHAIN JUMPER CORD</b><br><br> | 01-DC2JUMP | 24" Long | -     | -     | -      | 1       | 0.2      | \$ 72      |
|                                                                                                                               | 01-DC3JUMP | 36" Long | -     | -     | -      | 1       | 0.2      | \$ 77      |
|                                                                                                                               | 01-DC4JUMP | 48" Long | -     | -     | -      | 1       | 0.2      | \$ 82      |
|                                                                                                                               | 01-DC5JUMP | 60" Long | -     | -     | -      | 1       | 0.2      | \$ 87      |
|                                                                                                                               | 01-DC6JUMP | 72" Long | -     | -     | -      | 1       | 0.2      | \$ 92      |

**Description**

- Connects Duo and Trio Daisy Chain Units
- System Requires H-Block Connector Between Power Infeed and Each Jumper Cord, See Below For Purl™ Daisy Chain H-Block and Purl Daisy Chain Jumper Cords on Next Page
- Non-Sequential System Allows up to Nine (9) Modules to be Connected with Power Infeed, H-Block, and Jumper Cord ([See Details and Planning Suggestions](#))

|                                 |             |  |   |   |   |   |     |        |
|---------------------------------|-------------|--|---|---|---|---|-----|--------|
| <b>HDMI DATA PORT ACCESSORY</b> | 01-LCOMHDMI |  | - | - | - | 1 | 0.2 | \$ 183 |
|---------------------------------|-------------|--|---|---|---|---|-----|--------|




OPEN MARKET ONLY

**Description**


- HDMI Port for Trio Bezel and Trio Clamp Units

|                                |            |  |   |   |   |   |     |        |
|--------------------------------|------------|--|---|---|---|---|-----|--------|
| <b>VGA DATA PORT ACCESSORY</b> | 01-LCOMVGA |  | - | - | - | 1 | 0.2 | \$ 134 |
|--------------------------------|------------|--|---|---|---|---|-----|--------|

**Description**

- VGA Port for Trio Bezel and Trio Clamp Units


|                                 |             |  |   |   |   |   |     |       |
|---------------------------------|-------------|--|---|---|---|---|-----|-------|
| <b>RJ45 DATA PORT ACCESSORY</b> | 01-LCOMRJ45 |  | - | - | - | 1 | 0.2 | \$ 88 |
|---------------------------------|-------------|--|---|---|---|---|-----|-------|

**Description**

- RJ45 Port for Trio Bezel and Trio Clamp Units

[See Canvas Intro Section for Ordering Options](#)


| Item                    | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-------------------------|-----------|-------|-------|--------|---------|----------|------------|
| WIRE MANAGEMENT CHANNEL | 01-WMGR4  | 16    | 1½    | ¾      | 1       | -        | \$ 129     |



**Description**

- Set of Four (4) Black Plastic Wire Management Channels
- Snap Lock Channel
- Attaches with Adhesive Strips
- Ships via UPS Only



|              |          |    |    |   |     |     |        |
|--------------|----------|----|----|---|-----|-----|--------|
| WIRE CHANNEL | 01-32125 | 24 | 1¾ | 1 | .25 | 0.3 | \$ 117 |
|--------------|----------|----|----|---|-----|-----|--------|



**Description**

- Available in Black
- Channels Attach with Two (2) Double-Sided Installation Tape
- Open J Channel for Easy Storage of Cables


|            |           |    |    |   |   |   |       |
|------------|-----------|----|----|---|---|---|-------|
| CABLE GRIP | 01-WMGRCB | 5¾ | 1½ | - | - | - | \$ 19 |
|------------|-----------|----|----|---|---|---|-------|



**Description**

- Under Surface Wire Management
- Black

|                        |                |        |    |     |       |   |     |        |
|------------------------|----------------|--------|----|-----|-------|---|-----|--------|
| LINK 360 CABLE MANAGER | 01-0251LINKSLV | Silver | 5¾ | 3 ⅞ | 30-51 | 4 | 3.0 | \$ 432 |
|                        | 01-0251LINKBLK | Black  | 5¾ | 3 ⅞ | 30-51 | 4 | 3.0 | \$ 391 |




**Description**

- Kit Includes: 50 Link 360™ elements, One (1) Quad Connector, One (1) Dumbbell Connector, One (1) Foot Assembly with Two (2) Magnetic Clips
- Can Be Used For Height-Adjustable Mechanisms Up To 51" or Free-Standing Use


[See Canvas Intro Section for Ordering Options](#)

| Item                          | Model No. |          | Width | Depth | Height                               | Ship Wt | Cubic Ft | List Price |
|-------------------------------|-----------|----------|-------|-------|--------------------------------------|---------|----------|------------|
| DUAL ARTICULATING MONITOR ARM | 01-MON2A  | Aluminum | -     | -     | 7 $\frac{3}{8}$ "-18 $\frac{3}{8}$ " | 13      | 2.2      | \$ 774     |
|                               | 01-MON2B  | Black    |       |       |                                      |         |          |            |
|                               | 01-MON2W  | White    |       |       |                                      |         |          |            |

**Description**


- Dual Mount with Independent Adjustment Includes Desk Clamp, and Cable Management
- Requires Grommet Kit (01-MGRMK), See Below
- 360° Rotation
- 20.3" Monitor Extension
- +90/-35° Monitor Tilt; 360° Swivel at Two Points with 19.8lb Weight Capacity per Arm
- VESA 75mm and VESA 100mm

|                    |          |          |   |   |                                      |    |     |        |
|--------------------|----------|----------|---|---|--------------------------------------|----|-----|--------|
| SINGLE MONITOR ARM | 01-MON1A | Aluminum | - | - | 7 $\frac{3}{8}$ "-18 $\frac{3}{8}$ " | 13 | 2.2 | \$ 412 |
|                    | 01-MON1B | Black    |   |   |                                      |    |     |        |
|                    | 01-MON1W | White    |   |   |                                      |    |     |        |

**Description**





- Includes Desk Clamp and Enclosed Cable Management
- Requires Grommet Kit (01-MGRMK), See Below
- 360° Rotation
- 20.3" Monitor Extension
- +90/-35° Monitor Tilt; 360° Swivel with 19.8lb Weight Capacity per Arm
- VESA 75mm and VESA 100mm

|             |          |  |   |   |                                      |    |     |       |
|-------------|----------|--|---|---|--------------------------------------|----|-----|-------|
| GROMMET KIT | 01-MGRMK |  | - | - | 6 $\frac{1}{2}$ "-19 $\frac{1}{2}$ " | 13 | 2.2 | \$ 24 |
|-------------|----------|--|---|---|--------------------------------------|----|-----|-------|

**Description**


- Compatible with Single (01-MON1) and Dual Monitor (01-MON2) Arms

[See Canvas Intro Section for Ordering Options](#)


| Item                                                                                                                                                                                                                                                                                                                                                                                                                                          | Model No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |       |                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|-------|--------|---------|----------|------------|-------|-------------------|
| DUAL ARTICULATING MONITOR ARM                                                                                                                                                                                                                                                                                                                                                                                                                 | 01-MLEDGE2A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Aluminum | -     | -     | 6½-19½ | 15      | 1.4      | \$ 1454    |       |                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                               | 01-MLEDGE2B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Black    |       |       |        |         |          |            |       |                   |
|                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |       |       |        |         |          |            |       |                   |
| <b>Description</b> <ul style="list-style-type: none"><li>• Dual Mount with Independent Adjustment Includes Desk Clamp, Grommet Mount, and Enclosed Cable Management</li><li>• 180° Lockout Feature</li><li>• 21" Monitor Extension; 3.5" Monitor Retraction</li><li>• +30/-25° Monitor Tilt; 360° Swivel at Two Points with 17.6lb Weight Capacity per Arm</li><li>• VESA 75mm and VESA 100mm Compatible with Quick Monitor Release</li></ul> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |       |       |        |         |          |            |       |                   |
| SINGLE MONITOR ARM                                                                                                                                                                                                                                                                                                                                                                                                                            | 01-MLEDGE1A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Aluminum | -     | -     | 6½-19½ | 13      | 2.2      | \$ 857     |       |                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                               | 01-MLEDGE1B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Black    |       |       |        |         |          |            |       |                   |
|                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |       |       |        |         |          |            |       |                   |
| <b>Description</b> <ul style="list-style-type: none"><li>• Includes Desk Clamp, Grommet Mount, and Enclosed Cable Management</li><li>• 180° Lockout Feature</li><li>• 21" Monitor Extension; 3.5" Monitor Retraction</li><li>• +30/-25° Monitor Tilt; 17.6lb Weight Capacity</li><li>• VESA 75mm and VESA 100mm Compatible with Quick Monitor Release</li></ul>                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |       |       |        |         |          |            |       |                   |
| ARTICULATING KEYBOARD CORNER PLATFORM                                                                                                                                                                                                                                                                                                                                                                                                         | 01-KB2CC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          | 25    | 10½   | 4½     | 16      | 1.4      | \$ 921     |       |                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Description</b> <ul style="list-style-type: none"><li>• Standard With: +/- 15° Tilt Adjustment , 360° Rotation, Independent Tilt Adjustment, 7" Lift and Lock Height Adjustment, 25" Cut Corner Platform</li><li>• Keyboard and Mouse on same level; Single Palm Rest for both Left + Right Hands</li><li>• Works with 17"+ Diagonal Work Surface</li><li>• Cannot Be Used on 20" or 21" Deep Unit</li><li>• Not Available with Optional Center Grommet</li><li>• Track Measures 21"</li></ul> <b>Options: Specify + Add</b> <table><tr><td>KB2CC</td><td>Factory Installed</td><td>\$ 231</td></tr></table> |          |       |       |        |         |          |            | KB2CC | Factory Installed |
| KB2CC                                                                                                                                                                                                                                                                                                                                                                                                                                         | Factory Installed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$ 231   |       |       |        |         |          |            |       |                   |
|                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |       |       |        |         |          |            |       |                   |
| KEYBOARD MECHANISM WITH KEYBOARD CLAMP                                                                                                                                                                                                                                                                                                                                                                                                        | 01-KB3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          | 26½   | 14    | 4.5    | 16      | 1.4      | \$ 1012    |       |                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Description</b> <ul style="list-style-type: none"><li>• Standard With: 18.75" Platform with Swivel-Below Mouse Platform, +/- 15° Tilt Adjustment, 360° Rotation, 7" Lift and Lock Height Adjustment, Independent Tilt Adjustment, Palm Rest for Mousing Surface</li><li>• Left or Right Handed Mouse Platform</li><li>• Cannot Be Used on 20" or 21" Deep Unit</li><li>• Not Available with Optional Center Grommet</li><li>• Track Measures 21"</li></ul> <b>Options: Specify + Add</b> <table><tr><td>KB3</td><td>Factory Installed</td><td>\$ 231</td></tr></table>                                       |          |       |       |        |         |          |            | KB3   | Factory Installed |
| KB3                                                                                                                                                                                                                                                                                                                                                                                                                                           | Factory Installed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$ 231   |       |       |        |         |          |            |       |                   |
|                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |       |       |        |         |          |            |       |                   |

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                                                                                                                                                                                                                                                            | Model No.         | Width  | Depth | Height | Ship Wt | Cubic Ft | List Price |      |                   |        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------|-------|--------|---------|----------|------------|------|-------------------|--------|
| CENTER DRAWER                                                                                                                                                                                                                                                                                                                                   | 66-1622CD         | 22     | 16    | 2      | 7       | 1.4      | T\$ 435    |      |                   |        |
| <div><div></div><div><p><b>Description</b></p><ul style="list-style-type: none"><li>Fits Desks, P-Top Units, and D-Top Units</li><li>Will Not Work in Conjunction with Height Adjustable Mechanisms or Modesty Panels on 30" D-Top Units</li></ul></div></div> |                   |        |       |        |         |          |            |      |                   |        |
| <div><div><p><u>Must Specify (in this order):</u></p><p>Model #</p><p>Color</p><p>Drawer Front Grain</p><p>Factory Installed</p></div><div><p><b>Options: Specify + Add</b></p><table><tr><td>CD16</td><td>Factory Installed</td><td>\$ 231</td></tr></table></div></div>                                                                       |                   |        |       |        |         |          |            | CD16 | Factory Installed | \$ 231 |
| CD16                                                                                                                                                                                                                                                                                                                                            | Factory Installed | \$ 231 |       |        |         |          |            |      |                   |        |


|               |         |                   |     |     |    |   |   |        |
|---------------|---------|-------------------|-----|-----|----|---|---|--------|
| LED TASKLIGHT | TL-0824 | 84-LED, 7 Watts   | 22½ | 7/8 | 1½ | - | - | \$ 408 |
|               | TL-0848 | 240-LED, 18 Watts | 47½ | 7/8 | 1½ | - | - | \$ 493 |



**Description**

- Includes: Rocker Style On/Off Switch, 10' Power Cord, and Three Upper Wire Management Grommets
- Grommet Color will Match Lower Grommet Color

|               |             |                    |     |   |   |   |   |         |
|---------------|-------------|--------------------|-----|---|---|---|---|---------|
| LED TASKLIGHT | 01-47LED17  | 24-LED, 9.1 Watts  | 16¾ | 2 | ¾ | - | - | \$ 765  |
|               | 01-94LED31  | 48-LED, 17.6 Watts | 30¾ | 2 | ¾ | - | - | \$ 1323 |
|               | 01-188LED58 | 96-LED, 33.7 Watts | 57¾ | 2 | ¾ | - | - | \$ 1825 |



**Description**

- Includes: 12' Power Cord, and Three Upper Wire Management Grommets
- Grommet Color will Match Lower Grommet Color
- Optional Occupancy Sensor Shuts Off After 30 Minutes of Inactivity and Turns On Immediately When Reentering the Detection Area

**Options: Specify + Add**

|         |                  |        |
|---------|------------------|--------|
| 01-OSRP | Occupancy Sensor | \$ 405 |
|---------|------------------|--------|

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                | Model No. |                      | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------|-----------|----------------------|-------|-------|--------|---------|----------|------------|
| <b>L SHELF</b><br> | 66-1530LS | 64 lbs Weight Limit  | 30    | 15    | 17     | 30      | 6.0      | \$ 592     |
|                                                                                                     | 66-1536LS | 64 lbs Weight Limit  | 36    | 15    | 17     | 35      | 7.1      | \$ 652     |
|                                                                                                     | 66-1542LS | 90 lbs Weight Limit  | 42    | 15    | 17     | 40      | 8.2      | \$ 712     |
|                                                                                                     | 66-1548LS | 90 lbs Weight Limit  | 48    | 15    | 17     | 45      | 9.3      | \$ 769     |
|                                                                                                     | 66-1554LS | 90 lbs Weight Limit  | 54    | 15    | 17     | 50      | 10.5     | \$ 825     |
|                                                                                                     | 66-1560LS | 128 lbs Weight Limit | 60    | 15    | 17     | 55      | 11.6     | \$ 884     |
|                                                                                                     | 66-1566LS | 128lbs Weight Limit  | 66    | 15    | 17     | 60      | 12.7     | \$ 943     |
|                                                                                                     | 66-1572LS | 154 lbs Weight Limit | 72    | 15    | 17     | 65      | 13.8     | \$ 1000    |
|                                                                                                     | 66-1578LS | 154 lbs Weight Limit | 78    | 15    | 17     | 70      | 14.9     | \$ 1062    |
|                                                                                                     | 66-1584LS | 154 lbs Weight Limit | 84    | 15    | 17     | 75      | 16.0     | \$ 1121    |
|                                                                                                     | 66-1590LS | 192 lbs Weight Limit | 90    | 15    | 17     | 80      | 17.2     | \$ 1182    |
|                                                                                                     | 66-1596LS | 192 lbs Weight Limit | 96    | 15    | 17     | 85      | 18.3     | \$ 1244    |

Must Specify (in this order):

Model #

Color

Grain Direction (30"-60"W)

#### Description

- Standard with Horizontal Grain Direction; Optional Vertical Grain Direction for 30"-60"W, Must Specify
- Weight Capacity is a Distributed Load
- Not Liable for Wall Mount Units that are not Properly Installed

|                                                                                                              |           |                      |    |   |   |    |     |         |
|--------------------------------------------------------------------------------------------------------------|-----------|----------------------|----|---|---|----|-----|---------|
| <b>FLOATING SHELF</b><br> | 66-0930FS | 40 lbs Weight Limit  | 30 | 9 | 1 | 6  | 0.7 | T\$ 403 |
|                                                                                                              | 66-0936FS | 40 lbs Weight Limit  | 36 | 9 | 1 | 8  | 0.8 | T\$ 446 |
|                                                                                                              | 66-0942FS | 57 lbs Weight Limit  | 42 | 9 | 1 | 9  | 0.9 | T\$ 492 |
|                                                                                                              | 66-0948FS | 57 lbs Weight Limit  | 48 | 9 | 1 | 10 | 1.1 | T\$ 536 |
|                                                                                                              | 66-0954FS | 57 lbs Weight Limit  | 54 | 9 | 1 | 12 | 1.3 | T\$ 580 |
|                                                                                                              | 66-0960FS | 82 lbs Weight Limit  | 60 | 9 | 1 | 13 | 1.4 | T\$ 621 |
|                                                                                                              | 66-0966FS | 82 lbs Weight Limit  | 66 | 9 | 1 | 14 | 1.5 | T\$ 666 |
|                                                                                                              | 66-0972FS | 99 lbs Weight Limit  | 72 | 9 | 1 | 16 | 1.6 | T\$ 711 |
|                                                                                                              | 66-0978FS | 99 lbs Weight Limit  | 78 | 9 | 1 | 16 | 1.8 | T\$ 746 |
|                                                                                                              | 66-0984FS | 99 lbs Weight Limit  | 84 | 9 | 1 | 18 | 1.9 | T\$ 780 |
|                                                                                                              | 66-0990FS | 123 lbs Weight Limit | 90 | 9 | 1 | 19 | 2.1 | T\$ 817 |
|                                                                                                              | 66-0996FS | 123 lbs Weight Limit | 96 | 9 | 1 | 20 | 2.2 | T\$ 852 |

Must Specify (in this order):

Model #

Color

#### Description

- Standard with Horizontal Grain Direction
- Weight Capacity is a Distributed Load
- Not Liable for Wall Mount Units that are not Properly Installed

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                           | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| 23"H WALL PANEL                                                                | 66-2330WP | 30    | 1     | 23     | 28      | 1.9      | 492        |
| FOR USE WITH 30"H DESKS AND CREDENZA AND WALL MOUNT HUTCHES WITHOUT PAPERSLOTS | 66-2336WP | 36    | 1     | 23     | 31      | 2.2      | 511        |
|                                                                                | 66-2342WP | 42    | 1     | 23     | 35      | 2.6      | 583        |
|                                                                                | 66-2348WP | 48    | 1     | 23     | 39      | 2.9      | 607        |
|                                                                                | 66-2354WP | 54    | 1     | 23     | 42      | 3.2      | 628        |
|                                                                                | 66-2360WP | 60    | 1     | 23     | 46      | 3.6      | 749        |

**Description**

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Credenza, Hutch, and 70% H Units

Must Specify (in this order):

Model #  
Color

|                                                      |           |    |   |    |    |     |     |
|------------------------------------------------------|-----------|----|---|----|----|-----|-----|
| 31"H WALL PANEL                                      | 66-3130WP | 30 | 1 | 31 | 34 | 2.4 | 545 |
| FOR USE WITH 21" LOW CREDENZA AND WALL MOUNT HUTCHES | 66-3136WP | 36 | 1 | 31 | 39 | 2.9 | 572 |
|                                                      | 66-3142WP | 42 | 1 | 31 | 44 | 3.4 | 653 |
|                                                      | 66-3148WP | 48 | 1 | 31 | 49 | 3.9 | 686 |
|                                                      | 66-3154WP | 54 | 1 | 31 | 53 | 4.4 | 720 |
|                                                      | 66-3160WP | 60 | 1 | 31 | 58 | 4.9 | 844 |

**Description**

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Low Credenza, Hutch, and 70% H Units

Must Specify (in this order):

Model #  
Color

|                                          |           |    |   |    |    |     |     |
|------------------------------------------|-----------|----|---|----|----|-----|-----|
| 35"H WALL PANEL                          | 66-3530WP | 30 | 1 | 35 | 37 | 2.7 | 525 |
| FOR USE STANDARD CREDENZA AND 82% H UNIT | 66-3536WP | 36 | 1 | 35 | 42 | 3.3 | 558 |
|                                          | 66-3542WP | 42 | 1 | 35 | 48 | 3.8 | 647 |
|                                          | 66-3548WP | 48 | 1 | 35 | 53 | 4.3 | 715 |
|                                          | 66-3554WP | 54 | 1 | 35 | 59 | 4.8 | 780 |
|                                          | 66-3560WP | 60 | 1 | 35 | 64 | 5.3 | 910 |

**Description**

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Credenza, Hutch and 82% H Units

Must Specify (in this order):

Model #  
Color

**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                   | Model No. | Width | Depth | Height  | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------|-----------|-------|-------|---------|---------|----------|------------|
| 40 7/8" H WALL PANEL                                   | 66-4130WP | 30    | 1     | 40 7/8" | 42      | 3.2      | 664        |
| FOR USE WITH 30" H DESKS AND CREDENZA AND 70 1/2" UNIT | 66-4136WP | 36    | 1     | 40 7/8" | 48      | 3.7      | 709        |
|                                                        | 66-4142WP | 42    | 1     | 40 7/8" | 55      | 4.3      | 769        |
|                                                        | 66-4148WP | 48    | 1     | 40 7/8" | 61      | 4.8      | 841        |
|                                                        | 66-4154WP | 54    | 1     | 40 7/8" | 67      | 5.4      | 930        |
|                                                        | 66-4160WP | 60    | 1     | 40 7/8" | 67      | 5.4      | 1097       |



Must Specify (in this order):

Model #  
Color

#### Description

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Credenza and 70 1/2" H Units

|                                                                |           |    |   |    |    |     |      |
|----------------------------------------------------------------|-----------|----|---|----|----|-----|------|
| 43" H WALL PANEL                                               | 66-4330WP | 30 | 1 | 43 | 44 | 3.3 | 675  |
| USE WITH 21" LOW CREDENZA, WALL MOUNT HUTCH AND 82 1/2" H UNIT | 66-4336WP | 36 | 1 | 43 | 50 | 4.0 | 722  |
|                                                                | 66-4342WP | 42 | 1 | 43 | 57 | 4.6 | 784  |
|                                                                | 66-4348WP | 48 | 1 | 43 | 63 | 5.2 | 859  |
|                                                                | 66-4354WP | 54 | 1 | 43 | 70 | 5.8 | 950  |
|                                                                | 66-4360WP | 60 | 1 | 43 | 70 | 6.5 | 1119 |



Must Specify (in this order):

Model #  
Color

#### Description

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Low Credenza, Hutch, and 72 1/2" H Units

|                                               |           |    |   |    |    |     |      |
|-----------------------------------------------|-----------|----|---|----|----|-----|------|
| 48" H WALL PANEL                              | 66-4830WP | 30 | 1 | 48 | 47 | 3.7 | 709  |
| USE WITH 21" LOW CREDENZA AND 70 1/2" H UNITS | 66-4836WP | 36 | 1 | 48 | 54 | 4.4 | 762  |
|                                               | 66-4842WP | 42 | 1 | 48 | 62 | 5.6 | 860  |
|                                               | 66-4848WP | 48 | 1 | 48 | 69 | 5.8 | 911  |
|                                               | 66-4854WP | 54 | 1 | 48 | 77 | 6.5 | 1010 |
|                                               | 66-4860WP | 60 | 1 | 48 | 84 | 7.2 | 1185 |



Must Specify (in this order):

Model #  
Color

#### Description


- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Low Credenza and 70 1/2" H Units

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                   | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| 52⅞"H WALL PANEL                                       | 66-5230WP | 30    | 1     | 52⅞    | 51      | 4.0      | 731        |
| FOR USE WITH 30"H DESKS<br>AND CREDENZA AND 82⅞"H UNIT | 66-5236WP | 36    | 1     | 52⅞    | 59      | 4.8      | 806        |
|                                                        | 66-5242WP | 42    | 1     | 52⅞    | 67      | 5.5      | 935        |
|                                                        | 66-5248WP | 48    | 1     | 52⅞    | 75      | 6.4      | 990        |
|                                                        | 66-5254WP | 54    | 1     | 52⅞    | 83      | 7.0      | 1048       |
|                                                        | 66-5260WP | 60    | 1     | 52⅞    | 91      | 7.8      | 1229       |



Must Specify (in this order):

Model #

Color

#### Description

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Credenza and 82⅞"H Units

|                                                 |           |    |   |    |     |     |      |
|-------------------------------------------------|-----------|----|---|----|-----|-----|------|
| 60"H WALL PANEL                                 | 66-6030WP | 30 | 1 | 61 | 52  | 4.6 | 775  |
| FOR USE WITH 21" LOW CREDENZA<br>AND 82⅞"H UNIT | 66-6036WP | 36 | 1 | 61 | 67  | 5.5 | 842  |
|                                                 | 66-6042WP | 42 | 1 | 61 | 76  | 6.3 | 984  |
|                                                 | 66-6048WP | 48 | 1 | 61 | 85  | 7.2 | 1049 |
|                                                 | 66-6054WP | 54 | 1 | 61 | 95  | 8.0 | 1116 |
|                                                 | 66-6060WP | 60 | 1 | 61 | 104 | 9.1 | 1318 |



Must Specify (in this order):

Model #

Color

#### Description

- Attaches to Wall with Z-Cleats
- Vertical Grain Direction
- For Use with Low Credenza and 82⅞"H Units

|                  |            |                     |    |   |   |    |     |     |
|------------------|------------|---------------------|----|---|---|----|-----|-----|
| WALL PANEL SHELF | 66-0930WPS | 40 lbs Weight Limit | 30 | 9 | 1 | 6  | 0.7 | 361 |
|                  | 66-0936WPS | 40 lbs Weight Limit | 36 | 9 | 1 | 8  | 0.8 | 372 |
|                  | 66-0942WPS | 57 lbs Weight Limit | 42 | 9 | 1 | 9  | 0.9 | 420 |
|                  | 66-0948WPS | 57 lbs Weight Limit | 48 | 9 | 1 | 10 | 1.1 | 431 |
|                  | 66-0954WPS | 57 lbs Weight Limit | 54 | 9 | 1 | 12 | 1.3 | 441 |
|                  | 66-0960WPS | 82 lbs Weight Limit | 60 | 9 | 1 | 13 | 1.4 | 488 |



Must Specify (in this order):

Model #

Color

#### Description

- Horizontal Grain Direction
- For Use with Wall Panels Only
- Weight Capacity is a Distributed Load
- Hardware Included; Field Installed

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                    | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| <b>23"H MAGNETIC GLASS MARKER BOARD</b><br><br><b>FOR USE WITH 30"H DESKS AND CREDENZA AND SURFACE MOUNT HUTCHES WITHOUT PAPERSLOTS</b> | GMB-2330H  | 28½   | ½     | 23     | 22      | 4.9      | \$ 1275    |
|                                                                                                                                         | GMB-2336H  | 34½   | ½     | 23     | 27      | 5.6      | \$ 1425    |
|                                                                                                                                         | GMB-2342H  | 40½   | ½     | 23     | 31      | 6.3      | \$ 1655    |
|                                                                                                                                         | GMB-2348H  | 46½   | ½     | 23     | 36      | 7.0      | \$ 1961    |
|                                                                                                                                         | GMB-2354H  | 52½   | ½     | 23     | 41      | 7.8      | \$ 2114    |
|                                                                                                                                         | GMB-2360H  | 58½   | ½     | 23     | 45      | 8.5      | \$ 2417    |
|                                                                                                                                         | GMB-2366H  | 64½   | ½     | 23     | 50      | 9.2      | \$ 2568    |
|                                                                                                                                         | GMB-2372H  | 70½   | ½     | 23     | 55      | 10.0     | \$ 2798    |
|                                                                                                                                         | GMB-2378H  | 76½   | ½     | 23     | 59      | 10.7     | \$ 3104    |
|                                                                                                                                         | GMB-2384H  | 82½   | ½     | 23     | 64      | 11.4     | \$ 3333    |
|                                                                                                                                         | GMB-2390H  | 88½   | ½     | 23     | 69      | 12.2     | \$ 3485    |
|                                                                                                                                         | GMB-2396H  | 94½   | ½     | 23     | 74      | 12.9     | \$ 3713    |
|                                                                                                                                         | GMB-23102H | 100½  | ½     | 23     | 78      | 13.6     | \$ 3941    |
|                                                                                                                                         | GMB-23108H | 106½  | ½     | 23     | 83      | 14.3     | \$ 4248    |

Must Specify (in this order):

Model #

Color

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use with 30"H Desks and Credenzas with Surface Mount Hutches Without Paperslots
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)



Rare Earth Magnets, Marker and Eraser Set Available For All Magnetic Glass Marker Boards; [See Set Options](#)

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                                                 | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| <b>23"H MAGNETIC GLASS MARKER BOARD</b><br><br><b>FOR USE WITH 30"H DESKS AND CREDENZA AND WALL MOUNT HUTCHES WITHOUT PAPERSLOTS</b> | GMB-2330W  | 30    | ½     | 23     | 23      | 5.1      | \$ 1275    |
|                                                                                                                                      | GMB-2336W  | 36    | ½     | 23     | 28      | 5.8      | \$ 1504    |
|                                                                                                                                      | GMB-2342W  | 42    | ½     | 23     | 33      | 6.6      | \$ 1732    |
|                                                                                                                                      | GMB-2348W  | 48    | ½     | 23     | 38      | 7.3      | \$ 2037    |
|                                                                                                                                      | GMB-2354W  | 54    | ½     | 23     | 42      | 8.0      | \$ 2189    |
|                                                                                                                                      | GMB-2360W  | 60    | ½     | 23     | 47      | 8.8      | \$ 2417    |
|                                                                                                                                      | GMB-2366W  | 66    | ½     | 23     | 52      | 9.5      | \$ 2723    |
|                                                                                                                                      | GMB-2372W  | 72    | ½     | 23     | 56      | 10.2     | \$ 2875    |
|                                                                                                                                      | GMB-2378W  | 78    | ½     | 23     | 61      | 10.9     | \$ 3104    |
|                                                                                                                                      | GMB-2384W  | 84    | ½     | 23     | 66      | 11.7     | \$ 3333    |
|                                                                                                                                      | GMB-2390W  | 90    | ½     | 23     | 70      | 12.4     | \$ 3562    |
|                                                                                                                                      | GMB-2396W  | 96    | ½     | 23     | 75      | 13.1     | \$ 3865    |
|                                                                                                                                      | GMB-23102W | 102   | ½     | 23     | 80      | 13.9     | \$ 4095    |
|                                                                                                                                      | GMB-23108W | 108   | ½     | 23     | 85      | 14.6     | \$ 4248    |

Must Specify (in this order):

Model #  
Color

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches Without Paperslots
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)





Rare Earth Magnets, Marker and Eraser Set Available For All Magnetic Glass Marker Boards; [See Set Options](#)

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                                       | Model No.  | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|---------|----------|------------|
| <b>31"H MAGNETIC GLASS MARKER BOARD</b><br><br><b>FOR USE WITH 21" LOW CREDENZA AND WALL MOUNT HUTCHES</b> | GMB-3130W  | 30    | ½     | 31     | 32      | 6.3      | \$ 1655    |
|                                                                                                            | GMB-3136W  | 36    | ½     | 31     | 38      | 7.2      | \$ 1961    |
|                                                                                                            | GMB-3142W  | 42    | ½     | 31     | 44      | 8.1      | \$ 2265    |
|                                                                                                            | GMB-3148W  | 48    | ½     | 31     | 51      | 9.0      | \$ 2675    |
|                                                                                                            | GMB-3154W  | 54    | ½     | 31     | 57      | 9.9      | \$ 2875    |
|                                                                                                            | GMB-3160W  | 60    | ½     | 31     | 63      | 10.8     | \$ 3180    |
|                                                                                                            | GMB-3166W  | 66    | ½     | 31     | 70      | 11.6     | \$ 3584    |
|                                                                                                            | GMB-3172W  | 72    | ½     | 31     | 76      | 12.5     | \$ 3790    |
|                                                                                                            | GMB-3178W  | 78    | ½     | 31     | 82      | 13.4     | \$ 4095    |
|                                                                                                            | GMB-3184W  | 84    | ½     | 31     | 89      | 14.3     | \$ 4400    |
|                                                                                                            | GMB-3190W  | 90    | ½     | 31     | 95      | 15.2     | \$ 4704    |
|                                                                                                            | GMB-3196W  | 96    | ½     | 31     | 101     | 16.1     | \$ 5110    |
|                                                                                                            | GMB-31102W | 102   | ½     | 31     | 108     | 17.0     | \$ 5416    |
|                                                                                                            | GMB-31108W | 108   | ½     | 31     | 114     | 17.9     | \$ 5620    |



Must Specify (in this order):

Model #

Color

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 21"H Low Credenzas with Wall Mount Hutches and Shelving
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

|                                                                                                 |           |    |   |    |    |     |         |
|-------------------------------------------------------------------------------------------------|-----------|----|---|----|----|-----|---------|
| <b>35"H MAGNETIC GLASS MARKER BOARD</b><br><br><b>FOR USE STANDARD CREDENZA AND 82½"H UNITS</b> | GMB-3530W | 30 | ½ | 35 | 21 | 1.2 | \$ 2608 |
|                                                                                                 | GMB-3536W | 36 | ½ | 35 | 25 | 1.5 | \$ 3562 |
|                                                                                                 | GMB-3542W | 42 | ½ | 35 | 29 | 1.7 | \$ 4132 |
|                                                                                                 | GMB-3548W | 48 | ½ | 35 | 33 | 1.9 | \$ 3104 |



Must Specify (in this order):

Model #

Color

#### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over Standard Desk and Credenzas with Wardrobe and Storage Towers
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)



Rare Earth Magnets, Marker and Eraser Set Available For All Magnetic Glass Marker Boards; [See Set Options](#)


#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



| Item                                                                                                               | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| 40 7/8" MAGNETIC GLASS MARKER BOARD<br><br>FOR USE WITH 30"H DESKS AND CREDENZA AND WALL MOUNT HUTCHES OR SHELVING | GMB-4030W | 30    | 1/2   | 40 7/8 | 42      | 7.7      | \$ 2131    |
|                                                                                                                    | GMB-4036W | 36    | 1/2   | 40 7/8 | 50      | 8.8      | \$ 2531    |
|                                                                                                                    | GMB-4042W | 42    | 1/2   | 40 7/8 | 58      | 9.9      | \$ 2929    |
|                                                                                                                    | GMB-4048W | 48    | 1/2   | 40 7/8 | 67      | 11.0     | \$ 3465    |



### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Include Mounting Brackets
- For Use over 30"H Desks and Credenzas with Wall Mount Hutches or Shelving
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

Must Specify (in this order):

Model #  
Color

|                                                                                      |           |    |     |    |    |     |         |
|--------------------------------------------------------------------------------------|-----------|----|-----|----|----|-----|---------|
| 49"H MAGNETIC GLASS MARKER BOARD<br><br>FOR USE 21"H LOW CREDENZA AND 70 3/4"H UNITS | GMB-4930W | 30 | 1/2 | 49 | 21 | 1.7 | \$ 2514 |
|                                                                                      | GMB-4936W | 36 | 1/2 | 49 | 25 | 2.0 | \$ 2989 |
|                                                                                      | GMB-4942W | 42 | 1/2 | 49 | 29 | 2.3 | \$ 3643 |
|                                                                                      | GMB-4948W | 48 | 1/2 | 49 | 33 | 2.7 | \$ 4101 |




### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 21"H Low Credenzas with Wall Mount Hutches and Shelving
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

Must Specify (in this order):

Model #  
Color

|                                                                                                                          |           |    |     |        |    |      |         |
|--------------------------------------------------------------------------------------------------------------------------|-----------|----|-----|--------|----|------|---------|
| 52 1/2"H MAGNETIC GLASS MARKER BOARD<br><br>FOR USE WITH 30"H DESKS AND CREDENZA AND TALL WALL MOUNT HUTCHES OR SHELVING | GMB-5230W | 30 | 1/2 | 52 1/2 | 54 | 9.5  | \$ 2705 |
|                                                                                                                          | GMB-5236W | 36 | 1/2 | 52 1/2 | 65 | 10.8 | \$ 3218 |
|                                                                                                                          | GMB-5242W | 42 | 1/2 | 52 1/2 | 76 | 12.2 | \$ 3732 |
|                                                                                                                          | GMB-5248W | 48 | 1/2 | 52 1/2 | 86 | 13.5 | \$ 4419 |



### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Include Mounting Brackets
- For Use Next to Tall Surface or Wall Mount Hutches
- For Rare Earth Magnets, Marker and Eraser Sets; [See Set Options](#)

Must Specify (in this order):

Model #  
Color



Rare Earth Magnets, Marker and Eraser Set Available For All Magnetic Glass Marker Boards; [See Set Options](#)

### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item                                                                                 | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|--------------------------------------------------------------------------------------|-----------|-------|-------|--------|---------|----------|------------|
| 61"H MAGNETIC GLASS MARKER BOARD<br><br>FOR USE 21"H LOW CREDENZA AND 82 7/8"H UNITS | GMB-6130W | 30    | 1/2   | 61     | 26      | 2.1      | \$ 2608    |
|                                                                                      | GMB-6136W | 36    | 1/2   | 61     | 31      | 2.5      | \$ 3562    |
|                                                                                      | GMB-6142W | 42    | 1/2   | 61     | 37      | 2.9      | \$ 4132    |
|                                                                                      | GMB-6148W | 48    | 1/2   | 61     | 42      | 3.3      | \$ 3104    |




Must Specify (in this order):

Model #  
Color

### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use over 21"H Low Credenzas with Tall Wardrobe and Storage Towers
- For Rare Earth Magnets, Marker and Eraser Sets; See Sets Below

|                                                                      |           |    |     |        |     |      |         |
|----------------------------------------------------------------------|-----------|----|-----|--------|-----|------|---------|
| MAGNETIC GLASS MARKER BOARD<br><br>FOR USE FROM FLOOR TO TOP OF UNIT | GMB-5130W | 30 | 1/2 | 51 7/8 | 53  | 9.3  | \$ 2608 |
|                                                                      | GMB-7030W | 30 | 1/2 | 70 7/8 | 72  | 12.1 | \$ 3562 |
|                                                                      | GMB-8230W | 30 | 1/2 | 82 7/8 | 85  | 13.8 | \$ 4132 |
|                                                                      | GMB-5136W | 36 | 1/2 | 51 7/8 | 63  | 10.6 | \$ 3104 |
|                                                                      | GMB-7036W | 36 | 1/2 | 70 7/8 | 87  | 13.8 | \$ 4248 |
|                                                                      | GMB-8236W | 36 | 1/2 | 82 7/8 | 102 | 15.8 | \$ 4934 |



Must Specify (in this order):

Model #  
Color

### Description

- Available in Black (BLMKR) or White (WHMKR), Must Specify
- Tempered Glass Magnetic Marker Boards Are One (1) Piece with No Seams
- Mounting Brackets Included
- For Use From Floor to Top of Unit
- For Rare Earth Magnets, Marker and Eraser Sets; See Sets Below

### MARKER AND ERASER SET



01-MRKRSETBL For Use with Black Marker Boards and Black Glass Doors

\$ 136

01-MRKRSETWH For Use with White Marker Boards and White Glass Doors

### Description

- 01-MRKRSETWH May Also be Used with Dry Erase Doors and Boards
- Includes 4 Markers and an Eraser

### RARE EARTH MAGNET SET



01-MAGBL Black

\$ 127

01-MAGWH White

### Description

- Includes Set of Five (5) Rare Earth Magnets
- To be Used with Tempered Glass Magnetic Marker Boards
- Comfort Grip with Stylish Protective Plastic Coating


### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

### TALL TOOL RAIL WORK WALL FOR SURFACE MOUNT HUTCHES

#### 23" TALL USE OVER 30"H CREDENZA



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

#### Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)


| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-2330TRH  | 30"  | 1.00    | \$ 743            | 898    | 971  | 1044 | 1149 | 1258 | 1386 | 1533 |
| WW-2336TRH  | 36"  | 1.25    | \$ 805            | 999    | 1090 | 1181 | 1313 | 1449 | 1609 | 1793 |
| WW-2342TRH  | 42"  | 1.25    | \$ 826            | 1020   | 1111 | 1202 | 1334 | 1470 | 1630 | 1814 |
| WW-2348TRH  | 48"  | 1.50    | \$ 893            | 1126   | 1235 | 1345 | 1502 | 1666 | 1858 | 2078 |
| WW-2354TRH  | 54"  | 1.75    | \$ 982            | 1253   | 1381 | 1509 | 1693 | 1883 | 2107 | 2365 |
| WW-2360TRH  | 60"  | 2.00    | \$ 1008           | 1318   | 1464 | 1610 | 1820 | 2038 | 2294 | 2588 |
| WW-2366TRH  | 66"  | 2.00    | \$ 1071           | 1381   | 1527 | 1673 | 1883 | 2101 | 2357 | 2651 |
| WW-2372TRH  | 72"  | 2.25    | \$ 1134           | 1483   | 1647 | 1811 | 2048 | 2293 | 2581 | 2912 |
| WW-2378TRH  | 78"  | 2.50    | \$ 1423           | 1811   | 1993 | 2176 | 2438 | 2711 | 3031 | 3398 |
| WW-2384TRH  | 84"  | 2.50    | \$ 1478           | 1866   | 2048 | 2231 | 2493 | 2766 | 3086 | 3453 |
| WW-2390TRH  | 90"  | 2.75    | \$ 1630           | 2056   | 2257 | 2458 | 2747 | 3046 | 3398 | 3803 |
| WW-2396TRH  | 96"  | 3.00    | \$ 1734           | 2199   | 2418 | 2637 | 2952 | 3279 | 3663 | 4104 |
| WW-23102TRH | 102" | 3.25    | \$ 1811           | 2315   | 2552 | 2789 | 3131 | 3485 | 3901 | 4379 |
| WW-23108TRH | 108" | 3.50    | \$ 1900           | 2443   | 2698 | 2954 | 3321 | 3703 | 4151 | 4665 |

#### Description

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

### TALL TOOL RAIL WORK WALL FOR SURFACE MOUNT HUTCHES WITH PAPER SLOTS

#### 19" TALL USE OVER 30"H CREDENZA



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

#### Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)

| Model #       | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|---------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|               |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-1930TRHPS  | 30"  | 1.00    | \$ 712            | 867    | 940  | 1013 | 1118 | 1227 | 1355 | 1502 |
| WW-1936TRHPS  | 36"  | 1.25    | \$ 773            | 967    | 1058 | 1149 | 1281 | 1417 | 1577 | 1761 |
| WW-1942TRHPS  | 42"  | 1.25    | \$ 785            | 979    | 1070 | 1161 | 1293 | 1429 | 1589 | 1773 |
| WW-1948TRHPS  | 48"  | 1.50    | \$ 854            | 1087   | 1196 | 1306 | 1463 | 1627 | 1819 | 2039 |
| WW-1954TRHPS  | 54"  | 1.75    | \$ 919            | 1190   | 1318 | 1446 | 1630 | 1820 | 2044 | 2302 |
| WW-1960TRHPS  | 60"  | 2.00    | \$ 936            | 1246   | 1392 | 1538 | 1748 | 1966 | 2222 | 2516 |
| WW-1966TRHPS  | 66"  | 2.00    | \$ 982            | 1292   | 1438 | 1584 | 1794 | 2012 | 2268 | 2562 |
| WW-1972TRHPS  | 72"  | 2.25    | \$ 1036           | 1385   | 1549 | 1713 | 1950 | 2195 | 2483 | 2814 |
| WW-1978TRHPS  | 78"  | 2.50    | \$ 1300           | 1688   | 1870 | 2053 | 2315 | 2588 | 2908 | 3275 |
| WW-1984TRHPS  | 84"  | 2.50    | \$ 1346           | 1734   | 1916 | 2099 | 2361 | 2634 | 2954 | 3321 |
| WW-1990TRHPS  | 90"  | 2.75    | \$ 1495           | 1921   | 2122 | 2323 | 2612 | 2911 | 3263 | 3668 |
| WW-1996TRHPS  | 96"  | 3.00    | \$ 1596           | 2061   | 2280 | 2499 | 2814 | 3141 | 3525 | 3966 |
| WW-19102TRHPS | 102" | 3.25    | \$ 1668           | 2172   | 2409 | 2646 | 2988 | 3342 | 3758 | 4236 |
| WW-19108TRHPS | 108" | 3.50    | \$ 1749           | 2292   | 2547 | 2803 | 3170 | 3552 | 4000 | 4514 |


#### Description

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

[See Canvas Intro Section for Ordering Options](#)

### TALL TOOL RAIL WORK WALL FOR WALL MOUNT HUTCHES

#### USE OVER 21"H CREDENZA 31" TALL



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

#### Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)


| Model #      | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|--------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|              |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-3130TTRW  | 30"  | 1.00    | \$ 959            | 1114   | 1187 | 1260 | 1365 | 1474 | 1602 | 1749 |
| WW-3136TTRW  | 36"  | 1.25    | \$ 1041           | 1235   | 1326 | 1417 | 1549 | 1685 | 1845 | 2029 |
| WW-3142TTRW  | 42"  | 1.25    | \$ 1064           | 1258   | 1349 | 1440 | 1572 | 1708 | 1868 | 2052 |
| WW-3148TTRW  | 48"  | 1.50    | \$ 1156           | 1389   | 1498 | 1608 | 1765 | 1929 | 2121 | 2341 |
| WW-3154TTRW  | 54"  | 1.75    | \$ 1260           | 1531   | 1659 | 1787 | 1971 | 2161 | 2385 | 2643 |
| WW-3160TTRW  | 60"  | 2.00    | \$ 1319           | 1629   | 1775 | 1921 | 2131 | 2349 | 2605 | 2899 |
| WW-3166TTRW  | 66"  | 2.00    | \$ 1402           | 1712   | 1858 | 2004 | 2214 | 2432 | 2688 | 2982 |
| WW-3172TTRW  | 72"  | 2.25    | \$ 1460           | 1809   | 1973 | 2137 | 2374 | 2619 | 2907 | 3238 |
| WW-3178TTRW  | 78"  | 2.50    | \$ 1756           | 2144   | 2326 | 2509 | 2771 | 3044 | 3364 | 3731 |
| WW-3184TTRW  | 84"  | 2.50    | \$ 1837           | 2225   | 2407 | 2590 | 2852 | 3125 | 3445 | 3812 |
| WW-3190TTRW  | 90"  | 2.75    | \$ 2054           | 2480   | 2681 | 2882 | 3171 | 3470 | 3822 | 4227 |
| WW-3196TTRW  | 96"  | 3.00    | \$ 2181           | 2646   | 2865 | 3084 | 3399 | 3726 | 4110 | 4551 |
| WW-31102TTRW | 102" | 3.25    | \$ 2264           | 2768   | 3005 | 3242 | 3584 | 3938 | 4354 | 4832 |
| WW-31108TTRW | 108" | 3.50    | \$ 2392           | 2935   | 3190 | 3446 | 3813 | 4195 | 4643 | 5157 |

#### **Description**

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

### TALL TOOL RAIL WORK WALL FOR WALL MOUNT HUTCHES WITH PAPER SLOTS

#### USE OVER 21"H CREDENZA 27" TALL



Must Specify (in this order):

- Model #
- Tackboard on Top or Bottom
- Dry Erase on Top or Bottom
- Tackboard Fabric Vendor, Pattern, and Color

#### Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard (Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard (Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase (Use Grade 1 Prices)

| Model #        | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|----------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|                |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-2730TTRWPS  | 30"  | 1.00    | \$ 876            | 1031   | 1104 | 1177 | 1282 | 1391 | 1519 | 1666 |
| WW-2736TTRWPS  | 36"  | 1.25    | \$ 951            | 1145   | 1236 | 1327 | 1459 | 1595 | 1755 | 1939 |
| WW-2742TTRWPS  | 42"  | 1.25    | \$ 974            | 1168   | 1259 | 1350 | 1482 | 1618 | 1778 | 1962 |
| WW-2748TTRWPS  | 48"  | 1.50    | \$ 1056           | 1289   | 1398 | 1508 | 1665 | 1829 | 2021 | 2241 |
| WW-2754TTRWPS  | 54"  | 1.75    | \$ 1147           | 1418   | 1546 | 1674 | 1858 | 2048 | 2272 | 2530 |
| WW-2760TTRWPS  | 60"  | 2.00    | \$ 1202           | 1512   | 1658 | 1804 | 2014 | 2232 | 2488 | 2782 |
| WW-2766TTRWPS  | 66"  | 2.00    | \$ 1277           | 1587   | 1733 | 1879 | 2089 | 2307 | 2563 | 2857 |
| WW-2772TTRWPS  | 72"  | 2.25    | \$ 1334           | 1683   | 1847 | 2011 | 2248 | 2493 | 2781 | 3112 |
| WW-2778TTRWPS  | 78"  | 2.50    | \$ 1611           | 1999   | 2181 | 2364 | 2626 | 2899 | 3219 | 3586 |
| WW-2784TTRWPS  | 84"  | 2.50    | \$ 1682           | 2070   | 2252 | 2435 | 2697 | 2970 | 3290 | 3657 |
| WW-2790TTRWPS  | 90"  | 2.75    | \$ 1882           | 2308   | 2509 | 2710 | 2999 | 3298 | 3650 | 4055 |
| WW-2796TTRWPS  | 96"  | 3.00    | \$ 2000           | 2465   | 2684 | 2903 | 3218 | 3545 | 3929 | 4370 |
| WW-27102TTRWPS | 102" | 3.25    | \$ 2069           | 2573   | 2810 | 3047 | 3389 | 3743 | 4159 | 4637 |
| WW-27108TTRWPS | 108" | 3.50    | \$ 2191           | 2734   | 2989 | 3245 | 3612 | 3994 | 4442 | 4956 |


#### **Description**

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- [See Work Wall Accessories](#)

[See Canvas Intro Section for Ordering Options](#)

### TOOL RAIL WORK WALL FOR WALL MOUNT HUTCHES

#### USE OVER 30"H CREDENZA 23" TALL



Must Specify (in this order):

- Model #  
Tackboard on Top or Bottom  
Dry Erase on Top or Bottom  
Tackboard Fabric Vendor, Pattern,  
and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard  
(Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard  
(Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase  
(Use Grade 1 Prices)

| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-2330TRW  | 30"  | 1.00    | \$ 794            | 949    | 1022 | 1095 | 1200 | 1309 | 1437 | 1584 |
| WW-2336TRW  | 36"  | 1.25    | \$ 864            | 1058   | 1149 | 1240 | 1372 | 1508 | 1668 | 1852 |
| WW-2342TRW  | 42"  | 1.25    | \$ 881            | 1075   | 1166 | 1257 | 1389 | 1525 | 1685 | 1869 |
| WW-2348TRW  | 48"  | 1.50    | \$ 956            | 1189   | 1298 | 1408 | 1565 | 1729 | 1921 | 2141 |
| WW-2354TRW  | 54"  | 1.75    | \$ 1035           | 1306   | 1434 | 1562 | 1746 | 1936 | 2160 | 2418 |
| WW-2360TRW  | 60"  | 2.00    | \$ 1081           | 1391   | 1537 | 1683 | 1893 | 2111 | 2367 | 2661 |
| WW-2366TRW  | 66"  | 2.00    | \$ 1152           | 1462   | 1608 | 1754 | 1964 | 2182 | 2438 | 2732 |
| WW-2372TRW  | 72"  | 2.25    | \$ 1217           | 1566   | 1730 | 1894 | 2131 | 2376 | 2664 | 2995 |
| WW-2378TRW  | 78"  | 2.50    | \$ 1462           | 1850   | 2032 | 2215 | 2477 | 2750 | 3070 | 3437 |
| WW-2384TRW  | 84"  | 2.50    | \$ 1528           | 1916   | 2098 | 2281 | 2543 | 2816 | 3136 | 3503 |
| WW-2390TRW  | 90"  | 2.75    | \$ 1715           | 2141   | 2342 | 2543 | 2832 | 3131 | 3483 | 3888 |
| WW-2396TRW  | 96"  | 3.00    | \$ 1820           | 2285   | 2504 | 2723 | 3038 | 3365 | 3749 | 4190 |
| WW-23102TRW | 102" | 3.25    | \$ 1876           | 2380   | 2617 | 2854 | 3196 | 3550 | 3966 | 4444 |
| WW-23108TRW | 108" | 3.50    | \$ 1991           | 2534   | 2789 | 3045 | 3412 | 3794 | 4242 | 4756 |

**Description**

- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- See Accessories on Next Page

### TALL TOOL RAIL WORK WALL FOR WALL MOUNT HUTCHES WITH PAPER SLOTS

#### USE OVER 30"H CREDENZA 19" TALL



Must Specify (in this order):

- Model #  
Tackboard on Top or Bottom  
Dry Erase on Top or Bottom  
Tackboard Fabric Vendor, Pattern,  
and Color

Tackboard/Dry Erase Locations

- TB-TB: Tackboard Over Tackboard  
(Use Grade Prices)
- DEB-TB: Dry Erase Over Tackboard  
(Use Grade Prices)
- DEB-DEB: Dry Erase Over Dry Erase  
(Use Grade 1 Prices)


| Model #       | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|---------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|               |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| WW-1930TRWPS  | 30"  | 1.00    | \$ 758            | 913    | 986  | 1059 | 1164 | 1273 | 1401 | 1548 |
| WW-1936TRWPS  | 36"  | 1.25    | \$ 820            | 1014   | 1105 | 1196 | 1328 | 1464 | 1624 | 1808 |
| WW-1942TRWPS  | 42"  | 1.25    | \$ 838            | 1032   | 1123 | 1214 | 1346 | 1482 | 1642 | 1826 |
| WW-1948TRWPS  | 48"  | 1.50    | \$ 906            | 1139   | 1248 | 1358 | 1515 | 1679 | 1871 | 2091 |
| WW-1954TRWPS  | 54"  | 1.75    | \$ 965            | 1236   | 1364 | 1492 | 1676 | 1866 | 2090 | 2348 |
| WW-1960TRWPS  | 60"  | 2.00    | \$ 998            | 1308   | 1454 | 1600 | 1810 | 2028 | 2284 | 2578 |
| WW-1966TRWPS  | 66"  | 2.00    | \$ 1055           | 1365   | 1511 | 1657 | 1867 | 2085 | 2341 | 2635 |
| WW-1972TRWPS  | 72"  | 2.25    | \$ 1112           | 1461   | 1625 | 1789 | 2026 | 2271 | 2559 | 2890 |
| WW-1978TRWPS  | 78"  | 2.50    | \$ 1333           | 1721   | 1903 | 2086 | 2348 | 2621 | 2941 | 3308 |
| WW-1984TRWPS  | 84"  | 2.50    | \$ 1394           | 1782   | 1964 | 2147 | 2409 | 2682 | 3002 | 3369 |
| WW-1990TRWPS  | 90"  | 2.75    | \$ 1572           | 1998   | 2199 | 2400 | 2689 | 2988 | 3340 | 3745 |
| WW-1996TRWPS  | 96"  | 3.00    | \$ 1670           | 2135   | 2354 | 2573 | 2888 | 3215 | 3599 | 4040 |
| WW-19102TRWPS | 102" | 3.25    | \$ 1722           | 2226   | 2463 | 2700 | 3042 | 3396 | 3812 | 4290 |
| WW-19108TRWPS | 108" | 3.50    | \$ 1833           | 2376   | 2631 | 2887 | 3254 | 3636 | 4084 | 4598 |

**Description**


- Aluminum Tool Rail
- Work Walls 78" and Larger will Ship in 4 Pieces
- See Accessories on Next Page

[See Canvas Intro Section for Ordering Options](#)


| Item       | Model No.   |       | Width            | Depth            | Height          | Ship Wt | Cubic Ft | List Price |
|------------|-------------|-------|------------------|------------------|-----------------|---------|----------|------------|
| LEGAL TRAY | 01-LGLTRAYC | Clear | 14 $\frac{7}{8}$ | 10 $\frac{1}{2}$ | 1 $\frac{1}{8}$ |         |          | \$ 128     |



|               |              |       |                 |                  |                 |  |  |        |
|---------------|--------------|-------|-----------------|------------------|-----------------|--|--|--------|
| FOLDER SORTER | 01-FLDRSRTRC | Clear | 7 $\frac{1}{4}$ | 12 $\frac{3}{8}$ | 7 $\frac{1}{8}$ |  |  | \$ 143 |
|---------------|--------------|-------|-----------------|------------------|-----------------|--|--|--------|





|                  |             |       |                 |                  |                 |  |  |        |
|------------------|-------------|-------|-----------------|------------------|-----------------|--|--|--------|
| ACCESSORIES TRAY | 01-ACCTRAYC | Clear | 9 $\frac{1}{4}$ | 10 $\frac{1}{8}$ | 1 $\frac{1}{8}$ |  |  | \$ 138 |
|------------------|-------------|-------|-----------------|------------------|-----------------|--|--|--------|



[See Canvas Intro Section for Ordering Options](#)

## 19"H TACKBOARDS

FOR SURFACE MOUNT HUTCHES  
WITH PAPER SLOTS

Must Specify (in this order):

Model #


Fabric Vendor, Pattern, and Color

| Model #    | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|            |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-1930HPS | 30"  | 1.00    | \$ 344            | 499    | 572  | 645  | 750  | 859  | 987  | 1134 |
| TB-1936HPS | 36"  | 1.25    | \$ 380            | 574    | 665  | 756  | 888  | 1024 | 1184 | 1368 |
| TB-1942HPS | 42"  | 1.25    | \$ 390            | 584    | 675  | 766  | 898  | 1034 | 1194 | 1378 |
| TB-1948HPS | 48"  | 1.50    | \$ 432            | 665    | 774  | 884  | 1041 | 1205 | 1397 | 1617 |
| TB-1954HPS | 54"  | 1.75    | \$ 479            | 750    | 878  | 1006 | 1190 | 1380 | 1604 | 1862 |
| TB-1960HPS | 60"  | 2.00    | \$ 493            | 803    | 949  | 1095 | 1305 | 1523 | 1779 | 2073 |
| TB-1966HPS | 66"  | 2.00    | \$ 528            | 838    | 984  | 1130 | 1340 | 1558 | 1814 | 2108 |
| TB-1972HPS | 72"  | 2.25    | \$ 565            | 914    | 1078 | 1242 | 1479 | 1724 | 2012 | 2343 |
| TB-1978HPS | 78"  | 2.50    | \$ 627            | 1015   | 1197 | 1380 | 1642 | 1915 | 2235 | 2602 |
| TB-1984HPS | 84"  | 2.50    | \$ 637            | 1025   | 1207 | 1390 | 1652 | 1925 | 2245 | 2612 |
| TB-1990HPS | 90"  | 2.75    | \$ 675            | 1101   | 1302 | 1503 | 1792 | 2091 | 2443 | 2848 |
| TB-1996HPS | 96"  | 3.00    | \$ 704            | 1169   | 1388 | 1607 | 1922 | 2249 | 2633 | 3074 |

**Description**

- All Tackboards 78" and Longer will Ship in 2 Pieces


## 19"H TACKBOARDS

FOR WALL MOUNT HUTCHES  
WITH PAPER SLOTS

Must Specify (in this order):

Model #

Fabric Vendor, Pattern, and Color



| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-1930WPS  | 30"  | 1.00    | \$ 389            | 544    | 617  | 690  | 795  | 904  | 1032 | 1179 |
| TB-1936WPS  | 36"  | 1.25    | \$ 430            | 624    | 715  | 806  | 938  | 1074 | 1234 | 1418 |
| TB-1942WPS  | 42"  | 1.25    | \$ 441            | 635    | 726  | 817  | 949  | 1085 | 1245 | 1429 |
| TB-1948WPS  | 48"  | 1.50    | \$ 490            | 723    | 832  | 942  | 1099 | 1263 | 1455 | 1675 |
| TB-1954WPS  | 54"  | 1.75    | \$ 533            | 804    | 932  | 1060 | 1244 | 1434 | 1658 | 1916 |
| TB-1960WPS  | 60"  | 2.00    | \$ 557            | 867    | 1013 | 1159 | 1369 | 1587 | 1843 | 2137 |
| TB-1966WPS  | 66"  | 2.00    | \$ 601            | 911    | 1057 | 1203 | 1413 | 1631 | 1887 | 2181 |
| TB-1972WPS  | 72"  | 2.25    | \$ 640            | 989    | 1153 | 1317 | 1554 | 1799 | 2087 | 2418 |
| TB-1978WPS  | 78"  | 2.50    | \$ 694            | 1082   | 1264 | 1447 | 1709 | 1982 | 2302 | 2669 |
| TB-1984WPS  | 84"  | 2.50    | \$ 707            | 1095   | 1277 | 1460 | 1722 | 1995 | 2315 | 2682 |
| TB-1990WPS  | 90"  | 2.75    | \$ 749            | 1175   | 1376 | 1577 | 1866 | 2165 | 2517 | 2922 |
| TB-1996WPS  | 96"  | 3.00    | \$ 784            | 1249   | 1468 | 1687 | 2002 | 2329 | 2713 | 3154 |
| TB-19102WPS | 102" | 3.25    | \$ 801            | 1305   | 1542 | 1779 | 2121 | 2475 | 2891 | 3369 |
| TB-19108WPS | 108" | 3.50    | \$ 840            | 1383   | 1638 | 1894 | 2261 | 2643 | 3091 | 3605 |

**Description**

- All Tackboards 78" and Longer will Ship in 2 Pieces
- Not Compatible with Gallery Screens; Consider Work Wall Applications



**Pricing Codes:**

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

### 23"H TACKBOARDS

#### FOR USE WITH SURFACE MOUNT HUTCHES



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color



| Model #  | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|          |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-6630H | 30"  | 1.00    | \$ 383            | 538    | 611  | 684  | 789  | 898  | 1026 | 1173 |
| TB-6636H | 36"  | 1.25    | \$ 427            | 621    | 712  | 803  | 935  | 1071 | 1231 | 1415 |
| TB-6642H | 42"  | 1.25    | \$ 439            | 633    | 724  | 815  | 947  | 1083 | 1243 | 1427 |
| TB-6648H | 48"  | 1.50    | \$ 483            | 716    | 825  | 935  | 1092 | 1256 | 1448 | 1668 |
| TB-6654H | 54"  | 1.75    | \$ 537            | 808    | 936  | 1064 | 1248 | 1438 | 1662 | 1920 |
| TB-6660H | 60"  | 2.00    | \$ 551            | 861    | 1007 | 1153 | 1363 | 1581 | 1837 | 2131 |
| TB-6666H | 66"  | 2.00    | \$ 591            | 901    | 1047 | 1193 | 1403 | 1621 | 1877 | 2171 |
| TB-6672H | 72"  | 2.25    | \$ 627            | 976    | 1140 | 1304 | 1541 | 1786 | 2074 | 2405 |
| TB-6678H | 78"  | 2.50    | \$ 696            | 1084   | 1266 | 1449 | 1711 | 1984 | 2304 | 2671 |
| TB-6684H | 84"  | 2.50    | \$ 708            | 1096   | 1278 | 1461 | 1723 | 1996 | 2316 | 2683 |
| TB-6690H | 90"  | 2.75    | \$ 745            | 1171   | 1372 | 1573 | 1862 | 2161 | 2513 | 2918 |
| TB-6696H | 96"  | 3.00    | \$ 783            | 1248   | 1467 | 1686 | 2001 | 2328 | 2712 | 3153 |

#### Description

- All Tackboards 78" and Longer will Ship in 2 Pieces

### 23"H TACKBOARDS

#### FOR WALL MOUNT HUTCHES



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color

| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-6630W  | 30"  | 1.00    | \$ 437            | 592    | 665  | 738  | 843  | 952  | 1080 | 1227 |
| TB-6636W  | 36"  | 1.25    | \$ 480            | 674    | 765  | 856  | 988  | 1124 | 1284 | 1468 |
| TB-6642W  | 42"  | 1.25    | \$ 494            | 688    | 779  | 870  | 1002 | 1138 | 1298 | 1482 |
| TB-6648W  | 48"  | 1.50    | \$ 545            | 778    | 887  | 997  | 1154 | 1318 | 1510 | 1730 |
| TB-6654W  | 54"  | 1.75    | \$ 597            | 868    | 996  | 1124 | 1308 | 1498 | 1722 | 1980 |
| TB-6660W  | 60"  | 2.00    | \$ 627            | 937    | 1083 | 1229 | 1439 | 1657 | 1913 | 2207 |
| TB-6666W  | 66"  | 2.00    | \$ 675            | 985    | 1131 | 1277 | 1487 | 1705 | 1961 | 2255 |
| TB-6672W  | 72"  | 2.25    | \$ 711            | 1060   | 1224 | 1388 | 1625 | 1870 | 2158 | 2489 |
| TB-6678W  | 78"  | 2.50    | \$ 773            | 1161   | 1343 | 1526 | 1788 | 2061 | 2381 | 2748 |
| TB-6684W  | 84"  | 2.50    | \$ 787            | 1175   | 1357 | 1540 | 1802 | 2075 | 2395 | 2762 |
| TB-6690W  | 90"  | 2.75    | \$ 832            | 1258   | 1459 | 1660 | 1949 | 2248 | 2600 | 3005 |
| TB-6696W  | 96"  | 3.00    | \$ 873            | 1338   | 1557 | 1776 | 2091 | 2418 | 2802 | 3243 |
| TB-66102W | 102" | 3.25    | \$ 892            | 1396   | 1633 | 1870 | 2212 | 2566 | 2982 | 3460 |
| TB-66108W | 108" | 3.50    | \$ 936            | 1479   | 1734 | 1990 | 2357 | 2739 | 3187 | 3701 |

#### Description

- All Tackboards 78" and Longer will Ship in 2 Pieces
- Not Compatible with Gallery Screens; Consider Work Wall Applications

#### Pricing Codes:


T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)



### 27"H TACKBOARDS


USE OVER 21"H CREDENZA AND  
WALL MOUNT HUTCHES  
WITH PAPER SLOTS



Must Specify (in this order):

Model #

Fabric Vendor, Pattern, and Color




| Model #     | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-------------|------|---------|-------------------|--------|------|------|------|------|------|------|
|             |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-2730WPS  | 30"  | 1.00    | \$ 479            | 634    | 707  | 780  | 885  | 994  | 1122 | 1269 |
| TB-2736WPS  | 36"  | 1.25    | \$ 533            | 727    | 818  | 909  | 1041 | 1177 | 1337 | 1521 |
| TB-2742WPS  | 42"  | 1.25    | \$ 545            | 739    | 830  | 921  | 1053 | 1189 | 1349 | 1533 |
| TB-2748WPS  | 48"  | 1.50    | \$ 604            | 837    | 946  | 1056 | 1213 | 1377 | 1569 | 1789 |
| TB-2754WPS  | 54"  | 1.75    | \$ 663            | 934    | 1062 | 1190 | 1374 | 1564 | 1788 | 2046 |
| TB-2760WPS  | 60"  | 2.00    | \$ 695            | 1005   | 1151 | 1297 | 1507 | 1725 | 1981 | 2275 |
| TB-2766WPS  | 66"  | 2.00    | \$ 743            | 1053   | 1199 | 1345 | 1555 | 1773 | 2029 | 2323 |
| TB-2772WPS  | 72"  | 2.25    | \$ 783            | 1132   | 1296 | 1460 | 1697 | 1942 | 2230 | 2561 |
| TB-2778WPS  | 78"  | 2.50    | \$ 849            | 1237   | 1419 | 1602 | 1864 | 2137 | 2457 | 2824 |
| TB-2784WPS  | 84"  | 2.50    | \$ 868            | 1256   | 1438 | 1621 | 1883 | 2156 | 2476 | 2843 |
| TB-2790WPS  | 90"  | 2.75    | \$ 918            | 1344   | 1545 | 1746 | 2035 | 2334 | 2686 | 3091 |
| TB-2796WPS  | 96"  | 3.00    | \$ 958            | 1423   | 1642 | 1861 | 2176 | 2503 | 2887 | 3328 |
| TB-27102WPS | 102" | 3.25    | \$ 982            | 1486   | 1723 | 1960 | 2302 | 2656 | 3072 | 3550 |
| TB-27108WPS | 108" | 3.50    | \$ 1030           | 1573   | 1828 | 2084 | 2451 | 2833 | 3281 | 3795 |

#### Description

- All Tackboards 78" and Longer will Ship in 2 Pieces

### 31"H TACKBOARDS


USE OVER 21"H CREDENZA AND  
FOR WALL MOUNT HUTCHES



Must Specify (in this order):

Model #

Fabric Vendor, Pattern, and Color



| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-3130W  | 30"  | 1.00    | \$ 524            | 679    | 752  | 825  | 930  | 1039 | 1167 | 1314 |
| TB-3136W  | 36"  | 1.25    | \$ 581            | 775    | 866  | 957  | 1089 | 1225 | 1385 | 1569 |
| TB-3142W  | 42"  | 1.25    | \$ 597            | 791    | 882  | 973  | 1105 | 1241 | 1401 | 1585 |
| TB-3148W  | 48"  | 1.50    | \$ 663            | 896    | 1005 | 1115 | 1272 | 1436 | 1628 | 1848 |
| TB-3154W  | 54"  | 1.75    | \$ 727            | 998    | 1126 | 1254 | 1438 | 1628 | 1852 | 2110 |
| TB-3160W  | 60"  | 2.00    | \$ 766            | 1076   | 1222 | 1368 | 1578 | 1796 | 2052 | 2346 |
| TB-3166W  | 66"  | 2.00    | \$ 817            | 1127   | 1273 | 1419 | 1629 | 1847 | 2103 | 2397 |
| TB-3172W  | 72"  | 2.25    | \$ 855            | 1204   | 1368 | 1532 | 1769 | 2014 | 2302 | 2633 |
| TB-3178W  | 78"  | 2.50    | \$ 927            | 1315   | 1497 | 1680 | 1942 | 2215 | 2535 | 2902 |
| TB-3184W  | 84"  | 2.50    | \$ 943            | 1331   | 1513 | 1696 | 1958 | 2231 | 2551 | 2918 |
| TB-3190W  | 90"  | 2.75    | \$ 996            | 1422   | 1623 | 1824 | 2113 | 2412 | 2764 | 3169 |
| TB-3196W  | 96"  | 3.00    | \$ 1045           | 1510   | 1729 | 1948 | 2263 | 2590 | 2974 | 3415 |
| TB-31102W | 102" | 3.25    | \$ 1074           | 1578   | 1815 | 2052 | 2394 | 2748 | 3164 | 3642 |
| TB-31108W | 108" | 3.50    | \$ 1123           | 1666   | 1921 | 2177 | 2544 | 2926 | 3374 | 3888 |

#### Description

- All Tackboards 78" and Longer will Ship in 2 Pieces


#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

### 35"H TACKBOARDS

USE WITH STANDARD CREDENZA,  
WALL MOUNT HUTCH  
AND 82⅝"H WARDROBES



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color




| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-3530W  | 30"  | 1.00    | \$ 529            | 684    | 757  | 830  | 1044 | 1044 | 1172 | 1319 |
| TB-3536W  | 36"  | 1.25    | \$ 587            | 781    | 872  | 963  | 1231 | 1231 | 1391 | 1575 |
| TB-3542W  | 42"  | 1.25    | \$ 635            | 868    | 977  | 1087 | 1408 | 1408 | 1600 | 1820 |
| TB-3548W  | 48"  | 1.50    | \$ 672            | 905    | 1014 | 1124 | 1445 | 1445 | 1637 | 1857 |
| TB-3554W  | 54"  | 1.75    | \$ 744            | 1015   | 1143 | 1271 | 1645 | 1645 | 1869 | 2127 |
| TB-3560W  | 60"  | 2.00    | \$ 785            | 1095   | 1241 | 1387 | 1815 | 1815 | 2071 | 2365 |
| TB-3566W  | 66"  | 2.00    | \$ 839            | 1149   | 1295 | 1441 | 1869 | 1869 | 2125 | 2419 |
| TB-3572W  | 72"  | 2.25    | \$ 878            | 1227   | 1391 | 1555 | 2037 | 2037 | 2325 | 2656 |
| TB-3578W  | 78"  | 2.50    | \$ 953            | 1341   | 1523 | 1706 | 2241 | 2241 | 2561 | 2928 |
| TB-3584W  | 84"  | 2.50    | \$ 1002           | 1428   | 1629 | 1830 | 2418 | 2418 | 2770 | 3175 |
| TB-3590W  | 90"  | 2.75    | \$ 1057           | 1522   | 1741 | 1960 | 2602 | 2602 | 2986 | 3427 |
| TB-3596W  | 96"  | 3.00    | \$ 1077           | 1542   | 1761 | 1980 | 2622 | 2622 | 3006 | 3447 |
| TB-35102W | 102" | 3.25    | \$ 1138           | 1642   | 1879 | 2116 | 2812 | 2812 | 3228 | 3706 |
| TB-35108W | 108" | 3.50    | \$ 1178           | 1721   | 1976 | 2232 | 2981 | 2981 | 3429 | 3943 |

#### Description

- All Tackboards 78" and Longer will Ship in Two (2) Pieces
- Pattern Match is Not Supported for Two (2) Piece Units
- For Use with Credenzas, Wall Mount Hutches, and 82⅝"H Units

### 41"H TACKBOARDS

USE WITH STANDARD CREDENZA  
AND 70⅝"H UNITS



Must Specify (in this order):  
Model #  
Fabric Vendor, Pattern, and Color



| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-4130W  | 30"  | 1.00    | \$ 617            | 772    | 845  | 918  | 1023 | 1132 | 1260 | 1407 |
| TB-4136W  | 36"  | 1.25    | \$ 680            | 874    | 965  | 1056 | 1188 | 1324 | 1484 | 1668 |
| TB-4142W  | 42"  | 1.25    | \$ 731            | 964    | 1073 | 1183 | 1340 | 1504 | 1696 | 1916 |
| TB-4148W  | 48"  | 1.50    | \$ 774            | 1007   | 1116 | 1226 | 1383 | 1547 | 1739 | 1959 |
| TB-4154W  | 54"  | 1.75    | \$ 845            | 1116   | 1244 | 1372 | 1556 | 1746 | 1970 | 2228 |
| TB-4160W  | 60"  | 2.00    | \$ 887            | 1197   | 1343 | 1489 | 1699 | 1917 | 2173 | 2467 |
| TB-4166W  | 66"  | 2.00    | \$ 949            | 1259   | 1405 | 1551 | 1761 | 1979 | 2235 | 2529 |
| TB-4172W  | 72"  | 2.25    | \$ 989            | 1338   | 1502 | 1666 | 1903 | 2148 | 2436 | 2767 |
| TB-4178W  | 78"  | 2.50    | \$ 1049           | 1437   | 1619 | 1802 | 2064 | 2337 | 2657 | 3024 |
| TB-4184W  | 84"  | 2.50    | \$ 1099           | 1525   | 1726 | 1927 | 2216 | 2515 | 2867 | 3272 |
| TB-4190W  | 90"  | 2.75    | \$ 1158           | 1623   | 1842 | 2061 | 2376 | 2703 | 3087 | 3528 |
| TB-4196W  | 96"  | 3.00    | \$ 1182           | 1647   | 1866 | 2085 | 2400 | 2727 | 3111 | 3552 |
| TB-41102W | 102" | 3.25    | \$ 1213           | 1717   | 1954 | 2191 | 2533 | 2887 | 3303 | 3781 |
| TB-41108W | 108" | 3.50    | \$ 1271           | 1814   | 2069 | 2325 | 2692 | 3074 | 3522 | 4036 |

#### Description

- All Tackboards 78" and Longer will Ship in Two (2) Pieces
- Pattern Matching is Not Supported on Two-Piece Units
- For Use with Credenzas, Wall Mount Hutches, and 70⅝"H Units


Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

### 43" TACKBOARDS

USE WITH 21" LOW CREDENZA,  
WALL MOUNT HUTCH  
AND 82 $\frac{1}{2}$ "H UNITS



Must Specify (in this order):

Model #

Fabric Vendor, Pattern, and Color




| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |  |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|--|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |  |
| TB-4330W  | 30"  | 1.00    | \$ 636            | 791    | 864  | 937  | 1042 | 1151 | 1279 | 1426 |  |
| TB-4336W  | 36"  | 1.25    | \$ 700            | 894    | 985  | 1076 | 1208 | 1344 | 1504 | 1688 |  |
| TB-4342W  | 42"  | 1.25    | \$ 753            | 986    | 1095 | 1205 | 1362 | 1526 | 1718 | 1938 |  |
| TB-4348W  | 48"  | 1.50    | \$ 797            | 1030   | 1139 | 1249 | 1406 | 1570 | 1762 | 1982 |  |
| TB-4354W  | 54"  | 1.75    | \$ 877            | 1148   | 1276 | 1404 | 1588 | 1778 | 2002 | 2260 |  |
| TB-4360W  | 60"  | 2.00    | \$ 920            | 1230   | 1376 | 1522 | 1732 | 1950 | 2206 | 2500 |  |
| TB-4366W  | 66"  | 2.00    | \$ 985            | 1295   | 1441 | 1587 | 1797 | 2015 | 2271 | 2565 |  |
| TB-4372W  | 72"  | 2.25    | \$ 1025           | 1374   | 1538 | 1702 | 1939 | 2184 | 2472 | 2803 |  |
| TB-4378W  | 78"  | 2.50    | \$ 1094           | 1482   | 1664 | 1847 | 2109 | 2382 | 2702 | 3069 |  |
| TB-4384W  | 84"  | 2.50    | \$ 1145           | 1571   | 1772 | 1973 | 2262 | 2561 | 2913 | 3318 |  |
| TB-4390W  | 90"  | 2.75    | \$ 1207           | 1672   | 1891 | 2110 | 2425 | 2752 | 3136 | 3577 |  |
| TB-4396W  | 96"  | 3.00    | \$ 1230           | 1695   | 1914 | 2133 | 2448 | 2775 | 3159 | 3600 |  |
| TB-43102W | 102" | 3.25    | \$ 1296           | 1800   | 2037 | 2274 | 2616 | 2970 | 3386 | 3864 |  |
| TB-43108W | 108" | 3.50    | \$ 1338           | 1881   | 2136 | 2392 | 2759 | 3141 | 3589 | 4103 |  |

#### Description

- All Tackboards 78" and Longer will Ship in Two (2) Pieces
- Pattern Matching is Not Supported on Two-Piece Units
- For Use with Low Credenzas, Wall Mount Hutch, and 82 $\frac{1}{2}$ "H Units

### 48 $\frac{1}{2}$ " TACKBOARDS

USE WITH 21" LOW CREDENZA  
AND 70 $\frac{1}{2}$ "H UNITS



Must Specify (in this order):

Model #

Fabric Vendor, Pattern, and Color



|           |      |         |                   | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-4830W  | 30"  | 1.00    | \$ 649            | 804    | 877  | 950  | 1055 | 1164 | 1292 | 1439 |
| TB-4836W  | 36"  | 1.25    | \$ 716            | 910    | 1001 | 1092 | 1224 | 1360 | 1520 | 1704 |
| TB-4842W  | 42"  | 1.25    | \$ 770            | 1003   | 1112 | 1222 | 1379 | 1543 | 1735 | 1955 |
| TB-4848W  | 48"  | 1.50    | \$ 817            | 1050   | 1159 | 1269 | 1426 | 1590 | 1782 | 2002 |
| TB-4854W  | 54"  | 3.50    | \$ 1155           | 1698   | 1953 | 2209 | 2576 | 2958 | 3406 | 3920 |
| TB-4860W  | 60"  | 4.00    | \$ 1229           | 1849   | 2141 | 2433 | 2853 | 3289 | 3801 | 4389 |
| TB-4866W  | 66"  | 4.00    | \$ 1312           | 1932   | 2224 | 2516 | 2936 | 3372 | 3884 | 4472 |
| TB-4872W  | 72"  | 4.50    | \$ 1384           | 2082   | 2410 | 2739 | 3211 | 3702 | 4278 | 4939 |
| TB-4878W  | 78"  | 5.00    | \$ 1535           | 2310   | 2675 | 3040 | 3565 | 4110 | 4750 | 5485 |
| TB-4884W  | 84"  | 5.50    | \$ 1701           | 2554   | 2955 | 3357 | 3934 | 4534 | 5238 | 6046 |
| TB-4890W  | 90"  | 6.00    | \$ 1800           | 2730   | 3168 | 3606 | 4236 | 4890 | 5658 | 6540 |
| TB-4896W  | 96"  | 6.00    | \$ 1829           | 2759   | 3197 | 3635 | 4265 | 4919 | 5687 | 6569 |
| TB-48102W | 102" | 6.50    | \$ 1921           | 2929   | 3403 | 3878 | 4560 | 5269 | 6101 | 7056 |
| TB-48108W | 108" | 7.00    | \$ 1994           | 3079   | 3590 | 4101 | 4836 | 5599 | 6495 | 7524 |

#### Description

- Tackboards 54"-72" will Ship in Two (2) Pieces and 78" and Longer will Ship in Four (4) Pieces
- Pattern Matching is Not Supported on Two-Piece Units
- For Use with Low Credenzas, Wall Mount Hutch, and 70 $\frac{1}{2}$ "H Units


#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

### 52½"H TACKBOARDS

USE WITH STANDARD DESK OR  
CREDENZA AND 82½" UNIT



Must Specify (in this order):

Model #  
Fabric Vendor, Pattern, and Color




| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |
| TB-5230W  | 30"  | 2.00    | \$ 690            | 961    | 1089 | 1217 | 1401 | 1591 | 1815 | 2073 |
| TB-5236W  | 36"  | 2.50    | \$ 752            | 1023   | 1151 | 1279 | 1463 | 1653 | 1877 | 2135 |
| TB-5242W  | 42"  | 3.00    | \$ 794            | 1065   | 1193 | 1321 | 1505 | 1695 | 1919 | 2177 |
| TB-5248W  | 48"  | 3.00    | \$ 842            | 1113   | 1241 | 1369 | 1553 | 1743 | 1967 | 2225 |
| TB-5254W  | 54"  | 3.50    | \$ 1189           | 1732   | 1987 | 2243 | 2610 | 2992 | 3440 | 3954 |
| TB-5260W  | 60"  | 4.00    | \$ 1266           | 1886   | 2178 | 2470 | 2890 | 3326 | 3838 | 4426 |
| TB-5266W  | 66"  | 4.00    | \$ 1351           | 1971   | 2263 | 2555 | 2975 | 3411 | 3923 | 4511 |
| TB-5272W  | 72"  | 4.50    | \$ 1425           | 2123   | 2451 | 2780 | 3252 | 3743 | 4319 | 4980 |
| TB-5278W  | 78"  | 5.00    | \$ 1581           | 2356   | 2721 | 3086 | 3611 | 4156 | 4796 | 5531 |
| TB-5284W  | 84"  | 6.00    | \$ 1856           | 2786   | 3224 | 3662 | 4292 | 4946 | 5714 | 6596 |
| TB-5290W  | 90"  | 6.00    | \$ 1954           | 2884   | 3322 | 3760 | 4390 | 5044 | 5812 | 6694 |
| TB-5296W  | 96"  | 6.00    | \$ 1985           | 2915   | 3353 | 3791 | 4421 | 5075 | 5843 | 6725 |
| TB-52102W | 102" | 7.00    | \$ 2136           | 3221   | 3732 | 4243 | 4978 | 5741 | 6637 | 7666 |
| TB-52108W | 108" | 7.00    | \$ 2151           | 3236   | 3747 | 4258 | 4993 | 5756 | 6652 | 7681 |

#### Description

- All Tackboards 54"-72" will Ship in Two (2) Pieces; 78"-108" will Ship in Four (4) Pieces
- Pattern Matching is Not Supported on Two-Piece Units
- For Use with Desk or Credenzas, Hutch, and 82½"H Units

### 60½"H TACKBOARDS

USE WITH 21" LOW CREDENZA  
AND 82½"H UNITS



Must Specify (in this order):

Model #  
Fabric Vendor, Pattern, and Color



| Model #   | Size | COM ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |  |
|-----------|------|---------|-------------------|--------|------|------|------|------|------|------|--|
|           |      |         |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   |  |
| TB-6030W  | 30"  | 2.00    | \$ 738            | 1048   | 1194 | 1340 | 1550 | 1768 | 2024 | 2318 |  |
| TB-6036W  | 36"  | 2.50    | \$ 804            | 1114   | 1260 | 1406 | 1616 | 1834 | 2090 | 2384 |  |
| TB-6042W  | 42"  | 3.00    | \$ 849            | 1159   | 1305 | 1451 | 1661 | 1879 | 2135 | 2429 |  |
| TB-6048W  | 48"  | 3.00    | \$ 901            | 1211   | 1357 | 1503 | 1713 | 1931 | 2187 | 2481 |  |
| TB-6054W  | 54"  | 3.50    | \$ 1224           | 1767   | 2022 | 2278 | 2645 | 3027 | 3475 | 3989 |  |
| TB-6060W  | 60"  | 4.00    | \$ 1302           | 1922   | 2214 | 2506 | 2926 | 3362 | 3874 | 4462 |  |
| TB-6066W  | 66"  | 4.00    | \$ 1393           | 2013   | 2305 | 2597 | 3017 | 3453 | 3965 | 4553 |  |
| TB-6072W  | 72"  | 4.50    | \$ 1469           | 2167   | 2495 | 2824 | 3296 | 3787 | 4363 | 5024 |  |
| TB-6078W  | 78"  | 5.00    | \$ 1792           | 2567   | 2932 | 3297 | 3822 | 4367 | 5007 | 5742 |  |
| TB-6084W  | 84"  | 6.00    | \$ 1906           | 2836   | 3274 | 3712 | 4342 | 4996 | 5764 | 6646 |  |
| TB-6090W  | 90"  | 6.00    | \$ 2006           | 2936   | 3374 | 3812 | 4442 | 5096 | 5864 | 6746 |  |
| TB-6096W  | 96"  | 6.00    | \$ 2040           | 2970   | 3408 | 3846 | 4476 | 5130 | 5898 | 6780 |  |
| TB-60102W | 102" | 7.00    | \$ 2196           | 3281   | 3792 | 4303 | 5038 | 5801 | 6697 | 7726 |  |
| TB-60108W | 108" | 7.00    | \$ 2215           | 3300   | 3811 | 4322 | 5057 | 5820 | 6716 | 7745 |  |

#### Description


- All Tackboards 54"-72" will Ship in Two (2) Pieces; 78" and Longer will Ship in Four (4) Pieces
- Pattern Matching is Not Supported on Two-Piece Units
- For Use with Low Credenzas and 82½"H Units

Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

### CUSHIONS



Must Specify (in this order):


Model #  
Fabric Vendor, Pattern,  
and Color

| Model #         | Size | COM<br>Ydg | COM,<br>1, 2 or 3 | Grades |      |      |      |      |      |      |      |      |
|-----------------|------|------------|-------------------|--------|------|------|------|------|------|------|------|------|
|                 |      |            |                   | 4      | 5    | 6    | 7    | 8    | 9    | 10   | L1   | L2   |
| 66-1519CUSHION  | 15"  | 0.75       | \$ 359            | 475    | 530  | 585  | 664  | 745  | 841  | 952  | 635  | 754  |
| 66-2030CUSHION  | 30"  | 1.25       | \$ 392            | 586    | 677  | 768  | 900  | 1036 | 1196 | 1380 | 852  | 1050 |
| 66-2036CUSHION  | 36"  | 1.25       | \$ 452            | 646    | 737  | 828  | 960  | 1096 | 1256 | 1440 | 912  | 1110 |
| 66-2060CUSHION  | 60"  | 2.00       | \$ 537            | 847    | 993  | 1139 | 1349 | 1567 | 1823 | 2117 | 1273 | 1589 |
| 66-2072CUSHION  | 72"  | 2.25       | \$ 617            | 966    | 1130 | 1294 | 1531 | 1776 | 2064 | 2395 | 1445 | 1801 |
| 66-2090CUSHION  | 90"  | 2.75       | \$ 732            | 1158   | 1359 | 1560 | 1849 | 2148 | 2500 | 2905 | 1744 | 2179 |
| 66-20108CUSHION | 108" | 3.25       | \$ 810            | 1314   | 1551 | 1788 | 2130 | 2484 | 2900 | 3378 | 2006 | 2520 |
| 66-2430CUSHION  | 30"  | 1.25       | \$ 418            | 612    | 703  | 794  | 926  | 1062 | 1222 | 1406 | 878  | 1076 |
| 66-2436CUSHION  | 36"  | 1.25       | \$ 483            | 677    | 768  | 859  | 991  | 1127 | 1287 | 1471 | 943  | 1141 |
| 66-2460CUSHION  | 60"  | 2.00       | \$ 567            | 877    | 1023 | 1169 | 1379 | 1597 | 1853 | 2147 | 1303 | 1619 |
| 66-2472CUSHION  | 72"  | 2.25       | \$ 655            | 1004   | 1168 | 1332 | 1569 | 1814 | 2102 | 2433 | 1483 | 1839 |
| 66-2490CUSHION  | 90"  | 2.75       | \$ 776            | 1202   | 1403 | 1604 | 1893 | 2192 | 2544 | 2949 | 1788 | 2223 |
| 66-24108CUSHION | 108" | 3.25       | \$ 857            | 1361   | 1598 | 1835 | 2177 | 2531 | 2947 | 3425 | 2053 | 2567 |

#### Description

- 66-1519CUSHION Is For Use with Mobile Pedestals; [See Mobile Peds](#)
- Increases Height of Mobile Pedestal 2¼"

| Item         | Model No. | Width | Depth | Height | Ship Wt | Cubic<br>Ft | List Price |
|--------------|-----------|-------|-------|--------|---------|-------------|------------|
| VISUAL BOARD | 66-4848VB | 48    | 5     | 48     | 150     | 11.0        | T\$ 3004   |



#### Description

- Standard with: Flipchart, Set of Four Dry Erase Markers, Eraser, Mounting Hardware, Tackboard on Each Door in Black Fabric, Display Rail with Adjustable Hooks for Flipchart
- Price Valid for Fabric Grades 1, 2, and 3
- Does Not Feature Soft Close Hinges
- Magnetic Porcelain Non-Glare Writing Surface

Must Specify (in this order):

Model #  
Color  
Door Grain Direction  
Tackboard Fabric Vendor, Pattern,  
and Color  
Pull  
Projection Screen Installation

| Options: Specify + Add |                                              | GRADE | 4   | 5   | 6   | 7   | 8    | 9    | 10   |
|------------------------|----------------------------------------------|-------|-----|-----|-----|-----|------|------|------|
| TB-4214                | Tackboard                                    | \$    | 310 | 456 | 602 | 812 | 1030 | 1286 | 1580 |
| 1-PS                   | Optional Factory Installed Projection Screen |       |     |     |     |     |      | \$   | 1177 |

#### Pricing Codes:

T = TFL P = HPL

[See Canvas Intro Section for Ordering Options](#)

| Item       | Model No. | Width | Depth | Height | Ship Wt | Cubic Ft | List Price |
|------------|-----------|-------|-------|--------|---------|----------|------------|
| PURSE HOOK | 01-HOOK   | 2     | 1¾    | 2⅝     |         |          | \$ 88      |



**Description**

- Black Hook Includes Mounting Hardware
- For Undermount Installation
- Field Installed

|                    |          |     |    |     |    |     |         |
|--------------------|----------|-----|----|-----|----|-----|---------|
| VESTA POWER CENTER | 01-PDCTR | 10¾ | 12 | 28¾ | 14 | 2.5 | \$ 1968 |
|--------------------|----------|-----|----|-----|----|-----|---------|



**Description**

- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3) Outlet
- Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall

[See Canvas Intro Section for Ordering Options](#)

## ORDERING INFORMATION

All orders should be placed with:

Indiana Furniture  
PO Box 270, 1919 Hospitality Dr., Ste. A  
Jasper, IN 47547-0270

Fax: 812.482.9035

email: [neworders@indianafurniture.com](mailto:neworders@indianafurniture.com)

## ORDER PROCEDURE

To ensure timely processing, all orders must include:

- Purchase Order Number
- Sold To and Ship To Addresses
- Call Before Delivery Phone Number and Contact Name
- Complete Model Numbers and Quantity for All Units
- Finish Selections
- Fabric Vendor/Pattern/Color, if applicable
- Other Applicable Options
- Any Special Delivery or Product Instructions

A drawing or sketch of the planned configuration in modular applications will facilitate order processing.

How to Order illustrations are located at the beginning of each Series. Each model has additional information on How to Specify. For further clarification, contact Sales Support at 800.422.5727.

## PRICING

All prices are suggested retail, F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices at time of shipment, unless previously acknowledged prior to the effective date of a price change, in which case billing will be at the price acknowledged.

Indiana Furniture accepts Visa, MasterCard and American Express. Please contact Sales Support for policy details.

## ACKNOWLEDGMENT

Cleanly specified orders are acknowledged in a timely manner. The acknowledgment reflects how the order was entered, the estimated ship date, and other pertinent information. This acknowledgment serves as the final agreement between the customer and Indiana Furniture, and is the exclusive statement of the terms thereof. Changes must be requested within one business day of acknowledgment; after that, all production activities begin and the order becomes firm. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. The customer bears sole responsibility for order correctness.

Shipping fees (see Delivery + Freight Charges) are added at the time of invoicing. Shipping charges will be listed on direct bill and GSA orders due to the nature of the contract, but not on commercial or dealer-billed orders.

## BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall, at any time, doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

## CANCELLATIONS + CHANGES

All products are built-to-order. Once acknowledged (See Acknowledgement), orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

## PRODUCT DESIGN + SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice. Note: All dimensions listed in price list are nominal.

# GENERAL INFORMATION + CONDITIONS OF SALE

## REPAIR CHARGES

Indiana Furniture will only pay repair charges if Sales Support gives prior written authorization. No repair charge will be paid without advance approval at which time a repair authorization number will be issued and must appear on the invoice to Indiana Furniture for the completed work.

## WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 7 calendar days at your request, a **.084% per calendar day (2.52% per month) storage charge will be assessed**. The effective date will be 7 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

## DAMAGED/MISSING MERCHANDISE

The consignee is responsible for reporting all damage and shortages to Sales Support.

- The consignee must inspect all merchandise upon arrival.
- Do not refuse merchandise damaged in transit.
- Missing cartons and obvious damage must be noted on the freight bill at the time of delivery.
- Claims for missing cartons should be reported immediately for the best chance of recovery and to avoid delays in completing the delivery.
- Claims for both obvious and concealed damage must be filed within 15 calendar days of receipt of product
- Damaged merchandise must not have been moved from the original receiving location and must be reported prior to any attempt to install the product.
- All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative.

Be prepared to provide the following information when contacting Sales Support:

- Copy of Signed Freight Bill (with noted issues, if applicable)
- Original Order Number
- Model Number of the Damaged Item
- Photos of the Damaged Carton/Item

All damage claims are subject to review and approval. Once your damage claim has been evaluated, we will determine the best resolution, including repair or replacement where applicable. Indiana Furniture reserves the right to select the most cost effective way to resolve the claim.

## DELIVERY + FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise become that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Shipping fees added at the time of invoicing.

- Shipments under \$3000 (net value, product only) will incur a \$300 net fee per shipment.
- Small-package carrier shipments:
  - Orders \$100 or less will receive a \$22 fee
  - Orders over \$100 will receive a \$40 fee

Carrier selection and routing are at Indiana Furniture's discretion. Requests for favored carriers and delivery times will be accommodated when possible.

After-hours delivery fees:

- Monday through Thursday after 3pm: \$300 per truck
- Friday after 3pm or weekends: \$600 per truck

Inside delivery and installation services are not included in the price shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, please contact Sales Support regarding the availability of services and a quote. All charges incurred will be charged to the "Sold To" of the order.

## BIFMA + ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI Standards..

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("Indiana Furniture") warrants to the original purchaser all product in this price list ("Product") to be free from defects in material and workmanship given normal use for a **12-year period from the date of manufacture**. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, Part, or Component covered by this warranty and sold after June 1, 2026, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, Part, or Component with a comparable Product, Part, or Component.

Warranty periods are limited, from the date of manufacture, for certain Products, Parts, and Components as follows:

**5-Year Warranty** (from the date of manufacture)

- Triple Play Series
- Electrical Components Including Lighting, Power Ports (see exclusions), and Adjustable Height Components
- Pneumatic Cylinders on Caseloads, Tables, and Seating
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits and Monitor Arms

**3-Year Warranty** (from the date of manufacture)

- Dock 950 Wireless Charger
- Dock 150 Wireless and USB Charger

**THIS WARRANTY DOES NOT COVER:**

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light
- Labor and Service not covered under warranty
- Installation Damage (Wall Panels damaged during the installation of additional Product including but not limited to Wall Panel Shelves, Tackboards, or TV Mounts)
- Products or Components attached in some manner to any other manufacturer's products or components (e.g., Indiana Furniture Conference Tops attached to another manufacturer's bases)
- Noncompliance with installation and maintenance instructions

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.

If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc.  
Attn: Sales Support  
PO Box 270  
1919 Hospitality Dr., Ste A  
Jasper, Indiana 47547-0270  
800.422.5727  
Fax 812.482.9035  
[custserv@indianafurniture.com](mailto:custserv@indianafurniture.com)



# Surface Materials

## Veneer Finishes, Laminate Colors + Leg/Wood Finish Options

Our veneer casegoods feature our UV topcoat finish, UVAdvantage. The result is a low-emitting finish that provides exceptional depth, clarity, durability and chemical resistance throughout the life of the product. Refer online for finish and color availability by product series.



**White Nebbia (WNB)**  
TFL, HPL, Legs



**Beigewood (BW)**  
TFL, HPL, Legs\*



**Sugar Maple (SM)**  
Veneer, TFL, HPL, Legs



**Oak Riftwood (ORW)**  
Veneer\*, TFL, HPL, Legs\*



**Kirsche (KHE)**  
TFL, HPL, Legs



**Fawn Oak (FO)**  
Veneer\*, Legs\*



**River Cherry (RC)**  
TFL, HPL, Legs\*



**Mesa Sunset (MAS)**  
Veneer\*, Legs\*



**Natural Marrone (NTM)**  
TFL, HPL, Legs\*



**Studio Teak (TK)**  
TFL, HPL, Legs



**Pinnacle Walnut (PNW)**  
Veneer, TFL, HPL, Legs



**Harvest Maple (HVM)**  
TFL, HPL, Legs\*



**Golden Cherry (GC)**  
Veneer, TFL, HPL, Legs



**Legacy Walnut (LW)**  
Veneer, Legs



**Artisan Walnut (AW)**  
Veneer, Legs



**Shaker Cherry (SKC)**  
Veneer, TFL, HPL, Legs



**Select Cherry (SCH)**  
Veneer, TFL, HPL, Legs



**Williamsburg Cherry (WC)**  
Veneer, TFL, HPL, Legs



**Harvest Walnut (HW)**  
Veneer, Legs



**Dark Cherry (DC)**  
Veneer, Legs



**Mahogany Walnut (MW)**  
Veneer, TFL, HPL, Legs



**Henna Walnut (HNW)**  
Veneer, Legs



**Columbian Walnut (CO)**  
Veneer, TFL, HPL, Legs



**Sepia Walnut (SPW)**  
TFL, HPL, Legs\*



**Florence Walnut (FLW)**  
TFL, HPL, Legs\*



**Dark Forest Walnut (DFW)**  
Veneer, Legs\*



**Espresso (EW/EF)**  
Veneer, TFL, HPL, Legs



**Portico Teak (PTK)**  
TFL, HPL, Legs\*



**Weathered Ash (WTA)**  
Veneer\*, TFL, HPL, Legs\*



**Smoky Brown Pear (SBP)**  
TFL, HPL, Legs\*




**Asian Night (AS)**  
Veneer, TFL, HPL, Legs



**Midnight Run (MNR)**  
TFL, HPL, Legs



**Metropolis Sky (MTS)**  
Veneer, Legs



**Designer White (WH)**  
TFL, HPL, Legs



**Fashion Grey (FHG)**  
TFL, HPL



**Slate Grey (SG)**  
TFL, HPL



**Black (BL)**  
TFL, HPL, Legs



**First Kiss (FK)**  
Accent HPL



**Blush (BSH)**  
Accent HPL



**Surfin USA (SUS)**  
Accent HPL



**Summer Vacation (SV)**  
Accent HPL

\* Veneer/Wood Finish is Low Sheen

## Frosted + High Gloss Acrylics



**Frosted (FSTA)**



**White (WHA)**



**Wired Mercury (WMA)**




**Graphite (GPA)**



**Black (BLA)**

## Solid Surfaces



**Snow White (SW)**




**Pebble Beach (PE)**



**Sedona (SE)**



**Arroyo (AR)**




**Tundra (TN)**




**Starry Night (SN)**

## Metal Finishes



**White (WH)**



**Snow (SNOW)**



**Oyster (OYST)**



**Sugar Cookie (SUGC)**



**Aluminum (ALUM)**



**Chrome (CHRM)**



**Platinum (PLAT)**



**Mist (MIST)**



**Gold (GOLD)**



**Black (BLK)**




**Noir (NOIR)**

## Glass Options



**White Gloss (GWHG)**



**White Acid Etch (GWHA)**



**Black Gloss (GBLG)**




**Black Acid Etch (GBLA)**


## Acoustic/Surround Options




**Milky (MLK)**  
Square One



**Cadet (CAD)**  
Square One



**Grey (GRY)**  
Square One



**Ash (ASH)**  
Square One

Colors represented are high-resolution reproductions and may vary slightly from the actual product. To order samples, please contact our Customer Service team or order online at [indianafurniture.com](http://indianafurniture.com). Graining and finish colors may vary, yet will continue to complement across Veneer, HPL, TFL and Seating products due to the inherent differences of these materials.

# Indiana<sup>®</sup>

## FURNITURE

PO Box 270

1919 Hospitality Drive, Suite A  
Jasper, Indiana 47547-0270

Tel 812.482.5727

Tol 800.422.5727

Fax 812.482.9035

[sales@indianafurniture.com](mailto:sales@indianafurniture.com)

[www.indianafurniture.com](http://www.indianafurniture.com)

**Federal Classification: Small Business**

©2026 Indiana Furniture 6/26

